


Atividade 6 PDM II

Alunos: Gabriel Ferreira do Monte e Layana Carolina Sales Pinheiro

Post aluno



Get alunos

The screenshot shows a REST client interface with a dark theme. At the top, it says "HTTP" with a double arrow icon, followed by "AtvFastAPI / New Request" and a link icon. Below this, the request method is set to "GET" and the URL is "http://0.0.0.0:8000/alunos/". The "Body" tab is selected, showing a list of body types: "none", "form-data", "x-www-form-urlencoded", "raw" (selected), and "binary". The response section at the bottom shows tabs for "Body", "Cookies", "Headers (4)", and "Test Results". The "Body" tab is active, displaying the response in "Pretty" format as a JSON array. The JSON contains two objects, each representing a student with an id, name, and address. The "JSON" dropdown menu is set to "JSON" with a copy icon.

```
1 |  
2 |  
3 |  
4 |  
5 |  
6 |  
7 |  
8 |  
9 |  
10 |  
11 |  
12 |
```

```
[  
  {  
    "id": 2,  
    "aluno_nome": "Layana Carolina",  
    "endereco": "Vila Velha"  
  },  
  {  
    "id": 3,  
    "aluno_nome": "Gabriel Ferreira",  
    "endereco": "Mucuripe"  
  }  
]
```

Get aluno

The screenshot shows a REST client interface with the following components:

- Request Bar:** Method `GET`, URL `http://0.0.0.0:8000/alunos/3`.
- Request Tabs:** Params, Authorization, Headers (7), Body, Scripts, Tests, Settings.
- Body Type:** ☐ none, ☐ form-data, ☐ x-www-form-urlencoded, ☒ raw, ☐ binary, ☐ text.
- Request Body:** A single line (1) is visible but the content is obscured by a dark bar.
- Response Tabs:** Body, Cookies, Headers (4), Test Results.
- Response Format:** Pretty, Raw, Preview, Visualize, JSON (selected), and a refresh icon.
- Response Body:** A JSON object displayed in Pretty format:

```
1 {  
2   "id": 3,  
3   "aluno_nome": "Gabriel Ferreira",  
4   "endereco": "Mucuripe"  
5 }
```

Put aluno

The screenshot displays a REST client interface with the following details:

- Method:** PUT
- URL:** http://0.0.0.0:8000/alunos/2
- Body Type:** raw (selected)
- Request Body (JSON):**

```
1 {  
2   "aluno_nome": "Layana Carolina",  
3   "endereco": "Vila Velha"  
4 }
```
- Response Body (JSON):**

```
1 {  
2   "mensagem": "Aluno atualizado com sucesso"  
3 }
```

Delete aluno

The screenshot shows a REST client interface with a dark theme. At the top, it says "AtvFastAPI / New Request". Below this, the HTTP method is set to "DELETE" and the URL is "http://0.0.0.0:8000/alunos/2". The "Body" tab is selected, and the "raw" radio button is chosen. The response section at the bottom shows a JSON object: {"mensagem": "Aluno excluido com sucesso"}. The response is formatted in "Pretty" mode.

HTTP AtvFastAPI / New Request

DELETE http://0.0.0.0:8000/alunos/2

Params Authorization Headers (7) Body Scripts Tests Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ C

1

body Cookies Headers (4) Test Results

Pretty Raw Preview Visualize JSON

```
1 {
2   "mensagem": "Aluno excluido com sucesso"
3 }
```