Operating Systems - DM510 Assignment 3: Kernel Module

Gabriel Howard Jadderson - gajad
16@student.sdu.dk Siver Al-Khayat - Sialk
16@student.sdu.dk

Contents

1	Installing MongoDB		2
	1.1	WSL(Windows Subsystem for Linux)	2
	1.2	Ubuntu 16.04, 17.04(not tested), 18.04	2
	1.3	Ubuntu 14.04	3
2	Rur	nning MongoDB	3

1 Installing MongoDB

Below you'll find the installation instructions on the following platforms.

- WSL(Windows Subsystem for Linux)
- Ubuntu 16.04, 17.04(not tested), 18.04
- Ubuntu 14.04

1.1 WSL(Windows Subsystem for Linux)

Because services are not yet supported in WSL, we must instead install mongodb version 2.6.10 mongodb. All we have to do is call:

```
$ sudo apt-get install mongodb
```

Alternatively an included bash script that contains exactly the above is also included:

```
$ sudo bash install-Mongodb-on-WLS.sh
```

The drawback here is that we are not using the official package provided by the MongoDB organization: mongodb-org.

1.2 Ubuntu 16.04, 17.04(not tested), 18.04

The following was taken from here:

```
https://docs.mongodb.com/manual/tutorial/install-mongodb-on-ubuntu/
```

First we need to add the RSA public key to our package manager:

```
$ sudo apt-key adv --keyserver hkp://keyserver.ubuntu.com:80 --recv 2930
ADAE8CAF5059EE73BB4B58712A2291FA4AD5
```

Then we need to add to our package manager; the location of where to find the MongoDB binaries.

```
$ echo "deb [ arch=amd64,arm64 ] https://repo.mongodb.org/apt/ubuntu xenial/mongodb
-org/3.6 multiverse" | sudo tee /etc/apt/sources.list.d/mongodb-org-3.6.list
```

We then need to reload our package manager.

```
$ sudo apt-get update
```

Then we install mongodb-org.

```
$ sudo apt-get install -y mongodb-org
```

Alternatively the following shell script contains all the above:

```
$ sudo bash install-Mongodb-on-16.04-and-above.sh
```

1.3 Ubuntu 14.04

The following was taken from here:

https://docs.mongodb.com/manual/tutorial/install-mongodb-on-ubuntu/

First we need to add the RSA public key to our package manager:

```
$ sudo apt-key adv --keyserver hkp://keyserver.ubuntu.com:80 --recv 2930
ADAE8CAF5059EE73BB4B58712A2291FA4AD5
```

Then we need to add to our package manager; the location of where to find the MongoDB binaries.

```
$ echo "deb [ arch=amd64 ] https://repo.mongodb.org/apt/ubuntu trusty/mongodb-org
    /3.6 multiverse" | sudo tee /etc/apt/sources.list.d/mongodb-org-3.6.list
```

We then need to reload our package manager.

```
$ sudo apt-get update
```

Then we install mongodb-org.

```
$ sudo apt-get install -y mongodb-org
```

Alternatively the following shell script contains all the above:

```
$ sudo bash install-Mongodb-on-14.04.sh
```

2 Running MongoDB

MongoDB requires a database path. For this we use the local relative path data/db/ to our project' root directory.

The MongoDB server is ran in the following way:

```
$ mongod --dbpath data/db/ --logpath data/db-log/mongodb.log &
```

or by using the provided script startMongoDB.sh, Which contains exactly the above code.

```
$ sudo bash startMongoDB.sh
```

We'll start a new MongoDB server in the background and the server will be directed to 127.0.0.1 or localhost on the default port of 27017. —port 12345 can be given to specify a custom port. Lastly the logpath is defined because we wanted to see what was going on.