

Relatório do Trabalho Final, Ciência de Dados

Gabriel Naka^{1*†} and Thiago Toreto^{1*†}

^{1*}Bacharelado em Ciência da Computação, UNESP, Av. Eng. Luís Edmundo Carrijo Coube, 14-01 - Vargem Limpa, Bauru, 17033-360, São Paulo, Brasil.

*Endereços de e-mail dos autores: gabriel.naka@unesp.br;
thiago.toreto@unesp.br;

[†]Esses autores **contribuíram igualmente para esse trabalho.**

Abstract

Esse trabalho busca realizar uma análise exploratória para estudar possíveis mudanças climáticas significativas de temperatura e condições de precipitação durante o período de 2000-2026 no Brasil, assim como o impacto dessa situação para construção de infraestrutura

Keywords: EDA, mudança climática, INMET

1 Introduction

Esse trabalho busca realizar uma análise exploratória de dados(EDA) para estudar possibilidade de mudanças significativas no padrão climático, especificamente de temperatura e precipitação, de uma região ao longo dos anos, assim como as possíveis repercussões disso para o planejamento urbano e projetos públicos de infraestrutura.

Devido ao requerimento de estudo de apenas uma região, assim como o fato de que diferenças significativas de região de análise podem contaminar o resultado final ao agrupar incorretamente ambientes e situações diversas e não relacionadas, o escopo do estudo se limitará aos dados obtidos pelo portal do INMET referentes à estação A705 localizada em Bauru, escolhida por conveniência, durante os anos de 2002 a 2025, assim como às estações A725, A737, A741, localizadas em Avaré, Ibitinga e Barra Bonita, respectivamente, durante os anos de 2009 a 2025. Essas 3 cidades foram escolhidas por serem consideradas como representantes de uma *região*, devido a proximidade com a cidade de Bauru.

O trabalho foi feito utilizando arquivos Jupyter Notebook, com extensão .ipynb, para organizar e realizar códigos em Python

2 Desenvolvimento

2.1 Fonte de dados

O portal do INMET foi utilizado como fonte de dados por ser uma fonte grande, acessível e consistente dos dados relevantes à pesquisa. O Instituto Nacional de Meteorologia disponibiliza em seu portal os dados históricos de medições horárias[1]. São disponibilizados arquivos compactados por ano, de 2000 a 2026, contendo nesses arquivos .csv(comma-separated values) contendo, individualmente, dados de identificador, localização política e geográfica da estação automática, assim como dados de precipitação, pressão, radiação, temperatura, umidade e ventos, coletados idealmente a cada hora durante todo o ano.

Esses dados, porém, não foram coletados e catalogados perfeitamente, notando-se que um número extremamente pequeno de estações possuem dados em 2000, apenas 5, com nenhuma dessas possuindo dados anteriores a maio do mesmo ano, em comparação com 2026, o qual possui leituras automáticas de 639 estações. Também foi percebido que uma parcela das medições continha valores numéricos absurdos ou impossíveis, de -9999, notando ausência dessa medição na específica data, horário e local.

Outros problemas menores detectados foram leves inconsistências na nomenclatura de colunas, ambas internas e entre tabelas, e arquivos com tamanhos maiores que suportados pelo repositório utilizado, github.

Apesar da estação A705 ter sido escolhida por conveniência, as outras estações, A725, A737, A741, foram escolhidas por proximidade com A705, distância de corte escolhida como 100km. É notável que uma quinta estação, A763 de Marília, esteve dentro da distância de corte, mas foi mais distante que as outras, e também possuía medições iniciadas em primeiro de janeiro apenas a partir de 2018, e logo foi rejeitada. Análise das estações foi realizada via script utilizando o catálogo de estações automáticas do INMET[2], o qual centraliza e simplifica informações que estariam de outra forma distribuídas e com menor acessibilidade.

2.2 Tratamento de dados

3 This is an example for first level head—section head

3.1 This is an example for second level head—subsection head

3.1.1 This is an example for third level head—subsubsection head

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

4 Equations

Equations in L^AT_EX can either be inline or on-a-line by itself (“display equations”). For inline equations use the `$...$` commands. E.g.: The equation $H\psi = E\psi$ is written via the command `$H \psi = E \psi$`.

For display equations (with auto generated equation numbers) one can use the `equation` or `align` environments:

$$\|\tilde{X}(k)\|^2 \leq \frac{\sum_{i=1}^p \|\tilde{Y}_i(k)\|^2 + \sum_{j=1}^q \|\tilde{Z}_j(k)\|^2}{p+q}. \quad (1)$$

where,

$$\begin{aligned} D_\mu &= \partial_\mu - ig \frac{\lambda^a}{2} A_\mu^a \\ F_{\mu\nu}^a &= \partial_\mu A_\nu^a - \partial_\nu A_\mu^a + gf^{abc} A_\mu^b A_\nu^a \end{aligned} \quad (2)$$

Notice the use of `\nonumber` in the `align` environment at the end of each line, except the last, so as not to produce equation numbers on lines where no equation numbers are required. The `\label{}` command should only be used at the last line of an `align` environment where `\nonumber` is not used.

$$Y_\infty = \left(\frac{m}{\text{GeV}} \right)^{-3} \left[1 + \frac{3 \ln(m/\text{GeV})}{15} + \frac{\ln(c_2/5)}{15} \right] \quad (3)$$

The class file also supports the use of `\mathbb{}`, `\mathscr{}` and `\mathcal{}` commands. As such `\mathbb{R}`, `\mathscr{R}` and `\mathcal{R}` produces $\mathbb{R}$, $\mathscr{R}$ and $\mathcal{R}$ respectively (refer Subsubsection 3.1.1).

5 Tables

Tables can be inserted via the `normal table` and `tabular` environment. To put footnotes inside tables you should use `\footnotetext[...]` tag. The footnote appears just below the table itself (refer Tables 1 and 2). For the corresponding footnotemark use `\footnotemark[...]`

The input format for the above table is as follows:

```
\begin{table}[<placement-specifier>]
\caption{<table-caption>}\label{<table-label>}%
\begin{tabular}{@{}llll@{}}
\toprule
Column 1 & Column 2 & Column 3 & Column 4\\
\midrule
row 1 & data 1 & data 2 & data 3 \\
\end{tabular}
```

Table 1 Caption text

Column 1	Column 2	Column 3	Column 4
row 1	data 1	data 2	data 3
row 2	data 4	data 5 ¹	data 6
row 3	data 7	data 8	data 9 ²

Source: This is an example of table footnote. This is an example of table footnote.

¹Example for a first table footnote. This is an example of table footnote.

²Example for a second table footnote. This is an example of table footnote.

```
row 2 & data 4 & data 5\footnotemark[1] & data 6 \\  
row 3 & data 7 & data 8 & data 9\footnotemark[2]\  
\botrule  
\end{tabular}  
\footnotetext{Source: This is an example of table footnote.  
This is an example of table footnote.}  
\footnotetext[1]{Example for a first table footnote.  
This is an example of table footnote.}  
\footnotetext[2]{Example for a second table footnote.  
This is an example of table footnote.}  
\end{table}
```

Table 2 Example of a lengthy table which is set to full textwidth

Project	Element 1 ¹			Element 2 ²		
	Energy	σ_{calc}	σ_{expt}	Energy	σ_{calc}	σ_{expt}
Element 3	990 A	1168	1547 ± 12	780 A	1166	1239 ± 100
Element 4	500 A	961	922 ± 10	900 A	1268	1092 ± 40

Note: This is an example of table footnote. This is an example of table footnote this is an example of table footnote this is an example of table footnote.

¹Example for a first table footnote.

²Example for a second table footnote.

In case of double column layout, tables which do not fit in single column width should be set to full text width. For this, you need to use `\begin{table*} ... \end{table*}` instead of `\begin{table} ... \end{table}` environment. Lengthy tables which do not fit in textwidth should be set as rotated table. For this, you need to use `\begin{sidewaystable} ... \end{sidewaystable}` instead of `\begin{table*}`

... `\end{table*}` environment. This environment puts tables rotated to single column width. For tables rotated to double column width, use `\begin{sidewaystable*}` ... `\end{sidewaystable*}`.

6 Figures

As per the $\text{\LaTeX}$ standards you need to use eps images for $\text{\LaTeX}$ compilation and pdf/jpg/png images for PDF $\text{\LaTeX}$ compilation. This is one of the major difference between $\text{\LaTeX}$ and PDF $\text{\LaTeX}$. Each image should be from a single input .eps/vector image file. Avoid using subfigures. The command for inserting images for $\text{\LaTeX}$ and PDF $\text{\LaTeX}$ can be generalized. The package used to insert images in $\text{\LaTeX}$ /PDF $\text{\LaTeX}$ is the graphicx package. Figures can be inserted via the normal figure environment as shown in the below example:

```
\begin{figure}[<placement-specifier>]
\centering
\includegraphics{<eps-file>}
\caption{<figure-caption>}\label{<figure-label>}
\end{figure}
```



Fig. 1 This is a widefig. This is an example of long caption this is an example of long caption this is an example of long caption this is an example of long caption

In case of double column layout, the above format puts figure captions/images to single column width. To get spanned images, we need to provide `\begin{figure*}` ... `\end{figure*}`.

For sample purpose, we have included the width of images in the optional argument of `\includegraphics` tag. Please ignore this.

7 Algorithms, Program codes and Listings

Packages `algorithm`, `algorithmicx` and `algpseudocode` are used for setting algorithms in $\text{\LaTeX}$ using the format:

```
\begin{algorithm}
\caption{<alg-caption>}\label{<alg-label>}
```

Table 3 Tables which are too long to fit, should be written using the “sidewaystable” environment as shown here

Projectile	Element 1 ¹			Element ²		
	Energy	σ_{calc}	σ_{expt}	Energy	σ_{calc}	σ_{expt}
Element 3	990 A	1168	1547 $\pm$ 12	780 A	1166	1239 $\pm$ 100
Element 4	500 A	961	922 $\pm$ 10	900 A	1268	1092 $\pm$ 40
Element 5	990 A	1168	1547 $\pm$ 12	780 A	1166	1239 $\pm$ 100
Element 6	500 A	961	922 $\pm$ 10	900 A	1268	1092 $\pm$ 40

Note: This is an example of table footnote this is an example of table footnote this is an example of table footnote
this is an example of table footnote.

¹This is an example of table footnote.

```

\begin{algorithmic}[1]
. . .
\end{algorithmic}
\end{algorithm}

```

You may refer above listed package documentations for more details before setting `algorithm` environment. For program codes, the “verbatim” package is required and the command to be used is `\begin{verbatim} ... \end{verbatim}`.

Similarly, for listings, use the `listings` package. `\begin{lstlisting} ... \end{lstlisting}` is used to set environments similar to `verbatim` environment. Refer to the `lstlisting` package documentation for more details.

A fast exponentiation procedure:

```

begin
  for i:=1 to 10 step 1 do
    expt(2,i);
    newline() od
where
proc expt(x,n) ≡
  z:=1;
  do if n=0 then exit fi;
  do if odd(n) then exit fi;
    comment: This is a comment statement;
    n:=n/2; x:=x*x od;
  { n>0 };
  n:=n-1; z:=z*x od;
  print(z).
end

```

Comments will be set flush to the right margin

```

for i:=maxint to 0 do
begin
{ do nothing }
end;
Write('Case_insensitive_');
Write('Pascal_keywords. ');

```

8 Cross referencing

Environments such as figure, table, equation and align can have a label declared via the `\label{#label}` command. For figures and table environments use the `\label{}` command inside or just below the `\caption{}` command. You can then use the `\ref{#label}` command to cross-reference them. As an example, consider the label declared for Figure 1 which is `\label{fig1}`. To cross-reference it, use the command `Figure \ref{fig1}`, for which it comes up as “Figure 1”.

Algorithm 1 Calculate $y = x^n$

Require: $n \geq 0 \vee x \neq 0$ **Ensure:** $y = x^n$

```
1:  $y \leftarrow 1$ 
2: if  $n < 0$  then
3:    $X \leftarrow 1/x$ 
4:    $N \leftarrow -n$ 
5: else
6:    $X \leftarrow x$ 
7:    $N \leftarrow n$ 
8: end if
9: while  $N \neq 0$  do
10:  if  $N$  is even then
11:     $X \leftarrow X \times X$ 
12:     $N \leftarrow N/2$ 
13:  else [ $N$  is odd]
14:     $y \leftarrow y \times X$ 
15:     $N \leftarrow N - 1$ 
16:  end if
17: end while
```

To reference line numbers in an algorithm, consider the label declared for the line number 2 of Algorithm 1 is `\label{algl n2}`. To cross-reference it, use the command `\ref{algl n2}` for which it comes up as line 2 of Algorithm 1.

8.1 Details on reference citations

Standard L^AT_EX permits only numerical citations. To support both numerical and author-year citations this template uses `natbib` L^AT_EX package. For style guidance please refer to the template user manual.

Here is an example for `\cite{...}`: [1]. Another example for `\citep{...}`: [2]. For author-year citation mode, `\cite{...}` prints Jones et al. (1990) and `\citep{...}` prints (Jones et al., 1990).

All cited bib entries are printed at the end of this article: [3], [4], [5], [6], [7], [8], [9], [10], [11], [12] and [13].

9 Examples for theorem like environments

For theorem like environments, we require `amsthm` package. There are three types of predefined theorem styles exists—`thmstyleone`, `thmstyletwo` and `thmstylethree`

thmstyleone	Numbered, theorem head in bold font and theorem text in italic style
thmstyletwo	Numbered, theorem head in roman font and theorem text in italic style
thmstylethree	Numbered, theorem head in bold font and theorem text in roman style

For mathematics journals, theorem styles can be included as shown in the following examples:

Theorem 1 (Theorem subhead) *Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text.*

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

Proposition 2 *Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text.*

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

Example 1 Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem.

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

Remark 1 Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem.

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

Definition 1 (Definition sub head) Example definition text. Example definition text. Example definition text. Example definition text. Example definition text. Example definition text. Example definition text. Example definition text.

Additionally a predefined “proof” environment is available: `\begin{proof} ... \end{proof}`. This prints a “Proof” head in italic font style and the “body text” in roman font style with an open square at the end of each proof environment.

Proof Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. □

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

Proof of Theorem 1 Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. □

For a quote environment, use `\begin{quote}... \end{quote}`

Quoted text example. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text (refer Figure 1). Sample body text. Sample body text. Sample body text (refer Table 3).

10 Methods

Topical subheadings are allowed. Authors must ensure that their Methods section includes adequate experimental and characterization data necessary for others in the field to reproduce their work. Authors are encouraged to include RIIDs where appropriate.

Ethical approval declarations (only required where applicable) Any article reporting experiment/s carried out on (i) live vertebrate (or higher invertebrates), (ii) humans or (iii) human samples must include an unambiguous statement within the methods section that meets the following requirements:

1. Approval: a statement which confirms that all experimental protocols were approved by a named institutional and/or licensing committee. Please identify the approving body in the methods section
2. Accordance: a statement explicitly saying that the methods were carried out in accordance with the relevant guidelines and regulations
3. Informed consent (for experiments involving humans or human tissue samples): include a statement confirming that informed consent was obtained from all participants and/or their legal guardian/s

If your manuscript includes potentially identifying patient/participant information, or if it describes human transplantation research, or if it reports results of a clinical trial then additional information will be required. Please visit (<https://www.nature.com/nature-research/editorial-policies>) for Nature Portfolio journals, (<https://www.springer.com/gp/authors-editors/journal-author/journal-author-helpdesk/publishing-ethics/14214>) for Springer Nature journals, or (<https://www.biomedcentral.com/getpublished/editorial-policies#ethics+and+consent>) for BMC.

11 Discussion

Discussions should be brief and focused. In some disciplines use of Discussion or ‘Conclusion’ is interchangeable. It is not mandatory to use both. Some journals prefer a section ‘Results and Discussion’ followed by a section ‘Conclusion’. Please refer to Journal-level guidance for any specific requirements.

12 Conclusion

Conclusions may be used to restate your hypothesis or research question, restate your major findings, explain the relevance and the added value of your work, highlight any limitations of your study, describe future directions for research and recommendations.

In some disciplines use of Discussion or ‘Conclusion’ is interchangeable. It is not mandatory to use both. Please refer to Journal-level guidance for any specific requirements.

Supplementary information. If your article has accompanying supplementary file/s please state so here.

Authors reporting data from electrophoretic gels and blots should supply the full unprocessed scans for key as part of their Supplementary information. This may be requested by the editorial team/s if it is missing.

Please refer to Journal-level guidance for any specific requirements.

Acknowledgements. Acknowledgements are not compulsory. Where included they should be brief. Grant or contribution numbers may be acknowledged.

Please refer to Journal-level guidance for any specific requirements.

Declarations

Some journals require declarations to be submitted in a standardised format. Please check the Instructions for Authors of the journal to which you are submitting to see if you need to complete this section. If yes, your manuscript must contain the following sections under the heading ‘Declarations’:

- Funding
- Conflict of interest/Competing interests (check journal-specific guidelines for which heading to use)

- Ethics approval and consent to participate
- Consent for publication
- Data availability
- Materials availability
- Code availability
- Author contribution

If any of the sections are not relevant to your manuscript, please include the heading and write ‘Not applicable’ for that section.

Editorial Policies for:

Springer journals and proceedings: <https://www.springer.com/gp/editorial-policies>

Nature Portfolio journals: <https://www.nature.com/nature-research/editorial-policies>

Scientific Reports: <https://www.nature.com/srep/journal-policies/editorial-policies>

BMC journals: <https://www.biomedcentral.com/getpublished/editorial-policies>

Appendix A Section title of first appendix

An appendix contains supplementary information that is not an essential part of the text itself but which may be helpful in providing a more comprehensive understanding of the research problem or it is information that is too cumbersome to be included in the body of the paper.

References

- [1] INSTITUTO NACIONAL DE METEOROLOGIA: Dados Históricos (2026). <https://inmet.gov.br>
- [2] INSTITUTO NACIONAL DE METEOROLOGIA: Catálogo de Estações Automáticas (2026). <https://inmet.gov.br>
- [3] Hamburger, C.: Quasimonotonicity, regularity and duality for nonlinear systems of partial differential equations. *Ann. Mat. Pura. Appl.* **169**(2), 321–354 (1995)
- [4] Geddes, K.O., Czapor, S.R., Labahn, G.: *Algorithms for Computer Algebra*. Kluwer, Boston (1992)
- [5] Broy, M.: Software engineering—from auxiliary to key technologies. In: Broy, M., Denert, E. (eds.) *Software Pioneers*, pp. 10–13. Springer, New York (1992)
- [6] Seymour, R.S. (ed.): *Conductive Polymers*. Plenum, New York (1981)

- [7] Smith, S.E.: Neuromuscular blocking drugs in man. In: Zaimis, E. (ed.) Neuromuscular Junction. Handbook of Experimental Pharmacology, vol. 42, pp. 593–660. Springer, Heidelberg (1976)
- [8] Chung, S.T., Morris, R.L.: Isolation and characterization of plasmid deoxyribonucleic acid from *Streptomyces fradiae*. Paper presented at the 3rd international symposium on the genetics of industrial microorganisms, University of Wisconsin, Madison, 4–9 June 1978 (1978)
- [9] Hao, Z., AghaKouchak, A., Nakhjiri, N., Farahmand, A.: Global integrated drought monitoring and prediction system (GIDMaPS) data sets. figshare <https://doi.org/10.6084/m9.figshare.853801> (2014)
- [10] Babichev, S.A., Ries, J., Lvovsky, A.I.: Quantum scissors: teleportation of single-mode optical states by means of a nonlocal single photon. Preprint at <https://arxiv.org/abs/quant-ph/0208066v1> (2002)
- [11] Beneke, M., Buchalla, G., Dunietz, I.: Mixing induced CP asymmetries in inclusive B decays. Phys. Lett. **B393**, 132–142 (1997) [arXiv:0707.3168](https://arxiv.org/abs/hep-th/9707018) [gr-gc]
- [12] Stahl, B.: DeepSIP: Deep Learning of Supernova Ia Parameters, 0.42, Astrophysics Source Code Library (2020), [ascl:2006.023](https://ui.adsabs.org/abs/2006ASPC...232...42S)
- [13] Abbott, T.M.C., *et al.*: Dark Energy Survey Year 1 Results: Constraints on Extended Cosmological Models from Galaxy Clustering and Weak Lensing. Phys. Rev. D **99**(12), 123505 (2019) <https://doi.org/10.1103/PhysRevD.99.123505> [arXiv:1810.02499](https://arxiv.org/abs/1810.02499) [astro-ph.CO]