HOWARD COUNTY DILP

Open Complaints

Reported Date From: 10/01/2023 To: 10/01/2026

CRH250802				
Reported Date	**Reported Address**			
07/25/2025	**10971 SWANSFIELD RD**			
Description of Complaint	10971 Swansfield Rd. – Alleged unlicensed rooming units I wanted to check on this house in our neighborhood that is renting rooms. The address is 10971 Swansfield Rd Columbia Md. 21044 The house usually has 10 to 12 cars parked in the driveway and the street. Most recently a large tree fell into the house and there is a tarp on the back.Please don't get me wrong . If someone wants to rent out rooms and vets who is living there the neighbors have no issue with it but in this case there are people staying just a short time and in the past there were questionable tenants. One of my neighbors applied for a rentals license and they had to get it up to code and fix things before a license was granted. I can't believe that this house applied but I can be wrong. Jim Futter. SEE ATTACHEMENTS			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike May	Follow Up	10/23/2026		Scheduled
Inspection Comment	court hearing			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike May	Follow Up	9/9/2026	8/31/2026	Fail
Inspection Comment	rescheduled by inspector			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike May	Follow Up	8/28/2026	8/28/2026	Fail
Inspection Comment	court granted the defendant a continuance, will get a new date for trial			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	8/27/2026	8/27/2026	Fail
Inspection Comment	Interior visit with owner, confirmed only two bedrooms now occupied. Owner states they use the main bedroom and a family member uses the second bedroom. Many violations still present and work ongoing for interior repairs. Stove was pulled away from wall ion basement second kitchen, owner stated it would be thrown away, i advised that the outlet for the stove would need to be capped off as well if his goal was to not have any issue with zoning approval.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	8/6/2026	8/6/2026	Fail
Inspection Comment	courts have decided to postpone our court date, they have reassigned to August 28, 8:45 am			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	8/3/2026	8/3/2026	Fail
Inspection Comment	no updates from owner recieved			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	7/2/2026	7/2/2026	Fail
Inspection Comment	appeared in court as scheduled Mr fagbemi did not appear Court ruled in our favor and set an abatement date of August 2, and a court date of August 6th court will issue order that we will then be asked to post to the front door			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	4/27/2026	4/27/2026	Fail
Inspection Comment	communications have never been re established after the interior inspection. A court date has been set			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	4/24/2026	4/24/2026	Fail
Inspection Comment	attempted to knock on door again to speak with owner. No answer. Roofing crew is here "charm city roofing", said they didnt know if owner was home. No repairs had been started on the rear section where there was damaged roof from the alleged tree hit and its leaking into the house.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	4/20/2026	4/21/2026	Fail
Inspection Comment	preparing to send to court. need an answer from permits office if Kyle Trainer will be testifying before go ahead to schedule court date			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	3/23/2026	3/23/2026	Fail
Inspection Comment	process server unsuccessful, waiting to see if they will send another round of process servers			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	2/23/2026	2/23/2026	Fail
Inspection Comment	No updates given, still awaiting owner to contact me again, no signed green cards yet			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	1/30/2026	1/30/2026	Fail
Inspection Comment	no answer at door, no inspection possible			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	1/20/2026	1/20/2026	Fail
Inspection Comment	no updates, initial new rental inspection failed			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	12/18/2025	12/18/2025	Fail
Inspection Comment	inspection failed, see result in main record			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	12/15/2025	12/15/2025	Fail
Inspection Comment	yes, new rental has been scheduled for 12-17-2025 no signed green card, citation was posted to front door			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	12/1/2025	12/1/2025	Fail
Inspection Comment	civil citation returned to sender. I have the hard copy to hand owner in person on scheduled new rental whenever he scheduled one			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	12/1/2025	12/1/2025	Fail
Inspection Comment	civil citation and nov posted to front door. photos to be attached			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	11/24/2025	11/24/2025	Fail
Inspection Comment	have not recieved			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	11/24/2025	11/24/2025	Fail
Inspection Comment	application was completed and letter to schedule appt was issued on 11/7/25. No response to schedule appointment yet			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	11/7/2025	11/7/2025	Fail
Inspection Comment	Rental application received and H01 letter has been issued			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	11/6/2025	11/6/2025	Fail
Inspection Comment	permits office stated in email that owner had come in and paid the fees needed and the license is now sent to planning and zoning for review. Email attached			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	10/27/2025	10/23/2025	Fail
Inspection Comment	owner failed to submit complete application and did not respond to permits office multiple requests to finish submission. Wrote citation 0Z46709124			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	10/23/2025	10/23/2025	Fail
Inspection Comment	citation 0Z46709124 issued, dated 9.9.2025, $250 per day			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	10/14/2025	10/7/2025	Fail
Inspection Comment	per Brenda - can't write citation as there is insufficient evidence the property is still being used, airbnb listings were removed and the zoning investigation was closed. Licensing is reaching out to owner to continue the application process			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	10/6/2025	10/6/2025	Fail

Inspection Comment	rental application submitted but is still in incomplete status tried to contact the owner but the email listed bounces back and the phone number provided goes right to voicemail but says mailbox already full asking supervisor if citation should be issued

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike May	Follow Up	9/26/2025	9/26/2025	Fail
Inspection Comment	app still in incomplete status. no response from owner when messaged, will follow up again			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike May	Follow Up	9/19/2025	9/19/2025	Fail
Inspection Comment	application submitted, but no appointment yet for an inspection. Application has been in incomplete status			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike May	Follow Up	9/2/2025	9/2/2025	Fail
Inspection Comment	rental application was submitted on 8/20/2025 and is incomplete status still pending lead certification and zoning			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike May	Follow Up	8/20/2025	8/22/2025	Fail
Inspection Comment	rh25000562 was applied for but marked incomplete (no lead cert). Can't tell if it was routed to Zoning for AirBnB			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike May	Follow Up	8/4/2025	8/4/2025	Fail
Inspection Comment	Phone call received from owner Edward Fagbemi Owner called in response to the business card I left at his door. I informed him that this property needs a rental license as we are aware of the Airbnb rental and multiple men living on the property. Also, I informed him the NOV was already issued and had a deadline to apply for the license. Owner stated the other occupants were family but when questioned he admitted some were cousins and not immediate family. He also stated the Airbnb rentals were over 30 days. He claimed they don't rent to Airbnb anymore but I explained the listings are still active, so it requires a license. Owner did not want to share his email address when I offered to send a digital copy of the NOV. Owner stated he would have to think about it and get back to me and has my card with phone number and email address.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike May	Follow Up	8/4/2025	7/30/2025	Fail
Inspection Comment	sent h23			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	7/29/2025	7/29/2025	Fail
Inspection Comment	send h23			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Initial Investigation	7/28/2025	7/28/2025	Fail
Inspection Comment	visited property, knocked on door multiple times, rang all three doorbells at the front door. No response, left business card with note to contact me on back.			

CRH251094

Reported Date	Reported Address
10/23/2025	**9909 CARILLON DR**
Description of Complaint	9909 Carillon Drive – (unlicensed apartment) Owner allegedly moved out of apartment and is renting both units. Apartment (where owner used to reside) had permanent provisions for cooking removed under electrical permit. License RH22000108 is only for the main house, not the apartment. Per SDAT, owner now resides at 11755 Bragdon Wood, Clarksville, MD 21029 Thank you for reaching out to me. Are the SDAT findings not enough? Or even MVA records? If not, we can work to provide evidence for this. I certainly don't want to see anyone put out on the street but I also don't want this kind of loophole to exist as ZRA-218 makes its way through legislation. Thank you so much for reaching out, Cindy On Thu, Oct 23, 2025 at 10:56?AM rentalhousing <rentalhousing@howardcountymd.gov> wrote: Cindy: You may want to speak to Zoning (410-313-2350) regarding this property. They may be able to better answer your questions. There is a rental license for the main house. Our records indicate that the owner lives in the apartment. Permanent provisions for cooking (stove) was removed from the apartment under electrical permit after the denial by Zoning . Under Zoning Code, once they remove the circuit and appliance, it is no longer considered a second dwelling unit. Their office may better be able to explain their code to you. Based upon what we see in our database, the property is in compliance. We would have to have more evidence to pursue if in fact the owner has now moved out of the apartment and now renting it as well. Are you able to provide evidence that the owner has in fact moved out and now renting that part also? RENTAL HOUSING INSPECTIONS From: Cindy LaFollette <cindy72577@gmail.com> Sent: Wednesday, October 22, 2025 6:08 PM

To: Consumer <consumer@howardcountymd.gov>
Subject: 9909 Carillon Drive ADU and No Owner Occupancy

WARNING!!!
This email originated from someone outside of Howard County
DO NOT CLICK LINKS OR OPEN ATTACHMENTS
unless you recognize the sender and know for sure that the content is safe

Good evening,

I'm writing in regard to an owner-occupancy violation for an ADU.

BA Case Number 22-008C (attached), shows that owner Michael Balakirsky was denied use of the property for a two-family dwelling.

We recently followed up on this property as he is renting both sides. We discovered that he has a rental license for the house but not the ADU, and that he claims that he lives there.

The SDAT cites 11755 Bragdon Wood, Clarksville, MD, 21029 as his mailing address. A cross-reference on this address confirms this as his primary residence with an approved homestead credit.

Please see the attached case file, and please look into the violation of the owner-occupancy rules for homes with ADUs.

I look forward to hearing your results.

Thank you,
Cindy

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Kurtis Hallet	Follow Up	1/6/2027		Scheduled
Inspection Comment	Complaint Follow Up- has owner amended license back to SFD or gotten zoning approval to have two separate dwelling units?			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Kurtis Hallet	Follow Up	10/7/2026	10/7/2026	Fail
Inspection Comment	per the Director- he spoke with the property owner and told him to update his license and turn the dwelling back into a SFD or get approved by Zoning. At this time, we are to hold off on further enforcement action but to keep our complaint case open.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Kurtis Hallet	Follow Up	8/14/2026	8/14/2026	Fail
Inspection Comment	No decision has been made yet. follow up needed.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Kurtis Hallet	Follow Up	6/5/2026	6/8/2026	Fail
Inspection Comment	Per Tom, until we have a decision on this property push out the inspection to 30 days.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Kurtis Hallet	Follow Up	2/19/2026	4/20/2026	Fail
Inspection Comment	Per Tom, until we have a decision on this property push out the inspection to 30 days.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Kurtis Hallet	Follow Up	2/13/2026	2/12/2026	Fail
Inspection Comment	Waiting on decision from Director regarding rental property			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Kurtis Hallet	Follow Up	1/15/2026	1/15/2026	Fail
Inspection Comment	Site visit made and interior performed with owner of both sides. Photos taken of interior and exterior. Confirmed that there are two bedrooms on the left side and 4 bedrooms on the right side. Stove and breaker are still in place on left side, outlet behind stove has blank plate over it. Door separating the two sides has double keyed deadbolt. Two meters on the front but only one mailbox for the property. All relevant photos put in word doc and attached to record.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Kurtis Hallet	Follow Up	1/6/2026	1/6/2026	Fail
Inspection Comment	attended meeting with Bob, Amanda and Mr. Balakirsky			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Kurtis Hallet	Follow Up	1/5/2026	1/6/2026	Fail
Inspection Comment	Property owner has not applied for new license for left side of house. Per director Bob Francis we may extend the current license for one year until after a ruling on ZRA-218, at the end of that extended period we would reevaluate the situation based on that ruling. Current license is set to expire on 2.14.26, at which time we may perform an interior inspection. Will follow up with Bob and Brenda at that time. Case to remain open per Bob Francis.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Kurtis Hallet	Follow Up	12/8/2025	11/21/2025	Fail
Inspection Comment	owner has not yet applied for license.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Kurtis Hallet	Follow Up	11/4/2025	11/4/2025	Fail

Inspection Comment	NOV issued

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Kurtis Hallet	Follow Up	10/27/2025	10/29/2025	Fail
Inspection Comment	knocked on door of left-hand side apt and spoke with occupant, I introduced myself asked if they were Mr. Balakirskey and they stated that they were not and that they were renting. I then asked if he was living in the right side apt and they stated that no there were renters in that unit as well. NOV needed.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Kurtis Hallet	Initial Investigation	10/24/2025	10/24/2025	Fail
Inspection Comment	responded to complainant, follow up needed to make site visit.			

CRH251307

Reported Date	**Reported Address**
12/19/2025	**6155 AGAIL PL**
Description of Complaint	6155 Agail Place – Alleged unlicensed GROUP HOUME (Emerge) I have been trying to work with 6155 Agail Place, Columbia MD 21045 to get them to address neighbor complaints. I have sent several letters and emails to the owners Emerge Inc over the last few months with no response. Specifically, orange construction fencing in the yard. Additionally, the property does not have a valid rental license. And neighbors have complained about disturbances made by the resident(s) yelling and acting erratically. Any help you can offer would be appreciated! Kindest regards, Karina Caico Covenant Advisor for Property Concerns

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/15/2026		Scheduled
Inspection Comment	Awaiting new trial date, status of sprinkler system requirement. As of 10.6.2026 application incomplete and no NR inspection scheduled.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/5/2026	10/6/2026	Fail
Inspection Comment	Awaiting further information regarding status of sprinkler system requirements and update from M Beaumont on status of case. New trial date requested. As of 10.6.2026 application RH26000082 is still incomplete processing pending sprinkler system. No inspection scheduled.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	9/23/2026	9/23/2026	Fail
Inspection Comment	This case was mutually postponed at the request of the Plaintiff and Defendant Attorney's			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	9/8/2026	9/10/2026	Fail
Inspection Comment	No changes or updates to documents.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/24/2026	8/24/2026	Fail
Inspection Comment	Court date scheduled 9/23/2026 @ 8:45 AM			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/10/2026	8/10/2026	Fail
Inspection Comment	No update, still pending.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	7/24/2026	7/24/2026	Fail
Inspection Comment	No court date scheduled. Requires follow up with M Beaumont.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	7/9/2026	7/9/2026	Fail
Inspection Comment	Case postponed per Emerge request. Will follow up, waiting for next court date.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	6/22/2026	6/22/2026	Fail
Inspection Comment	No updates to case file. Reached out to M Beaumont 6/22/2026 to request review.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	5/21/2026	5/21/2026	Fail
Inspection Comment	Court scheduled for July 9, 2026 @ 1:15 PM			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	4/22/2026	4/22/2026	Fail

Inspection Comment	Citation deadline. Have not received information on exception from owner / Don Mock / Bob Frances. Spoke with B Francis 4/21/26 to review case. Pending further information and instruction.

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	4/22/2026	4/22/2026	Fail
Inspection Comment	Email received from Lauren A DiMartino requesting trial, email saved in attachment: Good afternoon, Mr. Beaver- Thank you for agreeing to accept this request by e-mail. A letter requesting trial in the aforementioned matter is attached. Please let me know if you have any questions or require anything further. Lauren Lauren DiMartino Attorney BROWN GOLDSTEIN & LEVY 120 E. Baltimore Street, Suite 2500 Baltimore, MD 21202 T 410.962.1030 x1346 C 443.613.7801 F 410.385.0869 E ldimartino@browngold.com Pronouns: she/her/hers			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	4/15/2026	4/15/2026	Fail
Inspection Comment	Correspondence with D Wamsley, reiterated that they must reach out to D Mock for exceptions. Email with D Wamsley attached to record and RH26000082			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	3/17/2026	3/18/2026	Fail
Inspection Comment	No progress on incomplete application. Facility requires sprinkler system, no waiver request or permit application received. Citation to follow.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	3/13/2026	3/13/2026	Fail
Inspection Comment	Application still incomplete, pending zoning review for sprinkler exception.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**

Yoon Pae	Follow Up	2/27/2026	2/27/2026	Fail
Inspection Comment	Application is still pending / incomplete in the system. Will follow up as owner rep stated the updated information and check were mailed about a week ago.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	2/24/2026	2/24/2026	Fail
Inspection Comment	Received email from the owner's representative that the corrected application and updated payment was mailed on 2/20/2026. Will continue to check in for progress on the application.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	2/20/2026	2/20/2026	Fail
Inspection Comment	Status of application is still incomplete. Have reached out to the owner's representative to check on status of resubmittal.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	2/13/2026	2/10/2026	Fail
Inspection Comment	Application has been received by licensing but is not complete. Schedule follow up to check on status of application.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	2/5/2026	2/5/2026	Fail
Inspection Comment	Not yet processed by licensing. Owner / agent states that the person who handled the application has been out of town until this week. Will check back in with all parties to confirm application has been received and processed.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	1/28/2026	1/27/2026	Fail
Inspection Comment	No application in system, emailed owner to check on progress. Will schedule follow up.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	1/23/2026	1/23/2026	Fail
Inspection Comment	Owner states application was made. No application found in system. Schedule call to follow up.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	1/16/2026	1/16/2026	Fail

Inspection Comment	Tenant is making application, email from tenant below. Will follow up next week. Good morning, Thank you for checking in, the application has been completed and has gone to AP to cut the check to go with the application. Have a great day and weekend! Thanks again,

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	1/13/2026	1/13/2026	Fail
Inspection Comment	Emailed with owner / LLC (attached) to explain that they do need a rental license. Will follow up to ensure they understand and have no questions. No application on file.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Initial Investigation	12/22/2025	12/22/2025	Fail
Inspection Comment	Investigated, knocked on door and spoke to employee on duty (Lamont, works with Emerge LLC). Confirmed that the house is not owner occupied and is run as a group home. Left card for either owner or house manager to contact me for licensing information. NOV to follow.			

CRH260062

Reported Date	**Reported Address**
01/22/2026	**12114 BLUE FLAG WAY**
Description of Complaint	12114 Blue Flag Way – alleged unlicensed rental property While following up on an old permit at 12114 Blue Flag Way. It was discovered that the current people living in the house are renting the house. The way I discovered this was by the very nice lady that answered the door and was talking to me about the old permit disclosed to me she was in fact renting the house and she was not related to the owners. The owner is not going to turn the house into accessed living , which the old permit I was following up on was for. After she told me that I looked up the address and saw no issued rental license/ permit. Rodney Marshall Howard County Regulation Building Inspector 2 7125 Riverwood Dr Suite D2 Columbia MD 21046 Office line 410-313-1812

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	10/26/2026		Scheduled
Inspection Comment	progress update, has new rental been scheduled again?			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	9/28/2026	9/28/2026	Fail
Inspection Comment	Owner had emailed on 9.9.26 asking to schedule an inspection, they were directed to admin staff but no appointment has been made. I emailed today asking for an update			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	4/20/2026	4/14/2026	Fail
Inspection Comment	initial inspection took place on 4.14.2026, but was not concluded, property was not ready. The property was confirmed vacant though, and owner stated the tenant had been her brother before. will follow up again, property is vacant at this time which removes deadlines			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	4/6/2026	4/6/2026	Fail
Inspection Comment	new rental scheduled for 4.14.26			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	3/25/2026	3/26/2026	Fail
Inspection Comment	new rental not scheduled yet, but rental application is submitted and RH26000105 has been created			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	3/4/2026	3/4/2026	Fail
Inspection Comment	Admin reports the rental application has been received and H01 sent out. RH26000105 created			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	2/23/2026	2/23/2026	Fail
Inspection Comment	application has been submitted but was incomplete			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	2/2/2026	2/2/2026	Fail
Inspection Comment	h23 sent			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Initial Investigation	1/29/2026	1/29/2026	Fail
Inspection Comment	per building inspector, tenant admits to renting and not being related. will issue h23			

CRH260085

Reported Date	Reported Address
02/03/2026	**3680 SHADY LN**
Description of Complaint	3680 Shady Lane – alleged unlicensed rental property (prior case CRH200924) FYI re unlicensed status of the landlord. Not sure if there's a new tenant in place. We'll handle the security deposit issue and advise on HoCo law generally. Thanks. Tracy D. Rezvani, Administrator Howard County Office of Consumer Protection 9830 Patuxent Woods Drive Columbia, MD 21046 Main: 410- 313-6420 Direct: 410-313-6569 Fax: 410-313-6453 www.howardcountymd.gov/consumer Social Media: @HoCoConsumer YouTube Playlist We rented the property at 3680 Shady Lane, Glenwood, Md 21738 from Feb 2024 to December 15, 2025. This was a month-to-month lease. At time of rental I put down a security deposit of $3000. Since vacating I tried to contact landlord to be present for a walk-through. To my knowledge, no walk-through took place or if it did I was not advised. There has been no correspondence on the landlord's part at all despite multiple efforts on my part via email and text to provide my new address so the security deposit could be returned. I even offered to pick it up so it didnt have to be mailed. In addition, I just found out via the Howard County government site that this property (3680 Shady Lane) is not a licensed rental which I did not know until today. I want my full security deposit returned as soon as possible and any applicable interest that accrued. Not sure of documents that are required. Please advise. From a call I placed to check whether the property was licensed for rental at 410-313 -1830 - which it is not. Vicki White 14408 Dorsey Mill Rd Glenwood, MD 21738 7033042224 vgwinc@gmail.com SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Follow Up	10/7/2026		Scheduled

Inspection Comment	H39 DL for application cancellation on RH26000149. Resolve case if application is cancelled.			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Max Sullivan	Follow Up	9/18/2026	9/18/2026	Fail
Inspection Comment	Application is still listed as "Incomplete" after 6 months. Will issue H39 to owners to have application cancelled and ask if the property is still vacant.			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Max Sullivan	Follow Up	7/24/2026	7/24/2026	Fail
Inspection Comment	Site visit made: Property still vacant. Talked with farm manager (Cindi); she is having difficulty finding paperwork that proves who owns the home and when it was built to give to the permits office. I told her that the rental application will be hit 6 months in September, which would mean it will be cancelled. Create another follow up date to monitor.			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Max Sullivan	Follow Up	6/29/2026	6/29/2026	Fail
Inspection Comment	Application was listed as "Incomplete" back in March. Owner did not provide documentation of when the house was built. Property is still vacant as of last site visit. Will create another follow-up date to follow the rental housing application.			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Max Sullivan	Follow Up	5/29/2026	5/29/2026	Fail
Inspection Comment	No inspection scheduled as of yet. Keep complaint open until license is issued. Create followup date for next month.			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Max Sullivan	Follow Up	5/8/2026	5/8/2026	Fail
Inspection Comment	Application is still listed as incomplete. Last communication with permits office is they were waiting to obtain proof the house was built in 2001. Property is still vacant per call with owner on 4.30.26. Owners were having a difficult time finding paperwork that proves home was built in 2001.			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Max Sullivan	Follow Up	4/7/2026	4/7/2026	Fail
Inspection Comment	Owners did apply for a license (RH26000149). However, the Zoning department opened its own investigation; they believe the house in question was built without permits/approval. Will hold case open until Zoning case is resolved.			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Max Sullivan	Initial Investigation	2/4/2026	2/4/2026	Fail

Inspection Comment	Visited property and talked with the owner. Owner was unaware of Howard County rental laws and didn't know she had to apply for a license. 3680 Shady Ln is vacant as of time of inspection. Gave the owner all the necessary information for her to apply for a rental license. Will issue a H04 to hold the owner to a timeline.

CRH260135

Reported Date	**Reported Address**
03/02/2026	**7722 VALLEY OAK DR**
Description of Complaint	RH12000467 7722 Valley Oak Dr. – Alleged numerous property maintenance issues I am writing to formally request a housing inspection for the rental property located at: 7722 Valley Oak dr. Elkridge, MD I am currently a tenant at this property. Multiple maintenance and habitability issues have remained unresolved despite being reported to the main tenant, with no contact to the landlord or timeline of repairs after a months notice. These issues include: 1. Three out of four toilets not functioning properly 2. Flood damage in the bathroom and living areas 3. Ceiling damage and possible water intrusion 4. Flooring damage 5. Shower not functioning properly 6. Air conditioning unit not functioning 7. Deck instability and potential safety concerns 8. Garage door not functioning properly Several of these conditions have persisted for weeks and, in some cases, months. I am requesting a formal inspection to assess whether the property meets applicable housing and safety standards. Please advise on the next steps for scheduling an inspection and any additional information you may need from me. I am available at 240-603-9316 or ecisnado@icloud.com Thank you for your time and assistance. I would appreciate confirmation that this request has been received. Sincerely, Erick Cisnado 240-603-9316 ecisnado@icloud.com 2/27/2026 Erick Cisnado: Are you subletting here? You mention you reported these issues to the main tenant with no contact to the landlord? We are asking this question because the property owner is responsible for repairs to the property and we would need to know

these issues were reported to the property owner, what date they were reported and what action they took, if any. Please advise and clarify.
RENTAL HOUSING INSPECTIONS

Thank you for your response.

Yes, I was subletting at the property. All rent payments and communications regarding the rental were handled directly with the primary tenant. I did not have direct contact with the property owner during my tenancy.

The main issues regarding the failed plumbing, flooding, flooring, and ceiling damage were first reported on January 26, 2026, with follow-up communications occurring throughout January and February between the main tenant and myself. The primary tenant has stated that they contacted the property owner on multiple occasions; however, no proof of these communications, timelines of reported repairs, or correspondence with the landlord has been provided. To my knowledge, the conditions remained unresolved, and I have no confirmation of what actions, if any, the property owner took in response to these reports. Personally, I have to question whether they were ever informed, and I am requesting this inspection to provide an opportunity to investigate the home given the numerous concerns affecting health and safety.

Other unresolved issues included non-functioning toilets, a faulty AC unit, shower, garage door, and unsafe deck. These concerns were also reported to the primary tenant and remained unaddressed.

I am happy to provide copies of written communications, photos, or videos documenting all reported issues if needed. Please let me know if any additional information would assist your inspection.

Thank you for your assistance.

We will need for the primary tenant to report all of your concerns to the owner/landlord on your behalf and allow them a reasonable amount of time to make repairs before we can get involved. Once the primary tenant reports the concerns to the owner/landlord and nothing is being done to address your concerns, please have the primary tenant submit a formal complaint to us with dates of when the concerns were reported, thank you.

Thank you for your prior response.

I am writing to formally request escalation of this matter within the Howard County Department of Inspections, Licenses and Permits.

SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	10/29/2026		Scheduled
Inspection Comment	Follow up. Court date for citation 5Z47134785 (expired license).			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	9/24/2026	9/25/2026	Fail
Inspection Comment	After reaching out to owner multiple times, no response has been received. Court scheduled for 10/29/26 for 5Z47134785.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	7/24/2026	7/24/2026	Fail
Inspection Comment	A fine amount of $23,500 and court ordered abatement by 9/24/26 was granted by Judge Sayers.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	7/15/2026	7/15/2026	Fail
Inspection Comment	Court scheduled for 7/24/26 at 8:45 am.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	7/10/2026	7/10/2026	Fail
Inspection Comment	Case file prepared and sent.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	6/30/2026	6/30/2026	Fail
Inspection Comment	3Z47134776 sent to court. Email sent to owner previously, no response received.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	5/29/2026	5/29/2026	Fail
Inspection Comment	No communication received from owner. Follow up.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	5/15/2026	5/15/2026	Fail
Inspection Comment	No response received from owner, property remains in the same condition at exterior.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	5/1/2026	5/1/2026	Fail
Inspection Comment	Citation posted at front entry door. Garage door and rear deck floorboard remain outstanding.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	4/21/2026	4/21/2026	Fail
Inspection Comment	Owner nor anyone present to provide entry. Garage door remains broken/open and rear deck still has large hole in floorboards. Issue citation.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	3/10/2026	3/10/2026	Fail

Inspection Comment	Car partially in garage, knocked on door no one came to the door. Smoke/co alarm documentation has not been submitted.

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Jonathan Frias	Follow Up	3/5/2026	3/5/2026	Fail
Inspection Comment	Owner failed to be present for inspection. The complainant was home who provided entry. Several violations found. The complainant stated he is moving out today and will be gone by tomorrow. The tenant on the lease Jordan Dawson, has gone hiding and unable to be reached on the phone for the past week. Discuss with Brenda and send NOV.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Jonathan Frias	Initial Investigation	3/3/2026	3/2/2026	Fail
Inspection Comment	I spoke with the complainant Erick and the Owner. Interior inspection scheduled with the owner.			

CRH260296

Reported Date	Reported Address
04/15/2026	**9687 BASKET RING RD UNIT 1**
Description of Complaint	Verona at Oakland Mills Apts, T00006549 - 9687 Basket Ring Rd., Apt 1 – Alleged severe roach infestation I am writing to lodge a complaint regarding a long-term roach infestation. I have been subjected to weekly (every Tuesday) spraying by Kenmore since Nov 18. The night before I removed EVERYTHING from my kitchen shelves and bathroom. As of this writing NOTHING has been replaced since I would need to scrub all surfaces and close off all cracks and crevices. The latter was done very poorly by an HVAC contractor rather than a carpenter. I now have some gaps that are larger than before and some which were never addressed. I have suffered property damage: Keurig coffee machine, clock radio, food scale, broken tea kettle, damaged mat in a framed picture. Worst of all the vermin have infested my major appliances: refrigerator, stove, MICROWAVE,dishwasher. And they have taken up residence in my medicine cabinet and FUSE BOX! I have purchased outlet covers for each not being used but the babies still manage to find their way to walls and counters. And they manage to migrate from areas not being sprayed. I found a "nest" of adults, egg cases, babies and nymphs 2 nights ago between 2 piles of books on my dining room table. I had found roaches in my coffee, my wine and crawling on the mug and stemware. I purchased and used Black Flag spray, BugMd (useless!) diatomaceous earth, Harris tabs, Borax, cloves, cottonseed oil, essential oils of peppermint, lavender, orange, sage, Roach Hotels, Combat gel, and roach bait! I am still infested! I have informed the management office numerous times, both Gerald Broussard and his assistant. Once I even brought a roach I had squashed when I felt it crawling along my forearm while I was in bed! He did nothing! Donnel, the exterminator who visits weekly, is disgusted. He said that he goes back to the office to urge a fog/bomb every week, that his supervisor follows up with the same recommendation and nothing is done. He states that with the repeated spraying the roaches will develop a tolerance or immunity to the chemicals used. And I do not need to be continually exposed. I have resided in this unit for nearly 10 years and this is the worst it has ever been. It began when a new tenant moved in over my head. He works at Wegmans and began to allow friends or coworkers to move in with him. Roaches began to appear and the tenants in Unit 5 (Charles Cook), Unit 6 (Jerry Jehiro), Unit 2 (Jared Banks) are also complaining. Mr Banks stated that if I start a petition that he will sign but I will assume that Pratum will simply ignore it. I have pictures, I have the notices for spraying and I welcome an inspection! 9687 Basket Ring Rd Apt 1 Columbia, Md 21045 443.319. 2079 SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/19/2026		Scheduled
Inspection Comment	Pest reports received for 9/3 and 9/13, follow up treatment / inspection reports for all 3 buildings required. Continued issues with 9687 #5 require follow up.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	9/28/2026	9/30/2026	Fail
Inspection Comment	Treatment reports received for September of all 3 buildings. 9687 unit 5 with high pest activity due to owner health and inability to maintain housekeeping. PM is working with family for a unit cleanup. Awaiting most recent pest reports, follow up required.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/24/2026	8/25/2026	Fail
Inspection Comment	Updated treatment plan with Gentrol IGR for all three buildings received from PM 8.24.2026. Treatment reports for July and August received, but new plan moving forward that meets requirements of NOV. Follow up end of September for progress.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/18/2026	8/18/2026	Fail
Inspection Comment	New PM as of approx 3 weeks ago. Spoke to Toni Green with Avenue 5. PM states she will get the reports available to them and email, including updated inspection of neighboring buildings. PM may not have full access to reports for July. Expressed concern about building fog due to multiple residents who will have difficulty with the physical preparation needed, and reiterated the need for the continued use of an insect growth regulator. PM states pest control company will be changing within the next few weeks. Follow up required.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/17/2026	8/17/2026	Fail
Inspection Comment	Spoke with tenant 8.17.2026 approx 2:30 PM. Treatment has continued but inconsistent. Received notice 8/11/2026 for major cleanout / fog treatment but tech came 8/13/2026 and did not complete. Pest activity has lessened but still heavy / moderately heavy infestation. Last treatment completed 8/13/2026. Have not received pest control report from PM. Will speak with PM 8/18/2026 to get status and request reports for July and August.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/10/2026	8/10/2026	Fail
Inspection Comment	Email sent to new PM, still awaiting treatment notes from July.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	7/31/2026	7/31/2026	Fail
Inspection Comment	Sudden change of management companies. Need to establish treatment with new PM and attempt to collect July reports.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	7/20/2026	7/20/2026	Fail
Inspection Comment	Treatment reports not received, outstanding reports required for 7/7 and 7/14, next treatment scheduled for 7/21.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	7/16/2026	7/16/2026	Fail
Inspection Comment	Tenant voicemail received on 7/14/2026 indicating that treatment was completed on that date (one week after last treatment completed). Roach activity continues and gaps are still present in the walls and under the cabinets in kitchen despite maintenance / contractor work to seal the unit. Treatment was not completed for unit 1 in June due to tenant availability. All other units in building treated in June per PM and most recent pest reports. Pest reports indicate pest contractor recommends fog treatment for unit 1 and unit 5, which will be very difficult to complete due to tenant furnishings and tenant ability to move belongings. Fog treatment may not be successful if not performed on entire building. Whole building cleanout completed and current treatment plan of entire building with IGR. Attempted call back to tenant and left voicemail, email to tenant 7/16/2026 below: Hello Ms. Francis, I received your voicemail and left a voicemail for you this morning. I understand your concerns regarding sealing of holes in the kitchen. I did meet with the contractor / maintenance technician before they entered your unit for the work requested and explained to them that there were several openings that you would like sealed. It is difficult to physically exclude roaches as they do not need very much of an opening to travel. The June treatments for your unit were not completed as you were busy, so we may need time for the new treatments that began this month to be effective. It is very common for it to take several months to eliminate roaches, but I will continue to work with the management company to make sure we are treating for roaches with the new treatment plan on a regular schedule. Please let me know if you have any questions. Thank you, Yoon Pae Code Enforcement Officer Department of Inspections, Licenses and Permits 7125 Riverwood Dr., Suite D2 Columbia, MD 21046 ypae@howardcountymd.gov Office: 410-313-1836 Fax: 410-313-1861			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	7/10/2026	7/10/2026	Fail
Inspection Comment	Site visit with tenant 7/8/2026 confirmed treatment of unit 1 and tenant confirms use of IGR. Next treatment scheduled 7/14/2026 for unit 1, may be separate schedule from other units in building due to multiple missed treatments in June. Follow up, require treatment reports for July.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	7/8/2026	7/8/2026	Fail

Inspection Comment	Follow up inspection with tenant to check status. Roaches still present and active, appears to be improved from initial visits but still an active infestation. Tenant is unhappy about several gaps and openings present in the kitchen and bathroom. Maintenance and crew arrived towards end of visit to work on the repairs / sealing requested by tenant. Spoke to maintenance and explained that there were several gaps around the trim / molding / behind the oven / behind the refrigerator / by bathroom sink / by entryway that the tenant is concerned about as she has seen roaches coming in and out of the gaps. Will check in with tenant tomorrow to follow up on work completed, may require another site visit.

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	7/6/2026	7/6/2026	Fail
Inspection Comment	Treatment scheduled for July 7, 2026. Requested PM send information on IGR used and confirmation that unit 1 was notified of next treatment scheduled. Follow up needed after treatment for confirmation and pest control report.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	6/18/2026	6/22/2026	Fail

Inspection Comment	Have reached out to both tenant and property manager by email on 6/22/2026. Tenant and PM will need to coordinate for pest treatment schedule. Treatment for whole building with IGR scheduled for 6/16/2026, follow up treatment scheduled for 6/30/2026. Pest report from 6/9/2026 and 6/16/2026 not received. Will schedule follow up. Email to tenant : Good morning Ms. Francis. I know that you are tied up for a couple of weeks, but I wanted to check in on your communication with the property management office. Mr. Broussard confirmed that you have requested no treatment for June 16 and June 23, hopefully you were able to speak with the management office or maintenance staff and schedule for the next available treatment appointment with the pest control company. Please let me know if you have any questions. Thank you, Email to property management : Good morning. I am checking in to see if you were able to continue with the pest treatment scheduled for June 16, 2026. Has the tenant in unit 1 reached out to you to include that unit in the next treatment scheduled? I'm assuming the next treatment is scheduled for June 30, 2026. Please let me know if you have any questions. Thank you, Property management response email: Good morning, Yes the treatment was completed for the units except for 9687-01. We have reached out to her for the best day to resume treatment in her apartment. The next scheduled treatment date for the building is 6/30. We will continue to follow up with the resident for scheduling the next treatment for her. I will send the report for the follow up treatment today. Thank you and have a good day. Gerald Broussard Community Manager | Verona at Oakland Mills Office: 410.730.3870 | Fax: 410.730.7374 9650 White Acre Rd.#4 Columbia MD 21045

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	6/16/2026	6/16/2026	Fail

Inspection Comment	Received voicemail from tenant on 6/9/2026 @ 8:46 PM stating they cannot have pest treatment on June 16 or June 23, 2026 due to prior commitment as an election judge. Voicemail states a call back is not necessary, but tenant is upset that treatment is being scheduled. Received email from property manager stating that they received a voicemail with voicemail attached (attached to record). Pest treatment is scheduled for June 16, 2026 but tenant has notified PM that she cannot have treatment on June 16, 2026. Tenant also called about separate property maintenance requests that are not part of the complaint case. Have let tenant know that she will need to coordinate that with the property management office. Have also let PM know that they will need to coordinate with the tenant and provide notice for pest treatments and property maintenance repairs. Will follow up after pest treatment, entire building aside from unit 1 CRH subject property on schedule for treatment today.

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	6/9/2026	6/9/2026	Fail

Inspection Comment	Spoke to tenant Anne Francis around 10 AM and 3:30 PM. Tenant has continued issues with roaches, and has multiple items she has requested from management including sealing of openings. Advised that we cannot address those issues but that I would let the management office know of her concerns. Reached out and received response (below) from G Broussard. Pest control is scheduled for June 16th, advised both landlord and tenant that we would review after next treatment. Did notify tenant that the additional items requested from tenant are not part of our case, but that I have advised management, and they are waiting for her to call and reschedule. Email from Gerald Broussard: Good morning, I hope this email finds you well. The treatment has been scheduled for Tuesday June 16th in order for everyone to be prepared for the treatment. For 9687-05 the unit was recommended for fog treatment. The resident has been unable to have the unit prepared for the treatment. We have reached out to his caseworker for assistance in preparing the residents apartment. The additional work for her apartment was refused by the resident. We called to let her know we were coming with a contractor and she refused the work. We are rescheduling with her when she is ready. Please let me know if you need any further information. Thank you and have a good day. Cordially, Gerald Broussard Community Manager | Verona at Oakland Mills Office: 410.730.3870 | Fax: 410.730.7374 9650 White Acre Rd.#4 Columbia MD 21045

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result

Yoon Pae	Follow Up	6/5/2026	6/5/2026	Fail
Inspection Comment	Have received email back from property manager who states they will ensure pest control company understands an IGR must be used for treatment, per the NOV. Follow up after treatment is complete.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	6/4/2026	6/2/2026	Fail
Inspection Comment	Site visit to unit 1, tenant has continued issues with pests. Fog treatment was cancelled. Was able to speak to Kenmore Pest company technician Donnell who confirmed that no fog treatments were completed. Fog treatment was originally recommended for units 1 and 5. Units 1 and 5 were not treated today 6/2/26, the remaining units were treated with the prior insecticides used. He confirms that a fog treatment would be most difficult for units 1 and 5 and believes a fog treatment would not be successful unless the entire building was treated at the same time. He has not received instruction to treat with an insect growth regulator. The building did undergo a clean out a few weeks ago. Will reach out to property manager.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	5/29/2026	6/1/2026	Fail
Inspection Comment	Notes of 5/29/2026 phone call with tenant. Received a call on 5/27/2026 after hours from Ms. Francis, returned call 5/29/2026 and spoke to the tenant at 9 am and 3:45 pm. Tenant is upset about receiving a notice to fog the unit, the new appliances that were installed to replace prior infested appliances (oven does not have clock and temperature readout, refrigerator is smaller than the one previously installed), and the general status of pest treatment. At our afternoon call tenant stated that she does not want her unit to be subject to fog treatment unless the entire apartment is having a fog treatment / clean out at the same time. She states that she has had increasing health issues she attributes to the weekly pest treatment her unit has received over the past six + months. Notified property manager Mr. Broussard that tenant in unit 1 is requesting the fog treatment for her unit be cancelled and advised him to contact the tenant to confirm cancellation of fog treatment 6/2/2026. NOV does not include fog treatment but does include treatment with a growth regulator which was emphasized to property management company. Will attempt to meet with pest contractor on morning of 6/2 to discuss treatment being used.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	5/27/2026	5/27/2026	Fail
Inspection Comment	Pest reports received that include inspection of all three buildings and treatment plan. Stressed the importance of treating the entire building (9687) and confirmed planned fog of 9687 unit 01 and 05 scheduled for June 2, 2026. Will follow up with tenant to ensure counters / cabinets / appliances have been replaced as PM states. No citation at this time.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	5/26/2026	5/26/2026	Fail
Inspection Comment	Pest reports received for 3/24/2026 - 5/12/2026. Reports do not show inspection of entire buildings (9685, 9687, 9689) or full treatment of entire building (any). Reports show no change in treatment, with continued use of Advion and Essentria and not an insect growth regulator as requested in NOV. Treatment recommended by pest control of fog is not being completed. Final notice deadline 5/26/2026, will reach out to management. If no further information is received, will issue citation.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**

Yoon Pae	Follow Up	5/13/2026	5/13/2026	Fail
Inspection Comment	Tenant Ms. Francis called and left a voicemail 5/12/2026, returned call 5/13/2026 approx 10:50 AM. Tenant is concerned about possible health effects of pest treatment and would like to have testing done on unit. Advised tenant to contact the property management company for requests on testing and MSDS information on pesticides used. Provided information and phone number for the office of consumer protection, who may be able to assist with landlord tenant affairs not related to property maintenance. Ms. Francis stated that the pest contractor treated the unit on 5/12/2026, cannot confirm treatment used but technician indicated that treatment remains unchanged. Have not received an update from the property management company with a full pest control report, final notice still pending.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	5/11/2026	5/11/2026	Fail
Inspection Comment	Report and treatment plan not received as of 5/11/2026. Final notice sent, deadline 5/26/2026.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	5/6/2026	5/6/2026	Fail
Inspection Comment	SPOKE TO TENANT ON PHONE 5.5.2026, TENANT CONFIRMS CLEANING CREW CLEANED THE PROPERTY 5.4.2026. WALLS CABINETS BATHROOM ETC WERE CLEANED OF ROACH DEBRIS. PROPERTY MANAGER CONFIRMS NEW CABINETS AND MICROWAVE ARE TO BE INSTALLED. NOTIFIED PM PEST LOGS ARE NOT ACCEPTABLE AND PEST TREATMENT MUST BE AN INSECT GROWTH REGULATOR FOR ENTIRE BUILDING. AWAITING FULL REPORT FOR CONFIRMATION OF APPROPRIATE TREATMENT.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	5/4/2026	5/4/2026	Fail
Inspection Comment	Have not received inspection report or treatment plan. 4/28/2026 pest control was on site for an inspection of all three buildings. Next treatment scheduled for 5/5/2026. Chemicals used at 4/28/2026 treatment do not appear to be an insect growth regulator but need full report to confirm. Emailed PM 5/4/2026 requesting additional information and reports. If not received after short extension, will issue final notice.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	4/29/2026	4/30/2026	Fail
Inspection Comment	WAS NOT ABLE TO REACH TENANT, LEFT VOICEMAIL. WILL FOLLOW UP IN A FEW DAYS TO CONFIRM WHAT WORK WAS COMPLETED ALONGSIDE / PRIOR TO REINSTALLATION OF CABINETS.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	4/28/2026	4/28/2026	Fail
Inspection Comment	Inspection of property with inspector H Robbins following removal of kitchen cabinets. Heavy infestation continues. Met with PM and maintenance to inspect the cabinets, cabinets show poor condition due to multiple treatments over time and additional signs of heavy infestation. Met with pest control contractor who indicated they are treating the entire building and inspecting neighboring buildings. Awaiting pest control report, but pesticides used do not appear to be insect growth regulators as specified in NOV. Inspection photos attached to file.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	4/28/2026	4/28/2026	Fail
Inspection Comment	Met with area Insp and tenant at Unit 1. Upper kit cabs removed. Evidence throughout kit and needs cleaning beyond what the tenant should be responsible for. The upper cabinets will be replaced as of yesterday, PM got approval. Cabs observed in mechanical room will be removed today, suggested mechanical room be treated. PM agreed to replace microwave. It may be necessary to move out fridge and stove, TBD. Cracks and crevices cannot all be sealed to exclude insects. The entire bldg was to be treated today with the adjacent bldgs inspected, due to limits on add-ons w/ PC. Area Insp questioned PC who arrived while (we) were there and it was determined the gel product is not an IGR or specifically for roaches, spray is bio. Research shows Essentria can be purchased by anyone, has an 8 hour residual and is a general pest spray.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	4/24/2026	4/24/2026	Fail
Inspection Comment	Spoke with tenant Ms. Francis. Management performed visit Monday 4/20/2026 to investigate roach infestation. Management states they will be removing the cabinets 4/27 - 4/29. Scheduled to reconnect and speak on 4/28/26 after next scheduled pest inspection / treatment.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Initial Investigation	4/16/2026	4/16/2026	Fail
Inspection Comment	Performed inspection of unit #1 with tenant. Visual inspection indicates a heavy roach infestation. Tenant states the unit has been treated weekly for four months, with the infestation getting worse. Spoke to tenants in unit #2 and unit #5 who confirmed they are also experiencing heavy cockroach activity. Roach activity has likely caused a lot of damage, including to the appliances. Evidence of roaches inside appliances, in between the doors, in all rooms of unit 1. Recommend treating building 9685 and 9689 (adjacent buildings) alongside the entire subject building 9687. Other violations noted (damaged wood at cabinets and under sink, carpet threshold damage between kitchen and dining room, sealing required for pests throughout). NOVs to follow.			

CRH260306

Reported Date	Reported Address
04/20/2026	**7123 HONEYLADEN PL**
Description of Complaint	7123 Honeyladen Place – Alleged unlicensed group home per building inspector site visit I am writing to formally request an urgent inspection and to file a complaint regarding the property located at 7123 Honeyladen Place, Columbia, Maryland. There are multiple conditions at this property that raise serious concerns about potential violations of Howard County housing, safety, sanitation, and zoning regulations: - Ongoing water leaks in the garage area, which may be contributing to structural damage and unsanitary conditions. - The garage appears to be shared among multiple occupants, raising concerns about whether the space is being used in compliance with permitted use and safety requirements. - Improper trash storage inside the garage, which is attracting pests and creating unsanitary conditions.

- A mouse infestation, posing a significant health risk to occupants.
- Presence of raccoons, likely attracted by trash storage, further increasing health and safety risks.
- A lack of proper oversight or property management, resulting in unresolved maintenance and sanitation issues.
- Parking and access concerns, including vehicles blocking the driveway and restricting normal use.
- Police have responded to the property and an incident report has been filed, indicating ongoing issues requiring attention.
- Possible rental licensing and occupancy violations, including whether the property is properly licensed and being used in accordance with zoning regulations for single-family housing.
- Frequent disturbances caused by individuals residing at or visiting the property who receive medication deliveries at all hours, including late at night, and knock on my door at random times.

These conditions collectively create an unsafe, unsanitary, and disruptive living environment, with clear public health and safety concerns.

I respectfully request that the Department:
1. Conduct a prompt inspection of the property;
2. Verify whether the property is properly licensed as a rental;
3. Determine whether the occupancy and use comply with applicable zoning regulations;
4. Investigate sanitation, pest control, parking/access, and maintenance violations;
5. Take appropriate enforcement action to ensure compliance and protect public health and safety.

Please feel free to contact me at any time to discuss this matter further. I would also appreciate the opportunity to be present during the inspection so that I can show my side of the shared garage and personally point out the conditions and concerns described above, particularly those related to the shared use of the garage and the issues arising from it.

Please confirm receipt of this complaint and provide a case or reference number for follow-up. I am available to provide additional details if needed.

Thank you for your prompt attention to this urgent matter.

Sincerely,

Slobodan Maletic
7127 Honeyladen Pl
Columbia,MD, 21045
slobodanbm@gmail.com
443.799.7945 (cell)

Good afternoon Mr. Maletic,

Thank you for your email. Unfortunately, the Howard County Office of the Inspector General does not have jurisdiction over your issue. However, the right HoCo agency is the Department of Inspections, Licenses and Permits. The director of the Department is Robert J. Frances. I have cc'ed him and his agency as they are the proper entity to address your concerns.

Please let me know if they do not respond to your email and/or concerns.

Kelly Madigan

Derrick
Please see email below, please let me know if a complaint needs to be opened

	Thanks Heather Megan, please create a CB for this. It does not have to be super specific just enough to get us out there. Thank you CB260297 has been created. I places a CAP on the CB because I cannot confirm owner info due to SDAT being down. Thanks Heather SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	11/6/2026		Scheduled
Inspection Comment	CITATION 2Z47134852 DEADLINE, UNLICENSED RENTAL			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/5/2026	10/5/2026	Fail
Inspection Comment	Citation 2Z47134852 Issued			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Brenda Saucedo	Follow Up	9/22/2026	9/29/2026	Fail
Inspection Comment	As of 9/29/26 the application remains incomplete.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	9/14/2026	9/14/2026	Fail
Inspection Comment	Awaiting further information on sprinkler system requirement, have not received further direction from M Beaumont. Follow up required.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/24/2026	8/25/2026	Fail
Inspection Comment	Awaiting further direction per related cases. Follow up required.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	7/27/2026	7/27/2026	Fail
Inspection Comment	No further information received. Standby per M Beaumont.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	6/29/2026	6/29/2026	Fail
Inspection Comment	No response from C Freeman as of 6/29/2026. Brief conversation with Mark Beaumont last week confirms the applicant is seeking legal counsel. Awaiting further instruction, will schedule follow up.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	6/17/2026	6/18/2026	Fail
Inspection Comment	Exception request for sprinklers, required to continue processing application RH26000300, has not been received. Emailed director C Freeman regarding status of application (attached to record). Will schedule follow up.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	6/5/2026	6/5/2026	Fail
Inspection Comment	Application received but incomplete. Will get guidance on next steps. Property is not sprinklered and owner has not reached out for exemption.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	5/26/2026	5/26/2026	Fail
Inspection Comment	A Cline confirms application has been received but is considered incomplete due to requirement for sprinklers / exemption.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	5/22/2026	5/22/2026	Fail
Inspection Comment	Application has been submitted but shows incomplete per license office. Will check with Anthony C on status.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	5/18/2026	5/18/2026	Fail
Inspection Comment	Reached out to Ms. Cynthia Freeman (applicant / director @ Spectrum Support) regarding application. She states that application was made in person 5/13/2026. Will allow some time for processing, email attached to file.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	5/15/2026	5/15/2026	Fail
Inspection Comment	Received call / spoke to Cynthia Freeman 410-875-8050 regarding unlicensed rental. Ms. Freeman does not believe that they should be required to acquire a license. Explained that it does require a license per Howard County code and that application can be made with the form provided. Ms. Freeman requested to speak to someone regarding this issue and B Saucedo's email address was provided as supervisor. No application made in system as of 5/15/2026. Will reach out to Ms. Freeman by email.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result

Yoon Pae	Follow Up	4/24/2026	4/24/2026	Fail
Inspection Comment	Site visit 4/24/26, no answer at the door. NOV for unlicensed property to follow.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Initial Investigation	4/21/2026	4/20/2026	Fail
Inspection Comment	Site visit to property, no answer at the door. Left business card with note to please call / email. Will follow up to try and confirm tenancy.			

CRH260352

Reported Date	**Reported Address**
04/28/2026	**6610 DOVECOTE DR**
Description of Complaint	T00001110 6610 Dovecote Dr. – Per neighbor, this property is a group home causing parking issues. It is licensed as an SFD not a group home. I live at 6602 Dovecote Drive and an employee of the group home at 6610 Dovecote Drive has been playing music during later spring, summer and early fall during day hours and sometimes into the night for the past 3 to 4 years. He has a portable music machine which he sets up outside of his house in his car port and the music blasts to all areas of the neighborhood. The music can also be heard inside my house and I am unable to be in certain rooms of my house because of this. I have spoken many times with this individual to turn off the music off or use headphones and his answer was to turn to music louder or have some remark he can do what he wants. Last year I recorded the decibel levels in my house over 65 on some occasions. I contacted the Howard County nonemergency police 5 times last year to no avail. My neighbor at 6606 Dovecote Drive is willing to bear witness to this complaint. The people renting the house are a group home which is also monopolizing the parking. This individual told me not to park in front of my house because his employees need to park there. I have done so to keep the peace but he has not done his part to keep the peace. I am not sure if it is legal for him to restrict my parking. I want to contact the owners of the property to request their intervention, but I cannot find any information about them. I have tried everything I can think of including contacting my Homeowners Association and they gave me this email address to address my concerns. Please help. I cannot afford to move because of the rudeness of this individual. My name is Alan Zeman 6602 Dovecote Drive Columbia, MD 21044 301-512-1959

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike May	Follow Up	11/2/2026		Scheduled
Inspection Comment	has property been vacated and license terminated? deadline extension was oct 31			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	8/24/2026	8/24/2026	Fail
Inspection Comment	owner hand delivered extension request number 2 to kyle trainer in permits office. group home management needs until Oct 31 2026 to vacate the tenants. Granted after discussion with supervisor			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	7/7/2026	7/6/2026	Fail
Inspection Comment	cancelled by inspector owner has been granted a 30 day extension to remaining violations and no need to visit, owner has stated intentions are to not abate violations, but rather to vacate the property and cancel the rental license			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	7/6/2026	7/6/2026	Fail
Inspection Comment	owner provided photos showing they installed CO alarms on each floor to abate the life safety concern and allow for an extension, owner stated they plan to cancel this license rather than go through abatement of all items and tenant is vacating by end of august			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	7/1/2026	7/1/2026	Fail
Inspection Comment	phone call with owner. owner states they intend to have the tenant vacate the property by the end of august, attached an email from the owner as well stating this. Owner stated the tenant has agreed to the move out by end of august. Owner will still install the needed CO alarm for immediate life safety requirements, but other violations will be granted extensions as the license is intended to be cancelled.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	5/22/2026	5/22/2026	Fail
Inspection Comment	photo sheet attached nov issued			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	5/20/2026	5/20/2026	Fail

Inspection Comment	interior visit with the house manager. Confirmed this is now a group home with three bedrooms and three clients, per the house manager. Will be required to update license for use as group home. One resident was seen with mitted hands and was verbally out bursting and needed to be repeatedly controlled by other adults. The individual did not appear to be able to speak normally or control themselves physically and it made me very uneasy while attempting to do this inspection. I was on the verge of leaving for my own safety and had to hurry my inspection. Multiple interior violations were found. Property was not kept sanitary. Multiple surfaces covered in stains and debris or clumps of matter. The house has two separate wood burning fireplaces with separate chimneys, and no CO alarms on the lower two levels. A single hardwired alarm station on the top floor had a combo CO/Smoke alarm, and the other floors and bedrooms had battery powered smoke alarms. All were dated 2018. A bathroom was discovered, added into the laundry area of the bottom level. This appears to be built without permits, only 12 inches from center of toilet to wall, no exhaust fan, no outlets, water damage to ceiling surface, one wall has no wall studs for 50 inches. Extension cord is run from a light socket adapter in the laundry side over the wall into the bathroom. Will take photos to supervisor and ask if trades will open a complaint. Extension cord was also run through a wall to the exterior to power a permanently mounted flood light fixture. Will require permit for the flood light fixture install. wiring to sink outlets in disrepair as well, and sink basin was not secured to the kitchen counter and supported only by make shift 2x4 stilt. See NoV for more violations.

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Initial Investigation	4/29/2026	4/29/2026	Fail
Inspection Comment	sending H19 for an interior inspection to confirm complaint			

CRH260377

Reported Date	Reported Address
05/06/2026	**8935 BALTIMORE ST APT 3**
Description of Complaint	RH19000513 8935 Baltimore Street, Unit 3 – Rat infestation exterior, unrepaired water damage that led to mold issues, unresolved leak, electrical panel allegedly hanging and (new full risk cert needed as this is new tenant in #3). There is mold currently growing in my bathroom that I previously pointed out to my landlord they came. They removed the top layer of paint and drywall, and just re-plastered over it rather than actually treating the mold so now it has grown back through the wall in the same exact area black mold when I told them about the repair being done improperly, they assured me that he had cleared out the entire source of mold. About three months ago the water heater broke and flooded the entire basement. I came home to a moisture filled home. It smelled like swamp and dirt. I had to stay up until midnight that night draining the basement myself as they have no emergency line or general contractor available after hours they sent someone out to look at the water heater the next day. This gentleman called me and let me know that this is an ongoing issue with this property and that they refuse to fix things from this day until about two weeks ago there was no hot water so for the past three months there’s been no hot water. The heat was also out during this time period and currently there is no a/c. The electrical panel in the basement is hanging/floating from wires and is unmounted which is a major safety hazard. Also the house is separated into three units but there’s only one main breaker box which I believe to be another code violation.

Austin Jones
678-773-3030

Austin Jones:

Please see attached document outlining the limitations of this office regarding mold issues. Under the code, we cannot cite mold; however, if a water leak is visible or there is unrepaired water damage, we can address that. We need the following information:

1. What recent date were these issues reported to the owner and what action did they take if any? If they were not recently reported, you will need to do so.
2. What unit do you reside in?
3. Do you currently have hot water?
4. Is the heat/HVAC currently working or not working? If not, please describe the issue.

We can address what an inspector can visibly witness as a violation of the Rental Housing Property Maintenance Codel

We await answers to these questions.

RENTAL HOUSING INSPECTIONS

1. No hot water was mentioned in January during on of the big freezes, I mentioned to them that there was no hot water. Initially we assumed the pipes were just frozen for a month but after the hot water didn't come back we knew it was a bigger issue but they really dragged their feet and didn't fix this until two weeks ago.
The mildew/potetially mold I mentioned the day they did the repair that there was no possible way it had been done properly as they skipped the remediation process and covered it all in the same day without giving the areas time to dry and ensure the area was clear (I believe they didn't want me to come home and see what was behind the wall so they rushed the job to hide the real damage). When I told them I didn't believe it was done properly they ensured me it was. Now in the exact same spot there grows black and green/turquoise spots growing and that's with me spraying it with bleach every few days.

2. Unit 3

3. Yes I have hot water as of two weeks ago

There is no a/c. They had a maintenance person come out two weeks ago to finally fix the water heater. I spoke to this gentleman and he informed me that he would notify the property manager that the AC was still not working. They fixed the blower on the AC about a month ago, but they never came back to add in Freon/coolant

I have also attached photos of the basement flood and hanging electrical panel.

SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Matthew Bischoff	Follow Up	11/6/2026		Scheduled
Inspection Comment	Court Date for Items done without permits; electrical / building permits needed.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Matthew Bischoff	Follow Up	10/22/2026		Scheduled
Inspection Comment	Ensure case file is completed and sent to Office of Law			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Matthew Bischoff	Follow Up	10/13/2026		Scheduled
Inspection Comment	Electrical and plumbing permits have been issued but not finaled. Check in on building permit.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Matthew Bischoff	Follow Up	9/29/2026	9/29/2026	Fail
Inspection Comment	Electrical permit issued yesterday, 9.28.26. Awaiting building permit issuance.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Matthew Bischoff	Follow Up	9/15/2026	9/15/2026	Fail
Inspection Comment	Reinspection cancelled as property is not ready. Unit is still vacant.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Matthew Bischoff	Follow Up	9/14/2026	9/15/2026	Fail
Inspection Comment	Ownership reached out and requested a court date. We granted an extension previously for the interior items for Unit 3. The structural engineer has returned and evaluated the flooring and is working on amending the engineer report. Awaiting building and electrical permit applications.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Matthew Bischoff	Follow Up	8/25/2026	8/25/2026	Fail
Inspection Comment	8.25.26 No building nor electrical permits applied for in system. Issuing citation.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Matthew Bischoff	Follow Up	8/12/2026	8/11/2026	Fail
Inspection Comment	Plumbing permit has been issued; building and electrical I gave a deadline to have applied for by 8.21.26 to see progress. See attached email from ownership regarding the status and the progress. They requested a reinspection rescheduled to 9.15.26 for the interior work to proceed; the unit is vacant.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Matthew Bischoff	Follow Up	7/31/2026	7/31/2026	Fail
Inspection Comment	Still no permits in the system for the water heater and the electrical panel; issuing civil citation.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Matthew Bischoff	Follow Up	7/24/2026	7/24/2026	Fail
Inspection Comment	Updated pest control reports received and attached.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Matthew Bischoff	Follow Up	7/17/2026	7/17/2026	Fail
Inspection Comment	Followed up to owner for current pest control reports; also advised that there are no permits in the system for the electrical and plumbing issues; those do not require the tenant to be moved out to complete as that is in the common area basement. If no follow up, will be issuing citation.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Matthew Bischoff	Follow Up	7/8/2026	7/8/2026	Fail
Inspection Comment	7.8.26: Reached out to ownership/PM regarding updated pest control reports. They are awaiting tenant move out per court on 7.21.26 to complete the interior items. Reminded PM that additional tenants cannot be moved in until reinspection is completed.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Matthew Bischoff	Follow Up	6/12/2026	6/11/2026	Fail
Inspection Comment	6.11.26: Extension request received from ownership. The provided the tenant with a standalone AC for the property. Received engineer report for the basement support beam. Exterior has been cleaned up. The other items they are asking an extension on as they received a court order for the tenant to move out due to lack of paying rent. Advised okay with extension as long as updates are being provided back to this office.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Matthew Bischoff	Follow Up	6/1/2026	5/22/2026	Fail
Inspection Comment	Pest control service reports received from ownership / management. They advised they will be continuing treatment until the problem is addressed and will continue to send reports accordingly for each treatment.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Matthew Bischoff	Follow Up	5/19/2026	5/19/2026	Fail
Inspection Comment	5.19.26 - No contact nor pest control reports received. Sending short deadline final notice.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Matthew Bischoff	Initial Investigation	5/7/2026	5/7/2026	Fail

Inspection Comment	5.7.26: Met tenant at property and did a walkthrough of his unit (Unit 3), the exterior and the cellar basement. Exterior: Found clear evidence of rodent access points leading to the crawlspace beneath the house. There are bait traps - both professional and consumer level - but do not look like they are being maintained. Yard also needs to be cleared up of rubbish (furniture, cat litter box emptied on front lawn). Basement: Water heater present and functional. Found electrical panels - one subpanel appears newer - hanging from a board from the ceiling and not secure. Also observed a support beam running along the ceiling of the basement (beneath the tenant's Unit 3 flooring) that is in clear disrepair (wood falling apart). Interior Unit 3: Found all flooring throughout the unit leaning, sagging and extremely soft to walk on. Some rooms are leaning drastically. The bathtub sinks when the tenant stands in it. Tilling in bathroom is loose and coming up due to the shifted floors. Lots of the gaps along the flooring have been filled with spray foam. Both exterior doors of Unit 3 are shifted and have clear gaps which have been spray foamed to fill the gaps. No deadbolt present. Signs of unresolved water damage on bathroom ceiling. Glazing failed on bathtub. Tenant also mentioned that he found the place through Airbnb, he does not have a lease and the other units are the same way. Advised the tenant to file a company with the Department of Planning and Zoning and Consumer Protection regarding his tenant rights. Issuing complaint NOV for property maintenance violations.

CRH260381

Reported Date	Reported Address
05/07/2026	**9332 SPRING WATER PATH**
Description of Complaint	9332 Spring Water Path – Alleged unlicensed rooming unit (advertised on padsplit.com) I would like to report a neighbor on our street. The address is 9332 Spring Water Path, Jessup, MD 20794.We live in the Columbia Association in a residential area. After calling Howard County Zoning and the Department of Licenses and Permits, I was told that there is no rental license on this property. The owners of the property, Daniel and Lakia Thompson, are trying to sublet 6 bedrooms in their home. Here is the link: https://www.padsplit.com/rooms-for-rent/listing/md/jessup/savage/beautiful-modern-columbia-home/33747?priceMin=50&priceMax=1000&noMoveInFee=false Thank you for looking into this. Sincerely, Stacey Schilling 443-538-0969 Cell

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	10/14/2026		Scheduled
Inspection Comment	Reinsp sched 8.20 RH26000317 canceled. B26002554 open for 2 egress windows for Bdrm 6 & 7 in bsmnt. No contractor, owner cannot service as contractor. Permits waiting for docs, including plan, since replying to owner 7.27. (MC) Reinsp New RHL 9.23 failed. Egress windows installed, B permit not issued, questions from permits 9.23.26 to owner asking what is the intended use of bdrms 6 & 7 ...RH Insp issued Final			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/24/2026	9/25/2026	Fail
Inspection Comment	Reinsp sched 8.20 RH26000317 canceled. B26002554 open for 2 egress windows for Bdrm 6 & 7 in bsmnt. No contractor, owner cannot service as contractor. Permits waiting for docs, including plan, since replying to owner 7.27. (MC) Reinsp New RHL 9.23 failed. Egress windows installed, B permit not issued, questions from permits 9.23.26 to owner asking what is the intended use of bdrms 6 & 7 ...RH Insp issued Final			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	8/24/2026	8/24/2026	Fail
Inspection Comment	Reinsp sched 8.20 RH26000317 canceled. B26002554 open for 2 egress windows for Bdrm 6 & 7 in bsmnt. No contractor, owner cannot service as contractor. Permits waiting for docs, including plan, since replying to owner 7.27. New date on RH issuance 9.22.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	8/11/2026	8/11/2026	Fail
Inspection Comment	Reinsp sched 8.20 RH26000317			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	7/9/2026	6/2/2026	Fail
Inspection Comment	RHL app rcvd, record created 6.1, insp sched to MC 7.9.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	5/29/2026	5/29/2026	Fail
Inspection Comment	Issued H23 UNL NOV 45 day. App due 5.28, insp by 6.29. Insp out till 7.9 will not be doing the interior. As of 5.29, no comm or submittal			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	5/11/2026	5/11/2026	Fail
Inspection Comment	Issue H23 UNL NOV 45 day. App due 5.28, insp by 6.29. Insp out till 7.9 will not be doing the interior.			

CRH260526

Reported Date	Reported Address
06/17/2026	**7606 SWEET HOURS WAY**
Description of Complaint	7606 Sweet Hours Way – alleged unlicensed rental property There are renters in this property, but I called licensing and Chad Hill just confirmed that there is no rental license for this address. The renters contacted me from hqpaaac@gmailc.om and said their names are Donald and Christina Guftanson. I would like to keep this anonymous if possible. Thank you, Ms. McNamara, We can open a case, but not anonymously. Our department cannot take anonymous complaints. The record would show it came from the Association, you would be the contact. Did the tenants mention if the owner also lives there? The owner would still need a license, but if they are renting a room, the inspection is a little different. The owner may think renting (1) room doesn't require a license, but the code is actually renting to (1) person doesn't require a license. Let us know in order to proceed.

RENTAL HOUSING CODE ENFORCEMENT

Aileen McNamara
Covenant Advisor
Kings Contrivance Community Association
410-381-9600

Ok, understood. I don't believe the owner is living there. The renters indicated they live there with their kids.

Aileen McNamara

Good afternoon,

We are homeowners residing in 7606 Sweet Hours Way. Our neighbor directly behind us in 7505 Lilac Sea, unfortunately has a pine tree that is completely dead that is leaning towards our back home and deck. Our children are very young and often play on the deck and backyard and we are worried that the tree being fragile and leaning against our home could fall and potentially hurt someone or worse. We have tried to stop by the home to talk to the neighbor but they never seem to be home or do not answer the door. We are asking for your assistance to provide a letter or citation (as required per HOA), for them to address the issue as soon as possible. Again, this is a hazard to our home and family.

Additionally, we walk around our neighborhood and noticed the following and respectfully request that the following also be addressed:

7502 Lilac Sea, Columbia MD- The yard is unkept, the area around the mailboxes is full of weeds. There is large mound of wood chips in the front yard that was never cleared up from two years ago. Please inspect and provide assistance for them to be reminded to keep up their yard, particularly along Weather Worn Way, where they often do not mow or clear the leaves in the fall.

7514 New Grace Mews- Large playground in their yard is broken and in large pieces. When we moved into our neighborhood, we asked whether we could install a large playground like the one this home has and were told it was against HOA rules and not allowed. Why are they allowed to have one? They also have built outside their property in the back area in Columbia HOA land. We are wondering why they are allowed such ample violations of the Columbia HOA rules? Are they exempt? The large abandoned and broken playground equipment is unsightly and ironically, right behind the community playground. Please request for the homeowners to adhere to the HOA rules and remove the equipment, as well as remove what they have built outside their legal lot area.

7101 Black Rock Court- Large 12 Foot Fence built behind the home facing Eden Brook Drive road, fence built on HOA property. These neighbors built a large fence to keep people away from their backyard, unfortunately, the fence is clearly in HOA property and very close to the sidewalk on Eden Brook Drive. See pasted photo below, the fence is clearly not in the resident's property and does not conform to HOA nor safety standards to be so close to the sidewalk. Note that the home address may not be 100% accurate but it should be fairly close. The Fence is visible from Eden Brook Drive.

We thank you in advance for working to address these concerns as quickly and efficiently as possible and remain,

Sincerely yours.

Donald and Christina Guftanson

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	10/21/2026		Scheduled
Inspection Comment	Called owner 9.2 when issuing CIT and advised the action was being taken, to be followed by CRH260616 for a 2nd CIT, same violation. Owner emailed 9.11 to report all paperwork was dropped off for (2) other rentals (1-known CRH260616 and 2nd RH16000016). Owner advised they occupy this property. There does not appear to be any evidence of the complainant names on this street as owners or in Maryland at all. Waiting for written reply. Issued CIT 0Z47134843 for failing to obtain a RHL per H23 UNL NOV dated 7.14.26, req court by 9.21.26. As of 10.2, owner has not submitted anything in relation to this property.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/30/2026	10/2/2026	Fail
Inspection Comment	Called owner 9.2 when issuing CIT and advised the action was being taken, to be followed by CRH260616 for a 2nd CIT, same violation. Owner emailed 9.11 to report all paperwork was dropped off for (2) other rentals (1-known CRH260616 and 2nd RH16000016). Owner advised they occupy this property. There does not appear to be any evidence of the complainant names on this street as owners or in Maryland at all. Waiting for written reply. Issued CIT 0Z47134843 for failing to obtain a RHL per H23 UNL NOV dated 7.14.26, req court by 9.21.26. As of 10.2, owner has not submitted anything in relation to this property or any other			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/22/2026	9/2/2026	Fail
Inspection Comment	Called owner 9.2 when issuing CIT and advised the action was being taken, to be followed by CRH260616 for a 2nd CIT, same violation. Owner emailed 9.11 to report all paperwork was dropped off for (2) other rentals (1-known CRH260616 and 2nd RH16000016). Owner advised they occupy this property. There does not appear to be any evidence of the complainant names on this street as owners or in Maryland at all. Waiting for written reply. Issued CIT 0Z47134843 for failing to obtain a RHL per H23 UNL NOV dated 7.14.26, req court by 9.21.26			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/8/2026	9/8/2026	Fail
Inspection Comment	Post & Photo CC 0Z47134843 ISSUED 9.2 FAILING TO OBTAIN RENTAL HOUSING LICENSE AT TENANT OCCUPIED PROPERTY PER NOTICE OF VIOLATION DATED 7.14.26. No contact. Occupied with items inside seen thru front window, active ring cam device			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/2/2026	9/2/2026	Fail
Inspection Comment	New address identified, add to contacts and remail H23 45 day dated 7.14.26. Due 7.29/9.1. No comm or submittal. Issue CIT 9.2			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	8/7/2026	7/10/2026	Fail

Inspection Comment	RHL app submittal due 7.6. Mail returned 7.6 Not deliverable as addressed, unable to fwd. On 7.9 Insp left owner VM from # on canceled RHL 9738 BRR and emailed attaching the NOV issued, checklist and app. As of 7.10.26 2PM, no submittal or reply; no reply 7.13

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Holley Robbins	Follow Up	7/30/2026	7/30/2026	Fail
Inspection Comment	No response. New address identified, add to contacts and remail H23 45 day dated 7.14.26. Due 7.29/9.1			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Holley Robbins	Follow Up	7/14/2026	7/14/2026	Fail
Inspection Comment	New address identified, attached, add to contacts and remail H23 45 day dated 7.14.26. Due 7.29/9.1			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Holley Robbins	Follow Up	7/13/2026	7/13/2026	Fail
Inspection Comment	Insp visit presumed owner address 9738 BRR; found tenant occ & also UNL. Open case			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Holley Robbins	Follow Up	7/10/2026	7/9/2026	Fail
Inspection Comment	RHL app submittal due 7.6. Mail returned 7.6 Not deliverable as addressed, unable to fwd. On 7.9 Insp left owner VM from # on canceled RHL 9738 BRR and emailed attaching the NOV issued, checklist and app. As of 7.10.26 2PM, no submittal or reply			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Holley Robbins	Initial Investigation	6/18/2026	6/18/2026	Fail
Inspection Comment	Issue H23 UNL 45 day 6.18.26			

CRH260556

Reported Date	Reported Address
06/25/2026	**5638 STEVENS FOREST RD APT 217**
Description of Complaint	Autumn Crest Apts., T00006533 - 5638 Stevens Forest Rd, Apt 217 – Mice and Roaches Hello my name is Brittany Couplin , I live in Autumn Crest Apartments in Columbia MD & I am contacting housing to report an infestation of mice & roaches within my housing unit. I have been living in this development for 10 years and I've been in this specific apartment for 4 years and I didn't have a single pest problem until around November of last year when I first noticed some roaches & I've been submitting complaints almost every month since then and I have yet to reach a resolution of the problem. The mice problem has multiplied and the roach problem has multiplied exponentially. The unit is not up to housing standards & I am requesting an emergency inspection and relocation as I have small children within my home My address is 5638 Stevens Forest Rd, Apt 217, Columbia MD 21045. I have attached a picture of my most recent service request made on June 10th as well as photos of my previous service request spanning 3 months & my original service request from November 12th. My contact number is 410-960-7300

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	10/8/2026		Scheduled
Inspection Comment	CRH260556 - Final reinspection follow up. Has hole in HVAC closet been permanently sealed?			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	10/2/2026	10/2/2026	Fail
Inspection Comment	CRH260556 - I met complainant Brittany and inspected unit - No evidence of activity in unit and last report was mgmt. confirmed contractor scheduled to seal gap early next week. Exterminator reports attached. Follow up.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	8/20/2026	8/20/2026	Fail
Inspection Comment	CRH260556 - Ms. Couplin reported that there is rodent activity in the unit. I emailed management informing them a final notice will be issued and to provide reports in accordance with the guidelines outlined in violation #1 Reports must be specific to the unit. Send FINAL H18			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	8/19/2026	8/19/2026	Fail
Inspection Comment	CRH260556 -I sent follow up email to complainant, No same day reply. Follow up			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	8/11/2026	8/11/2026	Fail
Inspection Comment	CRH260556 - I met complainant Ms. Couplin and reinspected unit. All repairs to close gaps completed, stove was replaced, and tenants report no rodent or roach activity. Exterminator reports provided were for community treatments not unit specific. I did find some rodent droppings in the HVAC closet, the tenant stated that they are from prior to repairs being made, she will clean-up and we will follow up in 7 days .			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	6/29/2026	6/29/2026	Fail
Inspection Comment	CRH260556 -H18 Issued			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	6/26/2026	6/26/2026	Fail
Inspection Comment	CRH260556 - Met Complainant Brittany Couplin and inspected unit for mice and roaches. Rodent droppings were observed in the kitchen, utility closet, and linen closet. A dead roach was observed in kitchen. Points of entry from the exterior were found in utility closet and at the front entryway door. The front entry door has a gap when in the latched position and the weather stripping is in disrepair. The utility room door sweep has rodent damage, the flooring and the subflooring have rodent damage, the construction around the HVAC Unit installed at the exterior was not completed in a workmanlike and gaps are present around the permitter of the unit, additional gaps exist at in at the wall and ceiling behind the indoor HVAC unit. Under one of the wall gaps behind the HVAC there appears to be an uncapped pipe that needs to be sealed, and the vent at the exterior wall above the HVAC unit has a gap that needs to be sealed, also check behind the washing machine at each corner baseboard for gaps and seal. Send H18			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Initial Investigation	6/26/2026	6/26/2026	Fail
Inspection Comment	CRH260556 - Schedule inspection			

CRH260589

Reported Date	Reported Address
07/08/2026	**5764 STEVENS FOREST RD APT 215**

Description of Complaint	Aspen Lake Trail, T00006542 - 5764 Stevens Forest Road, Apt 215 – No HVAC/No Portable Provided; alleged unrepaired leak and water damage leading to mold conditions in bathroom I am requesting an inspection of my apartment due to ongoing habitability concerns that have not been adequately addressed despite repeated requests to management. My address is: 5764 Stevens Forest Road, Apartment 215 Columbia, MD 21044 I have made every reasonable effort to resolve these issues directly with the property before requesting County assistance. Air Conditioning My primary concern is the repeated failure of my apartment's air conditioning during the cooling season. My air conditioning stopped working. I repeatedly called the property's emergency maintenance number, but my calls went unanswered. Maintenance eventually came to my apartment and added refrigerant to the HVAC system, which temporarily restored cooling. However, The air conditioning failed again right before the excessive heat last week. The unit is once again blowing warm air and is no longer cooling the apartment. This is now the second HVAC failure in a short period. When the system failed the second time, I again contacted emergency maintenance. I left a voicemail but did not receive a return call, and no one came to inspect the unit. I also went to the leasing office in person. I was told that many residents were without air conditioning, that their HVAC contractors were backed up, and that there were no portable air conditioning units available. I was told management would attempt to locate a portable air conditioner and asked me to return later that afternoon. When I returned at the requested time, the leasing office was closed, no one was present, and I received no follow-up. I spoke to the property manager today after sending an email and she told me she will get a portable air conditioner to my unit as well and call me in an hour. Once again,I did not receive a return phone call or any communication regarding my emergency maintenance request. Management has repeatedly explained that contractors are unavailable or backed up. While I understand that repairs may sometimes be delayed, the repeated contractor delays have resulted in my apartment remaining without functioning air conditioning during periods of extreme heat, with no temporary cooling provided. I have attached photographs showing my thermostat reading 80°F, 81°F, and 82°F while the thermostat remained set to 64°F, demonstrating that the system was not cooling the apartment. Bathroom Water Damage and Mold I am also requesting that the County inspect ongoing moisture and mold concerns in my bathroom. Following a water leak from the apartment above, my bathroom ceiling sustained water damage and eventually broke open. Before repairs were completed, I specifically asked maintenance to ensure that any mold was properly treated before the ceiling was closed. I was assured that the mold would be addressed. Instead, the ceiling was patched, and the black mold has now returned in the exact same location. Additionally, despite using the bathroom exhaust fan during every shower, excessive moisture accumulates in the bathroom. The ceiling remains wet after showers, the paint continues to peel, and I am concerned that the bathroom is not being properly ventilated. These conditions appear to be contributing to continued mold growth. I've also attached a video of the damage in the bathroom before and also the black mold growing in the same spot again after repair although they promised me the mold would be taken care of at the same time as the patch work. Air Conditioning My primary concern is the repeated failure of my apartment's air conditioning during the cooling season. My air conditioning stopped working. I repeatedly called the property's emergency maintenance number, but my calls went unanswered.SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/9/2026		Scheduled
Inspection Comment	Follow up on leak, drywall work scheduled for 10/8/2026. Rodents have not been added to case as both PM and tenant states treatment has been taking place.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/5/2026	10/6/2026	Fail
Inspection Comment	Tenant email 10.5.2026 states they believe water intrusion based on activity seen behind the plastic sheeting. Email in attachments. PM / Maintenance inspected plastic with paper behind the plastic to catch water and PM states they could not conclusively determine that there has been a new water leak and moisture meters show area surrounding bathroom ceiling are dry as of 10.6.2026. Spoke with PM on the phone approx 2:00 PM to review all. At this time, there is documentation from a licensed plumber stating there is no plumbing leak and have not witnessed water in the ceiling plastic during site inspections. PM states they will consult with regional and schedule for closing of the drywall. Confirmed with PM that if new evidence of water shows on the drywall it will likely require drywall removal again for investigation.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/2/2026	10/2/2026	Fail
Inspection Comment	Follow up inspection performed with tenant and maintenance technician. Checked front deadbolt, ensuite bathroom ceiling, mouse activity. There appears to be some mouse activity in closet. Unit is being actively treated for mice, with last treatment performed 10/1/2026. Noted that tenant's key does not work well in the deadbolt lock as it does not fully seat into lock. Spoke to PM X Satchovelle regarding all items. PM states they will schedule the tenant for a full unit rodent seal, will provide a new key to the tenant, and all agreed to monitor paper placed behind plastic in bathroom to see if there is further water activity prior to reinstallation of drywall. Follow up required.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	9/30/2026	9/30/2026	Fail
Inspection Comment	Phone call with tenant Kayla Durrett 9.30.2026 around 10:30 AM. Tenant states she last experienced water in bathroom ceiling 9.27.2026, tenant states it was a small amount of water that had dried before the PM was able to perform a follow up inspection. Tenant states they are experiencing issues with mice / rodents in the unit. Treatment completed 9.17.2026 and scheduled for 10.1.2026. Will confirm treatment with PM. Informed tenant that rodent treatment can take some time and they may not see immediate results, but the treatment schedule thus far appears to be standard. Scheduled follow up inspection 10.2.2026, will contact PM to review.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	9/25/2026	9/24/2026	Fail
Inspection Comment	Information on bathroom exhaust and plumbing update received. As of 9.22.2026, no leaks were found in the bathroom after multiple days of rain. PM would like to move forward with installation of drywall. Have requested updates on when the drywall is installed. Will request sealing of openings that became present with fan and thermostat installation.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	9/17/2026	9/17/2026	Fail

Inspection Comment	Email from tenant (attached to record). Follow up inspection to check the exhaust fan required. On Sep 16, 2026, at 1:36?PM, Kayla Lewis <kaylalewis324@gmail.com> wrote: I haven't seen any more water so far. I know the last plumber told me to check when it rains and he told me he caulked the unit upstairs but he didn't think that was the problem. It hasn't rained much since then for me to be certain and it doesn't leak frequently but does leak a lot when it does.

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	9/14/2026	9/14/2026	Fail
Inspection Comment	AMG results complete but not relevant to case. Awaiting last plumbing documentation, PM states plumbing contractor found no leaks but ceiling in ensuite bathroom continues to have water intrusion. No further information received from PM, sent email 9.10.2026 advising PM should consult with MHIC licensed contractor to identify and repair water intrusion.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	9/11/2026	9/11/2026	Fail
Inspection Comment	Inspection on 9/8/2026, ceiling is open and plastic is covering. Received email with photos from tenant that showed water in the plastic. Plumber visit took place 9/3/2026, have not received documentation from plumber. At 9/8/2026 spoke to PM Ms. Satchovelle and noted that the plumber had mentioned to tenant the leak could be originating at the flat roof above floor 4. Recommended investigation to find the source of water as plumber could not identify the source. Email sent to PM 9/11/2026 to consult with MHIC licensed contractor to identify and address leak, as the leak does not appear to have been resolved. Advised that ensuite bathroom exhaust fan has also not been addressed.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	9/8/2026	9/10/2026	Fail
Inspection Comment	Citation reduced fine paid 9.9.2026. Citation is closed but case remains open for ceiling leak in ensuite bathroom.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/26/2026	8/27/2026	Fail
Inspection Comment	Spoke to both tenant and property manager (Kelly). Tenant - tenant confirms that plumber has checked the leak. Ceiling is open with plastic and tenant has not seen any further water leaks since plumbing repair was completed. Tenant requests ceiling remain open as they are awaiting results of moisture testing completed by RestoreCore. Tenant states the bathroom exhaust fan has not been replaced. Property Manager - PM states they have the plumbing invoice and will send today. Confirmed that plumber inspected and found the repairs completed by the maintenance staff to be adequate. PM states they are still awaiting results from RestoreCore and cannot move forward with any treatment recommendations etc until the report is received. PM was not aware the ceiling was not repaired and that there was no follow up inspection on the hvac system on Monday 8/24/2026. Progress made, but will require additional follow up. Delays in ceiling drywall due to testing completed per agreement between landlord and tenant.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/25/2026	8/25/2026	Fail
Inspection Comment	Reduced fine not received. Awaiting trial date.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/24/2026	8/25/2026	Fail
Inspection Comment	No updates received, no documentation received. Email sent to PM and tenant.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/17/2026	8/17/2026	Fail
Inspection Comment	Per inspection with tenant 8.11.2026, violations are not abated. Ensuite bathroom ceiling above shower has worsened and shows significant water damage and discoloration. Met with maintenance supervisor on 8.11.2026 during site visit and they stated they believe they have found the leak in the unit above and completed the repair. Told maintenance supervisor the repair would be acceptable if it was inspected by an MHIC licensed contractor and they deemed it to be the true cause of the leak and the repair was satisfactory. Updated NOV sent 8.12.2026 with shortened deadline to diagnose water intrusion, repair, and repair / replace damaged drywall. Exhaust fan violation not abated and still does not perform as intended.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/11/2026	8/11/2026	Fail
Inspection Comment	Met with tenant to inspect bathroom. Drywall above shower in ensuite bathroom shows evidence of an active leak, with severe discoloration and crumbled drywall. Hole is present in the drywall. Inspected fan and found the exhaust to be very weak, exhaust fan does not properly exhaust air from the bathroom. Met with maintenance supervisor Antoine Fitzhugh and reviewed the items. Advised A Fitzhugh that a new notice of violation will be sent which includes investigation of a plumbing leak, replacement of drywall, and replacement of the bathroom exhaust fan. Updated NOV with 2 week deadline to follow.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/10/2026	8/5/2026	Fail
Inspection Comment	Reduced fine letter for HVAC repair, deadline 8.25.2026. Permit M26000947 (will require follow up).			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/10/2026	8/11/2026	Fail
Inspection Comment	Spoke with tenant 8/10/2026. Tenant states bathroom ceiling has gotten worse and she has noted water coming from a new opening in the ceiling. Inspection with tenant scheduled for 8/11/2026.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	7/27/2026	7/27/2026	Fail

Inspection Comment	Site visit to confirm HVAC repair not completed. Portable units are not installed correctly and are blowing hot air into the unit (photos in inspection). No progress from PM regarding bathroom exhaust issue. Tenant states first visit to assess AC was on 7/24/2026 (NOV deadline) Citation 6Z47134800. Received email attached from PM 7/27/2026 with no accompanying documentation or timeline. Good Afternoon Inspector Yoon, I wanted to provide an update regarding the HVAC system in reference below. After further assessment, it has been determined that the HVAC system will need to be replaced. Our vendor will be submitting the permit request today and will proceed with moving forward once the permit has been approved for installation. We will continue to follow up and provide any updates as the process progresses. Thank you in advance for your assistance and support. We appreciate your time and cooperation as we work to complete this replacement and ensure the system is properly addressed. Xiomara Satchovell, TCS Property Manager III Aspen at Lake Trail Apartments* 5764 Stevens Forest Rd | Columbia, MD 21045 Direct. 410.730.3000 | xsatchovell@rossmgtservices.com | aspenatlaketrail.com Visit us: *an affiliate of ROSS Companies

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	7/27/2026	7/27/2026	Fail
Inspection Comment	No update from management company. Citation 6Z47134800			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	7/24/2026	7/24/2026	Fail
Inspection Comment	No response or update received from PM. Tenant sent email on Tuesday, forwarding message from assistant PM that HVAC may be checked Friday 7/24/2026 to diagnose. Email attached to crh record. Appointment scheduled for Monday 7/27/2026 with tenant to confirm status inside unit. Citation to follow.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Initial Investigation	7/9/2026	7/9/2026	Fail

Inspection Comment	Inspection with tenant. Noted unit was warm and humid. Temps reading between 75 - 82, temps from vents around 75. Noted staining on walls and ceiling of bathroom, majority staining around previous leak that had been patched. Tested bathroom exhaust fan and the air exhaust appeared to be minimal. Fan is not operating properly. No portable AC unit provided per tenant and none found in unit at inspection. NOV to follow, separate NOVs for AC and bathroom exhaust.

CRH260598

Reported Date	**Reported Address**
07/09/2026	**2149 RT 97**
Description of Complaint	ALLEGED UNLICENSED RENTAL HOUSE PER HEALTH DEPARTMENT: The owners of 2149 Rt 97 hired a contractor to repair the septic system which is currently discharging sewage to the surface. The Health Dept did the percolation testing for the septic repair in April and discovered that the septic system for 2145 Rt 97 was illegally tied into the septic system for 2149 Rt 97. The owners of both properties live at 2125 Rt 97 and told us that both 2145 and 2149 Rt 97 are rentals. RH22000112 is the rental license permit number for 2145 Rt 97 and I couldn't find a license in dilp accela for 2149 Rt 97. We wanted to notify you because the proposed repair of the septic system has both properties on one system so the properties will always be tied together in public files because they'll share a septic system. We wanted to notify you in case you wanted to investigate 2149 Rt 97 as a possible rental. Ryan Rappaport, LEHS Bureau of Environmental Health Howard County Health Department 8930 Stanford Blvd. Columbia, MD. 21045 Phone 410-313-1781 Fax 410-313-2648 www.co.ho.md.us

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Max Sullivan	Follow Up	10/13/2026		Scheduled
Inspection Comment	H32 DL after extension			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Max Sullivan	Follow Up	9/25/2026	9/24/2026	Fail
Inspection Comment	Owner requested an extension for the repairs that needed to be made. New DL is October 13, 2026.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Max Sullivan	Follow Up	9/21/2026	9/21/2026	Fail
Inspection Comment	Initial new rental inspection failed; H32 was issued w/ a deadline of 9.25.26. Create follow up date for NOV deadline.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Follow Up	8/10/2026	8/10/2026	Fail
Inspection Comment	Application received on 7.31.26: License number is RH26000494			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Initial Investigation	7/13/2026	7/13/2026	Fail
Inspection Comment	Site visit conducted. Renters for another home on the same property where 2149 Rt 97 resides told me that the home was being rented and pointed me to the owner's home on the farm. Visited the owner's home and asked if 2149 Rt 97 was being rented out by tenants; they said it was and that they had inherited the tenants when they bought the property. I informed them that a rental license would be required for the home and gave them my contact information. I told them that I would be issuing an NOV because it was unlicensed.			

CRH260612

Reported Date	Reported Address
07/10/2026	**5892 STEVENS FOREST RD APT 1**
Description of Complaint	5892 APT 1 STEVENS FOREST RD - CEILING COLLAPSED IN APARTMENT ON 6/21/26 NO WORK DONE TO DATE SEE ATTACHEMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/13/2026		Scheduled
Inspection Comment	REISSUE NOV DUE TO OWNER LLC ADDRESS CHANGE / PM MANAGEMENT CHANGE. NEW NOV DATED 10/1/2026. Original H18 deadline 8.17.2026. Work has been completed but is poor workmanship. Allowing additional time to correct repairs and complete ceiling drywall work. PM needs to address ceiling patching, sanding and painting, ceiling with additional water damage and bubbling of paint, uneven floor surfaces, transitions with excessive height difference, and broken baseboard.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	9/15/2026	9/15/2026	Fail
Inspection Comment	Most work has been completed but there are concerns about workmanship. Ceiling patching has not been sanded and painted. Area above cabinets have large sections of bubbling paint, which may indicate continued issues with moisture. Floors are uneven in kitchen, hallway, and living room. Threshold leading from hall to living room and kitchen to dining room are excessively high. Follow up required.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	9/4/2026	9/9/2026	Fail
Inspection Comment	Work completed per PM email. Will schedule inspection with tenant to confirm.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/31/2026		Cancelled
Inspection Comment				

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/17/2026	8/17/2026	Fail
Inspection Comment	Spoke to PM C Bell 8.17.2026. PM states they are still completing work, though major items have been completed. States the fire department has told them the electrical equipment was clear. Requested documentation, or replacement of water exposed electrical equipment with documentation of that repair from MHIC licensed contractor. Final notice to follow.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Initial Investigation	7/10/2026	7/10/2026	Fail
Inspection Comment	Follow up on prior CB260537, spoke to daughter Shaylyne Williams (tenant Venelda Williams) who stated that no work has been completed. Site visit and inspection with both tenant and daughter. They stated that fans were brought in and everything was removed when incident occurred 6/21/2026 but no work has been completed since then. Found the floors were in very poor shape and a large portion of kitchen / dining room ceiling remains open. Kitchen, dining room, and living room are unusable by tenant at this time. Concern about floors in these areas as it is very uneven / unstable, additional concern with tenant use of wheelchair. NOV to follow with additional request for more immediate attention to making floor space usable for tenant and ceiling opening to be sealed.			

CRH260613

Reported Date	Reported Address
07/13/2026	**9363 READER LN**
Description of Complaint	RH19000750 9363 Reader Ln – Trash and debris in back yard of premises; possible overcrowding inside the unit Hoping you can direct me to the right department. I am writing in concern of the rental property at 9363 Reader Ln in Columbia, MD.The backyard is completely littered in trash and the home exterior has progressively been in disarray. I'm afraid it's quickly becoming a serious health and safety situation especially as there are 6 children, at least 2 dogs and possibly 3 cats in addition to the parents in the small 3 br home. I have attached pictures for your consideration. I understand that families go through hard times and have tried to be understanding. In the past I've had issues with trash either being thrown or blowing into my yard which moderately improved after speaking with the mom but recently have had issues with mice and flies and well as odors coming from the property. I believe the family has been asked to clean up the yard in the past but in the rare chance it's been modestly cleared, it's refilled with trash again. A lot of the material and clutter has been there for months now so the situation is untenable. I want all neighbors to be well. I appreciate if someone can inspect that the owner is not allowing such neglect on their property. Thank you.

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/8/2026		Scheduled
Inspection Comment	UPDATED H18 REINSPECTION			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/5/2026	10/2/2026	Fail
Inspection Comment	Received 9.30.2026 email from neighbor with concerns regarding status of exterior. Site visit for exterior check. Owner / landlord was at property with crew for painting. Inspected back yard. Found the rear yard water spigot to be leaking again. Slider screen door has been removed from track with screen in disrepair. Trash / debris / discarded furniture / excessive dog waste and unsecured trash bags (multiple) in rear of property. Dog appears to be left in back yard for long stretches of time, strong smell of dog waste and urine in rear yard. Due to dog activity, the rear yard has no grass and remains in a state of wet soil which affects the neighboring yards. Landlord states the repair to the rear rotted wood with cement was completed in a way to prevent the dogs from chewing the wood trim around rear door. Requested they email the information and request for that item to be waived. Landlord states they are currently cleaning and painting, will make the repairs for the spigot and remove trash. Trash bins (2) will be provided. Follow up inspection 10.8.2026, will address unresolved issues at that time.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	9/15/2026	9/15/2026	Fail
Inspection Comment	Major cleanup has been completed with significant improvement in rear yard. Reminded tenant to continue to remove pet waste, 2 dogs and 2 cats remain. Will review remaining h42 concerns with supervisor and landlord.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	9/15/2026	9/15/2026	Fail
Inspection Comment	Follow up inspection with tenant, violations still remain. Will send follow up NOV for remaining items (garbage collection bin, address numbers, pests)			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	9/4/2026	9/8/2026	Fail
Inspection Comment	Received photos 8/26/2026 from landlord that AC is operating. Will follow up at next inspection.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/25/2026	8/26/2026	Fail
Inspection Comment	Spoke with owner / landlord Foad Askari on the phone approx 12:20. Mr. Askari did not believe the hvac was not working properly. States that he has not been to visit the property and has not sent a professional to assess, but based his assumption on a text from the tenant that vaguely mentioned the tenant believed the air was cool. Advised landlord that it was noted by inspector at the time of inspection that the AC system was not operating properly, explained that there were multiple steps taken to confirm the system was not operating properly. Requested additional information on the separate notice of violation and owner stated they had not started the work as they considered all the items to be "little things" and stated he had difficulty accessing the property. Advised that smoke alarms and active water leaks did not appear to be minor and that all items should be addressed. Also advised that the notice of violation H42 was issued to tenant due to the property failing to be maintained in a clean and sanitary manner and not due to only pet odors. Requested landlord or landlord representative be present for the next inspection to ensure clarity. Will follow up with an email, final notice on H18 for HVAC to follow.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/10/2026	8/10/2026	Fail
Inspection Comment	NOVs sent for processing.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/7/2026	8/7/2026	Fail

Inspection Comment	Interior / exterior inspection of tenant occupied townhouse with tenant Katrina Knox. Property has multiple violations and will require both interior and exterior cleanup. Home is a bit overcrowded with 10 individuals (2 adults, 8 children), 2 dogs, and 6 -7 cats. Strong smell of cat urine inside the property due to the cats. Violations include address number visibility, inadequate / non functioning smoke / co alarms, basement laundry sink leaking and laundry sink broken, hvac AC system not operating properly, kitchen faucet dripping, deck boards with rooting boards and multiple sections missing, fence with multiple sections missing, door frame with severe wood rot at rear, rear water spigot leaking and creating standing water in rear, dog waste in rear yard, pests including drain flies and common flies. There are no outside containers for trash, which is contributing to the issue. Walls and floors show a lot of damage and are unsanitary, some areas may require painting. NOV to follow, separate NOVs will be required for AC, tenant cleanup, and landlord repairs. Limited photos due to not wanting to capture photos with of children, who were present throughout the inspection.

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	8/3/2026	8/3/2026	Fail
Inspection Comment	Possible voicemail from complainant on Friday 7/31/2026, but no name or phone number left. Responded to complainant confirming the call and updating that we are still attempting to gain access to property. Attempted site visit with knock on door. No answer at the door, did not access rear yard. Yard is not fully visible due to privacy fence in rear. Property has multiple violations (broken downspout extender, trash and debris, address number visibility, broken fence panels, trash and debris at rear, rear siding in very poor shape) with strong odor of possible garbage / waste and urine at both front and rear of property. Emailed owner to confirm August 7, 2026 appointment and to notify the tenant that we will be inspecting both interior and exterior of property. Requested that owner or owner's representative be present for the inspection.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	7/29/2026	7/29/2026	Fail
Inspection Comment	Phone call with owner 7/28/2026 approx 3:00 PM. Landlord is requesting extension on H19 appointment per tenant request. States tenant has recently been having recent health issues and is not prepared for an appointment. Due to the nature of the complaint, explained that it would be preferable to keep the appointment as it is not healthy or sanitary for the home and yard to have excess garbage and pet waste. Landlord acknowledges that they have also received a complaint from their HOA with a request to clean up. States that tenant receives rental assistance and an inspection was performed a few months ago for their annual housing assistance inspection. At that time the inspection failed due to trash, but owner states it was bulk trash items such as mattresses and broken indoor furniture placed outside and not due to items like garbage, kitchen waste, etc. Landlord is uncertain about the number of pets present in the property. Asked landlord to keep the August 7 date at this time and to please let the tenant know that we would be minimally accessing the back yard. It is likely that the tenant will refuse access for the interior inspection. Asked the landlord if they have recently performed a physical inspection of the property. He stated that his father was present for the housing assistance inspection a few months ago and was satisfied with the condition of the property. Will attempt inspection as scheduled 8/7/2026.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Initial Investigation	7/14/2026	7/14/2026	Fail
Inspection Comment	H18 NOV for interior inspection sent and emailed.			

CRH260616

Reported Date	Reported Address			
07/13/2026	**9738 BASKET RING RD**			
Description of Complaint	UNLICENSED RENTAL PER INSPECTOR			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Holley Robbins	Follow Up	10/20/2026		Scheduled
Inspection Comment	Issued CIT 1Z47134844 9.2.26 for failing to obtain RHL per H23 UNL NOV dated 7.14.26. Request court by 9.21. Owner Mrs. left 9.9 VM and Insp replied in VM 9.10 as Mrs. isn't on the SDAT, need to hear from Mr. Exchanged VMs again 9.10/9.11. No app as of 9.22, 9.30			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/30/2026	9/30/2026	Fail
Inspection Comment	Issued CIT 1Z47134844 9.2.26 for failing to obtain RHL per H23 UNL NOV dated 7.14.26. Request court by 9.21. Owner Mrs. left 9.9 VM and Insp replied in VM 9.10 as Mrs. isn't on the SDAT, need to hear from Mr. Exchanged VMs again 9.10/9.11. No app as of 9.22, 9.30			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/22/2026	9/22/2026	Fail
Inspection Comment	Issued CIT 1Z47134844 9.2.26 for failing to obtain RHL per H23 UNL NOV dated 7.14.26. Request court by 9.21. Owner Mrs. left 9.9 VM and Insp replied in VM 9.10 as Mrs. isn't on the SDAT, need to hear from Mr. Exchanged VMs again 9.10/9.11. No app as of 9.22			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/8/2026	9/8/2026	Fail
Inspection Comment	No contact. Trash out, childrens bikes. Posted NOV and CIT issued, pics to be attached			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/1/2026	9/2/2026	Fail
Inspection Comment	On checking this address for owner occ and returned mail from CRH260526, found tenant and spoke. Located new address for owner, issue H23 UNL 45 day dated 7.14.26, app due 7.29, issuance due 9.1. No comm or submittal. Left VM to owner while issuing CIT for CRH260526 and advised a CIT was issuing on this property also. Issue CIT 1Z47134844 9.2.26			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	7/30/2026	7/30/2026	Fail
Inspection Comment	No response to On checking this address for owner occ and returned mail from CRH260526, found tenant and spoke. Located new address for owner, issue H23 UNL 45 day dated 7.14.26, app due 7.29, issuance due 9.1			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	7/14/2026	7/13/2026	Fail
Inspection Comment	On checking this address for owner occ and returned mail from CRH260526, found tenant and spoke. Located new address for owner, issue H23 UNL 45 day dated 7.14.26, app due 7.29, issuance due 9.1			

CRH260662

Reported Date	Reported Address
07/21/2026	**6405 FRANCIS LN**
Description of Complaint	6405 Francis la., Hanover 21076 This is a complaint against homeowner, John Kimm, for renting out rooms in his home without a required license from the county and in violation of Grace Meadows HOW bylaws. Mr. Kim was notified by official letter from the community property manager, Tidewater Property Management, over a year ago that hosting an AirBNB is prohibited per HOA bylaws (no short term leases allowed). He later produced a lease for one year for one tenant. Now he has more tenants living in the home that he also occupies, who present a parking challenge to adjacent neighbors, destroy the landscaping, also in violation of HOA bylaws, because they are parking on the yard, and have resulted in numerous complaints within Grace Meadows and from the neighboring community. Mr. Kim is in violation of county ordinances and HOA bylaws and refuses to address the issues despite multiple notifications.

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	10/16/2026		Scheduled
Inspection Comment	CIT 1Z47134851 issued 9.25 for failing to obtain a RHL per NOV issued dated 7.22.26, request court by 10.15.26			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	10/8/2026		Scheduled
Inspection Comment	Meet owner to insp alleged vacant acc apt as agreed by phone 9.30			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	10/2/2026	10/2/2026	Fail
Inspection Comment	Spoke with owner 9.30. Scheduled visit to see alleged vacant acc apt. May be able to adjust the penalties. Owner reports he did not get the NOV or CIT, just got thru the HOA, but had called Insp on 8.25 and Insp notes state owner needs app.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/23/2026	9/25/2026	Fail
Inspection Comment	CIT 1Z47134851 issued 9.25 for failing to obtain a RHL per NOV issued dated 7.22.26, request court by 10.15.26			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/17/2026	9/18/2026	Fail
Inspection Comment	No reply to 9.11 email that owner has not responded to zonings comm to submit acc apt application. Issue CIT			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/11/2026	8/11/2026	Fail
Inspection Comment	7.21.26 RH26000456 created for acc apt and zoning review, did not see a zoning application. No comm from owner to Insp. Zoning requested acc apt app from owner in workflow. Owner called and spoke w/ Insp, acc apt app needed per 7.27 workflow comment. Provided to owner in 8.26 email by this insp. w/ instructions. Acc apt work sounds like it was w/o permits. Email owner to advise a CIT can issue, no zoning aop as directed in 7.22.26 NOV or as of 9.11			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	8/11/2026	7/23/2026	Fail
Inspection Comment	7.21.26 RH26000456 created for acc apt and zoning review, did not see a zoning application. No comm from owner to Insp. Zoning requested acc apt app from owner in workflow			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	7/22/2026	7/21/2026	Fail
Inspection Comment	Issue H23 45 day NOV dated 7.22, due 8.10 app, 9.10 issuance			

CRH260666

Reported Date	Reported Address
07/22/2026	**3332 NORTH CHATHAM RD**
Description of Complaint	Tenant of 9338 BNP shopping center reports the back slope belonging to Chatham Gardens (T00006225) is not being kept and there is a rodent problem. My name is Louis Bosica one of the tenants at Village Green Shopping Center, located at 9338 Baltimore National pike , Ellicott city. Behind our center is a hill heavy infested with rodents belonging to Chatham Apartment, who have refused to maintain or cut the grass leading to a heavy infestation of rats and mice. We have had our own pest control company to help, but need the to cut and maintain there property. Could someone from your office inspect and contact them. Their address is 3222 N Chatham rd Ellicott city

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	10/7/2026		Scheduled

Inspection Comment	CRH260666 Tall Grass - H18a DL 10.7.26 PER H18a Issued 9.22.26			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike Cline	Follow Up	10/7/2026		Scheduled
Inspection Comment	CRH260666 - Rodent NOV H75a DL 10.2.26 PER H75a Issued 9.22.26 - Missed DL follow up. Call w/mgmt. Theresa Webb			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike Cline	Follow Up	10/6/2026	10/6/2026	Fail
Inspection Comment	CRH260666 - Call Scheduled w/mgmt. Theresa Webb for wed 10.7.26			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike Cline	Follow Up	10/5/2026	10/5/2026	Fail
Inspection Comment	CRH260666 - No reply from management to missed DL. follow up.			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike Cline	Follow Up	10/2/2026		Cancelled
Inspection Comment				
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike Cline	Follow Up	10/2/2026	10/2/2026	Fail
Inspection Comment	CRH260666 - Rodent report not received			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike Cline	Follow Up	9/17/2026	9/17/2026	Fail
Inspection Comment	CRH260666 - Violations > Trash present at the exterior of the dumpster in front of bldg. 3376, open bait boxes at the side of 2 buildings in the vicinity of the hill and dumpster at bldg 3367 and 3365, the landscaping company was on site and grass was cut in the immediate area around the dumpster at the top of the hill, the grass on the hill was overgrown and did not appear to be maintained. Several rodent holes were observed at the hillside between the Chatham gardens dumpster and the commercial dumpsters. One of the 4 dumpsters had trash and debris at the exterior. Send H18			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike Cline	Initial Investigation	9/15/2026	9/15/2026	Fail
Inspection Comment	CRH260666 - Rodent complaint inspection scheduled			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike Cline	Follow Up	9/14/2026	9/14/2026	Fail

Inspection Comment	CRH260666 - Plat with GIS attached. Chatham Gardens Management was notified of open rodent complaint and continued enforcement by DILP

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike Cline	Follow Up	9/9/2026	9/10/2026	Pass
Inspection Comment	CRH260666 - Health Dept was notified that plat shows property boundary line behind the dumpster not at the bottom of the hill. Health has an open case with the commercial strip.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike Cline	Follow Up	9/2/2026	9/2/2026	Fail
Inspection Comment	CRH260666 - Email to Health dept. sent confirming plat and boundary lines. No reply, wait for health dept response before closing.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike Cline	Follow Up	8/28/2026	8/28/2026	Fail
Inspection Comment	CRH260666 - The plat shows property line just behind the dumpster owned by Chatham gardens. The shopping center owners have their own exterminator, per Louis Bosica the complainant and owner of one of the businesses. On 8.13.26 after my site visit follow up with the PM to uncut grass at the hill, The PM at Chatham confirmed that Chatham Gardens Apts normally maintains the grass on the hill and was missied because the landscaping co has a new supervisor. Today 8.28.26 I sent a follow up email to PM to confirm if the new supervisor of the landscaping co has been advised to maintain the grass on the hill and is someone from Chatham checking to ensure its completed. No imediate reply from PM. Follow up.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike Cline	Follow Up	8/27/2026	8/27/2026	Fail
Inspection Comment	CRH260666 - Review Plat			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike Cline	Follow Up	8/26/2026	8/26/2026	Fail
Inspection Comment	CRH260666 - Chatham Gardens Apts - Plat received from mgmt.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike Cline	Follow Up	8/20/2026	8/20/2026	Fail
Inspection Comment	CRH260666 - PM replied that the business owner was advised to obtain the survey. No survey provided. Send H18			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike Cline	Follow Up	8/19/2026	8/19/2026	Fail
Inspection Comment	CRH260666 - Chatham Gardens Apts is maintaining the grass at the hill to the bush line only. The hill below the bush line is not being maintained. Property line needs to be determined to ensure the correct party is maintaining the hill. Follow Up			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	8/13/2026	8/13/2026	Fail
Inspection Comment	CRH260666 - PM Confirmed that the landscaping co did not cut the hill and were called to go back out. Follow up.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	8/12/2026	8/12/2026	Fail
Inspection Comment	CRH260666 - Rodent complaint Site visit follow up; Landscapers were on site but were on break so I was unable to confirm if the hill is being maintained. I contacted PM and requested a photo of the hill to document current condition; the dumpster area was clear.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	8/7/2026	8/7/2026	Fail
Inspection Comment	CRH260666 - Sent email follow up to the Ho. Co. health dept and left message for complainant. Follow up			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	8/5/2026	8/5/2026	Fail
Inspection Comment	CRH260666 - Sent follow up email to Health dept. and Chatham mgmt. no immediate response. Follow up			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	7/24/2026	7/24/2026	Fail
Inspection Comment	CRH260666 - Howard Co. Health Dept was notified of the complaint via email on 7.24.26, and responded that they have already received the complaint and its under investigation. The PM for Chatham Gardens ShaRon Jones was notified about the conditions at the hill and the replied that they have been in contact with the owner of the building in regard to obtaining a survey of the property boundaries for the commercial strip but never followed through.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	7/23/2026	7/23/2026	Fail
Inspection Comment	CRH260666 - Initial inspection completed 7.22.26 -> The dumpsters located on the Chatham Gardens Apts. property are free and clear of any trash and no violations were observed. The 4 dumpsters located at the rear of the commercial strip in front of the Chatham Gardens Apts property are situated at the bottom of the hill leading down from the Chatham property. One of the 4 commercial dumpsters had trash and debris scattered around the exterior. The hill between the commercial dumpsters and the Chatham Gardens Apts parking lot was observed to have several rodent boroughs. Sending complaint to the Howard Co. Health Dep			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Initial Investigation	7/23/2026	7/23/2026	Fail
Inspection Comment	CRH260666 - Initial inspection was scheduled and took place on 7.22.26 see follow up entry.			

CRH260670

Reported Date	Reported Address
07/23/2026	**7114 BEVERLY DR UNIT E**
Description of Complaint	The Willows at Port Capitol Apts RH07000295 - mice, kitchen floor in disrepair, carpet, if it has holes (like she says) or thread-bare and detached shower surround. My name is Renee Findlay, 240-354-0607. The bathroom wall in the main bathroom needs to be replaced completely. I'm not sure what type of material it is made out of but it keeps coming off of the wall and maintenance keeps gluing it back on. The issue is there's an opening on the top of the fixtures, I don't know if it's not the right size or wasn't installed properly but it's not secured to the wall completely. Alot of mold grows on the wall around the bathtub area and ceiling. The wall has detached 3 or 4 times since being installed. SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	10/21/2026		Scheduled
Inspection Comment	CRH260670 - Final H18 DL 10.20.26 Per Final H18 Issued 9.15.26			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	9/8/2026	9/8/2026	Fail
Inspection Comment	CRH260670 - Work to repair violations is in progress, PM provided documentation of work in progress and work scheduled. Send Final			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	7/29/2026	7/29/2026	Fail
Inspection Comment	CRH260670 - I met Ms. Findlay ititial complaint inspection - Violations > rodent droppings found in the kitchen cabinets, kitchen floor tiles have cracks, hall bathroom tub wall partially detached and in disrepair, caulk is discolored, loose, and cracking, bedroom 1 bathroom tub wall - caulk discolored and cracking, bedroom 1 bathroom ceiling has discoloration - fan works - ceiling duct needs to be checked, and bathroom 1 ceiling HVAC vent has rusted surface, and the carpet is worn and discolored. Send H18			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	7/27/2026	7/27/2026	Fail
Inspection Comment	CRH260670 - Scheduled			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Initial Investigation	7/24/2026	7/24/2026	Fail
Inspection Comment	CRH260670 - I emailed complainant with my soonest availability to schedule initial inspection -			

CRH260679

Reported Date	Reported Address
07/24/2026	**10127 NORTH SECOND ST**
Description of Complaint	Sleep Inn (RH07000176) Room 202. Guest reports on 7.24.26- Doing an extended stay at Sleep Inn. Unsanitary and unsafe conditions. My room was literally broken into last night at 12:30am. Even though both locks were applied (dead bolt and the traditional lock above. It still opened. Door is unsecured. I have multiple bug bites. There are several roaches and mosquitos, and the room has hair from at least 6-7 prior guests as well as toe nails from prior guests even though they claim to clean the rooms with hospital grade disinfectant. It was in fact not cleaned at all. The management is extremely retaliatory.

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	10/26/2026		Scheduled
Inspection Comment	Since 9.25, waiting for painted patch and tub/wall caulk in 202, placard order in email from GM, laundry linen sched. (Per industry standards, encasements are annual clean and rotate) GM sent caulk pic			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	10/2/2026	10/2/2026	Fail
Inspection Comment	Since 9.25, waiting for painted patch and tub/wall caulk in 202, placard order in email from GM, laundry linen sched. (Per industry standards, encasements are annual clean and rotate) GM sent caulk pic			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/25/2026	9/17/2026	Fail
Inspection Comment	PC 115, 117, 119, 120, 121, 122, 124, 125.verify encasement change/wash sched. At property, GM provided keycard and advised room occupied. GM was warned at last visit when room was occupied that property is subject to a CIT for occupying room prior to passing insp. The guest allowed Insp entry and found caulk at tub not done, paint at patch not done, door numbers not done. GM brough HK mgr out who says occupied rooms beds are stripped to the mattress every other day. Insp requested that schedule and door placard order invoice in email. (Issued Final H18 dated 9.3, reinsp 9.25 at 1PM; Issue Final H40 for 1st floor dated 9.3, due 9.11. Notices emailed 9.3)			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/17/2026	9/17/2026	Fail
Inspection Comment	On 9.15 the GM emailed to ask the Insp to look at the 9.2 report again, rooms treated. Insp copied the techs notes that the rooms would be done 9.4. Some 1st floor room numbers were added by someone to the report in blue but the service was strictly exterior rodent bait stations. insp replied 9.17. GM then provided 9.16 PC that listed the same (8) rooms inspected/treated as needed, no activity, attached. ok. PM Reinsp sched for 9.25			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/14/2026	9/14/2026	Fail
Inspection Comment	On 9.9 GM provided 9.2 pest report for exterior rodent service; report states tech will be back on 9.4 for 1st floor rooms. GM copied Insp on email to PC and asked for room numbers to be listed on the report, Some 1st floor rooms numbers were added to the report but the report still states the service on 9.2 was exterior only. attach. Issued Final H18 dated 9.3, reinsp 9.25 at 1PM; Issue Final H40 for 1st floor dated 9.3, due 9.11.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/3/2026	9/3/2026	Fail
Inspection Comment	Issued Final H18 dated 9.3, reinsp 9.25 at 1PM; Issue Final H40 for 1st floor dated 9.3, due 9.11.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/2/2026	9/2/2026	Fail
Inspection Comment	Reinsp #202. Guest occupied but not present. GM present was advised the room was not to be reoccupied, per NOV. Read the NOV to the GM. Missing room numbers remain, unfinished drywall patch behind door remains unchanged, Caulk at tub/wall incomplete. Tub & sink plug installed. Window had no lock still, bty screen was installed. Window limiter attached cannot be adjusted. Swing bar was secure. No HK sched to wash encasements, GM didn't know. GM didn't seem to be aware of too much. The much discussed room list from the 8.4.26 PC was a list of vacants kept by the office where notations by hotel staff are made. Discussed the info on the reports, an 8.19 PC was provided which was for common areas 4th floor and exterior bait stations, completely unrelated to anything outstanding. A new (GM) was also on property. Been here 2 weeks, seems to have experience w/ hotel mgmt., doesn't have email yet. Insp will email all outstanding.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	8/28/2026	8/11/2026	Fail
Inspection Comment	PC - Since 8.11. Waiting for Room list to go w/ 8.4 PC, 1st Floor inspection and repairs are due later in the month. GM emailed same PC report, Insp replied w/ further explanation of info missing, need room list referred to in report. There is no detail on the alleged 11 rooms inspected or a current follow up from 7.15 on the 8.4 report. GM advised on 8.8, in email he would mail it. Insp replied and advised not fast enough..8.11, nothing rcvd. GM and Insp exchanged several emails 8.28 about a reinsp but having rcvd nothing and no update, there was no appt time, Insp sched for 9.2 at 12 noon			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	8/11/2026	8/11/2026	Fail

Inspection Comment	Waiting for Room list to go w/ 8.4 PC, 1st Floor inspection and repairs are due later in the month. GM emailed same PC report, Insp replied w/ further explanation of info missing, need room list referred to in report. There is no detail on the alleged 11 rooms inspected or a current follow up from 7.15 on the 8.4 report. GM advised on 8.8, in email he would mail it. Insp replied and advised not fast enough..8.11, nothing rcvd

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Holley Robbins	Follow Up	8/7/2026	8/6/2026	Fail
Inspection Comment	Waiting for Room list to go w/ 8.4 PC, 1st Floor inspection and repairs are due later in the month. GM emailed same PC report, Insp replied w/ further explanation of info missing, need room list referred to in report. There is no detail on the alleged 11 rooms inspected or a current follow up from 7.15 on the 8.4 report			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Holley Robbins	Follow Up	8/4/2026	7/29/2026	Fail
Inspection Comment	Edited H40 for 1st floor dated 7.29; 8.6 1st floor inspection all rooms and common areas due per 7.29 H40. Mgt sent 7.29 service for Room 202 and only dead roach/es were found cleaned up. Service report notes semi-monthly visits. Acknowledge and attach. Room 201 was mentioned on the report in a running entry dated 7.15. Insp requested that report in reply 7.30. 8.4 PC provided but is only general pest reg. service. GM provided for #201 but 201 is just refr'd to as prior service. Room list is too small to read. Insp replied 8.6 and asked about the 1st floor rooms inspection, due 8.6			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Holley Robbins	Initial Investigation	7/28/2026	7/28/2026	Fail
Inspection Comment	Edit H40 with 1st floor rooms, laundry, hall & issue H18 on Room 202. Process pics and include any violations observed on 7.27			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Holley Robbins	Initial Investigation	7/27/2026	7/27/2026	Fail
Inspection Comment	Guest emailed 7.25 (Saturday) to report the property decided not to move the guest to another room. Owner and mgmt both emailed, attached. Licensed PC to be called, guest to be moved. Issue h40 dated 7.27			

CRH260711

Reported Date	Reported Address
07/30/2026	**9037 CONSTANT CRSE**
Description of Complaint	RH17000002 - 9037 Constant Course – Rodent Burrows on rental property premises per Health Department Hello, we received a complaint about a rental unit with rodent issues. Rodent burrows under the front step were confirmed. See attached pics for your convenience. Please open a complaint case, the complainant is Kat Wheeless, no phone number was provided but she's been cc'd on this email. Ryan Rappaport, LEHS Bureau of Environmental Health Howard County Health Department 8930 Stanford Blvd. Columbia, MD. 21045 Phone 410-313-1781 Fax 410-313-2648 www.co.ho.md.us SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	10/19/2026		Scheduled
Inspection Comment	No PC submittal for approx 2 week date of 10.2. On 10.6 Stopped at property and spoke w/ tenant who hasn't seen any activity in the rear. The only suspect location at the rear is the HVAC pad. At the front the stone by the stoop is undisturbed at the left side but where the PC stuffed plastic on the right, there are 2 openings at the stoop and one along the right of the entry stair. Per tenant, owner is away and he will contact owner or back up for the latest PC report. Pics taken. By 10.19 there should be another visit approx 10.16			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	10/6/2026	10/6/2026	Fail
Inspection Comment	No PC submittal for approx 2 week date of 10.2. Stopped at property and spoke w/ tenant who hasn't seen any activity in the rear. The only suspect location at the rear is the HVAC pad. At the front the stone by the stoop is undisturbed at the left side but where the PC stuffed plastic on the right, there are 2 openings at the stoop and one along the right of the entry stair. Per tenant, owner is away and he will contact owner or back up for the latest PC report. Pics taken			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/22/2026	9/22/2026	Fail
Inspection Comment	Contractor sent PC 9.18 for the service that day. Now says bait taken at front but not back, filled burrows and believes it is resolved, to return in 2 weeks. Attach			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/8/2026	9/8/2026	Fail
Inspection Comment	9.4 PC rcvd. No notations of closing burrows, presumption of no activity. Direct treatment. No notations on servicing or checking bait boxes. Insp was at property 9.3, the day before the service and took pictures. Request next date and advise the openings need to be closed per label and practice. Next visit 9.18 per owner			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	8/31/2026	8/28/2026	Fail
Inspection Comment	On 8.28 owner provided the 8.26 pest report for servicing bait stations, no direct treatment as mandated. Pest lic 28282 verified. Insp replied advised, still no treatment as required, no follow up date. CIT will issue 8.31. Owner requested Spvsr info, provided. Insp took a call from the pest contractor and they will be returning for direct treatment 9.4			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	8/25/2026	8/26/2026	Fail
Inspection Comment	On receiving nothing further and no license for the PC. Consider CIT. 8.11 Email owner, PC due 8.10. On 8.12 owner provided homeowner type 'report' and is getting monthly. No direct treatment noted, 2 boxes placed. Explained to owner is not adequate, not compliant, owner was told in initial email direct required, passive not accepted. As of 8.13, no report, contractor to return 8.28 (earliest they can accommodate) and no license for the applicator Michael Cantrell found on the State website; owner advised he is not in compliance.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	8/13/2026	8/12/2026	Fail
Inspection Comment	8.11 Email owner, PC due 8.10. On 8.12 owner provided homeowner type 'report' and is getting monthly. No direct treatment noted, 2 boxes placed. Explained to owner is not adequate, not compliant, owner was told in initial email direct required, passive not accepted. As of 8.13, no report, contractor to return 8.28 (earliest they can accommodate) and no license for the applicator Michael Cantrell found on the State website; owner advised he is not in compliance.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	8/11/2026	8/11/2026	Fail
Inspection Comment	1st PC rodent due 8.10 per 7.31 H75a and 7.30.26 email to owner. Owner acknowledged 8.3, no PC as of 8.11, due 8.10. Email owner 8.11			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	7/31/2026	7/30/2026	Fail
Inspection Comment	On 7.30 stopped at property and spoke w/ tenant. He had gotten a call from the HCHD. Insp discussed anything he's observed and there have been sightings in rear, tenant has stopped putting out birdseed at Health Dept request/suggestion. Rear is overgrown, downspout crushed, splash guards displaced with voids underneath. Deck and stairs unsightly, chipped paint worn surfaces, loosening components (stair treads). Possibly source at 9035 with yard waste and clutter in rear, failing fence with areas that appear to indicate passage of rodents, (no jurisdiction). Explained process to tenant and gave card. Pics taken. 7.30 Email owner initial, Issue H75a NOV dated 7.31. There was no reply to 7.30 initial email			

CRH260717

Reported Date	Reported Address
07/31/2026	**9724 CENTENNIAL MEADOWS LN**
Description of Complaint	9724 Centennial Meadows Ln. – Unlicensed rental advertised for rent online 9724 Centennial Meadows Ln, Ellicott City, MD 21042 - House Rental in Ellicott City, MD | Apartments.com I am writing to report an unlicensed residential rental property located at 9724 Centennial Meadows Lane, Ellicott City, Maryland 21042, owned by Faria Haque. This property has been rented to tenants full time for 13 years without any form of rental licensing with Howard County. My family has lived at 9780 Centennial Meadows Lane since purchasing our home in 2012. During that time, we have personally known two separate tenants who rented this property and identified themselves to us as renters. The property's rental history is as follows: 1. Aaron Woody rented and occupied the property from 2013 through 2017. 2. Jordan Steptoe and his wife, Ashley Steptoe, rented and occupied the property from 2017 through April 2026. This rental history is also reflected in the attached Zillow records, which corroborate the property's long-term use as a rental residence. Here is a direct link to the listing: https://www.zillow.com/homedetails/9724-Centennial-Meadows-Ln-Ellicott-City-MD-21042/110540178_zpid/ . I have also attached a copy of the Zillow records below. After reviewing Howard County's online licensing records, I found no residential rental license associated with this address. I have attached a copy of the County's licensing search results. This matter is particularly concerning because the property may soon be rented again. A colleague of mine who is actively searching for a home attended the open house at this property this past weekend. During that visit, the listing agent advised that because the home has remained on the market for an extended period, the owner is considering removing it from the market and offering it for rent again if it does not sell. Based on the property's documented rental history, the absence of any residential rental license in the County's records, and the possibility that it may soon return to the rental market, I respectfully request that the Department conduct a thorough investigation into this property's rental licensing history and take any enforcement action that may be appropriate. For your review, I have attached: 1. Maryland State Department of Assessments and Taxation ownership records identifying the property owner. 2. Zillow records showing the property's rental history. 3. Howard County licensing search results showing no residential rental license for this address. Please let me know if any additional information is needed. Thank you for your time and attention to this matter. Sincerely, Mona Rao Ms. Rao, In researching the information you provided, we can confirm there is no rental license for the subject property. We find no rental history at Zillow or other websites, only sales history. It appears the property is for sale and there is an open house 8/1. You did not mention if the owner lives there, but it appears, according to State records that they do. Acknowledging the tenants you identify, one being an individual, the other being a couple. If the owner lives at the property,

	they can rent a room and share the space with (1) individual without a rental license. A separate space, (like a basement apartment), regardless of the (1) person rule, would require a license. You report the last (couple) moved out in April, and the house is now for sale. If there are no tenants at this time, there is no violation. The County cannot cite anyone for something that is not occurring currently. If the property owner does happen to open the property to tenants in the future, following these code guidelines, you can report it then and we'll issue the owner a Notice to license. RENTAL HOUSING CODE ENFORCEMENT SEE ATTACHMENTS

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Max Sullivan	Follow Up	10/13/2026		Scheduled
Inspection Comment	H23 NOV DL - Has rental license been issued?			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Max Sullivan	Follow Up	9/25/2026	9/25/2026	Fail
Inspection Comment	No application for this property has been received.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Max Sullivan	Follow Up	8/25/2026	8/25/2026	Fail
Inspection Comment	No response to letter obtained. Contact owner and ask about intentions with property.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Max Sullivan	Initial Investigation	8/3/2026	8/3/2026	Fail
Inspection Comment	Exterior site visit conducted. Home is vacant, with a realty sign outside. Home has active rental advertisements online; owner clearly intends to rent this property. Sending H04 to inform owner of license requirements.			

CRH260720

Reported Date	Reported Address
08/03/2026	**6577 QUIET HOURS APT 102**
Description of Complaint	The Preserve at Cradlerock Apts T00006544 - 6577 Quiet Hours apt 102 – Water intrusion in 3-windows when it rains and unrepaired water damage I am a tenant renting an apartment located at 6577 Quiet Hours Apt 102, Columbia MD 21045. I am writing to request an urgent housing code inspection due to a severe structural defect that poses an immediate threat to my health and safety. Every time it rains, water actively flows through three of my windows into the living spaces. While I first caught this actively happening one week ago, there are clear signs of water damage indicating this has been an ongoing, hidden issue. I officially notified my landlord about this issue last week. The landlord explicitly promised that a repair technician would come out last week to resolve the leak. However, no one ever arrived, and the severe water ingress continues completely unaddressed. This ongoing leak actively compromises the structural integrity and habitability of my sleeping area, posing an immediate risk for toxic mold growth. I request a formal inspection as soon as possible to document these code violations. Please let me know the earliest date and time an inspector can visit. I also have video proof of the water coming inside my unit on more than one occasion from the three different windows. Sincerely, KHIRY TAYLOR 202-805-3708 SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	10/27/2026		Scheduled
Inspection Comment	CRH260720 - HVAC H18 DL 10.26.26 Per H18 Issued 9.22.26			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	10/21/2026		Scheduled
Inspection Comment	CRH260720 - Final H18 DL 10.20.26 PER Final H18 ISSUED 9.15.26			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	9/14/2026	9/14/2026	Fail
Inspection Comment	CRH260720 - I met complainant Mr. Taylor to reinspect complaint violations - the window in the dining room remains in disrepair with glazing and the window in bedroom 1 - outer pane was only repaired on one side of the window, the outer pane on the other side was not fixed.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	8/5/2026	8/5/2026	Fail
Inspection Comment	CRH260720 - I met complainant Khyri Taylor for inspection of unit in regard to water intrusion at the unit window, the seals are in poor condition and glazing is present at the bedroom 2 and dining room windows, the bedroom 1 window is damaged and the outer pane is missing. Send H18			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Initial Investigation	8/4/2026	8/4/2026	Fail
Inspection Comment	Schedule initial inspection			

CRH260723

Reported Date	Reported Address
08/04/2026	**6320 DEPARTED SUNSET LN**
Description of Complaint	RH20000662, 6320 Departed Sunset Ln. – No permit for structural deck repairs, no permit for water heater install, dryer flex through wall, among other maintenance concerns I am a tenant at 6320 Departed Sunset Ln, Columbia, MD 21044. I am writing to request a housing safety inspection to determine whether several ongoing property conditions meet Howard County code requirements. My primary concerns include: 1. Deck Railings: While the rotten main support beams and most balusters were recently replaced, the hand railing supports were not replaced and remain notched. The deck is much more solid than when I moved in, but I'm not sure if the recent repairs actually meet structural safety requirements. 2. Dryer Venting: The exhaust uses flexible piping routed internally through the basement wall and ceiling. 3. Electrical Issues: Power cuts out intermittently in two rooms without tripping the breaker. Additionally, I discovered a live, uncapped switch loosely stuffed into the basement ceiling insulation near the dryer duct. 4. Water Heater Venting: A failing gas water heater was recently replaced with a passive vent system, and I would like to verify that it complies with current safety standards regarding carbon monoxide risk. 5. Unresolved Mold: Mold reported at move-in on June 1 was not inspected until mid-July, and the inspection omitted one of the original affected areas beneath the kitchen sink. I have done my best to remove the moldy wood and clean but don't know if there is still mold. My goal is simply to ensure the home is safe and properly maintained. Having an official assessment will help clarify which

	of these items require remediation by management. Is this something you would be able to assist with? Thank you for your time and assistance. Best regards, Ian Fleischmann Ian Fleischmann: What date were all these issues and concerns reported to owner/management and what action did they take, if any? If you did not report these issues/concerns, we would ask that you first do so to allow them time to address the issues/concerns before our involvement. RENTAL HOUSING INSPECTIONS Thanks for your reply 1. The structural defects in the deck were reported in the initial inspection on 1 June. The landlord contracted a repair sometime 9 July and was completed on/about 30 July. I reported the deck railings still noncompliant on 31 July. 2. The dryer vent was reported 2 August. Landlord agreed it could be cleaned but only replaced if it was a code violation. 3. Electrical issues we're discovered 27-31 July and reported to the landlord immediately. Still negotiating on the scope of work for inspection or repair. 4. Water heater was reported 9 July and replaced on/about 20 July. I just don't know if a passive vent is sufficient. I'll ask the duct contractor when they come out for the dryer vent. 5. Mold was reported in two locations on initial inspection on 1 June. Landlord hired a mold inspector to look at one of the two locations on 3 July. On 28 July I took action to clean the mold as best as I could and replace the mold-infested wood in the kitchen. I have not hired an inspector to verify I did a good enough job remediating the issue. I've also sent my landlord a bill for materials and labor for the remediation as he had not taken action on that one in almost 60 days. What would you address as a reasonable amount of time before coming back to you on these issues? Best Ian SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	10/14/2026		Scheduled
Inspection Comment	Owner is communicating w/ Insp to resolve outstanding issues from reinspection and needs to provide the FP exclusion. Owner emailed Insp 9.15 with MHIC/electrical (agent) lic, tub conversion invoice and comments on hwh, deck permits completion, FP forthcoming. Insp replied. On 9.16 Insp spoke w/ electrical chief on the findings and the breakers unused can be marked spare, need to identify the large termination service cable, up to 5 outlets ok w/o permit.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	10/2/2026	10/2/2026	Fail
Inspection Comment	Owner is communicating w/ Insp to resolve outstanding issues from reinspection and needs to provide the FP exclusion. Owner emailed Insp 9.15 with MHIC/electrical (agent) lic, tub conversion invoice and comments on hwh, deck permits completion, FP forthcoming. Insp replied. On 9.16 Insp spoke w/ electrical chief on the findings and the breakers unused can be marked spare, need to identify the large termination service cable, up to 5 outlets ok w/o permit.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/25/2026	9/25/2026	Fail
Inspection Comment	Owner is communicating w/ Insp to resolve outstanding issues from reinspection and needs to provide the FP exclusion. Owner emailed Insp 9.15 with MHIC/electrical (agent) lic, tub conversion invoice and comments on hwh, deck permits completion, FP forthcoming. Insp replied. On 9.16 Insp spoke w/ electrical chief on the findings and the breakers unused can be marked spare, need to identify the large termination service cable, up to 5 outlets ok w/o permit.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/18/2026	9/18/2026	Fail
Inspection Comment	Owner is communicating w/ Insp to resolve outstanding issues from reinspection and needs to provide the FP exclusion. Owner emailed Insp 9.15 with MHIC/electrical (agent) lic, tub conversion invoice and comments on hwh, deck permits completion, FP forthcoming. Insp replied. On 9.16 Insp spoke w/ electrical chief on the findings and the breakers unused can be marked spare, need to identify the large termination service cable, up to 5 outlets ok w/o permit.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/15/2026	8/6/2026	Fail
Inspection Comment	On 8.6 owner acknowledged rcpt of emailed NOV and committed to compliance. Contacting contractor who performed work w/o permits, (deck & gas hwh). 8.27 Owner emailed w/ extension request. Denied, attached. At property w/ tenant, no owner or mgt. found some work done, some work incomplete or non-compliant (inserted unconnected breaker into space rather than cover plate) and no electrician documentation. Deck and HWH permits completed. Yard not restored. FP inspected per tenant on 9.14, is gas, no docs. Pics taken. Email owner			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	8/6/2026	8/6/2026	Fail
Inspection Comment	Attach email NOV to owner, pics, deck work confirmed by owner email			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	8/5/2026	8/4/2026	Fail
Inspection Comment	Contact tenant 8.4 and sched insp. today, 8.4.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	8/4/2026	8/4/2026	Fail

Inspection Comment	At property with new tenants just moving in. Found all reported issues. A couple repaired by tenants after speaking w/ owner, hwh w/ no permit, deck work hard to determine other than not present compared to tenant initial pictures, includes at least 1 post and possible on grade deck beam, railings, caps. Dryer vent wizard at property installing hardpipe vent to replace semi flex thru wall and in ceiling. To numerous to list in detail. Pics taken. Issue H18. Provided Consumer contact to tenant. Will follow up with tenant once NOV is organized to interate what is being cited. Owner seems to be trying to handle from afar. Mgt advised tenant they only do leasing for owner.

CRH260732

Reported Date	**Reported Address**
08/05/2026	**11851 LIME KILN RD**
Description of Complaint	Alleged unlicensed rental with maintenance issues at 11851 Lime Kiln Rd. I am writing to formally request an investigation to verify that the subject property as the required residential rental unit license in Howard County. Below are the details regarding the property: • Property Address: 11851 Lime Kiln Road, Fulton MD • Landlord/Property Owner Name: Sarah Mugerwa • Landlord Contact Information: [Insert phone number or email, if known] I believe this property is being occupied and operated as a residential rental unit without the required Howard County rental license. Concerns include: Knowledge that occupants are not the owners. Unit is required to be owner occupied per a deed restriction. Debris and trash are accumulation on adjacent property owned by Hunterbrooke HOA. Trash cans are left on the street on a continual basis. Unregistered vehicle are parked in the side yard. Can a rental license be issued by DILP to a property if it has a deed restriction that the unit is to be owner occupied? Please investigate this matter to ensure the property complies with county housing and licensing laws. You can reach me at this email address if you need further details. Thank you for your time and assistance. DILP Thank You Christopher J. Nowalk GoldLeaf Associates, LLC Direct 443-324-5762 Email chrisn@goldleafllc.com Mr. Nowalk, This Department conducted an inquiry in 2024, due to a similar report, and the owner provided a written statement that family members were occupying the property.

The assigned Inspector issued an Unlicensed Notice of Violation, that brings to the attention of the owner the Howard County Code requirements regarding licensing.

There remains no rental license as it is/was not required for family members to reside at the owners property without the owner living there.

The deed question is a legal one. The County does not collect or review deeds for application. Occasionally a deed is provided from a recent sale prior to the State records update, but only to assign ownership. We would consider that a civil matter.

If you have details that the occupants are not in fact relations to the owner, you may provide that, but having the owners written response on file, there is nothing we can do.

RENTAL HOUSING CODE ENFORCEMENT

Good morning RH and thanks for your timely follow up.

I am adding my wife to this conversation, as she spoke with the occupants directly in late spring about the accumulation of debris and garbage cans left at the street on HOA common area. I believe it was her impression that they were renting the property, planned to move out due to systems not working.

If there is any sort of exchange of compensation or work trade agreement for occupancy is 11851 a rental unit despite family status, and in the end should the property meet all HoCo Codes for upkeep and life safety? The point is that the property should meet all applicable HoCo Codes if it is occupied, or the occupancy permit should be revoked.

The occupants do not own the property. They do not have the vested interests of typical of a homeowner. The absentee owner is not demonstrating a commitment to upkeep, public health and code compliance. Discarded trash, rubbish, broken equipment, and furnishings are accumulating in the front yard facing Hunterbrooke Lane beyond the norms of the surrounding community. The behavior adversely affects the quite enjoyment of surrounding HoCo residents and adversely affects property values.

If Rental Housing Code Enforcement does not have jurisdiction in this matter can you recommend who at HoCo we should contact to help correct this matter?

KIM – Can you weigh in on your talk with the occupants?

Thanks again.

Christopher J. Nowalk
GoldLeaf Associates, LLC
Direct 443-324-5762
Email chrisn@goldleafllc.com

SEE ATTACHEMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	11/3/2026		Scheduled
Inspection Comment	Follow up RH licensing			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/29/2026	8/26/2026	Fail
Inspection Comment	SDAT address found 8.5, attached. Insp Ccd on email with complainant, mgt and Health Dept. HD found no evidence of insects or rodents and spoke with tenants who advised they are relatives when the HD Insp went to the property with their NOV. HD advised all this is a civil matter. RH was Ccd on HD comm w/ owner and Insp emailed owner the NOV on 8.25 with a notation about relatives/immediate family update. RH26000546 opened 8.25 for roomers and went to zoning for review. Insp emailed Permits tech who attached app, owner does not live here, CRH open, why in zoning review? Zoning reviews rooming lic. Owner called 9.2 to sched, sched for 9.24 at 1PM. The insp found a multitude of work, no hwh and a panel in dangerous conditon, no bdrm or hall smoke. Smokes, panel and hw resolved. May or may not get to RHL issuance. Follow up			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	8/26/2026	8/5/2026	Fail
Inspection Comment	SDAT address found 8.5, attached. Insp Ccd on email with complainant, mgt and Health Dept. HD found no evidence of insects or rodents and spoke with tenants who advised they are relatives when the HD Insp went to the property with their NOV. HD advised all this is a civil matter. RH was Ccd on HD comm w/ owner and Insp emailed owner the NOV on 8.25 with a notation about relatives/immediate family update. RH26000546 opened 8.25 for roomers and went to zoning for review. Insp emailed Permits tech who attached app, owner does not live here, CRH open, why in zoning review?			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	8/5/2026	8/5/2026	Fail
Inspection Comment	The complainant also claims the 'tenants' vacating in 2 weeks due to systems not working at the property. In 2024 there was a well issue and a tank supply was in place, Health dept was involved and a well was being drilled. Issue H23 45 day UNL NOV. A well test among other requirements to be collected. H23 dated 8.10. app by 8.25 issue by 9.28			

CRH260737

Reported Date	Reported Address
08/07/2026	**5834 STEVENS FOREST RD APT 11**
Description of Complaint	Aspen Lake Trail Apts T00006542 – 5834 Apt. 11 Stevens Forest Rd. – Condensate leak unresolved, roach infestation and other maintenance concerns -Clogged condensate drain line causing kitchen floor flooding (no response) -Water leaking from ceiling above sink (looked at 2 weeks later, no work done) -Cockroaches in every room of the house, fridge, freezer, toaster, coffee maker, oven, cabinetry (sprayed multiple times to no avail, other units have periodic treatment) -Loose gas line on oven (No response) -Mold on bathroom ceiling (No response) We have requested with high priority for most of these, an emergency for a couple. They will not respond or send someone out to check. Most recent major issue is clogged condensate drain line causing water build up under blower fan in utility closet. The entire kitchen floor has water coming up through cracks when you walk. I have been shop vacuuming out water daily to keep it under control. Spraying treatment for cockroaches when we submit a request (we have to call and go to the office to get them to come out). We don't get periodic treatment like our neighbors do.

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/30/2026		Scheduled
Inspection Comment	Pest follow up (last report 10.1.2026)			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/13/2026		Scheduled
Inspection Comment	Still awaiting documentation and full follow up inspection for H18 repairs. No invoices / documents received as of 10.2.2026.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/5/2026	10/6/2026	Fail
Inspection Comment	9.10.2026 and 10.1.2026 pest reports received and attached to record. Reports show high level of activity still remains in building. Further follow up required.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/2/2026	10/2/2026	Fail
Inspection Comment	Not received, further follow up needed.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	9/22/2026	9/30/2026	Fail
Inspection Comment	Interior inspection to follow up required. Unit was inspected as part of the fire safety inspection, will need invoices / work orders. Many items were repaired but some areas, such as bathroom paint, was still concerning. Follow up required.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	9/4/2026	9/2/2026	Fail
Inspection Comment	Received 8/20/2026 treatment report (attachments). Full treatment plan not received but reiterated the case remains open until entire building is clear. Will need follow up September treatment reports.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/28/2026	8/31/2026	Fail
Inspection Comment	Inspection report received, but required more information (license number, pest treatment plan, pesticides used, etc). Requested additional information.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/12/2026	8/12/2026	Fail
Inspection Comment	Interior inspection with tenant. Tenant states he moved into the unit in 2024 and will be vacating the unit by August 31, 2026. Noted multiple violations (roach infestation with multiple live roaches seen in kitchen and bathroom. Hall bathroom with severe staining with tenant noting leak from water vent occurring every few months. Tenant states that the hall bathroom exhaust fan is always running and it appears to be functioning as intended, so is not likely due to poor exhausting of moisture from shower. There is evidence of prior leak at ceiling above kitchen sink with tenant noting water drips from the ceiling every few weeks, heavy staining on cabinets below leak area. Hall bathroom tub faucet dripping. There is severe warping and unevenness of floors throughout the unit. The condensate line was clogged a couple of weeks prior and tenant corrected due to frustration but closet still has wood that is wet to the touch and water has likely gotten under the floorboards in the kitchen. Front door with slide lock which may pose egress concern, will consult with supervisor.) NOV to follow.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Brenda Saucedo	Initial Investigation	8/10/2026	8/10/2026	Fail
Inspection Comment	Reached out to tenant via phone and email, scheduled initial onsite inspection.			

CRH260770

Reported Date	Reported Address
08/12/2026	**5866 STEVENS FOREST RD APT 4**
Description of Complaint	Forest Ridge Apts T00006541 – 5866 Apt. 4 Stevens Forest Rd. – Rodents not being excluded; possible unrepaired water damage in bathroom; allegedly vents are not clean and sanitary (check filter in HVAC unit) I am writing to formally express my deep concerns regarding the living conditions in my grandmother's HUD apartment, which have become increasingly intolerable and pose serious health risks to her well-being. She lives at Forest Ridge Apartments in Columbia MD. As an elderly resident, my grandmother has been experiencing severe asthma exacerbated by the following persistent issues: 1. Mold: There is a significant mold problem in her apartment that has been reported multiple times but has not been addressed. Mold is a known health hazard, especially for someone with pre-existing respiratory issues. 2. Infestation: There have been reports of pest infestations that have not been resolved. The presence of insects or rodents further deteriorates her living environment and contributes to her health complications. 3. Dirty Carpets: The carpets in her apartment are unsanitary and have not been cleaned properly for an extended period, trapping dust and allergens that aggravate her asthma. Despite my numerous attempts to communicate these issues through emails and reports, I have yet to see any significant action taken to remedy the situation. Each time I contact the office, I am met with excuses stating that maintenance is busy, but my grandmother's health cannot afford to wait any longer. She has been visiting the doctor repeatedly due to her deteriorating condition, which has been tied directly to the environment in her apartment. I urge you to take immediate action to address these serious health and safety concerns. My grandmother deserves to live in a safe and habitable environment. I request a prompt and thorough inspection of her apartment and a plan of action to resolve these issues as soon as possible. Thank you for your attention to this urgent matter. I look forward to your timely response. Sincerely, Ciara Lott (Granddaughter) (410) 693 5328 5866 SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	10/26/2026		Scheduled
Inspection Comment	H75a citation issued, follow up.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	10/26/2026		Scheduled
Inspection Comment	Follow up on H18 citation.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	10/6/2026	10/6/2026	Fail
Inspection Comment	Some violations remain outstanding, spoke to new PM Artraya Daniels and provided copy of NOV. Issue citation.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	10/2/2026	10/5/2026	Fail
Inspection Comment	Citation issued and sent.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	9/21/2026	9/21/2026	Fail
Inspection Comment	Item # 2-6 h remain outstanding, pest control reports have not been received, issue citation. Spoke to Marcelis maintenance manger in leasing office, provided him with both NOV's on site.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	8/20/2026	8/20/2026	Fail
Inspection Comment	I spoke to the complainant who said maintenance came by and replace one and left, tenants where home to provide entry to other room but they didn't ask. Per PM: Good afternoon, I am writing to provide an update regarding the outstanding smoke alarm/code violation at the resident’s unit. Maintenance recently attempted to enter the unit to replace the required smoke alarms. One smoke alarm was successfully replaced; however, maintenance was unable to access the second smoke alarm because the resident has installed a deadbolt lock on the bedroom door without management authorization. The deadbolt was installed by the resident and is preventing management and maintenance from obtaining the necessary access to complete required repairs and address the code violation. This type of unauthorized lock alteration is also a violation of the resident’s HUD/lease requirements regarding access and unauthorized alterations to the unit. We are actively addressing the issue with the resident and working to obtain access so that the remaining smoke alarm can be replaced and the code violation can be fully corrected. Please see attached work order for work completed. Thank you. Cierra Bell Property Manager Forest Ridge 410-730-6222 cibell@mmsgroup.com 5890 Stevens Forest Road Columbia MD 21045 mmsgroup.com			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	8/19/2026	8/19/2026	Fail
Inspection Comment	H18 sent.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Initial Investigation	8/18/2026	8/18/2026	Fail
Inspection Comment	Met with tenant and granddaughter for inspection who provided entry, management/staff failed to be present. Rodent dropping found mostly in kitchen/dining area, mold like substance in hallway bathroom and bedroom 3 door, defective smoke alarm in master and bedroom 3, hvac vents and ducts are dirty and need cleaning, carpet buckling and previous water leak not properly restored. Send NOV.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Initial Investigation	8/13/2026	8/13/2026	Fail
Inspection Comment	Called and spoke to Ciara the complainant, interior inspection scheduled for next week. Called PM and emailed management contacts on record.			

CRH260780

Reported Date	Reported Address			
08/14/2026	**6045 OLD WASHINGTON RD**			
Description of Complaint	Unlicensed apartment building, property was sold and rental license was never transferred to new owner. Property tenant occupied.			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Jonathan Frias	Follow Up	10/26/2026		Scheduled
Inspection Comment	Follow up on citation.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	10/1/2026	10/5/2026	Fail
Inspection Comment	Application received incomplete by permits office and remains incomplete. Rental license has not been obtained nor inspection taken place. Citation issued and sent.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	9/1/2026	9/2/2026	Fail
Inspection Comment	Application not received, NOV posted at property front door. No communication received from owner.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Initial Investigation	8/17/2026	8/17/2026	Fail
Inspection Comment	On 8/12/26, I visited the property and spoke to tenant of unit #3 who identified himself as Dennis and informed me that unit #2 and 4 were also occupied. Unit #1 is vacant and appears to be under renovations. Dennis showed me a piece of mail from BGE to the owner Alexander W. Krynski. H23 NOV sent on 8/17/26.			

CRH260781

Reported Date	Reported Address			
08/17/2026	**9238 PIRATES COVE**			
Description of Complaint	ALLEGED UNLICENSED RENTAL PROPERTY PER COMPLAINT ON 8/17/2026			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Holley Robbins	Follow Up	10/8/2026		Scheduled
Inspection Comment	Follow up issuance to close			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/29/2026	8/28/2026	Fail
Inspection Comment	Owner called 8.28, spoke, explained licensing process. ok. RH26000594 opened 9.15 rcvd in Insp. Insp 9.28 w/ corrections, NOV issued, needs update app also			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/9/2026	9/9/2026	Fail
Inspection Comment	Owner emailed to report the space is shared and has a separate entry. Insp replied and reiterated the description of the space, what 'shared' means and advised owner to proceed with the application. Attached			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	8/24/2026	8/24/2026	Fail
Inspection Comment	Per complaint, occupant is no longer at the property, was in the basement. Owner occupied otherwise. Complainant emailed Insp if more info is needed, Insp replied 8.24 to inquire as to the type of space that was rented. Tenant replied and describes apt. and states it was reocc by new tenant.(attached) Issue H05 and edit with rooming and apt/accessory apt info dated 8.25			

CRH260787

Reported Date	Reported Address

08/18/2026	10370 SWIFT STREAM PL UNIT 101
Description of Complaint	10X Living at Columbia Town Center Apts T00009501 (main) – 10370 Swift Stream Place, Apt. 101 – Rodent infestation and other alleged property maintenance issues I am reaching out to request assistance and an inspection regarding ongoing habitability concerns at our rental unit located at 10370 Swift Stream Place #101, Columbia, MD 21044, managed by 10x Living at Columbia Town Center. Since moving into the unit, we have experienced a rodent infestation as well as water-related issues that we have reported to property management. Due to these conditions, we notified management that we intend to vacate the property by August 31, 2026. Management has indicated that they will allow us to terminate the lease without a termination penalty only if we sign a Mutual Release and Termination Agreement that includes broad confidentiality, release, and non-disparagement provisions. Because our request to terminate the lease stems from the conditions in the unit, we are seeking assistance before signing any such agreement. We respectfully request: • An inspection of the unit as soon as possible, preferably before our August 31 move-out date; • Documentation of any property maintenance, housing code, pest, water intrusion, or habitability violations identified; • Guidance regarding any additional complaint or enforcement process available to us. Given our upcoming move-out date, we would greatly appreciate expedited assistance if possible. We can provide photographs, videos, maintenance communications, the proposed termination agreement, and any other documentation needed. Thank you for your assistance. Sincerely, Daniela Semanick Matthew Semanick 10370 Swift Stream Place #101 Columbia, MD 21044 On Mon, Aug 17, 2026 at 8:37?AM rentalhousing <rentalhousing@howardcountymd.gov> wrote: Hello Daniela, Before we can open a case, we need some additional information. 1. When were your issues reported to management/maintenance? 2. What kind of water-related issues? Is there water damage in the unit? Our office will only open a case if management was given a reasonable amount of time to address your concerns. We also ask that you provide copies of your service tickets. In terms of your lease, our department does not handle those kinds of complaints, those are handled by the Department of Consumer Protection. They can be contacted at consumer@howardcountymd.gov or at 410-313-6420. Thank you, Max Sullivan, Code Enforcement Officer Sign, Taxi, and Rental Housing Inspections Department of Inspections, Licenses and Permits Inspections and Enforcement Division 7125 Riverwood Dr., Suite D2

	Columbia, MD 21046 masullivan@howardcountymd.gov SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/13/2026		Scheduled
Inspection Comment	Last pest log received dated 8.26.2026, no updates received. Reached out to PM by phone and email. If no response / no updated pest report received, issue citation.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/5/2026	10/6/2026	Fail
Inspection Comment	No updated pest report / inspection received. Last report is a pest log dated 8.26.2026. Reached out to PM multiple times. Email and voicemail to PM 10.6.2026.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	9/25/2026	9/24/2026	Fail
Inspection Comment	Pest inspection from 8/26/2026 received. Per PM, pest company did not show for last appointment, and a new pest company has been contracted to begin next week. Visual inspection on 9.16.2026 during FS showed major holes behind cabinets sealed and minimal rodent activity was seen. Will need follow up for a final inspection report showing no further evidence of rodent activity.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	9/8/2026	8/31/2026	Fail
Inspection Comment	FINAL NOTICE DEADLINE 9/8/2026. Treatment plan and work completed received 9.1.2026.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/28/2026	8/31/2026	Fail
Inspection Comment	Initial treatment received, but no follow up or treatment plan received. Spoke with PM 8/28/2026, tenant move out 8/31/2026. PM states they will provide cleaning receipts alongside pest reports.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/20/2026	8/20/2026	Fail
Inspection Comment	Spoke to Ian at Department of Agriculture and confirmed Walkers Pest Control Lic 1180 is active.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Initial Investigation	8/19/2026	8/19/2026	Fail

Inspection Comment	Interior inspection performed with tenant Daniela Semanick. Interior of property shows evidence of rodent infestation with what appear to be rodent droppings present in all parts of the apartment. Rodent droppings are present in all rooms including the kitchen (heavy concentration), living room / dining room (heavy concentration), bathroom, bedroom. Timeline of events in tenant email, attached to record. Gaps below kitchen and bathroom sinks have been sealed with foam by maintenance staff, noted additional gaps present at inspection in the kitchen and bathroom. Majority of the furniture has been removed from the unit prior to inspection, but three fabric sofas present in the living room with various amounts of rodent waste on furniture. Some tenant belongings remain in the unit, wrapped in plastic bags. Reviewed the water leaks noted in CRH complaint with the tenant. The water leaks (condensate line and leak from above kitchen) do appear to be isolated and unrelated and are not part of this CRH case at this time. Advised tenant on phone 8/18/2026 and in person 8/19/2026 that our office cannot assist with landlord tenant affairs. Tenant has reached out to and spoken with HC office of consumer protection regarding lease / rent / concessions. Notice of violation has been issued, issue date 8/19/2026 but delivery via email to property manager 8/18/2026. Awaiting further documentation and information regarding the pest control measures that have been taken thus far. Awaiting information from the property manager on next treatment along with confirmation of pest control company licensure with the Maryland Department of Agriculture and rodenticide / pesticides used during treatment 7/29/2026.

CRH260792

Reported Date	Reported Address
08/18/2026	**9982 GUILFORD RD APT 101**
Description of Complaint	Gateway Village Apts. T00006175 - 9982 Guilford Rd Apt# 101 – Numerous unresolved maintenance issues I recently contacted the Howard county landlord and Tenant Division and was directed to you. I've resided at 9982 Guilford Rd Apt# 101, Jessup, MD 20794 for just about 2 years. As of the last few weeks I have submitted numerous service requests as follows: -Repair of Dryer (requires 3-4 dry cycles to dry) Running up my BGE bill unnecessarily - Slow drain & flush on both bathroom toilets. Takes 2-3 flushes each time without TP. - Master toilet is cracked - it appears they attempted to caulk the cracks before move-in. -Both bathtubs have extremely slow drains. -There was a bi-fold closet door with loose tracks causing the door not to be secure. I informed the office of this many times. Yesterday, the door fell off onto my son which prompted me to repair the track & secure the door back myself. -I requested the AC filter be replaced which has not been changed in several months -LASTLY!!! A bird has been trapped in the dryer vent chirping consistently for the past 3 days. During this time I have had much trouble getting calls back and maintenance issues resolved. I've consistently called, emailed and left messages and received no action. Each time I speak with someone in the office, they know nothing or have excuses. I'm extremely frustrated as I previously requested the Property regional manager contact info 3 times and still have NOT received it. Additionally, I have asked for the lease renewal several times since just before my initial year came to an end back in August of 2025, and received NO RESPONSE or update. Understandably the property recently changed management companies, however, these are ongoing unaddressed issues since months before the sale of the property. Thank you in advance for your prompt attention to these matters. -- Anthony Holmes 301.202.4784 Holmes-4-U Remodeling, LLC.

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	10/19/2026		Scheduled
Inspection Comment	Has management given a date yet for toilet install and caulking repairs to both bathrooms. All other violations abated			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	10/5/2026	10/2/2026	Fail
Inspection Comment	Management and tenant responded and are consistent in stating the toilet has not been replaced yet and the caulking has not been done in the bathrooms. All other violations have been abated and will follow up. Correspondence attached			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	10/1/2026	10/1/2026	Fail
Inspection Comment	Management states the tenant has not allowed entry. Management will provide a list of items that have been repaired so far. Waiting for a response from tenant for email sent today asking for their update on what's been repaired			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	8/24/2026	8/24/2026	Fail
Inspection Comment	h18 issued			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	8/20/2026	8/20/2026	Fail
Inspection Comment	interior visit with tenants. tenant stated he personally snaked the drains and repaired the closet door, these violations were not able to be observed today because of this. The dryer vent does show to be clogged at the exterior, and will need to be fully cleared by a licensed duct cleaning professional to see if this will allow the dryer to function normally again. New caulking will be required in both bathrooms, caulk has failed at tub and toilets. Toilet in master bath is cracked in multiple places including the bowl, drain section, and bottom flange and in disrepair. Master bedroom exterior door does not latch when closed. Will issue H18 for violations			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	8/20/2026	8/19/2026	Fail
Inspection Comment	initial inspection scheduled			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	8/20/2026	8/20/2026	Fail
Inspection Comment	management did respond and stated they were now aware of issues and would be starting repairs			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Initial Investigation	8/19/2026	8/19/2026	Fail
Inspection Comment	Emails sent out to both management and tenet requesting information and to schedule a visit with the tenant to confirm violations, will follow up			

CRH260795

Reported Date	Reported Address
08/19/2026	**7114 BEVERLY DR STE B**

Description of Complaint	The Willows at Port Capitol Apts RH07000295 - 7114 Beverly Dr., Apt. B – Unrepaired water damage and other alleged maintenance issues I am writing to formally request assistance from Howard County regarding serious and ongoing maintenance and habitability concerns in my rental apartment. I have repeatedly reported these conditions to my property management, both verbally and in writing, but many of the problems have either gone unaddressed for months or have not been properly resolved. I have lived in this apartment since February 2021. However, beginning around March 2025, I began experiencing significant maintenance problems with the property. In approximately March 2025, my air-conditioning system stopped working. Despite repeatedly reporting the problem and requesting repairs, my air conditioning was not properly repaired until approximately July 2025. This meant I dealt with the issue for several months before it was finally resolved. Unfortunately, this was only the beginning of an ongoing pattern of delayed and unresolved maintenance issues. In approximately March 2026, I reported concerns involving water damage and suspected mold/moisture conditions in my apartment. Around that same time, a large opening was cut into my wall in connection with maintenance or investigation of the problem. That opening has still not been properly repaired and closed as of August 19, 2026, approximately five months later. I repeatedly contacted management regarding these conditions. I was also away from my apartment for approximately two months, and when I returned, I discovered that problems I had previously reported still had not been properly resolved. At approximately the end of June 2026, management replaced carpeting following the previous water/moisture problem. However, after the carpet replacement, I experienced another flooding/water intrusion incident involving the kitchen area. Additionally, while my carpet was being changed, one of the maintenance workers stole a brand new clock from my living room. I reported this incident to management, but nothing was done up until now. I had just purchased that clock, and it is nowhere to be found. Since this most recent incident, there has been a strong sewer-like odor when entering my apartment. My sofa also became wet during the flooding/water incident, and I am now seeing what appears to be mold growth on the sofa. I am extremely concerned that there may be continuing moisture, mold, plumbing, sewage, or other environmental conditions that have not been properly investigated or remediated. I have made numerous attempts to obtain assistance from property management through both written communications and telephone calls. Most recently, I called the rental office twice within the past several weeks and was told that someone would come to inspect or address the conditions. On both occasions, no one came as promised. I then sent management another formal written notice requesting that they respond and take action within 48 hours regarding the mold, water damage, sewer odor, and related conditions. The full 48-hour period has now passed, and I have received no response. This is not an isolated maintenance request. It has become a continuing pattern in which I report serious problems, repeatedly follow up, am told that someone will address them, and then wait for extended periods without the necessary repairs being completed. I am currently living with: • A persistent sewer-like odor inside the apartment; • Suspected mold growth, including growth appearing on my sofa following water exposure; • A history of repeated flooding and water intrusion; • Concerns about continuing moisture and possible mold; • A large opening in my wall that has remained unrepaired since approximately March 2026; • Property damage following the most recent water incident; and SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	10/13/2026		Scheduled

Inspection Comment	Complaint Reinspection. Final H18 sent, due today.			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Jonathan Frias	Follow Up	9/29/2026	9/29/2026	Fail
Inspection Comment	Item #1 and 3 remain outstanding, send Final NOV.			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Jonathan Frias	Follow Up	8/27/2026	8/27/2026	Fail
Inspection Comment	Met with complainant's neighbor who provided entry, Jerri is in the hospital, management/maintenance not on site. No visible leaks found, property maintenance violations found, send NOV.			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Jonathan Frias	Follow Up	8/26/2026	8/25/2026	Fail
Inspection Comment	Interior inspection scheduled with tenant.			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Jonathan Frias	Follow Up	8/24/2026	8/24/2026	Fail
Inspection Comment	Email sent to tenant to offer appointment date and time, waiting for a response to confirm appt. Follow up.			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Jonathan Frias	Initial Investigation	8/20/2026	8/20/2026	Fail
Inspection Comment	Called complainant, no answer. Unable to leave a message because mailbox is not set up. Try again.			

CRH260810

Reported Date	Reported Address
08/21/2026	**6586 WOVEN MOONBEAM**
Description of Complaint	6586 Woven Moonbeam (Main Unit A-RH15000632 Active License/ Basement Unit-RH15000633 License Cancelled) – Unlicensed basement rental unit with alleged leaking water heater I am the landlord for 6574 Woven moonbeam and I am concerned about water issue at 6576 affecting my unit. Tenant at 6586 said the hot water tank is leaking and causing a water issue. She said landlord is non responvive to make repair. I am concerned about leakage into my unit. Please contact owner(Shafio Choudhury) to make repairs and treat unit for water intrusion. I did not see leak but tenant told me about it and I saw family members of tenant for 6574 said he was in the hospital being treated for mold related issues ?? All 3 ladies were distressed about water issue so, I am reaching out to you to contact owner to resolve this ASAP. unknown Please describe any evidence you have related to this complaint, such as photographs, work orders, receipts, documents, or other supporting materials. If you have evidence to submit, we will email you with instructions on how to provide it after you submit this form. I am not owner so, I have no information except what family and upstairs tenant has told me. SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/13/2026		Scheduled
Inspection Comment	Reached out to owner / landlord regarding invoices for repairs and status of property manager.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/5/2026	10/6/2026	Fail
Inspection Comment	Spoke with tenant upper-level Ms. Backus. Tenant states all repairs have been completed and appear comfortable with the work done. Ms. Backus cannot meet before 3 so is unable to schedule a follow up at this time, but states all work was completed and are satisfactory. Ms. Backus confirmed basement drain was snaked, dining room window repaired, kitchen items were repaired, carpet was replaced on stairs. Will check in with owner / landlord regarding documentation and invoices for NOV.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/1/2026	10/2/2026	Fail
Inspection Comment	Have not received updates or invoices for work completed. Follow up with both landlord and tenant needed.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	8/26/2026	8/26/2026	Fail
Inspection Comment	Spoke with tenant on phone approx 8:50 AM. Tenant Aaron Moore confirms that he is a tenant and is not related to the owner. Tenant states he has been a resident of that unit for approximately 6 years. Received call from tenant at 12:22 requesting to cancel appointment for 8/26/2026 due to medical complications. Tenant states water shows up when he flushes the toilet, the water is not present at the moment, but tenant believes there is mold in the unit and has been unsuccessful with making progress with the landlord. Tenant requests reschedule for a later time when he is in better health.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Initial Investigation	8/24/2026	8/24/2026	Fail
Inspection Comment	Inspection performed with tenant Shawnet Backus @ 6586 Woven Moonbeam (404-735-8727) regarding water leaks. Tenant does have access to a small portion of lower level which includes 2 water heaters, washing machine, and dryer. Appears that the condensate line from hvac in upper level and 2 water heaters connect to a drain line in the basement. Tenant states that the use of AC causes the lower level to flood, which indicates that the condensate line entering the lower level drain is not draining properly. Tenant has experienced several inches of water every time the AC is turned on and only operates the AC when the outside temperatures are dangerously high. Multiple additional violations found (tenant water leak into kitchen when upstairs shower runs with evidence of water damage to cabinets, carpet at stairs is in poor condition and not secured properly causing a trip hazard, tenant states front window at dining room leaks when it rains with evidence of separation at the frame the front window not closing properly / not able to lock, main level hall bathroom fan is not operating properly, storm door is not flush and door does not close properly, screen at upper left bedroom not secure, witnessed upper level hall bathroom handle not secure, poor address number visibility) and evidence of water damage in basement is present. NOV for property maintenance concerns at 6586 Woven Moonbeam to follow. Lower level 6576 Woven Moonbeam RH15000633 is not licensed. 6586 Woven Moonbeam tenant states lower level 6575 is a rental that is occupied by a separate tenant. Ms. Backus states the property 6576 is in poor condition due to water damage. Knocked on door of lower level and did not receive response, left card with request to call. NOV for unlicensed rental for 6576 Woven Moonbeam to follow. May likely need future NOV for property maintenance concerns.			

CRH260811

Reported Date	Reported Address
08/21/2026	**5446 HARPERS FARM RD APT B3**

Description of Complaint	Cedar Place Apts T00006172 - 5446 Harpers Farm Road, B3 – Leak believed to be raw sewage I am submitting an urgent rental-housing complaint concerning serious health, safety, sanitation, and habitability conditions at my apartment: Property: Cedar Place Apartments Address: 5446 Harpers Farm Road, Apartment B3 Columbia, Maryland 21029 Management company: Two Coast Living Regional property manager: Aron King Resident/leaseholder: Akenji Onya On Sunday, August 9, 2026, my apartment was flooded with raw sewage originating from the apartment above mine. The sewage entered my living space and contaminated or potentially contaminated my furniture, clothing, my seven-month-old baby's clothing, and other personal belongings. Following the sewage incident, portions of the walls and ceilings inside my apartment were cut open. Large commercial fans have been left running inside the apartment. I have photographs and videos showing the open walls and ceilings, the equipment being operated, and the overall condition of the apartment. The continuous noise from the commercial fans, exposed ceilings and walls, construction and remediation activity, and unresolved possibility of sewage contamination have made the apartment unsuitable for normal occupancy. These conditions are unsafe and unreasonable for an adult and present an especially serious risk to my seven-month-old infant. Management did not provide advance notice allowing me to remove or protect my clothing, my baby's clothing, and other personal belongings before the walls and ceilings were opened. Some of these belongings were located directly beneath or near the areas that were opened. I have not been provided with documentation establishing whether appropriate containment barriers, protective coverings, negative-air equipment, HEPA filtration, or other contamination-control measures were used. Since the incident, I have repeatedly telephoned the apartment complex, sent emails, and visited the leasing office. Initially, I received no meaningful communication or assistance. Although management later stated that its employees and contractors were reviewing the situation, it has still failed to provide: 1. Temporary accommodation for my seven-month-old son and me; 2. Reimbursement or a written commitment to reimburse reasonable alternative-lodging expenses; 3. A definite timeline for completing the repairs and remediation; 4. A complete maintenance or incident report; 5. Time-stamped work orders, repair logs, photographs, videos, or remediation records; 6. A detailed explanation of the cleaning and contamination-control process; 7. Results of any moisture, air-quality, microbial, HVAC, sewage-contamination, or environmental testing; 8. Written confirmation that the air vents, HVAC system, walls, ceilings, insulation, flooring, and concealed areas are free from sewage contamination; 9. A professional written determination that the apartment is safe for an infant and adult to occupy; 10. A substantive response to my requests for rent abatement, reimbursement, compensation, and termination of the lease without penalty. Instead, management has maintained that my lease must continue and has not agreed to release me from it, despite the apartment's current condition and the absence of written professional clearance showing that it is safe to occupy. I formally notified management in writing on August 17, 2026. Management responded that its team and professional contractors were reviewing the reported concerns, but it did not provide temporary accommodation, a completion date, a safety determination, or a decision concerning termination of the lease. Subsequent communication has continued to describe the matter as an ongoing review without addressing my immediate displacement or providing the requested documentation. I am concerned that these circumstances may SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result

Mike May	Follow Up	10/19/2026		Scheduled
Inspection Comment	has tenant ever followed up to complete communications loop? Management has shown repairs are complete. Close case if no communications made by tenant			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike May	Follow Up	9/30/2026	9/30/2026	Fail
Inspection Comment	Management stated repairs are complete and provided photos, attached. Waiting to see if tenant responds to close loop			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike May	Follow Up	9/29/2026	9/29/2026	Fail
Inspection Comment	Management provided a statement and photos showing the unit repairs are complete and the unit is restored to normal. Will try and confirm with tenant before closing the case			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike May	Follow Up	8/25/2026	8/24/2026	Fail
Inspection Comment	h18 issued			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike May	Initial Investigation	8/24/2026	8/21/2026	Fail
Inspection Comment	interior visit arranged over phone call with tenant. tenant met on site. no current leak or water intrusion to observe, tenant stated the contractor had already cleaned up. Tenant stated the water had entered at the ceiling of the hall bathroom only. There were multiple holes opened in the drywall and multiple air handlers in operation. Holes were opened in the main bedroom ceiling, main bedroom bath ceiling, main hallway ceiling, and hall bath walls and ceiling. Will follow up			

CRH260834

Reported Date	Reported Address
08/31/2026	**10125 JUNCTION DR UNIT 577**
Description of Complaint	RH17000586 The Residences at Annapolis Junction Apts – 10125 Junction Dr. Apt. 577 – Active unresolved ceiling leak doors allegedly in disrepair I have more than one reason to believe my building management has intentionally cause roof damage (leaking for two weeks now over electrical wires, hard wired ventilation fans in my bathroom. and intentionally not fixed maintenance requests, in retaliation of my reporting of unsafe and unsecured appliances, red exit doors not functioning, and intentionally causing roof damage the day after I requested a lease transfer (August 16th). I was served 120 day lease termination papers on August 17, and on August 18th the roof started leaking, conveniently in my bathroom above the tub next to my bedroom. I need an immediate inspection of the property to determine cause, time of day, and why the building's management and maintenance staff failed to fix appliances after multiple requests, including red exit doors which are still not properly addressed, a leaking roof, and clogged dryer ventilation ductwork, which still has not been professionally cleaned. I believe the management has exhibited unethical and retaliatory actions after reporting unsafe doors and other issues in the building. I have been a resident for 6 years. Please reference my complaint at the Office of Consumer Protection: Case Opened - Consumer Complaint Online Form - CS0100590 I have also made reports to the HC ADA office, County Executives, and the Human Rights & Equity office. I would like an inspection of the damage, roof, and a report to determine cause. Ceiling is leaking worse, leaking into the bedroom now. The company refuses to perform maintenance on weekend hours. SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Follow Up	10/7/2026		Scheduled
Inspection Comment	H18 NOV DL reinspection			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Initial Investigation	9/1/2026	9/1/2026	Fail
Inspection Comment	Interior inspection conducted with tenant/complainant. Water damage to drywall ceiling in the bathroom noted during inspection, photos will be attached. Complainant showed me to the fire doors that he had an issue with; the doors were fully functional when tested. Management provided me with the invoice from the roof repairs that were conducted to fix the cause of the leak. Will issue an H18 for in-unit repairs to the drywall ceiling and wall staining.			

CRH260835

Reported Date	Reported Address
08/31/2026	**11355 LITTLE PATUXENT PKWY APT 613**
Description of Complaint	Clarys Crossing Apts T00006545 - 11355 Little Patuxent Pkwy, Apt. 613 – Rodents and possible other property maintenance concerns Unit was not "move in ready", food/crumbs left in cabinet, broken oven, broken dishwasher, smoked stained blinds, broken windows that don't stay open and slowly start to close. Cracks and holes in unit allowing rodents/insects to enter apartment. Close to 2 months of an ongoing rodent problem that has not been resolved. Lack of preventative maintenance performed on mechanical equipment. There is one maintenance tech for the entire property. On 8/22 my water heater broke and flooded my apartment as a result of the lack of preventative maintenance. Due to the flood and no hot water I was unable to return to my apartment. I stayed in hotels every night. On 8/22 Maintenance tech removed water and water heater while barefoot. Maintenance left one fan for two rooms affected by flood. I was left to physically move the single fan multiple times to dry the affect area. The carpet crew removed wet carpet padding. No mold mitigation or repair processes were preformed until 8/28. Property management was adament that any hotel stays won't be covered. There were days during the week I was displaced that I recieved no communication or update from the staff. In took 6 days for the hot water to be installed and the carpet to be repaired and cleaned. Only then on 8/28 did the carpet cleaners perform mold mitigation. The mold testing company has not arrived yet and I writing this on 8/29. On 8/22 Maintenance and carpet repair crew removed water, left one drying fan, removed water damaged carpet padding, and removed water heater. No clean up or mold mitigation process performed. On 8/28 Maintenance installed water heater, removed water damaged closet door. No clean up of floors done. No testing for mold was done. Carpet crew replaced bedroom and closet carpet padding and cleaned the carpet. The crew sprayed mold mitigation chemicals. Over the last 2 months maintenance and pest control have not been able to resolve my rodent issue. The rodent is extremely comfortable in my living room where my 6 year old daughter's toys are stored. SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	10/9/2026		Scheduled
Inspection Comment	CRH260835 - H18 DL 10.8.26 Per H18 Issued 9.4.26			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	9/1/2026	9/1/2026	Fail
Inspection Comment	CRH260835 - I met complainant Matthew Seward and inspected unit - Violations > Rodent droppings present in the living room and kitchen, 2 windows in the living room are in disrepair and do not stay up when open, entry door sweep is in disrepair and has a gap, gaps under kitchen sink and behind stove, electrical issue in the storage closet - pull string ceiling light is wired incorrectly - on pull turns on light an d the other turns off the electricity to the whole unit, open junction box in storage closet, water damage at bathroom door, bathroom closet door, bedroom door, bedroom closet door trim, bedroom closet door is missing, gap under bathroom sink, building violations, front entry door not closing and latching automatically, rotted wood and flaking paint at exterior front entry surround and trim, and the trash area has violations > the fence is in disrepair, the shed is in disrepair and there is bulk trash and items stored improperly. Send H18			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Initial Investigation	9/1/2026	9/1/2026	Fail
Inspection Comment	CRH260835 - Inspection scheduled			

CRH260836

Reported Date	Reported Address
08/31/2026	**6126 THOMPSON DR**

Description of Complaint	RH22000791 6126 Thompson Drive (3BR unit) – Alleged overcrowding I am writing to report concerns regarding a rental property located at 6126 Thompson Drive, Clarksville, MD 21029 in Howard County and to request that the County review whether the property is complying with applicable occupancy, rental housing, and zoning requirements. Based on what neighbors have regularly observed, the house appears to have at least 3 adults and approximately 6 children residing there. At least five of the children appear to be elementary-school age. Given the number of individuals apparently living at the property, we are concerned that the home may be over its permitted occupancy or may be used in a manner inconsistent with its rental license or residential zoning. There have also been several ongoing neighborhood concerns associated with the property: - Police have been called to or responded to the property on multiple occasions. - Young children from the residence are frequently observed around the neighborhood and playground without apparent adult supervision. - Adults associated with the residence have been observed smoking/honking/loud music at or near the children's school bus stop. - There have been recurring issues with loud music and disturbances. - A neighbor has observed visitors and activity at the property that raised concerns about possible drug-related activity. I cannot personally verify that illegal activity occurred, but I am including this information because of the broader pattern of concerns associated with the property. Our primary concerns are the safety and welfare of the children and neighborhood, as well as whether the number of occupants and use of the property comply with Howard County rental, occupancy, and zoning requirements. Would you please review the property's rental and occupancy status and determine whether an inspection or other follow-up is appropriate? If this matter falls under another Howard County department, I would appreciate it if you could forward the complaint or advise me where it should be submitted. Thank you for your assistance. Sincerely, Minh Van

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result

Mike May	Follow Up	2/1/2027		Scheduled
Inspection Comment	Check in with owner if case still open. Lease with tenant expired on Jan 31st and was not to be renewed per owner statements to abate the overcrowding issue			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike May	Follow Up	10/13/2026	9/16/2026	Fail
Inspection Comment	photos submitted show all violations abated besides the overcrowding (attached)			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike May	Follow Up	9/17/2026	9/3/2026	Fail
Inspection Comment	initial visit made 9.3.2026			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike May	Follow Up	9/4/2026	9/4/2026	Fail
Inspection Comment	issued h18 and h35a. Owner will need to show the tenants lease will not be renewed as of stated expiration date in January 2027.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike May	Follow Up	9/3/2026	9/3/2026	Fail
Inspection Comment	Interior visit with owner and tenants property has three bedrooms and an unfinished basement Dining/Living rooms are combined and have a total over of 400sqft Bedroom 1 is 72sqft bedroom 2 130sqft bedroom 3 is 130sqft Making for 5 total sleeping spaces One bed was in each room for a total of 3 beds and no other beds were seen inside the house Additionally the smoke/co alarm was missing from the main area of the house, and a outlet cover was missing from near the front doorway. an above ground pool was also found in the back yard, the gates to the yard were all open and did not meet compliance for self closing and proper latching hardware to have a pool in the yard. Pool walls were 42inches tall. Mattresses were seen through a window inside the locked shed, tenant stated the keys to the shed were not on site. The owners stated to me that the lease was for a family of 6, that there would be two adults and four children in the house, and they had seen mattresses in the unfinished basement previously. Owner stated they believed there were others living there as well. Owner stated the tenant lease is up in January and would be considering not renewing with this tenant. Will issue novs			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike May	Initial Investigation	9/1/2026	9/1/2026	Fail
Inspection Comment	sent an email to the owner requesting a visit as well as issued an H49 with a set date			

CRH260855

Reported Date	Reported Address
09/02/2026	**5435 HARPERS FARM RD APT 2**
Description of Complaint	Columbia Choice Apts T00006551 – 5435 Apt. 2 Harpers Farm Rd. – Mice, Roaches, Missing Window Screens and other possible maintenance issues My bedroom in the hallway has not screen in it so I have been unable to open my window since I have moved in. My master bedroom window screen also has a hole in it and has kept me from opening my windows since I have moved in. The back splash tile in my kitchen has been missing since I moved in. Another tile just fell off last night while cleaning the kitchen wall. I am still having a roach infestation issue. They have came to put down roach bait and nothing has stopped the roaches from coming. I continue to see mice run through my unit at night along with the roaches. Nothing has been done for the two windows with the screen issues and nothing has been done about the back splash that was improperly installed. Please describe any evidence you have related to this complaint, such as photographs, work orders, receipts, documents, or other supporting materials. If you have evidence to submit, we will email you with instructions on how to provide it after you submit this form. I have sent several emails and have given the office my walk through inspection form my first week of moving in here. SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	10/8/2026	10/2/2026	Scheduled
Inspection Comment	Follow up PC and incomplete since 9.29 reinsp			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/30/2026	9/30/2026	Fail
Inspection Comment	Incomplete, see other 9.30 follow up scheduled. PC due since 9.17. Email mgt. Mgt provided 9.25 PC, confirmed they will access #5 at the next visit			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/30/2026	9/24/2026	Fail
Inspection Comment	9.17 PC (6) units, Unit ! & 4 cooking and exposed food (treatment minimized) Units 3 & 6 Treated. Unit 5 No access. Activity High in 6, low in others. Pic behind appliances not provided. W/D and stove have been pulled by tenant w/ PC and found no openings. An opening was found at the front hall closet and sealed just recently/today where tenant tracked mouse entry and caught 2 mice. After 4 days, per tenant, he sealed the hole. No follow up or notice that other work was done, filter, anti-tip at stove. Hall bath wall repair not done. In the meantime there was a leak from #4 into the hall bath ceiling here that was fixed but tenants hears it dripping. A leak in the master bath shower ceiling was also patched but is now cracked due to not allowing materials to dry. Inspector missed the drawer stops at kitchen drawers, stove needs to be leveled. Fewer roach seen, babies only. Next report since 9.17 due. Some work just done today. Email mgmt.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/23/2026	9/24/2026	Fail
Inspection Comment	9.17 PC (6) units, Unit ! & 4 cooking and exposed food (treatment minimized) Units 3 & 6 Treated. Unit 5 No access. Activity High in 6, low in others			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/18/2026	9/18/2026	Fail
Inspection Comment	No pest service reports provided for anything past August. Insp email Mgt 9.18 to request and advise we cannot ask again.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	9/15/2026	9/8/2026	Fail
Inspection Comment	Mgt provided 6.25 PC, no live roaches found & 7.23 PC service stated activity is 'from this unit', 8.7 all units scheduled, no one prep'd and 8.26 all units no notes of any activity, attached. Appt to insp w/ tenant 9.10 at 1PM. At 9.10 appt found new glue boxes, in bathroom 5-6 roaches in box. Bathroom 2, 1 dead roach on bathroom floor. On 9.14 tenant emailed pics of roach on kit paper towel roll and floor. Insp emailed Mgt the H18 issued and advised of findings at unit, pest service to continue at min. 2x a month, all units preventative or for activity. No PC submittal or reply as of 9.15			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	9/15/2026	9/9/2026	Fail
Inspection Comment	Spoke w/ tenant 9.9, he also emailed overnight from the missed 9.8 appt.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	9/10/2026	9/10/2026	Fail
Inspection Comment	Insp 2 bdrm unit w/ tenant. Rodent entry either at return (droppings inside of duct) or inner wall behind appliances, (DW). Droppings behind stove w/ snap and glue box. Stove wall is undamaged. No tip bracket attached; floor piece in place.W&D in open closet in kitchen, units too big for doors to be used but base trim and hardware remain. Dryer vent painted, not changed at turn. NOV will include pull all appliances and pics req'd. Tile at backsplash detached in at least one spot, no tile in another. Screens in bdrms, RT (as facing) has a hole, left is installed on the stationary side. No door #. Roaches in new glue box in bathroom. Carpet only in bdrms, ground floor, no floor openings. No access to mechanical room w/o key. Reportedly there was a sewer backup in hall just the other week and although the gluedown carpet was cleaned, possibly more than once, odor remains w/ gnats and flies. NOV for pest control issued 9.3.26, reports for 6.25, 7.23, 8.7 and 8.26 submitted. Only one treatment included all units (8.26). Did not observe live roaches at visit. Bug/s in hall bathroom light. Water damage and poor repair in hall bathroom. All smoke alarms in place. Pipe penetrations fairly tight in hall bath, good in kit. Issue H18. Provided tenant w/ consumer contact for guidance.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	9/8/2026	9/4/2026	Fail
Inspection Comment	Insp unit for mice/entry, screens and kit tile. Insp emailed mgt 9.3 and sent H75 (roach) dated 9.4. Confirmed appt w/ tenant 9,4 in email. PM reply asked what they needed to do and that was the entire basis of the email. Insp reply 9.4			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	9/8/2026	9/8/2026	Fail
Inspection Comment	No one at unit. Verified as it is actually on Old Tucker. VM box not set up, couldn't leave message. Emailed to advise no one home, pest reports rcvd state no activity. Left noted card at door.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	9/3/2026	9/3/2026	Fail
Inspection Comment	Email mgt for PC roach, attached. Issue H75 (roach) dated 9.3.26, due 9.14. Contact tenant for inspection			

CRH260857

Reported Date	Reported Address
09/03/2026	**8828 WASHINGTON BLVD UNIT 216,309,**
Description of Complaint	Quality Inn-Jessup T00006485 – 8828 Washington Blvd. – ROOMS 216, 309, 310 alleged property maintenance concerns in rooms being rented and overall condition of hotel Thank you for your assistance and the attached documentation. Per your instructions, I am submitting the following rental housing property maintenance complaint. Property: Quality Inn Jessup, 8828 Washington Boulevard, Jessup, MD 20794 Legal Owner: Jessup QI LLC / Arsy Hospitality, Rakesh Shah, 10131 Washington Blvd, Laurel MD 20723 On-site General Manager: Viral Soni, 410-880-3133 Summary of Property Maintenance Violations Observed — August 28, 2026: I was shown three separate guest rooms at this property before vacating due to unsafe conditions: Room 216: Severely damaged and deteriorated door surfaces Second Floor "Renovated" Room: Broken and damaged furnishings; a window physically came out of the wall — a structural failure and immediate fall hazard Third Room: Severely water-damaged and bubbling walls indicating moisture intrusion; peeling and deteriorating material on bathroom floor creating a slip and fall hazard All three rooms were observed on the same evening, indicating systemic property-wide maintenance failures. I was accompanied by a witness who can corroborate all conditions. I vacated immediately upon viewing the rooms. I was referred to your office by Kayla Calhoun of the Community Hygiene Program (Howard County Health Department Complaint Record EH-26-00759). Attached: Signed hotel folio dated August 28, 2026 confirming same-day check-in and departure. My contact information: Debra-Ann Smith

Phone: 917.340.4220
Email: surfdivegirl@yahoo.com

Thank you for your attention to this matter.

Respectfully,
Debra Smith
----- Forwarded Message -----
From: Hill, Chad <chill@howardcountymd.gov>
To:SURFDIVEGIRL@YAHOO.COM <surfdivegirl@yahoo.com>
Sent: Wednesday, September 2, 2026 at 02:44:14 PM EDT
Subject: HOWARD COUNTY RENTAL HOUSING COMPLAINT INFORMATION

Hello,
The attached document contains all necessary information to submit a rental housing complaint.
Please follow the directions on the document so that your complaint goes to the correct department.

Please also see the attached document outlining our limitations regarding mold issues. We cannot cite mold under the Rental Housing Property Maintenance Code. We can cite Property Maintenance Code violations.

Best regards,

Chad C. Hill

Debra Smith:

We are in receipt your complaint. It is clear to us that one of the rooms was room 216. Can you provide us with the other two room numbers?

RENTAL HOUSING INSPECTIONS

Good morning,

Room 216 is accessed on the lobby level through doors on the left (Screenshot attached: Note the interior looks nothing like these pictures):

The room where the window fell out was upstairs (accessed though the stairway on the left of the photo) I believe it was room 309, not sure of the number. When you go up the stairs from the lobby, it is the room furthest to the left on the right side facing the back of he building. The hotel seems to be two buildings joined, so when you get upstairs, you cross over a doorway where the room is on the right.

The second room upstairs is right next to this one on the right. I believe it was room 310. This room is before the crossover to the joined building.

The attached showed what the place is supposed to look like, but that's not the case. Also check out the recent reviews:

https://www.choicehotels.com/maryland/jessup/quality-inn-hotels/md045

	https://www.tripadvisor.com.au/Hotel_Review-g41224-d224402-Reviews-Comfort_Inn_Laurel_Fort_Meade-Laurel_Maryland.html Please feel free to contact me for any additional info. On Thursday, September 3, 2026 at 07:13:46 AM EDT, rentalhousing <rentalhousing@howardcountymd.gov> wrote: SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Follow Up	10/7/2026		Scheduled
Inspection Comment	H18 NOV DL reinspection			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Initial Investigation	9/3/2026	9/3/2026	Fail
Inspection Comment	Site visit made to Quality Inn to investigate complaint of property maintenance violations. Gained access to inspect Room 216; no property maintenance violations found in that room. Rooms 309 & 310 were occupied at the time of my visit; no inspection of those rooms was completed. The outside parking lot area with the hotel dumpsters is poorly maintained and the excessive trash/rubbish will need to be removed. The parking lot is filled with old mattresses that are left here while renovations are underway; the old mattresses need to be removed from the parking lot. Staff informed me the mattresses have been there for a week. Multiple fire doors were found propped open or left open in violation of fire code. The right-side stairwell is being used for storage in violation of fire code. Issuing H18 with found violations and requesting access to Rooms 309 & 310 in the notice.			

CRH260858

Reported Date	Reported Address
09/03/2026	**9625 WHITEACRE RD UNIT C4**

Description of Complaint	9625 Whiteacre Rd Unit C4 (Shadow Oaks Condos) – Unlicensed Condo Unit with Roach Infestiation I am filing this complaint regarding a residential rental property that I recently moved into in Howard County, Maryland. I received the keys to the property on August 30, 2026. During my inspection of the property before moving in, I saw a roach and immediately contacted the landlord to notify him. He told me that if I needed to call pest control, I could do so and provide him with the name of the company. I moved into the property on August 31, 2026. Shortly after moving in, I saw another roach. I then contacted Orkin regarding pest control. Before the pest-control appointment could take place, I began seeing numerous additional roaches, including baby roaches, throughout the property. I have seen approximately 10 additional roaches in my bedroom, my baby's bedroom, the bathrooms, and the living room. Orkin informed me that they could come out on Thursday to inspect and treat the property and advised me that the infestation could potentially require treatment every two weeks for approximately a year. At this point, I do not feel comfortable or safe living in the property with my young child. I notified the landlord that I am not comfortable remaining in the property under these circumstances. The landlord then told me that he had previously seen dead roaches in the property but did not realize that there was a roach problem. He stated that my options were to remain in the property while American Pest attempts to resolve the issue. He also told me that I would have to remain in the condominium until he sold the property. This condition is not something I understand to be included in my lease. I entered into this rental agreement expecting the property to be safe and habitable. I did not expect to move into a property and immediately discover an apparent roach infestation, including baby roaches throughout multiple rooms of the home. I am requesting assistance in determining my rights and options as a tenant under Maryland law. I would like to be released from the lease without penalty and receive any funds that I am legally entitled to have returned, because I do not feel comfortable continuing to live in the property with my child under these circumstances. I am not trying to create a dispute with the landlord. I simply want a safe, clean, and habitable place for myself and my child to live. I am asking Howard County Consumer Protection for assistance in resolving this matter and understanding what steps I should take to protect my rights. PEST CONTROL TO COME BACK OUT, ORKIN SAID THEY CAN COME OUT EVERY 2 WEEKS FOR A YEAR TO FIX IT Good Morning, The landlord I communicated with is Andre Hammel. His phone number is (240) 593-5094, and his email address is andre.hammel@hamlawus.com. I communicated with Mr. Hammel by email regarding the roach infestation. He told me that he purchased the property in 2024 and that it had previously been rented to a woman who moved out in March 2026. However, when I initially went to view the property, he told me that the previous tenant had just moved out. I am providing this information because the property was rented to me, and I understand from your email that the state database currently indicates that the property is owner-occupied and that the unit does not have a rental license. Please let me know if you need any additional information or documentation from me regarding the property, my tenancy, or my communications with the landlord. We looked up the deed to the property and this person does not own the property. If they did purchase the unit in 2024, they did not have the deed recorded. Do you have an address for this person? Is it on your lease agreement? I don’t have his address, I just left the office, I have the moving crew coming to remove all my furniture and trash it cause Monday I moved in and by Tuesday morning I had to leave SEE ATTACHEMENTS

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	11/23/2026		Scheduled

Inspection Comment	Owner states 10.1.2026 that property is listed for sale and they no longer intend to rent. Property listed for sale 9.24.2026 MDHW2074222. Follow up to check on status of sale.

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Follow Up	10/16/2026	10/2/2026	Fail
Inspection Comment	Owner states property will be sold, listed for sale 9.24.2026 MDHW2074222			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Brenda Saucedo	Follow Up	9/25/2026	9/29/2026	Fail
Inspection Comment	No rental application has been entered into the database as of 9.29.26.			

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Yoon Pae	Initial Investigation	9/4/2026	9/4/2026	Fail
Inspection Comment	Spoke with tenant Keturah Nelson 9/3/2026 around 2:50 PM. Tenant states they moved into the property 9/1/2026, noted the roach infestation and moved out 9/2/2026. Landlord offered pest control, but appointment would not be until 9/4/2026. Tenant contacted another company but have made the decision to move out. Advised tenant to continue communicating with the office of consumer protection regarding the open case regarding landlord tenant affairs. H23 sent for unlicensed rental, application due 9/25/2026 and inspection due 10/16/2026.			

CRH260861

Reported Date	Reported Address
09/03/2026	**6251 SANDPIPER CT**
Description of Complaint	6251 Sandpiper Ct. – Unlicensed rental unit with maintenance issues (repairs to kitchen left incomplete) Complaint Regarding Unfinished Kitchen and Floor Repairs, and Repeated Maintenance Delays - I am filing a complaint regarding ongoing and unresolved repair issues at my rental property. Approximately six months ago, we experienced small flood on the first floor due to an uncapped sewerage trap. This resulted in the floor boards needing to be removed as water was trapped underneath. The landlord sent some maintenance guys out and they removed the floor boards, but they also removed the first layer of walls. It wasn't until a month ago the maintenance workers finally came back to reinstall new walls. But the floor boards remain unrepaired. The maintenance workers came back on another occasion one month ago, and instead of focusing on the floor boards, the maintenance workers gutted my kitchen in order to perform some additional (unplanned) repairs set up by the landlord, without a proper expectation. Since then, the kitchen has remained unfinished and has not been restored to a usable condition. I have repeatedly contacted the landlord regarding the status of the repairs. I have been told multiple times to wait and have been given dates when maintenance was supposedly going to return. However, maintenance workers have repeatedly failed to show up as scheduled, and the expected repair date continues to be pushed back. At this point, approximately one month has passed since the kitchen was gutted, and the repairs remain incomplete. This has significantly disrupted my ability to use the kitchen normally and has created an ongoing hardship in the home. This issue has resulted in me and my brother having to spend extra money on fuel and food to go out for each meal. Because of inflation and higher prices for food and fuel, it has begun to impact us financially. While we understand the timeframes of the maintenance people are beyond on our control, we have waited too long already and the maintenance workers consistently never show up nor complete their job I am requesting that Howard County inspect the property and determine whether the current condition of the kitchen complies with applicable rental housing and property maintenance requirements. I have documentation of my communications with the landlord, including messages regarding the promised repair dates and the repeated delays. I can also provide photographs showing the current condition of the kitchen. I am requesting that the landlord be required to address the unfinished kitchen and complete the necessary repairs within a reasonable timeframe. The maintenance workers re-added the new layer of walls. SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	10/26/2026		Scheduled
Inspection Comment	H23 deadline to have passed new rental inspection			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	9/28/2026	9/28/2026	Fail
Inspection Comment	Rental application received by admin staff for RH26000637			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	9/25/2026	9/25/2026	Fail
Inspection Comment	no application submitted, emailing owner to attempt contact again			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	9/9/2026	9/9/2026	Fail
Inspection Comment	visited property again. Tenant was a no show yesterday, property was dark and no activity, but i found an email from tenant stating they were cancelling as work crews had arrived, Tenant requested 12pm today instead. Arrived today at 12pm as confirmed with tenant and found only a work crew inside, front door propped open, first floor in a state of renovation with no flooring. Crew stated no one was home.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Initial Investigation	9/4/2026	9/4/2026	Fail
Inspection Comment	reached out to schedule an interior with tenant, issued H23 to owner			

CRH260874

Reported Date	Reported Address
09/08/2026	**4207 WOOD DUCK WAY UNIT B**
Description of Complaint	RH24000802- Water intrusion to the ceiling and flooring, and AC issues Dear Howard County Department of Inspections, Licenses and Permits, I am requesting an emergency inspection of my rental unit, 4207B at 4207 B Wood Duck Way, due to serious and worsening health and safety conditions that property management has failed to properly repair. I currently have active moisture in my ceiling, a strong mildew odor, deteriorating wet subflooring, and a sinking floor in my master bathroom. The bathroom is no longer safe to use because the floor is caving in from prolonged water damage. I am also requesting that the HVAC system, plumbing, ceiling, subfloor, and surrounding structural areas be thoroughly inspected to determine the source of the ongoing moisture and the extent of the damage. Management has been aware of recurring water intrusion for months. A July service request documented recurring water from the ceiling and requested immediate assistance. An additional service request was submitted regarding the A/C not cooling properly, and I again contacted management on August 26 because the urgent ceiling repair was still unresolved. These conditions present a potential structural, moisture/mold, and habitability hazard and may violate Maryland Real Property §8-211, which requires landlords to address conditions that pose a serious threat to a tenant's health or safety, as well as Howard County property maintenance requirements. I have a child with special needs in the household, and my unit participates in the Housing Choice Voucher/Section 8 Program. Because the floor is actively deteriorating and I cannot safely use my master bathroom, I am requesting that this complaint be treated as an emergency health and safety inspection, not a routine maintenance complaint. Please contact me as soon as possible to schedule the inspection and provide me with a complaint or case number. No action has not been taken to correct this current issue. SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	10/22/2026		Scheduled
Inspection Comment	CRH260874 - H18 DL 10.21.26 PER H18 ISSUED 9.17.26			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	9/10/2026	9/10/2026	Fail
Inspection Comment	CRH260874 - I met Nia the complainant's daughter for new complaint inspection. Water damage and discoloration present at the living room ceiling, the duct work at the indoor unit and the compressor at the outdoor unit were covered in condensation. The unit was cooling however the unit is a at the 3rd and 4th level of the structure. Management must provide an HVAC report. The flooring in the master bathroom near the shower and 2nd sink is soft and sinks when walked on, there were no deficiencies noted at the shower door or with plumbing at the sink.The ceiling panels at the exterior patio are sagging. Send H18			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Initial Investigation	9/9/2026	9/10/2026	Fail
Inspection Comment	Inspection has been scheduled			

CRH260885

Reported Date	Reported Address
09/10/2026	**4919 BLUE WING CT UNIT H**
Description of Complaint	4919-H Blue Wing Ct T00000294 - No HVAC (frozen up) I live @4919 H Blue Wing Ct Columbia, Md. I currently have an active ticket with your office so I'm not sure if I need to file a new issue or how that works? I have had reoccurring water issues, active leaks/flooding for over 7 years now. The problem has never been properly addressed. There has always been a temporary fix or guesswork, simply closing up the ceiling and not fixing the actual problem. I have advised them for years that the HVAC was bad and needed to be replaced. No one has taken me seriously. Last night, Sept 3, the second floor bedroom ceiling was found to be actively leaking. I called the agency line and someone came out. She opened the HVAC unit to find it full of ice blocks. I do have pictures that I will provide as well. There was a language barrier and she didn't really have the proper tools/ equipment to handle the issue on site. This is common place at our property. No one ever comes prepared. I informed the Supervisor for Benton via text. Leo one of our maintenance men came by and informed me they have had several units with the same issue in the past week. He initially thought low Freon was on issue. I reminded him that this has been an ongoing occurrence for several years where in 2019 I was displaced for 5 months the because the lack of urgency in addressing the issue. My home was sealed off due to black mold. That is my concern now. He did advise that he would recommend the property replace the HVAC. Someone was supposed to follow up with me this morning. As of right now the leak is getting worse,now affecting half of the ceiling in that bedroom. I put tarp down but it only covers so much. Not one person has reached out or come by yet. It is 10:40. This is beyond unacceptable. How many more times am I expected to live like this? I fear the ceiling is going to collapse as it did to one of my neighbors. I am asking that your office please step in and help me. Is there any way one of your inspectors could come out today to witness this in real time?My. And is Kelly Symanek and my number is 410-900-7161. This is a hazard and really should be addressed with some type of urgency. Any help your office can provide would greatly be appreciated. Thank you, Kelly Symanek

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	10/21/2026		Scheduled
Inspection Comment	CRH260885 - H18 DL 10.20.26 PER H18 ISSUED 9.15.26			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	9/10/2026	9/10/2026	Fail
Inspection Comment	CRH260885 - HVAC Water damage at the bedroom ceiling and wet carpet present, a fan was in place prior to arrival and was removed by the tenant at the request of maintenance prior to my arrival, I emailed management to provide copies of the HVAC reports and to have the dryer placed back in the unit. No immediate reply. Exterior building lights are out. Send H18			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Initial Investigation	9/10/2026	9/10/2026	Fail
Inspection Comment	CRH260885 - Schedule initial inspection			

CRH260886

Reported Date	Reported Address
09/10/2026	**3334 NORTH CHATHAM RD APT F**
Description of Complaint	Chatham Gardens Apts. T00006225 - 3334 N Chatham Rd, Apt F – No HVAC Case Re-Opened 9.21.26 From: Aahlad Gogineni <aahlad.gogineni@gmail.com> Sent: Sunday, September 20, 2026 8:25 PM My address is Apt F, 3334 N Chatham Rd, Ellicott City, MD 21042 (unit 34F at Chatham Gardens). My phone number is +1 (860) 308-6050. This concerns Howard County case CRH260886. Unfortunately, the A/C issue is still not resolved. Since my September 15 follow-up: - Maintenance refilled the refrigerant a second time and said there may be a leak. - They returned on Wednesday, September 16 while I was out and did some kind of patch. - The A/C stopped working again by Friday, September 18. - I contacted the leasing office on Friday during the day and was told maintenance would be notified, but I received no follow-up despite this being an emergency maintenance request. It is now Sunday evening, and I have been without working A/C for three days. The attached photo shows that it is currently 82F inside even though the cooling is set to 73F. This is the third failure after two refrigerant refills and a patch, so the prior work has clearly not fixed the underlying problem. I am asking management to arrange an immediate, permanent repair by a qualified HVAC technician. If your maintenance team cannot complete that repair promptly, please hire a third-party HVAC company. Please confirm when someone will come to make the permanent repair. I am also asking Howard County to reopen the complaint and advise on next steps given that the problem returned after the original case was closed. Thank you, Aahlad Gogineni

I live in unit 34F in Chatham Gardens and my A/C has not been working for over a week. I filed two emergency maintenance requests regarding this on Friday September 4th.
I called yesterday after receiving no communication or attention to it. A male staff member at your office said he'd look into it and get back to me.
I did not hear anything and just called your office again asking about it, I was informed that you will contact the maintenance team (why hasn't this happened already? Did it happen already?) but she was unable to tell me when I can expect a repair.

I'm sorry but this is unacceptable, it is 82F in my apartment right now and has been above 80 for most of the past week.

If your repair team is currently unavailable or fully booked, please hire a third party handy man to look into it.

I'm not sure if you're familiar but starting June 1st this year, it's a legal requirement for buildings with more than 10 units that already have AC to maintain working A/C with temperature below 80F from June through September.

Picture below of thermostat taken today.

Can you let me know when this will be addressed by?

Thank you very much
Aahlad Gogineni

Aahlad Goginerni:

If you are attempting to file a complaint with our office, we will need to know your complete address and your contact phone number.

RENTAL HOUSING INSPECTIONS

My complete address is Apt F, 3334 N Chatham Rd, Ellicott City, MD, 21042. My phone number is +1 (860) 308-6050.

Thank you.

SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	11/5/2026		Scheduled
Inspection Comment	CRH260886 - H18 DL 11.4.26 PER H18 ISSUED 9.30.226			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	9/30/2026	9/30/2026	Fail
Inspection Comment	CRH260886 - H18 Sent			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	9/25/2026	9/25/2026	Fail
Inspection Comment	CRH260886 - HVAC Set to 73 - Unit Temp 76 - HVAC Not cooling properly. Send H18.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	9/25/2026	9/25/2026	Fail
Inspection Comment	CRH260886 - Inspection scheduled			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	9/24/2026	9/24/2026	Fail
Inspection Comment	CRH260886 - No response from complaint (2nd attempt). Follow up			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	9/23/2026	9/23/2026	Fail
Inspection Comment	CRH260886 - 2nd attempt 2 schedule unsuccessful. Follow up			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	9/22/2026	9/22/2026	Fail
Inspection Comment	CRH260886 - I sent complainant an email on 9.21.26 with my soonest availability. No response. Follow up			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Initial Investigation	9/21/2026	9/21/2026	Fail
Inspection Comment	CRH260886 - I sent soonest availability to complainant to schedule initial insp.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Initial Investigation	9/11/2026	9/11/2026	Pass
Inspection Comment	I contacted management and made them aware of the complaint I contacted the complainant and Initial inspection was scheduled I received a response from management stating the HVAC was just serviced with freon and is up and running I received a follow up email from the complainant stating the HVAC is now up and running.			

CRH260891

Reported Date	Reported Address
09/11/2026	**6481 BARCHINK PL**
Description of Complaint	6481 Barchink Pl. – Alleged unlicensed rental property per HOA now occupied and has been listed for rent online There is no rental license and the house is occupied. There are multiple Covenant violations including but not limited to no approval for picket style fence on left, no approval for sheds and no approval for the backboard. Many letters were sent to the owner and to the house. I have never heard from them in all this time. Please describe any evidence you have related to this complaint, such as photographs, work orders, receipts, documents, or other supporting materials. If you have evidence to submit, we will email you with instructions on how to provide it after you submit this form. I have tons of pictures and copies of all the letters I sent. SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/23/2026		Scheduled
Inspection Comment	H23 SECOND DEADLINE, RENTAL HOUSING INSPECTION			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/5/2026	10/5/2026	Fail
Inspection Comment	No application as of 10.5.2026.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Initial Investigation	9/14/2026	9/14/2026	Fail
Inspection Comment	Spoke with resident Tiara, who confirmed that they are tenants and are unrelated to the owner. Provided owner phone number 858-436-5786. Unlicensed NOV to follow.			

CRH260893

Reported Date	Reported Address
09/14/2026	**3367 NORTH CHATHAM RD APT E**
Description of Complaint	Chatham Gardens Apts T00006225 – 3367 N. Chatham Rd., Apt. E – Rodent infestation in apartment and dumpster nearby unsecured with trash and debris on exterior On September 10, 2026, at approximately 6:31 AM, my wife found a dead rodent on the kitchen floor of our apartment. This is an infant-occupied home where our child crawls daily on that same floor. The root cause is an unsecured, uncovered garbage dumpster located a few meters from our building's entrance, which remains open and surrounded by loose garbage, producing a strong odor of decomposition that affects our unit and is also noticeable at adjacent buildings, indicating a property-wide sanitation issue rather than an isolated incident. I sent formal written notice to Chatham Gardens Management on September 10, 2026, demanding immediate professional pest control and a written commitment to properly secure the dumpster, with a 24-hour deadline. As of today, September 14, 2026, four days later including the full weekend, I have received no response and no corrective action has been taken by the property owner or management company. List your supporting evidence: Written notice letter sent to management dated September 10, 2026; timestamped photograph of the dead rodent taken September 10, 2026 at 6:31 AM. To whom it may concern, I submitted a Rental Property Maintenance Complaint through your online form today, September 14, 2026, regarding a dead rodent found in my unit and an unsecured garbage dumpster causing the underlying pest issue. I received a confirmation email stating my complaint was filed and is under review, but it did not include a case number, and the form did not allow me to upload supporting documentation at that time. I am attaching here the formal written notice I sent to my property management (SMP Chatham Gardens SPE, LLC t/a Chatham Gardens) on September 10, 2026, along with a timestamped photograph of the rodent, for inclusion in my complaint file. Could you please confirm my case number and that this documentation has been properly associated with my submission? Thank you, Dr. Freddy Cuba-Castillo 3367 N Chatham Rd Apt E, Ellicott City, MD 21042 813-235-2117

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	10/30/2026		Scheduled
Inspection Comment	CRH260893 - H18 DL 10.29.26 PER H18 ISSUED 9.24.26			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	9/17/2026	9/17/2026	Fail
Inspection Comment	CRH260893 - I met complainant Ms. Sanchez (Mr. Cuba's Wife) and inspected unit. I found a gap at the front enrty door to unit and the front entry door to the building does not close and latch properly. I inspected the exterior and found an open bait box at the side of the building and I inspected the dumpster and found trash at the exterior of the dumpster. No rodent droppings were observed in the unit. Send H18			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Initial Investigation	9/15/2026	9/15/2026	Fail
Inspection Comment	CRH260893 - Rodent complaint inspection scheduled			

CRH260894

Reported Date	Reported Address
09/14/2026	**3460 ORANGE GROVE CT**
Description of Complaint	T00012234 3460 Orange Grove Ct – Non-functional toilet; HVAC issues causing water intrusion (possible clogged condensate line) an unusable toilet/plumbing issue; * unresolved HVAC problems; * water intrusion/flooding associated with the HVAC; * loss of use of the AC because operating it causes water intrusion; * repeated notice to the landlord; * failure to adequately investigate/repair. The issues have been reported to the landlord on multiple occasions. The toilet/plumbing issue was reported after it stopped functioning, but the toilet has remained unusable for months. The landlord advised that plumbing issues were the tenant's responsibility and did not arrange for the necessary repair. The HVAC/air-conditioning system also did not function properly and was unable to consistently cool the home for approximately one year. After repeated complaints, the landlord eventually sent someone to repair the HVAC system. Following that repair, the basement flooded. The flooding was determined to be coming from the HVAC system. I immediately notified the landlord of the flooding and had to turn off the air conditioning to prevent continued water intrusion and additional damage. Despite notifying the landlord and following up regarding an inspection and repair, the issue has not been adequately addressed and I have not received timely follow-up or a permanent resolution. At this time, the toilet/plumbing issue remains unresolved, and the HVAC-related water intrusion has not been properly corrected. The conditions have continued to interfere with the safe and reasonable use of the property. Please describe any evidence you have related to this complaint, such as photographs, work orders, receipts, documents, or other supporting materials. If you have evidence to submit, we will email you with instructions on how to provide it after you submit this form. SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Follow Up	10/21/2026		Scheduled
Inspection Comment	H18 NOV DL reinspection			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Follow Up	9/21/2026	9/21/2026	Fail
Inspection Comment	Missing smoke alarms have been replaced by the owner. All locations have been verified by an interior inspection. The violations from the other 30-day H18 NOV are still not abated.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Initial Investigation	9/15/2026	9/15/2026	Fail
Inspection Comment	Site visit conducted. Tenants showed me to the basement bathroom. Basement toilet does not flush; is backed up with sediment. Tenants had the toilet taped shut and the water off to stop usage of the toilet. Running the sink causes air and water to flood the toilet. Tenants showed me a video of the HVAC condensate line flooding the basement boiler/laundry room. Tenants were told by the owner to have the HVAC off. Tenants had bought portable AC units for each room. No other bathrooms or plumbing fixtures were in disrepair/backed up. Issue H18 for basement bathroom plumbing (main drain line clog) and HVAC condensate line clog.			

CRH260903

Reported Date	Reported Address
09/15/2026	**5471 WOODENHAWK CIR**
Description of Complaint	RH13000433 5471 Woodenhawk Circle – Alleged sewage backup (was it remediated) and clogged drain, additionally prior tenant concerns on record Clogged floor drain in utility room caused it to back up sewage into downstairs and from downstairs toilet. Notified landlord immediately on 9-12-26 and I cleaned up the water. I moved into the facility on 8-14-26. Landlord had contractor come and unclog the drain and then told me she is sending me the $500 invoice for the repair because toilet paper was found as the reason the drain clogged. She indicated that I am not permitted to put "paper" in the toilet and when I asked her to clarify she said I cannot put toilet paper in the toilet as it causes it to clog. I indicated that is unsanitary and most likely a health code violation and she told me to put it the used toilet paper in a trash can and take the trash out daily as that's how she's adapted in her own home. I was not told anything about not putting paper of any kind - including toilet paper - in the toilet prior to signing the lease and it does not say anything like that in the lease either. If it had or I'd been told I would not have signed the lease. Landlord sent me a text saying "the previous tenant must have taken down the signs about not putting paper in the toilet so I will put them back up now" (this was on 9-12-26 when she met the contractor at the house to unclog the drain). I had to be at work and could not be at the house when it was being unclogged. I asked landlord to give me the name of the company and individual who came out to unclog the drain and the phone number. She responded to me with "that will be on the invoice that I will send you when I get it". I do not have that information. It is unreasonable and unsanitary to tell me to put the soiled toilet paper in a trash can and take it out daily. I suspect there are roots or some kind of damage to the pipes and the owner doesn't want to fix it. SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Follow Up	10/26/2026		Scheduled
Inspection Comment	Has the hot water heater passed inspection?			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Initial Investigation	9/16/2026	9/16/2026	Fail
Inspection Comment	Interior inspection conducted with owner & tenant present. The toilet that was tied to the complaint flushes and then refills with water; no plumbing backup was noted during inspection. During inspection, it was noted that the gas hot water heater for the home was installed last year; no plumbing permits were found for this installation. Issue H18 NOV for gas hot water heater installed with no permits. Follow up will be created when NOV is drafted. See attached photos of gas hot water heater for date of installation.			

CRH260904

Reported Date	Reported Address
09/15/2026	**5757 RICHARDS VALLEY RD**
Description of Complaint	RH22000781 5757 Richards Valley Rd. – Water intrusion in numerous areas and unrepaired water damage We are requesting assistance regarding repeated water intrusion, visible mold, and unresolved water damage at our Howard County rental property. Property: 5757 Richards Valley Rd, managed by Sungate Property Management. July 29: We notified property management in writing of water leaking above our microwave, pooling inside the appliance, and a significant amount of visible mold. We provided photographs. A roof/exterior source was investigated but apparently ruled out, and we are not aware of any further investigation into the source. August 10: We reported another significant water intrusion, this time through the master bedroom ceiling. September 4: More than a month after our initial mold report, maintenance removed the microwave, leaving exposed mold and mold-affected cabinetry that remain unresolved today. They also removed the water-damaged drywall from the bedroom ceiling reported August 10. That ceiling remains open and unrepaired. September 13: We discovered another significant active water intrusion affecting a closet wall/ceiling area. The drywall became visibly saturated and extensively bubbled/blistered. We documented the active water with photographs and video. We suspect the nearby HVAC/condensate system could be involved, but no cause has been diagnosed or confirmed. September 14: An individual came to the property at approximately 5:30 PM, took three photographs of the latest damage, and left. To our knowledge, no moisture testing was performed, no wall/ceiling cavity was evaluated, no drying equipment was installed, and we received no diagnosis or remediation plan. At this point, we have had multiple significant water-intrusion events since July, visible mold that has remained unresolved since our July 29 written notice, exposed mold/mold-affected cabinetry, an open bedroom ceiling, and newly saturated building materials. We still have not been provided with a confirmed source for the recurring water or the findings of a mold assessment. Any updates we have received at been from us constantly following up with the property manager looking for answers, we have not willingly received any updates on their own accord. We are particularly concerned about concealed moisture/mold within the walls and ceilings and whether the property can safely remain occupied. One occupant has also experienced persistent upper-respiratory symptoms during this period that improve when away from the home. We are not asserting that the property caused those symptoms, but believe the information is relevant to our habitability concerns. We are requesting a Rental Housing/Property Maintenance inspection and guidance regarding appropriate next steps. We have retained our July 29 written notice, photographs, videos, maintenance communications, and documentation of the property's current condition and can provide anything needed. Please see attached record of correspondence with Sungate Property Management. Thank you, Bailey Pratt (4103704140) & Matt Stewart (4439276509) SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	10/19/2026		Scheduled
Inspection Comment	H18 sent, due today. Complaint Reinspection.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	9/16/2026	9/16/2026	Fail
Inspection Comment	Met with tenant Bailey who provided entry. Water damage found on 1st and 2nd levels, unknown black substance in the kitchen wall and cabinets, wet carpet in master bedroom closet. Called management, left voice mail, follow up. Send NOV.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Initial Investigation	9/16/2026	9/15/2026	Fail
Inspection Comment	Interior inspection appointment scheduled with tenant.			

CRH260908

Reported Date	Reported Address
09/16/2026	**11600 LITTLE PATUXENT PKWY APT 303**
Description of Complaint	Poplar Glen Apts T00006081 - 11600 little Patuxent Pkwy, apt 303 – Rodent Infestation (not being excluded, no entry points sealed) I am requesting assistance regarding an ongoing mouse problem in my rental apartment at 11600 little patuxent pkwy apt 303 in Columbia, Maryland. I have repeatedly reported the problem to apartment management. Pest-control have visited multiple times and placed traps, but the issue has not been resolved. I am continuing to find mouse droppings, most recently in both my bathroom and my children's bathroom. I have three young children in the home, and I am concerned about their health and safety. The repeated treatments appear to address only the mice themselves not the openings or building conditions allowing them to enter. I have asked management to conduct a comprehensive inspection, seal all entry points around the plumbing and walls with rodent-resistant materials, and inspect neighboring units and common areas. Because the problem continues despite multiple service visits, I am requesting that Howard County inspect the property and advise me regarding the next steps. Please confirm receipt of this complaint and let me know what additional information you need. Thank you, Aminata Barry? 2405959454 11600 little patuxent pkwy apt 303 Columbia Md 22044

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	10/27/2026		Scheduled
Inspection Comment	CRH260908 - H18 DL 10.26.26 PER H18 ISSUED 9.22.26			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	9/17/2026	9/17/2026	Fail
Inspection Comment	CRH260908 - I met complainant and inspected unit. Violations > Droppings were observed throughout the unit. Gaps at the front entry door - sweep is in disrepair and light is visible under the door from the hallway, there is a hole in the floor at the bedroom closet, there is a gap in the water heater closet at the drain line and wall, there is a gap at the wall and supply line in the bathroom near bedroom 2, there is a gap at the baseboard and vanity in the bathroom near bedroom 1, the front building entry door sweep is missing a gap is present. There are stored appliances in the sprinkler room and a grill stored at the right rear unit patio. Building 11604 is attached to 11600 and I inspected the exterior of both building for entry points. 11604 - A gap is present at the exterior brick siding at the rear and the front entry door is missing sweep. Send H18			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Initial Investigation	9/17/2026	9/17/2026	Fail
Inspection Comment	Inspection has been scheduled.			

CRH260909

Reported Date	Reported Address
09/16/2026	**5764 STEVENS FOREST RD APT 110**
Description of Complaint	Aspen Lake Trail Apts T00006542 – 5764 Stevens Forest Rd., Apt. 110 – Water intrusion causing an odor (unrepaired water damage); roach and mosquito infestation inside apartment The kitchen started smelling bad, the sink unit collapsed (the support structure for the lower cabinets broke), and to this day, I have a mold problem, mosquitoes, and cockroaches; it is uninhabitable, yet I am still paying full rent. At first, they sent maintenance; two weeks later, contractors arrived, tore open the cabinets, and found a leak and standing water—which caused a mosquito and cockroach infestation. For the sake of my parents' well-being, I asked to be put in a hotel or given the model apartment, but it took a week just to get that arranged. They haven't actually solved anything; I've sent emails asking to switch apartments, but I get no response. I always have to go to the office in person to find out what is going on. I am caring for my father, who has dementia, and my mother, who has arthritis. They promised me another apartment—just empty words—but then they backed out and told me my current apartment could be fixed and that they would repair it. My parents are 66 and 73 years old and are the ones most affected by this. I am still living with mosquitoes, cockroaches, and an unbearable stench, and the property management has done nothing, which is taking a toll on our health and finances. Please describe any evidence you have related to this complaint, such as photographs, work orders, receipts, documents, or other supporting materials. If you have evidence to submit, we will email you with instructions on how to provide it after you submit this form. SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/30/2026		Scheduled
Inspection Comment	Follow up on continued pest treatment. 10.1.2026 pest report with full treatment.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/23/2026		Scheduled
Inspection Comment	H19 DEADLINE FOR KITCHEN REPAIRS - DAMAGED WOOD, CABINETS, APPLIANCES, PLUMBING REPAIRS			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/6/2026	10/5/2026	Fail
Inspection Comment	10.1.2026 Pest report received. Follow up required.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/6/2026	10/6/2026	Fail
Inspection Comment	Documentation including plumbing invoice and photos attached to record. Reached out to tenant for follow up inspection to confirm work is completed.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Initial Investigation	9/17/2026	9/17/2026	Fail
Inspection Comment	Inspection performed alongside FS inspection 9/17/2026. Sister Maria Perez present at building. Leak has been identified, kitchen cabinets etc have been removed and work has begun. Tenant has been relocated to a model unit, but sister is remaining in unit due to lack of space in model unit. Walls have been removed, some wood damage but no water damaged sections of wall seen. Evidence of roaches. No response from complainant, will follow up with email and phone call. No NOV until further information is received and it is confirmed that pest complaint has been submitted to management and PM has been provided time to address. May need documentation for current / ongoing repairs.			

CRH260911

Reported Date	Reported Address
09/16/2026	**15202 BUSHY PARK RD**
Description of Complaint	15202 Bushy Park Rd. – Alleged unlicensed rental property per previous tenant I am writing to report the property located at 15202 Bushy Park Rd, Woodbine, MD 21797, for operating as an unlicensed rental property. I was a tenant at this property until September 1, 2026. I recently contacted the Howard County Office of Consumer Protection (OCP) and was informed that the property is not registered/licensed as a rental property with Howard County. I would like to formally report the property to DILP for operating as an unlicensed rental during my tenancy. Please let me know if you need any additional information or documentation from me regarding my tenancy at this property. Thank you, Allison Hatfield 240-517-8727

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Follow Up	11/9/2026		Scheduled
Inspection Comment	H23 NOV DL for license issuance			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Follow Up	10/23/2026		Scheduled
Inspection Comment	H23 NOV DL for applying for rental license			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Initial Investigation	9/17/2026	9/17/2026	Fail
Inspection Comment	Site visit conducted. Home is occupied, but I did not receive an answer when I knocked on the door. Two broken down cars are in the driveway. One car with a current registered tag was present during my visit. With information that was obtained from the complainant, I will be issuing an H23 to compel the owner to apply for a rental license for this property.			

CRH260916

Reported Date	Reported Address
09/17/2026	**7303 EDEN BROOK DR**
Description of Complaint	7303 Eden Brook Dr. RH20000584 – Unrepaired water damage that lead to mold conditions; tenant concerned the carpet with mold is not being replaced. I am a tenant at 7303 Eden Brook Drive, Columbia MD 20146. This address is a townhome in which I have been residing since December 2020. The ground floor was found to have significant mold growth after months of an unidentified strong, musty odor. The mold is on the ground floor surrounding the carpeted stairs. Mold is on the back side of the wall and baseboards under and around the stairs. There are signs of previous water damage but the source of the water damage is unclear. The home has a humidity problem- the hygrometer measures ground floor humidity at 70% despite AC running, the above floors also run above 60% humidity. Eco Clean mold remediation is working today to remediate the mold. They were advised to only remove the PVC flooring and the affected drywall as they were informed that removing the carpet in the affected area was not approved by the owner due to keeping costs low. The carpet absolutely needs to be removed as this is porous material that is unable to be effectively cleaned from the mold. I am seeking help to have this area inspected so that I can get the landlord to please remove the carpet inside the mold containment zone. I have had to vacate the premises to a hotel as both my son and I have significant allergies to mold and my son has been constantly ill due to this. I do not feel comfortable moving back into the townhome without the carpet in the mold area also being replaced. Please feel free to reach me either by phone at 213-608-5896 or email lgalbraith08@gmail.com My landlord is McKenna and Vane Realty. EcoClean is doing the remediation and the contact for this is John at 410-989-1938 Thank you! Best, Laura Galbraith

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	10/13/2026	9/25/2026	Scheduled
Inspection Comment	Documentation die 10.12, contact tenant per 9.23 H18			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	9/22/2026	9/22/2026	Fail
Inspection Comment	At 1PM meet tenant for insp. The lower level is isolated at the base of the stair and rear room. Drywall has been replaced at lower wall locations and the flooring in the hall removed. Based on tenants pictures, it looks like the water damage was caused by a condensate leak. The HVAC received a new air scrubber and humidifier recently. Pics taken. Tenant describes high humidity generally in the dwelling. While here tenant showed Insp bath fan w/o suction at bdrm 2, 2nd floor bath and states is same in master bath. There is a small stain on the 1st floor ceiling and drywall crack at the dining / kit ceiling. Garage door to the dwelling does not appear to fit frame when closed, today is taped from the inside. Pics taken. Provide tenant with Consumer contact for mold bill discussion. No reply from mgmt since emailing on 9.18 requesting documentation for the work occurring. Per tenant work at a standstill until they get approval from out of State owner. Issue H18			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	9/18/2026	9/18/2026	Fail
Inspection Comment	Initial email to tenant for appt, poss. 9.22 at 1PM; and emailed mgt for documentation for restoration.			

CRH260925

Reported Date	Reported Address
09/21/2026	**5764 STEVENS FOREST RD**
Description of Complaint	Aspen Lake Trail, T00006542 – 5764 Stevens Forest Rd. (Hi-Rise) – No operational elevators in the building The left elevator stopped working again on Thursday of this past week and as of today the right elevator is also not operational. We have elderly residents, residents who use walkers, young children, and women who are pregnant or recently have given birth who do not have an accessible way to exit their residences. This poses a serious safety hazard in case of emergency. Emergency maintenance as well as office staff are not responding to calls. We would appreciate any assistance in fixing this as quickly as possible. Thank you. Tenant Union Council at Lake Trail

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/19/2026		Scheduled
Inspection Comment	H18 DEADLINE, ELEVATOR OUT OF SERVICE			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/6/2026	10/6/2026	Fail
Inspection Comment	Notice received from tenant unit 621 G Armellino that both elevators are not operating as of 10.6.2026 8:14 AM			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/2/2026	10/2/2026	Fail
Inspection Comment	Elevator still in disrepair. PM states part has already been ordered, second control board needs replacement. H18 NOV to follow.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Follow Up	10/1/2026	10/1/2026	Fail
Inspection Comment	Site inspection, left elevator is still down. NOV to follow.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Initial Investigation	9/22/2026	9/22/2026	Fail
Inspection Comment	Left elevator not operating. Spoke with maintenance tech who stated a call into the elevator company has already taken place. Last repaired yesterday 9/21/2026. Emailed PM, NOV to follow.			

CRH260929

Reported Date	Reported Address
09/21/2026	**3258 NORMANDY WOODS DR APT D**
Description of Complaint	Renaissance Hills Ellicott Apts T00006178, t00006563 - 3258 Apt. D Normany Woods Dr. – Rodents not being excluded Mice infestation. Several attempts to exterminate the mice, but nothing worked. Without a doubt, I have submitted several service requests, and the manager is aware of the entire situation. Whenever I submit a request, someone from Maintenance or an American Pest employee comes to my apartment, but only temporary or palliative measures are taken. Nothing effective has been done to resolve the problem. I have already complained about the storage room near my apartment, but nothing has been done about it. I have documentation showing that I have been dealing with this rodent infestation for a year, and I am exhausted and extremely concerned because I have a dog, and I am afraid that she could be exposed to or contract a disease. I have been reporting everything I see to the Maintenance Department. In other words, I have been dealing with the same problem for an entire year without a permanent solution. The only explanation I have been given is that this happens because I live on the ground floor. I am sorry, but I do not believe that is an acceptable explanation for a serious situation like this. I need an effective solution to this problem. If you need any further clarification or documentation, I am available to provide it. For example, on September 15, while cleaning my apartment, I found two more dead rats. I have kept them if you would like to see them. Thank you very much for your attention. I hope this matter can be resolved as soon as possible. Sincerely, Maria Ines Oliva SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Follow Up	10/13/2026		Scheduled
Inspection Comment	Conduct on-site inspection to check external entry points for exclusion			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Follow Up	10/7/2026	10/7/2026	Fail
Inspection Comment	Pest control reports obtained from PM on 10.2.26. Reports note limited activity; pest control noted that the lack of a door jamb on the HVAC closet is a vulnerability for rodent entry into the unit. Pest control also noted the same entry point in the closet that I did during my inspection. Management is actively monitoring the building/unit and active pest control visits are being conducted. Latest reports have been attached to the record. Creating follow-up to check external entry points for exclusion.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Follow Up	9/23/2026	9/23/2026	Fail
Inspection Comment	Interior inspection conducted. Tenant showed me where she had found dead mice in her apartment and had kept two dead mice that she had found. I informed her that she should dispose of the dead mice. I took photos of a few entry points that will be attached as photos to the record. After the inspection, I informed Management and showed them the entry points and made sure that they were brought to the attention of their pest control contractor. Will receive reports once exclusion work is conducted in & around the apartment. Issue H18 for exclusion of rodent entry points and to obtain pest control reports of the work that will be done.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Initial Investigation	9/22/2026	9/22/2026	Fail
Inspection Comment	Met with management to see the history of pest control that has been done for 3258 Normandy Woods; reports will be attached to the record once obtained. Renaissance Hills Apts uses AmericanPest for pest control services. Exterior site visit conducted to look for exterior entry points. Two visible entry points were found on the corner of the exterior front steps where clear rodent burrowing has occurred. The interior inspection for 3258 Normandy Woods Apt D is scheduled for 9/23 at 1:30 PM.			

CRH260932

Reported Date	Reported Address
09/21/2026	**5414 HERON DR UNIT A**
Description of Complaint	Riverwatch (RH21000092 Main) – 5414 Heron Dr., Unit A – Alleged unrepaired water damage from prior leak Water leaking through window everytime it rained , turned into mold on walls had to throw everything out from living room to kitchen and hall closet. Mold traveled on fridge and microwave etc working its way upstairs The hole in window fixed nomore water leaking when raining , wall was scraped n sprayed also spray cabinets but wall still looks horrible. Nobody has came back out at the contractor or other maintenance from another property who came over a few weeks mentioned i been waiting and now my son is getting sick Please describe any evidence you have related to this complaint, such as photographs, work orders, receipts, documents, or other supporting materials. If you have evidence to submit, we will email you with instructions on how to provide it after you submit this form. I have pictures & work orders SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	11/2/2026		Scheduled
Inspection Comment	H18 Deadline reinspection Check in with management and tenant for status			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	9/23/2026	9/23/2026	Fail
Inspection Comment	h18 issued			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	9/22/2026	9/22/2026	Fail
Inspection Comment	interior visit with tenant the first floor front window has some water damaged paint and failed caulk on the wall below the window sill the thermostat in the unit reads at 86% humidity inside organic growth observed on some of the kitchen cabinets and some small dark stains seen on living room ceiling There was a leak reported in the upstairs main bedroom closet and bathroom, the leak has now stopped but the holes that were cut ion the ceiling to let the water out remain. Photos attached will issue H18			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Initial Investigation	9/22/2026	9/22/2026	Fail
Inspection Comment	made contact with tenant and will visit property today, states the wall under the window still needs some repairs. made contact with maintenance while on site yesterday for another matter. Maintenance showed me photos that did show the initial leak in the window was repaired and multiple surfaces were cleaned and repaired.			

CRH260933

Reported Date	Reported Address
09/21/2026	**10592 SPOTTED HORSE LN**

Description of Complaint	10592 Spotted Horse Lane – Unlicensed Assisted Living 6 bedrooms and 8 clients found to be operating without a rental license Hello Brenda, could you have a CRH created for this property please. The property has clients and is currently being operated as a care facility. I had a phone conversation with the owner and told her that she has 45 days to apply for the license and pass the inspection. I would like to have a record to attach my NOV too. Thank you, Check on this (site visit) when time allows. If they are in use, they are unlicensed. Hi Brenda, We have a care facility that intends to be classified as an R-4 Condition 1. This is a very limiting use group and therefor they must adhere to very strict requirements in terms of the capabilities of their residents. I have attached the letter she sent and have updated both building and fire sprinkler permits to reflect the restrictions. If this facility appears to be a traditional assisted living they will be in violation of their building and fire sprinkler system permits. Thank you! Syd Good afternoon, I have approved and issued your fire sprinkler permit with the understanding that all residents must be capable of self-preservation at all times without any assistance. This facility is not approved to house any residents who need any assistance at any time to recognize and completely evacuate in the event of an emergency. This has been stated on the fire permit and the building permit. The building permit has been updated and sent to your Yahoo email address. We will also be forwarding these conditions and your letter to the Rental Housing Department to ensure the rental license also has these conditions attached. Thank you. Sydonia Good afternoon Ms. Sydonia, Thank you for your email below. Per our discussion the other day, thank you for the insight/example you explained of another facility's method of transferring residents to their other facility when they no longer meet criteria for condition 1. Since this is my new facility, when we begin, we will ensure residents meet condition 1 and when they don't or change, I will transfer to one of my other facilities. See letter requested attached. Thank you, Abayomi. SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Follow Up	11/12/2026		Scheduled
Inspection Comment	H23 NOV - Rental housing inspection deadline			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Follow Up	10/27/2026		Scheduled
Inspection Comment	H23 NOV - Rental application deadline			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Max Sullivan	Initial Investigation	9/21/2026	9/21/2026	Fail
Inspection Comment	Exterior site visit conducted - Talked to staff member at the front door who put me on the phone with their boss (Rosalina Bennett) who confirmed that the facility was a care facility. I informed her that the facility was currently operating as an unlicensed facility and would have 45 days to apply for and obtain a rental license. Will issue an H23 unlicensed NOV to the owner that is listed on SDAT. No interior inspection conducted - Could not verify how many clients this facility had.			

CRH260935

Reported Date	Reported Address
09/22/2026	**9653 WHITEACRE RD UNIT B3**
Description of Complaint	RH26000434 9653-B3 Whiteacre Rd. – Roach and mouse infestation Continued pest (roach and mice) issues in the apartment.

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	10/8/2026		Scheduled
Inspection Comment	Follow up with owner for inspection prior to reoccupancy			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	10/5/2026	10/5/2026	Fail
Inspection Comment	Tenant canceled appt for initial insp and is pursuing termination of the lease			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	9/29/2026	9/25/2026	Fail
Inspection Comment	C2, B2, A2, C4 & A1. As of 9.29, no reply. Email again 9.30			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	9/23/2026	9/24/2026	Fail
Inspection Comment	Email tenant for insp appt 9.24. On 9.23 researched the other rental units in the bldg. There are 5, including this one. And 1 likely unlicensed, owned by the same owner and a couple of RHL over the years. As of 9.25 end of day, no reply from tenant			

CRH260936

Reported Date	Reported Address
09/22/2026	**10400 SWIFT STREAM PL UNIT 205**

Description of Complaint	10X Living at Columbia Town Center Apts (T00009501 Main) – 10360 Swift Stream Pl., Apt. 205 – leaking window, leaking washer, rodent infestation (mgmt.. may be doing what is expected for rodents, but verify) I am writing to submit a rental housing/property maintenance complaint regarding multiple recurring maintenance and living-condition concerns at my apartment at 10X Living at Columbia Town Center. My address and unit information are provided below: Property Address: 10x Living Columbia Town Center 10360 Swift Stream Pl, Columbia MD 21044 Unit Number: 205 I moved into the property in June 2026 and have experienced several significant maintenance issues within the first few months of my tenancy. At move-in, the water heater was not functioning, and I did not have hot water until it was replaced. Approximately one week after the replacement, the new water heater failed and caused substantial water intrusion into my apartment, as well as the unit below mine. Remediation was required in my apartment, including opening a portion of the wall and using commercial drying equipment. I have also experienced additional periods without hot water during my tenancy. I have also experienced recurring water intrusion through my bedroom window. Maintenance previously attempted to address the window, but during subsequent rainfall on August 17, water again entered through the window. I have video documentation of the active water intrusion and photographs showing staining and damage around the window area. On August 24, I submitted another maintenance request regarding the recurring window leak. Maintenance assessed the window on August 25 and advised that an outside contractor would be required. After receiving no scheduling information, I went to the leasing office on September 2 to request an update. Contractors have since performed additional work on the bedroom window; however, there has not yet been sufficient rainfall for me to determine whether the repair has successfully stopped the recurring water intrusion. There are also additional conditions that have recently caused me concern. I have observed what appear to be mouse droppings inside my apartment on multiple occasions. Additionally, on September 15, I discovered dark/foreign material on multiple pieces of ice produced by my refrigerator's ice maker, as well as material collected at the bottom of the ice bin. I do not know the source or composition of this material, but I have stopped using the affected ice and have photographic documentation of what I observed. My washing machine has also continued to leak despite previously being serviced. I have repeatedly communicated maintenance concerns to onsite management and subsequently escalated concerns to regional management. My most recent written follow-up to regional management was sent on September 3, and I have not received a response. I appreciate that maintenance personnel have responded to and attempted to address several of these individual issues. However, I am concerned about the number and recurring nature of the maintenance and living-condition issues I have experienced within a relatively short period of tenancy, particularly the repeated water-related problems, evidence of possible pest activity, and the newly discovered material in the ice produced by the refrigerator. I am requesting that the Howard County Department of Inspections, Licenses and Permits review these conditions and advise whether an inspection of my unit is appropriate under the County's rental housing and property maintenance requirements. I have photographs, videos, maintenance request records, and email correspondence documenting these conditions and my communications with property management. I am available to provide additional documentation or access to the unit if needed.

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Jonathan Frias	Follow Up	11/2/2026		Scheduled
Inspection Comment	H18 sent, due today. Complaint Interior Reinspection.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	9/28/2026	9/28/2026	Fail
Inspection Comment	Gaps and water stains found at top of bedroom window, opening found in utility closet on balcony, rodent dropping found behind washer dryer in laundry room. Issue NOV.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Jonathan Frias	Follow Up	9/25/2026	9/25/2026	Fail
Inspection Comment	Called office and asked for PM and was told she is out till Wednesday. I asked to speak with maintenance supervisor and he's out in the field and asked for him to gall me back. I spoke to the tenant and scheduled for interior visit on Monday.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Yoon Pae	Initial Investigation	9/24/2026	9/25/2026	Fail
Inspection Comment	Spoke to resident on phone 9.24.2026 approx 1:30 PM. Tenant states window did leak again on Monday / Tuesday. Washing machine still regularly leaks from front, but not on every wash. Pest control company did not keep appointment on 9.23.2026 unit did not receive follow up treatment. Tenant has not received a response from the management company on all issues over the past week. Reached out to property management 9.22.26 and 9.24.26 via email, no response as of 9.25.2026.			

CRH260952

Reported Date	Reported Address
09/25/2026	**8782 CLOUDLEAP CT APT 33**
Description of Complaint	TIMBERS AT LONG REACH APARTMENTS T00006214 - 8782 Cloudleap Ct Apt 33 – Tenant reports roaches in unit that was treated once and continues to see roach activity at night. Regular German cockroach sightings since moving in on July 2nd, 2026. Though I reported this issue through the maintenance portal back in July, I am listing the date of report as September 8th, 2026 due to this being when I began an email chain about the issue due to increased sightings. Since September 3rd, 2026, I have seen 14 German cockroaches at varying stages of life both in the kitchen and in the living room. This is highly distressing to me and my girlfriend. I verbally spoke with one of the property managers on August 27th, who assured me that pest control would visit on September 2nd. Pest control did not visit on that day. I have followed up several times about the issue, and while I have been told that they are taking the issue seriously and will send pest control weekly until the issue is solved, I have not seen an improvement in the issue. I was provided documentation for one visit on September 16th, 2026, which stated "No activity seen. Treated with residual and insect monitors." My concern is in the pest control technician not seeing any activity, whereas I am encountering 1 to 2 German cockroaches multiple days a week at night. Please describe any evidence you have related to this complaint, such as photographs, work orders, receipts, documents, or other supporting materials. If you have evidence to submit, we will email you with instructions on how to provide it after you submit this form. I have a photo of a German cockroach on the wall of my living room on September 24th, 2026. I have multiple emails demonstrating that my property managers are aware of the issue and are claiming to attempt to resolve it. I have a written log of German cockroach sightings going back to September 3rd, 2026. SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	10/9/2026		Scheduled
Inspection Comment	Email initial to mgt 9.28 and tenant. Issue H75 for entire bldg. (Attach initial emails) Mgt acknowledged. Issue H75 dated 9.29, due 10.8			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	9/28/2026	9/28/2026	Fail
Inspection Comment	Email initial to mgt 9.28 and tenant. Issue H75 for entire bldg. (Attach initial emails) Mgt acknowledged. Issue H75 dated 9.29, due 10.7			

CRH260959

Reported Date	Reported Address
09/28/2026	**5307 COLUMBIA RD APT D**
Description of Complaint	Autumn Town Center Apts., T00006559 - 5307 Columbia Road Apt D – Rodent infestation We reside in an apartment at Autumn town center in Columbia Road. We have been reporting a rodent infestation in our unit for over a month or two but our complaints haven't been addressed by the responsible party . The rodents are terrorizing us in every sense of the word. Sleep is disrupted, our food and clothes are eaten and ripped. Writing to your department is a distressed call and we need help as soon as possible. Thank you. Brenda Moyo Brenda Moyo: We need the following information: 1. Your complete address, including apartment number. 2. Your contact phone number. 3. Date you reported the rodents to management through their requested reporting system and what action they took, if any. PROVIDE COPY OF WORK ORDER REQUEST. 4. Details on where you are seeing the rodents and provide photos if you have them. RENTAL HOUSING INSPECTIONS Good morning Thank yiu so much for your quick response. My phone number is 202 491 3757. My daughter's number is 346 465 1839. We live together and her 3 children. She has made several attempts to get the rodents situation addressed. I will attach the first report we made to the leasing office in June. Unfortunately I can't find the other recent reports but I will send a response from the office. We have no pictures but will try to take some. The rodents are all over the apartment, laundry room, kitchen, living room, TV cabinet, on top of the dining room table, all bathrooms and in all bedrooms as well as the utility room. Our apartment addtress is 5307 Columbia Road Apt D Columbia Maryland 21044.

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	11/6/2026		Scheduled
Inspection Comment	Reinsp at tenants availability per 10.5 H18			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Follow Up	11/4/2026		Scheduled
Inspection Comment	Contact tenant for Friday 11.6 reinsp during the annual FS/PM visit			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	9/30/2026	9/30/2026	Fail
Inspection Comment	Met w/ tenants son and inspected unit. Found evidence of activity w/ droppings at kitchen sink base, front bedroom and bath sightings. Checked rear master and 2nd, living room, dining, bathrooms. No openings at floor bottom of wall found. Pics taken. Will need to pull all appliances, pics, seal with sheet metal. Some unrelated repairs needed, painted sprinkler heads, crushed dryer vent, old water leak at ceiling w/ plaster failure in LR. Issue H18. Property advised tenants PC is once a month. No actions taken, no maint., no PC, no traps. Storage under stair.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Holley Robbins	Initial Investigation	9/29/2026	9/29/2026	Fail
Inspection Comment	9.29 Emailed tenant initial for appt and sched for 9.30 at 10A			

CRH260960

Reported Date	Reported Address
09/29/2026	**5780 STEVENS FOREST RD APT 12**
Description of Complaint	Aspen lake Trail Apts., T00006542 – 5780 Stevens Forest Rd., Apt. 12 – Unrepaired water damage from HVAC leak above unit; HVAC filter dirty; washer issues, door damage I am a tenant in Howard County and would like to file a rental housing/property maintenance complaint regarding several unresolved conditions in my apartment. The primary issue concerns mold and water intrusion that I reported to my landlord on August 4, 2026. 1. Mold and water intrusion On August 4, 2026, I submitted a written maintenance request reporting black mold near the HVAC intake. The work order number is #1202450. Maintenance subsequently investigated the issue and identified a leaking AC unit in the apartment above my unit as the source of the water intrusion. I understand that the leak from the upstairs AC unit has since been addressed. However, the affected drywall in my apartment has not been replaced or otherwise remediated. The work order was marked "Work Completed" on August 10, 2026, despite the affected area remaining unrepaired. I have not been provided with a mold assessment, report, or other documentation identifying what assessment was performed. I am also not aware of any remediation having been performed on the affected drywall.

Because more than 45 days have passed since the August 10 investigation, I would like guidance as to whether the August 10 investigation constitutes the mold assessment for purposes of Maryland's mold requirements and whether the remaining condition constitutes a rental housing or property maintenance violation.

2. HVAC filter installation

I also submitted a maintenance request on May 7, 2026 regarding the installation of my HVAC filter. The request was subsequently marked as completed.

Originally, the filter was secured to the HVAC system using foil tape. After the maintenance request was completed, additional foil tape was applied around the filter. However, the filter still does not appear to be properly sealed or airtight, and there appear to be gaps around the installation.

I would like the HVAC filter installation inspected to determine whether it is properly installed and whether there are any applicable property maintenance or HVAC requirements that are not being met.

3. Washing machine

My apartment's washing machine stopped functioning during normal use. I submitted a maintenance request September 12, but the issue has not yet been resolved as of September 25.

I would like this appliance inspected and the applicable maintenance requirements determined.

4. Attempted forced entry and door/access-control concerns

There was also recently an attempted forced entry into my apartment that caused minor damage to the main door and/or doorframe. I submitted a maintenance request regarding the damage.

The incident was reported to the Howard County Police Department under Incident #26-102657.

I am concerned about whether the apartment door, doorframe, lock, and associated access-control components are functioning properly. I also have concerns about the building's main entrance. The building has signage indicating that the property is under surveillance, and the building is supposed to have controlled entry through an access-control panel. However, I have not observed functioning cameras, and the building entrance currently appears to be accessible without an authorized credential.

I would appreciate an inspection or guidance regarding whether the building's entrance, access-control system, and apartment entry door meet applicable rental housing and property maintenance requirements.

Request for inspection and guidance

I have submitted written maintenance requests for these conditions and have attempted to have them addressed through the property management/maintenance system. Several requests have nevertheless been marked completed while the underlying conditions remain unresolved.

SEE ATTACHMENTS

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	11/10/2026		Scheduled
Inspection Comment	H18 deadline, check in with tenant for an update. Check in with management on progress of repairs			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	10/13/2026		Scheduled
Inspection Comment	H75 deadline, has roach inspection result been submitted?			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	10/5/2026	10/2/2026	Fail
Inspection Comment	issued h18 and H75			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Follow Up	9/30/2026	9/30/2026	Fail
Inspection Comment	interior visit with tenant, multiple violations found and will be issuing an H18 and a pest control notice for roaches multiple outlets loose from wall in main bedroom, one outlet pulls completely out of the wall. bedroom window screen does not fit the window size water damage to drywall near hvac closet water damage to drywall inside of hvac closet missing drywall from ceiling of hvac closet, no fire blocking to other areas, insects and pest intrusion to where the tenant has netting over the return vent, HVAC draws air direct from the closet which is not sealed. Certified contractor will need to remediate the water damage and black organic growth in the HVAC closet and wall of the unit. HVAC filter does not fit unit washing machine in leaking, tenant states it leaks when it run no catch pan under washer Dryer vents to interior, lint found in the area the duct work runs too under the kitchen sink Front door of unit sticks to jamb and is hard to open or close. Main front door of building in disrepair, security system offline, door is not secured. Will need to follow up on the door locking system or if its just an intercom. Bathroom vent fan in disrepair, cover not installed in workmanlike manner, needs cleaning toilet continuously running black stain on wall under bathroom sink Kitchen cabinet over sink area unsecure, loose from wall Window screen broken on patio window Cockroach infestation present, traps full of roaches			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike May	Initial Investigation	9/30/2026	9/30/2026	Fail
Inspection Comment	no response from management to initial email, did schedule a visit with tenant and will confirm violations			

CRH260967

Reported Date	Reported Address			
10/01/2026	**8846 TOWN AND COUNTRY BLVD APT C**			
Description of Complaint	ReNew Howard Crossing Apts., T00006079, 80 - 8846 Town and Country Blvd, Apt C – Roach infestation since May / Building cleanout may be required I am writing to request an inspection of our rental unit and, as appropriate, the surrounding building and common areas regarding an ongoing pest/roach issue that we have been experiencing since moving into our current apartment in May 2026. Prior to moving into our current apartment, my fiancé, Jose Sanchez, who is also on the lease, and I lived in another apartment within the same community, directly across the parking lot, for more than two years. During that time, we did not experience any roach or pest issues. We ultimately transferred to our current apartment because the rent on our previous apartment was being increased and the apartment had older appliances. We were offered the opportunity to transfer to a newly renovated apartment within the same community. Candis Charles, the community's Resident Services Coordinator, assisted us with the transfer and was our point of contact during that process. Unfortunately, after moving into the new apartment, we began experiencing repeated roach sightings. We have reported the issue to the property and have had pest-control services performed, but the problem has continued since May. When I have brought our concerns to Candis Charles, Resident Services Coordinator, I have been told that the pest activity can sometimes get worse before it gets better when pest-control treatments are being performed. We understand that treatments can sometimes temporarily increase pest activity; however, we have now been dealing with this issue for approximately five months, and we continue to encounter roaches despite the pest-control measures that have been taken. I have also repeatedly been told that residents moving in and out of apartments within the community may be contributing to the problem because of the work and activity associated with those moves. We understand that apartment turnover and pest-control treatments can potentially affect pest activity, but we are concerned that the issue has continued for months and that we are still encountering roaches inside our apartment despite the measures that have already been taken. Today, September 30, 2026, I found a dead roach inside our toothbrush holder in the bathroom. This was particularly concerning because it was located in an area where we keep items used for personal hygiene. I have photographs of this most recent incident and can provide them with this request. Although I unfortunately do not have photographs documenting every previous roach sighting, I do have correspondence from the property's pest-control company documenting the ongoing pest issue and treatments. I can provide those emails, along with any other documentation that may be helpful in establishing the timeline of the problem. I have made repeated efforts to report and address this matter with the property since May. These reports have included phone conversations, in-person visits to the leasing office, and discussions directly with Candis Charles, Resident Services Coordinator. I have generally addressed the issue in person because I have had difficulty reaching Ms. Charles by phone or receiving responses through email. For example, when I attempted to speak with her today, September 30, I went through the office and was informed that she was on her lunch break. A staff member contacted her to let her know that I needed to speak with her, but I did not receive a call back. I mention this because, although I do not have emails documenting every report I have made, I have consistently brought the issue to the property's attention through other means and have cooperated with the pest-control measures that have been implemented. SEE ATTACHMENTS			
Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Kurtis Hallet	Follow Up	10/9/2026		Scheduled
Inspection Comment	Initial Inspection of Complaint- Pest/Roach CRH260967			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Kurtis Hallet	Follow Up	10/6/2026	10/6/2026	Fail
Inspection Comment	tenant confirmed inspection for this Friday at 1.			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Kurtis Hallet	Initial Investigation	10/5/2026	10/5/2026	Fail
Inspection Comment	Emailed tenant to arrange int inspection of unit. waiting for reply.			

CRH260971

Reported Date	Reported Address
10/01/2026	**5017 GREEN MOUNTAIN CIR UNIT 4**

Description of Complaint	5017 Unit 4 Green Mountain Circle – Alleged unlicensed rental operating as an AirBnB Unit is actively facilitating Airbnb rentals without permission or proper licensing. violation letters from assoc. have been sent to owner. Reports have been made to Airbnb, without resolve Please describe any evidence you have related to this complaint, such as photographs, work orders, receipts, documents, or other supporting materials. If you have evidence to submit, we will email you with instructions on how to provide it after you submit this form. Several violation and fine letters, the airbnb reservation link, direct contact from airbnb tenants. Savannah Kennedy: Please provide your evidence. Can you provide the Airbnb rental ad or “for rent” ad? We must be able to conclusively confirm the property is occupied by tenants before we can proceed with enforcement action. We do see the owner resides off -premises per SDAT; however, if family members of the owner reside in the unit a license is not required. RENTAL HOUSING INSPECTIONS Hello, The owner does not have relatives in the unit – we have actually communicated with a few separate tenants for various common area maintenance and parking issues. Below is the link for the Airbnb. Sincerely, Savannah Kennedy Savannah Kennedy Community Administrator CVI Inc. 301-596-2600 Ext. 3220 I can confirm that there is a different car in its reserved parking space every week, when I patrol the parking lot to ticket cars. Brenda Escudero Asst. Community Manager | CVI 301.596.2600, ext. 4220 240.653.5017 (Direct) www.cviinc.com SEE ATTACHMENTS

Inspector	**Inspection Type**	**Scheduled Date**	**Inspection Date**	**Result**
Mike Cline	Follow Up	10/7/2026		Scheduled

Inspection Comment	CRH260971 - Contact owner Air bnb > Sara A. Joh - 347-536-7806, 443-367-8526, 443-630-8715. sara.joh@hotmail.com, sara421045@yahoo.com, sara521045@yahoo.com.

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	10/6/2026	10/6/2026	Fail
Inspection Comment	CRH260971 - 347-536-7806, Left vmail no return call / called 443-367-8526 - no mailbox set up & 443-630-8715. - no mailbox set			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Follow Up	10/5/2026	10/5/2026	Fail
Inspection Comment	CRH260971 - Phone and email contacts found for owner. Follow up			

Inspector	Inspection Type	Scheduled Date	Inspection Date	Result
Mike Cline	Initial Investigation	10/2/2026	10/2/2026	Fail
Inspection Comment	CRH260971 - Contact owner			

Total Complaints: 66