

Index.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>AluraBooks</title>
```

```
<link rel="stylesheet" href="reset.css">
```

```
<link rel="preconnect" href="https://fonts.googleapis.com">
```

```
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
```

```
<link
```

```
href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;700&displa  
y=swap" rel="stylesheet">
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@11/swiper-  
bundle.min.css" />
```

```
<link rel="stylesheet" href="styles.css">
```

```
</head>
```

```
<body>
```

```
<header class="cabeçalho">
```

```
<div class="container">
```

```
<input type="checkbox" id="menu" class="container__botao">
```

```
<label for="menu">
```

```
<span class="cabeçalho__menu-hamburguer container__imagem"></span>
```

```
</label>
```

```
<ul class="lista-menu">
```

```
<li class="lista-menu__titulo">Categorias</li>
```

```
<li class="lista-menu__item">
```

```
<a href="#" class="lista-menu__link">Programação</a>

</li>

<li class="lista-menu__item">

  <a href="#" class="lista-menu__link">Front-end</a>

</li>

<li class="lista-menu__item">

  <a href="#" class="lista-menu__link">Infraestrutura</a>

</li>

<li class="lista-menu__item">

  <a href="#" class="lista-menu__link">Business</a>

</li>

<li class="lista-menu__item">

  <a href="#" class="lista-menu__link">Design & UX</a>

</li>

</ul>



</div>

<div class="container">

  <a href="#"></a>

  <a href="#"></a>

  <a href="#"></a>

</div>

</header>

<section class="banner">

  <h2 class="banner__titulo">Já sabe por onde começar?</h2>

  <p class="banner__texto">Encontre em nossa estante o que precisa para seu
desenvolvimento!</p>

  <input type="search" class="banner__pesquisa" placeholder="Qual será sua próxima
leitura?">
```

</section>

<section class="carrossel">

<h2 class="carrossel__titulo">Novos lançamentos</h2>

<!-- Slider main container -->

<div class="swiper">

<!-- Additional required wrapper -->

<div class="swiper-wrapper">

<!-- Slides -->

<div class="swiper-slide"></div>

<div class="swiper-slide"></div>

<div class="swiper-slide">

</div>

<div class="swiper-slide">

</div>

<div class="swiper-slide">

</div>

<div class="swiper-slide">

</div>

</div>

<!-- If we need navigation buttons -->

<div class="swiper-button-prev"></div>

<div class="swiper-button-next"></div>

</div>

<div class="card">

<div class="card__descricao">

<div class="descricao">

<h3 class="descricao__titulo">Talvez você também se interesse por...</h3>

<h2 class="descricao__titulo-livro">Angular 11 e Firebase</h2>

<p class="descricao__texto">

Construindo uma aplicação integrada com a plataforma do Google.

</p>

</div>

</div>

<div class="card__botões">

<ul class="botões">

<li class="botões__item">

<li class="botões__item">

Saiba mais

</div>

</div>

</section>

<section class="carrossel">

<h2 class="carrossel__titulo">Mais vendidos</h2>

<div class="swiper">

```

<!-- Additional required wrapper -->

<!-- If we need pagination -->

<div class="swiper-pagination"></div>


<div class="swiper-wrapper">

  <!-- Slides -->

  <div class="swiper-slide"></div>

  <div class="swiper-slide">
</div>

  <div class="swiper-slide">
</div>

  <div class="swiper-slide"></div>

  <div class="swiper-slide"></div>

  <div class="swiper-slide"></div>

</div>


<!-- If we need navigation buttons -->

<div class="swiper-button-prev"></div>

<div class="swiper-button-next"></div>

</div>


<div class="card">

  <!-- 1º linha -->

  <div class="card__descrição">

    <!-- 1º coluna -->

    <div class="descrição">

      

```

<h3 class="descrição__titulo">Autora do Mês</h3>

<h2 class="descrição__titulo-livro">Juliana Agarikov</h2>

<p class="descrição__texto">Analista de sistemas e escritora, Juliana é especialista em Front-End.

</p>

</div>

<!-- 2º coluna -->

</div>

<!-- 2º linha -->

<div class="card__botões">

<!-- 1º coluna -->

<ul class="botões">

<li class="botões__item">

<li class="botões__item">

<!-- 2º coluna -->

Saiba mais

</div>

</div>

</section>

<section class="tópicos">

<h2 class="tópicos__titulo">TÓPICOS VISITADOS RECENTEMENTE</h2>

<ul class="tópicos__lista">

<li class="tópicos__item">Android

<li class="tópicos__item">

```
<a href="#" class="tópicos__link">Marketing Digital</a>
</li>
<li class="tópicos__item">
  <a href="#" class="tópicos__link">Agile</a>
</li>
<li class="tópicos__item">
  <a href="#" class="tópicos__link">Startups</a>
</li>
<li class="tópicos__item">
  <a href="#" class="tópicos__link">HTML & CSS</a>
</li>
<li class="tópicos__item">
  <a href="#" class="tópicos__link">Python</a>
</li>
<li class="tópicos__item">
  <a href="#" class="tópicos__link">OO</a>
</li>
<li class="tópicos__item">
  <a href="#" class="tópicos__link">Java</a>
</li>
</ul>
</section>
```

```
<script src="https://cdn.jsdelivr.net/npm/swiper@11/swiper-bundle.min.js"></script>
```

```
<script>
```

```
const swiper = new Swiper(".swiper", {
  spaceBetween: 10,
  slidesPerView: 3,
  pagination: {
    el: ".swiper-pagination",
    type: "bullets",
```

```
},
```

```
});
```

```
</script>
```

```
</body>
```

```
</html>
```


reset.css

```
/* http://meyerweb.com/eric/tools/css/reset/
```

```
v2.0 | 20110126
```

```
License: none (public domain)
```

```
*/
```

```
html,
```

```
body,
```

```
div,
```

```
span,
```

```
applet,
```

```
object,
```

```
iframe,
```

```
h1,
```

```
h2,
```

```
h3,
```

```
h4,
```

```
h5,
```

```
h6,
```

```
p,
```

```
blockquote,
```

```
pre,
```

```
a,
```

```
abbr,
```

```
acronym,
```

```
address,
```

big,
cite,
code,
del,
dfn,
em,
img,
ins,
kbd,
q,
s,
samp,
small,
strike,
strong,
sub,
sup,
tt,
var,
b,
u,
i,
center,
dl,
dt,
dd,
ol,
ul,
li,
fieldset,
form,

label,
legend,
table,
caption,
tbody,
tfoot,
thead,
tr,
th,
td,
article,
aside,
canvas,
details,
embed,
figure,
figcaption,
footer,
header,
hgroup,
menu,
nav,
output,
ruby,
section,
summary,
time,
mark,
audio,
video {
margin: 0;

```
padding: 0;
border: 0;
font-size: 100%;
font: inherit;
vertical-align: baseline;
}
```

```
/* HTML5 display-role reset for older browsers */
```

```
article,
aside,
details,
figcaption,
figure,
footer,
header,
hgroup,
menu,
nav,
section {
    display: block;
}
```

```
body {
    line-height: 1;
}
```

```
ol,
ul {
    list-style: none;
}
```

```
blockquote,  
q {  
    quotes: none;  
}
```

```
blockquote:before,  
blockquote:after,  
q:before,  
q:after {  
    content: " "  
    content: none;  
}
```

```
table {  
    border-collapse: collapse;  
    border-spacing: 0;  
}
```

styles.css

```
@import url("styles/header.css");  
@import url("styles/banner.css");  
@import url("styles/carrossel.css");  
@import url("styles/topicos.css");
```

```
:root {  
  --cor-de-fundo: #EBECEEE;  
  --branco: #FFFFFF;  
  --laranja: #EB9B00;  
  --azul-degrade: linear-gradient(97.54deg, #002f52 35.49%, #326589 165.37%);  
  --fonte-principal: "Poppins";  
  --azul: #002F52;  
}
```

```
body {  
  background-color: var(--cor-de-fundo);  
  font-family: var(--fonte-principal);  
  font-size: 16px;  
  font-weight: 400;  
}
```