

PARTE 2

Index.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>AluraBooks</title>
```

```
<link rel="stylesheet" href="reset.css">
```

```
<link rel="preconnect" href="https://fonts.googleapis.com">
```

```
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
```

```
<link
```

```
href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;700&displa  
y=swap" rel="stylesheet">
```

```
<link
```

```
href="https://fonts.googleapis.com/css?family=Josefin+Sans:wght@400;700&display=sw  
ap" rel="stylesheet">
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@11/swiper-  
bundle.min.css" />
```

```
<link rel="stylesheet" href="styles.css">
```

```
</head>
```

```
<body>
```

```
<header class="cabecalho">
```

```
<div class="container">
```

```
<input type="checkbox" id="menu" class="container__botao">
```

```
<label for="menu" class="container__rotulo">
```

```
<span class="cabeçalho__menu-hamburguer container__imagem"></span>
</label>
<ul class="lista-menu">
  <li class="lista-menu__titulo">Categorias</li>
  <li class="lista-menu__item">
    <a href="#" class="lista-menu__link">Programação</a>
  </li>
  <li class="lista-menu__item">
    <a href="#" class="lista-menu__link">Front-end</a>
  </li>
  <li class="lista-menu__item">
    <a href="#" class="lista-menu__link">Infraestrutura</a>
  </li>
  <li class="lista-menu__item">
    <a href="#" class="lista-menu__link">Business</a>
  </li>
  <li class="lista-menu__item">
    <a href="#" class="lista-menu__link">Design & UX</a>
  </li>
</ul>

<h1 class="container__titulo"><b class="container__titulo--negrito">Alura</b>Books</h1>

<ul class="opções">
  <input type="checkbox" id="opções-menu" class="opções__botão" />
  <label for="opções-menu" class="opções__rotulo">
    <li class="opções__item">Categorias</li>
  </label>

  <ul class="lista-menu">
```

```
<li class="lista-menu__item">

  <a href="#" class="lista-menu__link">Programação</a>

</li>

<li class="lista-menu__item">

  <a href="#" class="lista-menu__link">Front-end</a>

</li>

<li class="lista-menu__item">

  <a href="#" class="lista-menu__link">Infraestrutura</a>

</li>

<li class="lista-menu__item">

  <a href="#" class="lista-menu__link">Business</a>

</li>

<li class="lista-menu__item">

  <a href="#" class="lista-menu__link">Design & UX</a>

</li>

</ul>

<li class="opções__item"><a href="#" class="opções__link">Favoritos</a></li>

<li class="opções__item"><a href="#" class="opções__link">Minha estante</a></li>

</ul>

</div>

<div class="container">

  <a href="#"></a>

  <a href="#" class="container__link">

    

    <p class="container__texto">Minha sacola</p>

  </a>

  <a href="#" class="container__link">

    
```

```
<p class="container__texto">Meu perfil</p>
```

```
</a>
```

```
</div>
```

```
</header>
```

```
<section class="banner">
```

```
<h2 class="banner__titulo">Já sabe por onde começar?</h2>
```

```
<p class="banner__texto">Encontre em nossa estante o que precisa para seu desenvolvimento!</p>
```

```
<input type="search" class="banner__pesquisa" placeholder="Qual será sua próxima leitura?">
```

```
</section>
```

```
<section class="carrossel">
```

```
<h2 class="carrossel__titulo">Novos lançamentos</h2>
```

```
<div class="carrossel__container">
```

```
<!-- Slider main container -->
```

```
<div class="swiper">
```

```
<div class="swiper-pagination"></div>
```

```
<!-- Additional required wrapper -->
```

```
<div class="swiper-wrapper">
```

```
<!-- Slides -->
```

```
<div class="swiper-slide"></div>
```

```
<div class="swiper-slide"></div>
```

```
<div class="swiper-slide">
```

```
</div>
```

```
<div class="swiper-slide">
```

```

    
  </div>

  <div class="swiper-slide">

    

  </div>

  <div class="swiper-slide">

    

  </div>
</div>

<!-- If we need navigation buttons -->
<div class="swiper-button-prev"></div>
<div class="swiper-button-next"></div>

</div>

<div class="card">
  <div class="card__descrição">
    <div class="descrição">
      <h3 class="descrição__titulo">Talvez você também se interesse por...</h3>
      <h2 class="descrição__titulo-livro">Angular 11 e Firebase</h2>
      <p class="descrição__texto">
        Construindo uma aplicação integrada com a plataforma do Google.
      </p>
    </div>

    
  </div>

  <div class="card__botões">
    <ul class="botões">
      <li class="botões__item">
        

```

```

</li>

<li class="botões__item">

  

</li>

</ul>

<a href="#" class="botões__ancora">Saiba mais</a>

</div>

</div>

</div>

</section>

<section class="carrossel">

  <h2 class="carrossel__titulo">Mais vendidos</h2>

  <div class="carrossel__container">

    <div class="swiper">

      <!-- Additional required wrapper -->

      <!-- If we need pagination -->

      <div class="swiper-pagination"></div>

      <div class="swiper-wrapper">

        <!-- Slides -->

        <div class="swiper-slide"></div>

        <div class="swiper-slide">

        </div>

        <div class="swiper-slide">

        </div>

```

```
<div class="swiper-slide"></div>
```

```
<div class="swiper-slide"></div>
```

```
<div class="swiper-slide"></div>
```

```
</div>
```

```
<!-- If we need navigation buttons -->
```

```
<div class="swiper-button-prev"></div>
```

```
<div class="swiper-button-next"></div>
```

```
</div>
```

```
<div class="card">
```

```
<!-- 1º linha -->
```

```
<div class="card__descrição">
```

```
<!-- 1º coluna -->
```

```
<div class="descrição">
```

```

```

```
<h3 class="descrição__titulo">Autora do Mês</h3>
```

```
<h2 class="descrição__titulo-livro">Juliana Agarikov</h2>
```

```
<p class="descrição__texto">Analista de sistemas e escritora, Juliana é especialista em
```

```
Front-End.
```

```
</p>
```

```
</div>
```

```
<!-- 2º coluna -->
```

```

```

```
</div>
```

```
<!-- 2º linha -->
```

```
<div class="card__botões">
```

```
<!-- 1º coluna -->

<ul class="botões">

  <li class="botões__item"></li>

  <li class="botões__item"></li>

</ul>

<!-- 2º coluna -->

<a href="#" class="botões__ancora">Saiba mais</a>

</div>

</div>

</div>
```

```
</section>
```

```
<section class="tópicos">

<h2 class="tópicos__titulo">TÓPICOS VISITADOS RECENTEMENTE</h2>

<ul class="tópicos__lista">

  <li class="tópicos__item"><a href="#" class="tópicos__link">Android</a></li>

  <li class="tópicos__item">

    <a href="#" class="tópicos__link">Marketing Digital</a>

  </li>

  <li class="tópicos__item">

    <a href="#" class="tópicos__link">Agile</a>

  </li>

  <li class="tópicos__item">

    <a href="#" class="tópicos__link">Startups</a>

  </li>

  <li class="tópicos__item">

    <a href="#" class="tópicos__link">HTML & CSS</a>

  </li>
```



```
<li class="tópicos__item">
  <a href="#" class="tópicos__link">Python</a>
</li>

<li class="tópicos__item">
  <a href="#" class="tópicos__link">OO</a>
</li>

<li class="tópicos__item">
  <a href="#" class="tópicos__link">Java</a>
</li>
</ul>
</section>

<section class="contato">
  <div class="contato__descrição">
    <h2 class="contato__titulo">Fique por dentro das novidades!</h2>
    <p class="contato__texto">
      Atualizações de e-books, novos livros, promoções e outros.
    </p>
  </div>
  <input type="email" placeholder="Cadastre seu e-mail" class="contato__email">
</section>

<hr />

<footer class="rodapé">
  <h2 class="rodapé__titulo">Grupo Alura</h2>
  <ul class="lista-rodapé">
    <li class="lista-rodapé__titulo">Educação</li>
    <li class="lista-rodapé__item">
      
      <a href="#" class="lista-rodapé__link">Caelum</a>
    </li>
  </ul>
</footer>
```

```
</li>

<li class="lista-rodapé__item">

  

  <a href="#" class="lista-rodapé__link">Casa do Código</a>

</li>

</ul>

<ul class="lista-rodapé">

  <li class="lista-rodapé__titulo">Educação online</li>

  <li class="lista-rodapé__item">

    

    <a href="#" class="lista-rodapé__link">Alura</a>

  </li>

  <li class="lista-rodapé__item">

    

    <a href="#" class="lista-rodapé__link">Alura para Empresas</a>

  </li>

  <li class="lista-rodapé__item">

    

    <a href="#" class="lista-rodapé__link">Alura LATAM</a>

  </li>

  <li class="lista-rodapé__item">

    

    <a href="#" class="lista-rodapé__link">Alura Start</a>

  </li>

  <li class="lista-rodapé__item">

    

    <a href="#" class="lista-rodapé__link">Music Dot</a>

  </li>

  <li class="lista-rodapé__item">

    
```

```
<a href="#" class="lista-rodapé__link">Alura Língua</a>
</li>
<li class="lista-rodapé__item">
  
  <a href="#" class="lista-rodapé__link">PM3</a>
</li>
</ul>

<ul class="lista-rodapé">
  <li class="lista-rodapé__titulo">Comunidade</li>
  <li class="lista-rodapé__item">
    
    <a href="#" class="lista-rodapé__link">Hipsters ponto Tech</a>
  </li>
  <li class="lista-rodapé__item">
    
    <a href="#" class="lista-rodapé__link">Scuba Dev</a>
  </li>
  <li class="lista-rodapé__item">
    
    <a href="#" class="lista-rodapé__link">Layers ponto Tech</a>
  </li>
  <li class="lista-rodapé__item">
    
    <a href="#" class="lista-rodapé__link">Like a Boss</a>
  </li>
  <li class="lista-rodapé__item">
    
    <a href="#" class="lista-rodapé__link">Carreira sem fronteiras</a>
  </li>
  <li class="lista-rodapé__item">
```

```


<a href="#" class="lista-rodapé__link">Hipsters ponto jobs</a>

</li>

<li class="lista-rodapé__item">

  

  <a href="#" class="lista-rodapé__link">GUJ</a>

</li>

</ul>

</footer>


<script src="https://cdn.jsdelivr.net/npm/swiper@11/swiper-bundle.min.js"></script>

<script>

  const swiper = new Swiper(".swiper", {

    spaceBetween: 10,

    slidesPerView: 3,

    pagination: {

      el: '.swiper-pagination',

      type: 'bullets',

    },

  });

</script>

</body>

</html>
```

Reset.css

```
/* http://meyerweb.com/eric/tools/css/reset/  
v2.0 | 20110126  
License: none (public domain)  
*/
```

```
html,  
body,  
div,  
span,  
applet,  
object,  
iframe,  
h1,  
h2,  
h3,  
h4,  
h5,  
h6,  
p,  
blockquote,  
pre,  
a,  
abbr,
```

acronym,

address,

big,

cite,

code,

del,

dfn,

em,

img,

ins,

kbd,

q,

s,

samp,

small,

strike,

strong,

sub,

sup,

tt,

var,

b,

u,

i,

center,

dl,

dt,

dd,

ol,

ul,

li,

fieldset,
form,
label,
legend,
table,
caption,
tbody,
tfoot,
thead,
tr,
th,
td,
article,
aside,
canvas,
details,
embed,
figure,
figcaption,
footer,
header,
hgroup,
menu,
nav,
output,
ruby,
section,
summary,
time,
mark,
audio,

```
video {  
    margin: 0;  
    padding: 0;  
    border: 0;  
    font-size: 100%;  
    font: inherit;  
    vertical-align: baseline;  
}
```

```
/* HTML5 display-role reset for older browsers */
```

```
article,  
aside,  
details,  
figcaption,  
figure,  
footer,  
header,  
hgroup,  
menu,  
nav,  
section {  
    display: block;  
}
```

```
body {  
    line-height: 1;  
}
```

```
ol,  
ul {  
    list-style: none;
```



```
}
```

```
blockquote,
```

```
q {
```

```
  quotes: none;
```

```
}
```

```
blockquote:before,
```

```
blockquote:after,
```

```
q:before,
```

```
q:after {
```

```
  content: ";
```

```
  content: none;
```

```
}
```

```
table {
```

```
  border-collapse: collapse;
```

```
  border-spacing: 0;
```

```
}
```

Styles.css

```
@import url("styles/header.css");
@import url("styles/banner.css");
@import url("styles/carrossel.css");
@import url("styles/topicos.css");
@import url("styles/contato.css");
@import url("styles/rodapé.css");
```

```
:root {
  --cor-de-fundo: #EBECEEE;
  --branco: #FFFFFFF;
  --laranja: #EB9B00;
  --azul-degrade: linear-gradient(97.54deg, #002f52 35.49%, #326589 165.37%);
  --fonte-principal: "Poppins";
  --azul: #002F52;
  --fonte-secundario: "Josefin Sans";
  --preto: #000000;
  --cinza: #474646;
  --cinza-claro: #858585;
}
```

```
body {
```

```
background-color: var(--cor-de-fundo);  
font-family: var(--fonte-principal);  
font-size: 16px;  
font-weight: 400;  
}
```