

Instituto Federal de Educação, Ciência e Tecnologia do Ceará

Curso: Informática

Disciplina: SOR 2

Aluno: Gabriel Rodrigues Moreira

Avaliação-06

1.

Gateway/DNS IPv4

☐ DHCP

☒ Static

Default Gateway

DNS Server

DNS Service

☒ On

☐ Off

Resource Records

Name

Type

A Record


Address

Add

Save

Remove

No.	Name	Type	Detail
0	dcp.h.lambda.com	A Record	192.168.60.3
1	ftp.lambda.com	A Record	192.168.60.4
2	www.lambda.com	A Record	192.168.60.2



```
C:\>ping 192.168.60.4

Pinging 192.168.60.4 with 32 bytes of data:

Request timed out.
Reply from 192.168.60.4: bytes=32 time<1ms TTL=125
Reply from 192.168.60.4: bytes=32 time<1ms TTL=125
Reply from 192.168.60.4: bytes=32 time<1ms TTL=125

Ping statistics for 192.168.60.4:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 192.168.60.2

Pinging 192.168.60.2 with 32 bytes of data:

Reply from 192.168.60.2: bytes=32 time<1ms TTL=125
Reply from 192.168.60.2: bytes=32 time<1ms TTL=125
Reply from 192.168.60.2: bytes=32 time<1ms TTL=125
Reply from 192.168.60.2: bytes=32 time<1ms TTL=125

Ping statistics for 192.168.60.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

2.

PC0



Physical Config **Desktop** Programming Attributes

Web Browser

X



URL

http://192.168.60.2

Go

Stop

Cisco Packet Tracer

Welcome to Cisco Packet Tracer. Opening doors to new opportunities. Mind Wide Open.

Quick Links:


[A small page](#)

[Copyrights](#)

[Image page](#)

[Image](#)

☐ Top



3.

```
R1>enable
R1#config terminal
Enter configuration commands, one per line. End with CNTL/Z.
R1(config)#interface fastethernet 6/0
R1(config-if)#ip helper-address 192.168.60.3
R1(config-if)#end
R1#
%SYS-5-CONFIG_I: Configured from console by console
|
```

4.