




Bonding order

1/ ESD protection wires : bond first pad 8, then 91*, then 196**

* After 91, bonding possible on pads 86 to 90 (Change request 26 July 2022)

** Just before 196, bonding possible on pads 197


2/ GND wires (including IREF – see table)


3/ Other wires

Pulltest pads: 153 to 162

ChipID pads: 43, 44

ITkPix – IREF bonding reference table





Bonding order

1/ ESD protection wires : bond first pad 8, then 91*, then 196**

* After 91, bonding possible on pads 86 to 90 (Change request 26 July 2022)

** Just before 196, bonding possible on pads 197

2/ Data Merging wires : pads 105 & 106


3/ GND wires (including IREF – see table)


4/ Other wires

Pulltest pads: 156 to 160

ChipID pads: 44

ITkPix – IREF bonding reference table





Bonding order

1/ ESD protection wires : bond first pad 8, then 91*, then 196**

* After 91, bonding possible on pads 86 to 90 (Change request 26 July 2022)

** Just before 196, bonding possible on pads 197

2/ Data Merging wires : pads 105 & 106


3/ GND wires (including IREF – see table)


4/ Other wires

Pulltest pads: 151 to 160

ChipID pads: 43

ITkPix – IREF bonding reference table





Bonding order

1/ ESD protection wires : bond first pad 8, then 91*, then 196**

* After 91, bonding possible on pads 86 to 90 (Change request 26 July 2022)

** Just before 196, bonding possible on pads 197


2/ GND wires (including IREF – see table)

3/ Other wires

Pulltest pads: No wires


ChipID pads: No wires

ITkPix – IREF bonding reference table




ITkPix – IREF bonding map

(Pads 47 to 50)



ITkPix with flex v3.2 – HV bonding map



Here, wirebondings from HV hole to Hybrid PCB


At least 3 wires are needed

If possible, put more wires for reliability

ITkPix avec flex v3.2 – Misalignment study


GA1

GA2




ITkPix avec flex v3.2 – Misalignment study

GA3



GA4



— Chip+100µm to pad198 — Chip-100µm to pad198