


KARATE

1. Crear la orden




```
Project: PetStore_KarateDSL
File: crear_orden.feature
Feature: Creaciones de ordenes

...
[INFO] -----
[INFO] T E S T S
[INFO] -----
[INFO] Running examples.ExamplesTest
22:01:04.774 [main] INFO com.intuit.karate.Runner - using system property 'karate.options': --tags @crear
22:01:05.343 [main] DEBUG com.intuit.karate.Suite - [config] classpath:karate-config.js
22:01:05.347 [main] INFO com.intuit.karate.Suite - backed up existing 'target/karate-reports' dir to: target/karate-reports_175986065344
22:01:06.155 [main] INFO com.intuit.karate - karate.env system property was: null
22:01:06.469 [main] DEBUG com.intuit.karate - request:
1 > POST https://petstore.swagger.io/v2/store/order
1 > Content-Type: application/json; charset=UTF-8
1 > Content-Length: 68
1 > Host: petstore.swagger.io
1 > Connection: Keep-Alive
1 > User-Agent: Apache-HttpClient/4.5.14 (Java/11.0.28)
1 > Accept-Encoding: gzip,deflate
1 > {"petId":501,"quantity":1,"status":"placed","complete":true}

22:01:07.433 [main] DEBUG com.intuit.karate - response time in milliseconds: 958
1 < 200
1 < Date: Tue, 07 Oct 2025 04:15:20 GMT
1 < Content-Type: application/json
1 < Transfer-Encoding: chunked
1 < Connection: keep-alive
1 < Access-Control-Allow-Origin: *
1 < Access-Control-Allow-Methods: GET, POST, DELETE, PUT
1 < Access-Control-Allow-Headers: Content-Type, api_key, Authorization
1 < Server: Jetty(9.2.9.v20150224)
1 < {"id":"7981948476417456347","petId":501,"quantity":1,"status":"placed","complete":true}

22:01:07.509 [main] INFO com.intuit.karate - [print] {
  "id": 7981948476417456347,
  "petId": 501,
  "quantity": 1,
  "status": "placed",
  "complete": true
}

feature: classpath:examples/crear_orden.feature
scenarios: 1 | passed: 1 | failed: 0 | time: 1.3254
```



```
Project: PetStore_KarateDSL
File: crear_orden.feature
Feature: Creaciones de ordenes

...
22:01:08.227 [main] INFO com.intuit.karate.Suite - <<pass>> feature 1 of 4 (0 remaining) classpath:examples/crear_orden.feature
22:01:08.234 [main] INFO com.intuit.karate - karate.env system property was: null
22:01:08.237 [main] DEBUG com.intuit.karate - request:
1 > POST https://petstore.swagger.io/v2/pet
1 > Content-Type: application/json; charset=UTF-8
1 > User-Agent: PostmanRuntime/7.47.1
1 > Content-Length: 138
1 > Host: petstore.swagger.io
1 > Connection: Keep-Alive
1 > Accept-Encoding: gzip,deflate
1 > {"id":0,"category":{"id":0,"name":"string"},"name":"doggie","photoUrls":["string"],"tags":[{"id":0,"name":"string"},"status":"available"}

22:01:08.588 [main] DEBUG com.intuit.karate - response time in milliseconds: 350
1 < 200
1 < Date: Tue, 07 Oct 2025 04:15:21 GMT
1 < Content-Type: application/json
1 < Transfer-Encoding: chunked
1 < Connection: keep-alive
1 < Access-Control-Allow-Origin: *
1 < Access-Control-Allow-Methods: GET, POST, DELETE, PUT
1 < Access-Control-Allow-Headers: Content-Type, api_key, Authorization
1 < Server: Jetty(9.2.9.v20150224)
1 < {"id":9223372036854738287,"category":{"id":0,"name":"string"},"name":"doggie","photoUrls":["string"],"tags":[{"id":0,"name":"string"},"status":"available"}

22:01:08.593 [main] INFO com.intuit.karate - [print] {
  "id": 9223372036854738287,
  "category": {
    "id": 0,
    "name": "string"
  },
  "name": "doggie",
  "photoUrls": [
    "string"
  ],
  "tags": [
    {
      "id": 0,
      "name": "string"
    }
  ],
  "status": "available"
}
```

```
Project: PetStore_KarateDSL
Version control:
Current File:
Terminal: Local x +
...
"string"
},
"tags": [
{
"id": 0,
"name": "string"
}
],
"status": "available"
}
}

feature: classpath:examples/mascotas/post-mascotas.feature
scenarios: 1 | passed: 1 | failed: 0 | time: 0.3590

-----

22:01:08.835 [main] INFO com.intuit.karate.Suite - <<pass>> feature 2 of 4 (0 remaining) classpath:examples/mascotas/post-mascotas.feature
22:01:08.838 [main] DEBUG com.intuit.karate.Suite - waiting for 4 features to complete
Karate version: 1.4.1
=====
elapsed: 4.07 | threads: 1 | thread time: 1.68
features: 2 | skipped: 2 | efficiency: 0.41
scenarios: 2 | passed: 2 | failed: 0
=====

HTML report: (paste into browser to view) | Karate version: 1.4.1
file:///mnt/data/Ubuntu/CURSOS_EXTRAS/QA/4_Automatizacion/APIs/PetStore_KarateDSL/target/karate-reports/karate-summary.html
=====

[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 4.584 s - in examples.ExamplesTest
[INFO] Results:
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO] BUILD SUCCESS
[INFO]
[INFO] Total time: 6.236 s
[INFO] Finished at: 2025-10-06T22:01:09-05:00
[INFO]
gabrielagabi:/mnt/data/Ubuntu/CURSOS_EXTRAS/QA/4_Automatizacion/APIs/PetStore_KarateDSL
```

Archivo /mnt/data/Ubuntu/CURSOS_EXTRAS/QA/4_Automatizacion/APIs/PetStore_KarateDSL/target/karate-reports/examples.crear_orden.html

Karate Labs 1 0

Scenarios 2025-10-06 10:01:07 p. m.

[1:4] Se crea una orden

Summary	Tags	Feature: examples/crear_orden.feature	Creaciones de ordenes
crear			ms: 1325
Scenario: [1:4] Se crea una orden			
5	Given url 'https://petstore.swagger.io/v2/store/order'		1
6	And header Content-Type = 'application/json'		1
7	And request		32
16	When method post		1220
17	Then status 200		0
18	And def orderId = response.id		11
19	And match response ==		50
28	And print response		9

2. Validar la orden creada

```
Project: PetStore_KarateDSL
Version control:
Current File:
Terminal: Local x +
...
[INFO] Running examples.ExamplesTest
22:11:40.174 [main] INFO com.intuit.karate.Runner - using system property 'karate.options': --tags @consultar
22:11:40.750 [main] DEBUG com.intuit.karate.Suite - [config] classpath:karate-config.js
22:11:40.754 [main] INFO com.intuit.karate.Suite - backed up existing 'target/karate-reports' dir to: target/karate-reports_1759806700751
22:11:41.565 [main] INFO com.intuit.karate - karate.env system property was: null
22:11:41.605 [main] INFO c.intuit.karate.core.FeatureRuntime - classpath:examples/crear_orden.feature - call by tag at line 4: crear
22:11:42.034 [main] DEBUG com.intuit.karate - request:
1 > POST https://petstore.swagger.io/v2/store/order
1 > Content-Type: application/json; charset=UTF-8
1 > Content-Length: 60
1 > Host: petstore.swagger.io
1 > Connection: Keep-Alive
1 > User-Agent: Apache-HttpClient/4.5.14 (Java/11.0.28)
1 > Accept-Encoding: gzip, deflate
{"petId":501,"quantity":1,"status":"placed","complete":true}

22:11:42.939 [main] DEBUG com.intuit.karate - response time in milliseconds: 898
1 < 200
1 < Date: Tue, 07 Oct 2025 04:43:09 GMT
1 < Content-Type: application/json
1 < Transfer-Encoding: chunked
1 < Connection: keep-alive
1 < Access-Control-Allow-Origin: *
1 < Access-Control-Allow-Methods: GET, POST, DELETE, PUT
1 < Access-Control-Allow-Headers: Content-Type, api_key, Authorization
1 < Server: Jetty(9.2.9.v20150224)
{"id":"771808097993512474","petId":501,"quantity":1,"status":"placed","complete":true}

22:11:43.011 [main] INFO com.intuit.karate - [print] {
  "id": 771808097993512474,
  "petId": 501,
  "quantity": 1,
  "status": "placed",
  "complete": true
}

22:11:43.044 [main] DEBUG com.intuit.karate - request:
1 > GET https://petstore.swagger.io/v2/store/order/771808097993512474
1 > Content-Type: application/json
...
```

```
Project ▾ PetStore_KarateDSL ▾ Version control ▾
  ▾ create_order.feature ▾ consultar_order.feature ▾
  ▾ Add header Content-Type = application/json

Terminal Local ▾ ▾
...
22:11:43.844 [main] DEBUG com.intuit.karate - request:
1 > GET https://petstore.swagger.io/v2/store/order/7718888979933512474
1 < Content-Type: application/json
1 < Host: petstore.swagger.io
1 < Connection: Keep-Alive
1 > User-Agent: Apache-HttpClient/4.5.14 (Java/11.0.28)
1 < Accept-Encoding: gzip,deflate

22:11:43.342 [main] DEBUG com.intuit.karate - response time in milliseconds: 297
1 < 200
1 < Date: Tue, 07 Oct 2025 04:43:09 GMT
1 < Content-Type: application/json
1 < Transfer-Encoding: chunked
1 < Connection: keep-alive
1 < Access-Control-Allow-Origin: *
1 < Access-Control-Allow-Methods: GET, POST, DELETE, PUT
1 < Access-Control-Allow-Headers: Content-Type, api_key, Authorization
1 < Server: Jetty(9.2.9.v20150224)
{"id":"7718888979933512474","petId":501,"quantity":1,"status":"placed","complete":true}

22:11:43.362 [main] INFO com.intuit.karate - [print] {
  "id": 7718888979933512474,
  "petId": 501,
  "quantity": 1,
  "status": "placed",
  "complete": true
}

-----
feature: classpath:examples/consultar_order.feature
scenarios: 1 | passed: 1 | failed: 0 | time: 1.7654
-----

22:11:44.040 [main] INFO com.intuit.karate.Suite - <<pass>> feature 1 of 2 (0 remaining) classpath:examples/consultar_order.feature
22:11:44.041 [main] DEBUG com.intuit.karate.Suite - waiting for 2 features to complete
Karate version: 1.4.1
=====
elapsed: 3.87 | threads: 1 | thread time: 1.77
features: 1 | skipped: 1 | efficiency: 0.46
scenarios: 1 | passed: 1 | failed: 0
-----
PetStore_KarateDSL > src > test > java > examples > consultar_order.feature 9-26 LF UTF-8 2 spaces
```

← → ↻ Archivo /mnt/data/Ubuntu/CURSOS_EXTRAS/QA/4_Automatizacion/APIs/PetStore_KarateDSL/target/karate-reports/examples.consultar_order.html

 <div>Karate Labs</div> <div>Scenarios</div> <div>2025-10-06 10:11:43 p. m.</div> <div>[1.7] Consultar y validar la orden creada</div>	<div>Summary Tags Feature: examples/consultar_order.feature Consultas y validaciones de ordenes</div> <table><thead><tr><th>consultar</th><th>ms: 1765</th></tr></thead><tbody><tr><td colspan="2">Escenario: [1.7] Consultar y validar la orden creada</td></tr><tr><td colspan="2">>> Background:</td></tr><tr><td>8 Given url https://petstore.swagger.io/v2/store/order/ + orderId</td><td>20</td></tr><tr><td>9 And header Content-Type = 'application/json'</td><td>1</td></tr><tr><td>10 When method get</td><td>306</td></tr><tr><td>11 Then status 200</td><td>0</td></tr><tr><td>12 And match response.petId == 501</td><td>7</td></tr><tr><td>13 And match response.status == 'placed'</td><td>3</td></tr><tr><td>14 And match response.complete == true</td><td>3</td></tr><tr><td>15 And print response</td><td>3</td></tr></tbody></table>	consultar	ms: 1765	Escenario: [1.7] Consultar y validar la orden creada		>> Background:		8 Given url https://petstore.swagger.io/v2/store/order/ + orderId	20	9 And header Content-Type = 'application/json'	1	10 When method get	306	11 Then status 200	0	12 And match response.petId == 501	7	13 And match response.status == 'placed'	3	14 And match response.complete == true	3	15 And print response	3
consultar	ms: 1765																						
Escenario: [1.7] Consultar y validar la orden creada																							
>> Background:																							
8 Given url https://petstore.swagger.io/v2/store/order/ + orderId	20																						
9 And header Content-Type = 'application/json'	1																						
10 When method get	306																						
11 Then status 200	0																						
12 And match response.petId == 501	7																						
13 And match response.status == 'placed'	3																						
14 And match response.complete == true	3																						
15 And print response	3																						

3. Eliminar la orden y Validar la eliminación

```
Project ▾ PetStore_KarateDSL ▾ Version control ▾
  ▾ create_order.feature ▾ consultar_order.feature ▾ eliminar_order.feature ▾
  ▾ Add header Content-Type = application/json

Terminal Local ▾ ▾
...
[INFO] Running examples.ExamplesTest
22:30:16.174 [main] INFO com.intuit.karate.Runner - using system property 'karate.options': --tags @test
22:30:16.750 [main] DEBUG com.intuit.karate.Suite - [config] classpath:karate-config.js
22:30:16.753 [main] INFO com.intuit.karate.Suite - backed up existing 'target/karate-reports' dir to: target/karate-reports_1759807816750
22:30:17.676 [main] INFO com.intuit.karate - Karate.env system property was: null
22:30:17.730 [main] INFO c.intuit.karate.core.FeatureRuntime - classpath:examples/crear_order.feature - call by tag at line 4: crear
22:30:17.942 [main] DEBUG com.intuit.karate - request:
1 > POST https://petstore.swagger.io/v2/store/order
1 < Content-Type: application/json; charset=UTF-8
1 < Content-Length: 60
1 < Host: petstore.swagger.io
1 < Connection: Keep-Alive
1 > User-Agent: Apache-HttpClient/4.5.14 (Java/11.0.28)
1 < Accept-Encoding: gzip,deflate
{"petId":501,"quantity":1,"status":"placed","complete":true}

22:30:18.721 [main] DEBUG com.intuit.karate - response time in milliseconds: 771
1 < 200
1 < Date: Tue, 07 Oct 2025 05:01:45 GMT
1 < Content-Type: application/json
1 < Transfer-Encoding: chunked
1 < Connection: keep-alive
1 < Access-Control-Allow-Origin: *
1 < Access-Control-Allow-Methods: GET, POST, DELETE, PUT
1 < Access-Control-Allow-Headers: Content-Type, api_key, Authorization
1 < Server: Jetty(9.2.9.v20150224)
{"id":"7718888979933512494","petId":501,"quantity":1,"status":"placed","complete":true}

22:30:18.799 [main] INFO com.intuit.karate - [print] {
  "id": 7718888979933512494,
  "petId": 501,
  "quantity": 1,
  "status": "placed",
  "complete": true
}

22:30:18.819 [main] DEBUG com.intuit.karate - request:
1 > DELETE https://petstore.swagger.io/v2/store/order/7718888979933512494
1 < Content-Type: application/json
1 < Host: petstore.swagger.io
1 < Connection: Keep-Alive
1 > User-Agent: Apache-HttpClient/4.5.14 (Java/11.0.28)
1 < Accept-Encoding: gzip,deflate
PetStore_KarateDSL > src > test > java > examples > eliminar_order.feature 24-20 LF UTF-8 2 spaces
```

```

PetStore_KarateDSL  Version control
crea_order.feature  consu_order.feature  elima_order.feature
Terminal  Local  +
...
22:30:19.128 [main] DEBUG com.intuit.karate - response time in milliseconds: 307
1 < 200
1 < Date: Tue, 07 Oct 2025 05:01:45 GMT
1 < Content-Type: application/json
1 < Transfer-Encoding: chunked
1 < Connection: keep-alive
1 < Access-Control-Allow-Origin: *
1 < Access-Control-Allow-Methods: GET, POST, DELETE, PUT
1 < Access-Control-Allow-Headers: Content-Type, api_key, Authorization
1 < Server: Jetty(9.2.9.v20150224)
{"code":200,"type":"unknown","message":"7718080979933512494"}

22:30:19.149 [main] INFO  com.intuit.karate - [print] {
  "code": 200,
  "type": "unknown",
  "message": "7718080979933512494"
}

22:30:19.179 [main] INFO  com.intuit.karate - karate.env system property was: null
22:30:19.191 [main] INFO  c.intuit.karate.core.FeatureRuntime - classpath:examples/crea_order.feature - call by tag at line 4: crea
22:30:19.228 [main] DEBUG com.intuit.karate - request:
1 > POST https://petstore.swagger.io/v2/store/order
1 > Content-Type: application/json; charset=UTF-8
1 > Content-Length: 60
1 > Host: petstore.swagger.io
1 > Connection: Keep-Alive
1 > User-Agent: Apache-HttpClient/4.5.14 (Java/11.0.28)
1 > Accept-Encoding: gzip,deflate
{"petId":501,"quantity":1,"status":"placed","complete":true}

22:30:19.531 [main] DEBUG com.intuit.karate - response time in milliseconds: 300
1 < 200
1 < Date: Tue, 07 Oct 2025 05:01:46 GMT
1 < Content-Type: application/json
1 < Transfer-Encoding: chunked
1 < Connection: keep-alive
1 < Access-Control-Allow-Origin: *
1 < Access-Control-Allow-Methods: GET, POST, DELETE, PUT
1 < Access-Control-Allow-Headers: Content-Type, api_key, Authorization
1 < Server: Jetty(9.2.9.v20150224)
{"id":"7981948476417456396","petId":501,"quantity":1,"status":"placed","complete":true}

PetStore_KarateDSL > src > test > java > examples > elima_order.feature 24:20 LF UTF-8 2 spaces
```

```

PetStore_KarateDSL  Version control
crea_order.feature  consu_order.feature  elima_order.feature
Terminal  Local  +
...
22:30:19.540 [main] INFO  com.intuit.karate - [print] {
  "id": 7981948476417456396,
  "petId": 501,
  "quantity": 1,
  "status": "placed",
  "complete": true
}

22:30:19.552 [main] INFO  c.intuit.karate.core.FeatureRuntime - classpath:examples/elima_order.feature - call by tag at line 8: elima
22:30:19.577 [main] INFO  c.intuit.karate.core.FeatureRuntime - classpath:examples/crea_order.feature - call by tag at line 4: crea
22:30:19.606 [main] DEBUG com.intuit.karate - request:
1 > POST https://petstore.swagger.io/v2/store/order
1 > Content-Type: application/json; charset=UTF-8
1 > Content-Length: 60
1 > Host: petstore.swagger.io
1 > Connection: Keep-Alive
1 > User-Agent: Apache-HttpClient/4.5.14 (Java/11.0.28)
1 > Accept-Encoding: gzip,deflate
{"petId":501,"quantity":1,"status":"placed","complete":true}

22:30:19.967 [main] DEBUG com.intuit.karate - response time in milliseconds: 358
1 < 200
1 < Date: Tue, 07 Oct 2025 05:01:46 GMT
1 < Content-Type: application/json
1 < Transfer-Encoding: chunked
1 < Connection: keep-alive
1 < Access-Control-Allow-Origin: *
1 < Access-Control-Allow-Methods: GET, POST, DELETE, PUT
1 < Access-Control-Allow-Headers: Content-Type, api_key, Authorization
1 < Server: Jetty(9.2.9.v20150224)
{"id":"7981948476417456397","petId":501,"quantity":1,"status":"placed","complete":true}

22:30:19.974 [main] DEBUG c.intuit.karate.core.ScenarioEngine - over-writing existing variable 'orderId' with new value: response.id
22:30:19.977 [main] INFO  com.intuit.karate - [print] {
  "id": 7981948476417456397,
  "petId": 501,
  "quantity": 1,
  "status": "placed",
  "complete": true
}

22:30:19.988 [main] DEBUG com.intuit.karate - request:

PetStore_KarateDSL > src > test > java > examples > elima_order.feature 24:20 LF UTF-8 2 spaces
```

```
PetStore_KarateDSL Version control
crea_order.feature consultar_order.feature eliminar_order.feature
Terminal Local
22:30:19.988 [main] DEBUG com.intuit.karate - request:
1 > DELETE https://petstore.swagger.io/v2/store/order/7981948476417456397
1 > Content-Type: application/json
1 > Host: petstore.swagger.io
1 > Connection: Keep-Alive
1 > User-Agent: Apache-HttpClient/4.5.14 (Java/11.0.28)
1 > Accept-Encoding: gzip,deflate

22:30:20.284 [main] DEBUG com.intuit.karate - response time in milliseconds: 294
1 < 200
1 < Date: Tue, 07 Oct 2025 05:01:46 GMT
1 < Content-Type: application/json
1 < Transfer-Encoding: chunked
1 < Connection: keep-alive
1 < Access-Control-Allow-Origin: *
1 < Access-Control-Allow-Methods: GET, POST, DELETE, PUT
1 < Access-Control-Allow-Headers: Content-Type, api_key, Authorization
1 < Server: Jetty(9.2.9.v20150224)
{"code":200,"type":"unknown","message":"7981948476417456397"}

22:30:20.290 [main] INFO com.intuit.karate - [print] {
  "code": 200,
  "type": "unknown",
  "message": "7981948476417456397"
}

22:30:20.299 [main] DEBUG com.intuit.karate - request:
1 > GET https://petstore.swagger.io/v2/store/order/7981948476417456397
1 > Content-Type: application/json
1 > Host: petstore.swagger.io
1 > Connection: Keep-Alive
1 > User-Agent: Apache-HttpClient/4.5.14 (Java/11.0.28)
1 > Accept-Encoding: gzip,deflate

22:30:20.589 [main] DEBUG com.intuit.karate - response time in milliseconds: 288
1 < 404
1 < Date: Tue, 07 Oct 2025 05:01:47 GMT
1 < Content-Type: application/json
1 < Transfer-Encoding: chunked
1 < Connection: keep-alive
```

```
PetStore_KarateDSL Version control
crea_order.feature consultar_order.feature eliminar_order.feature
Terminal Local
22:30:20.589 [main] DEBUG com.intuit.karate - response time in milliseconds: 288
1 < 404
1 < Date: Tue, 07 Oct 2025 05:01:47 GMT
1 < Content-Type: application/json
1 < Transfer-Encoding: chunked
1 < Connection: keep-alive
1 < Access-Control-Allow-Origin: *
1 < Access-Control-Allow-Methods: GET, POST, DELETE, PUT
1 < Access-Control-Allow-Headers: Content-Type, api_key, Authorization
1 < Server: Jetty(9.2.9.v20150224)
{"code":1,"type":"error","message":"Order not found"}

22:30:20.593 [main] INFO com.intuit.karate - [print] {
  "code": 1,
  "type": "error",
  "message": "Order not found"
}

-----
feature: classpath:examples/eliminar_order.feature
scenarios: 2 | passed: 2 | failed: 0 | time: 2.8342
-----

22:30:21.382 [main] INFO com.intuit.karate.Suite - <pass> feature 3 of 3 (0 remaining) classpath:examples/eliminar_order.feature
22:30:21.382 [main] DEBUG com.intuit.karate.Suite - waiting for 3 features to complete
Karate version: 1.4.1
=====
elapsed: 5.22 | threads: 1 | thread time: 2.83
features: 1 | skipped: 2 | efficiency: 0.54
scenarios: 2 | passed: 2 | failed: 0
=====

HTML report: (paste into browser to view) | Karate version: 1.4.1
file:///mnt/data/Ubuntu/CURSOS_EXTRAS/QA/4_Automatizacion/APIs/PetStore_KarateDSL/target/karate-reports/karate-summary.html
=====

[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 5.649 s - in examples.ExamplesTest
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0
[INFO]
```



2

0

Scenarios

2025-10-06 10:30:20 p. m.

[1:8] Se elimina la orden creada

[2:17] Se valida que la orden eliminada ya no existe

Summary | Tags | Feature: `examples/eliminar_order.feature` | Eliminaciones y validaciones de ordenes

eliminar	test	ms: 1426
Scenario: [1:8] Se elimina la orden creada		
>> Background:		
9	Given path orderId	2
10	And header Content-Type = 'application/json'	1
11	When method delete	320
12	Then status 200	0
13	And match response.code == 200	12
14	And print response	3

test	validar	ms: 1408
Scenario: [2:17] Se valida que la orden eliminada ya no existe		
>> Background:		
18	* call read('classpath:examples/eliminar_order.feature@eliminar')	749
>>	examples.eliminar_order	718
19	* url 'https://petstore.swagger.io/v2/store/order/'	1
21	Given path orderId	1
22	And header Content-Type = 'application/json'	0
23	When method get	296
24	Then status 404	0
25	And print response	2