

Laboratorinis darbas nr. 2

1. Leistini variantai a, b, e, g, h - kiti netinka, nes negalima naudoti simbolio ' ir kintamasis turi prasidėti raide bei būti ne ilgesnis nei 30 simbolių
2. Tinkamai paskelbti a ir d. Netinka b ir c, nes konstantoms turi būti priskirta pradinė reikšmė, taip pat Johnson parašytas ne kabutėse.
3. Atsakymas a - blokas bus sėkmingai įvykdytas ir bus išvesta reikšmė "fernandez"
4. lab_02_04_soln.sql turinys:

```
DECLARE
    v_today    DATE := SYSDATE;
    v_tomorrow v_today%TYPE;
BEGIN
    v_tomorrow := v_today + 1;
    DBMS_OUTPUT.PUT_LINE('Hello World');
    DBMS_OUTPUT.PUT_LINE('TODAY IS: ' || v_today);
    DBMS_OUTPUT.PUT_LINE('TOMORROW IS: ' || v_tomorrow);
END;
```

5. lab_02_05_soln.sql turinys:

```
VARIABLE b_basic_percent NUMBER
VARIABLE b_pf_percent NUMBER

DECLARE
    v_today    DATE := SYSDATE;
    v_tomorrow v_today%TYPE;
BEGIN
    :b_basic_percent := 45;
    :b_pf_percent := 12;
    v_tomorrow := v_today + 1;
    DBMS_OUTPUT.PUT_LINE('Hello World');
    DBMS_OUTPUT.PUT_LINE('TODAY IS: ' || v_today);
    DBMS_OUTPUT.PUT_LINE('TOMORROW IS: ' || v_tomorrow);
END;
/
PRINT b_basic_percent;
PRINT b_pf_percent;
```