Department
🔑 **department_Code**	**integer(50)**
department_OfficeNo	varchar(255)
department_administratorName	varchar(255)
head_Allowance	integer(100000)
Academicdepartment_Head	*integer(30)*

Teaching Staff
🔑 **staff_No**	**integer(50)**
staff_Name	varchar(255)
staff_Salary	integer(100000)
Departmentdepartment_Code	*integer(50)*

Mandatory, OR

Teaching Assistant
🔑 **contract_No**	**integer(10)**
Teaching Staffstaff_No	*integer(50)*

Academic
🔑 **department_Head**	**integer(30)**
academic_grade	integer(100)
Teaching Staffstaff_No	*integer(50)*

Teaching Assistant_Module
🔑 ***Teaching Assistantcontract_No***	***integer(10)***
🔑 ***Modulemodule_No***	***integer(50)***

Module
🔑 **module_No**	**integer(50)**
module_Name	varchar(255)
module_Topic	varchar(255)
Academicdepartment_Head	*integer(30)*

Department (**department_Code**, department_OfficeNo, department_administratorName, head_Allowance, Academicdepartment_Head(foreign key))

Teaching Staff (**staff_No**, staff_Name, staff_Salary, Departmentdepartment_Code (foreign key))

Academic (academic_grade, Teaching Staffstaff_No(foreign key))

Teaching Assistant_Module (**contract_No**, **module_No** , Teaching Staffstaff_No(foreign key), module_Name, module_Topic, academicdepartment_Head (foreign key)