

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://gabriellamoura7.github.io/LIMA/

Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by

address ▾

https://gabriellamoura7.github.io/LIMA/

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1.

Error

Bad character `,` after `<`. Probable cause: Unescaped `<`. Try escaping it as `<`.

At line 87, column 30

halloooo (`,``>``7``<``,``,`)!</p><<</sec
2.

Warning

Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 85, column 5; to line 85, column 8

`"3"><<<` `<h1>3`^a Pos
3.

Warning

Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 61, column 5; to line 61, column 8

`"6"><<<` `<h1>6`^a Pos
4.

Warning

Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 100, column 5; to line 100, column 8

`= "1"><<<` `<h1>1`^a Pos

5. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 38, column 5; to line 38, column 8

"9">↵↵ <h1>9^a Pos

6. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 93, column 5; to line 93, column 8

"2">↵↵ <h1>2^a Pos

7. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 77, column 5; to line 77, column 8

"4">↵↵ <h1>4^a Pos

8. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 45, column 5; to line 45, column 8

"8">↵ <h1>8^a Pos

9. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 53, column 5; to line 53, column 8

"7">↵↵ <h1>7^a Pos

10. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 69, column 5; to line 69, column 8

"5">↵↵ <h1>5^a Pos

Document checking completed.

Used the HTML parser. Externally specified character encoding was utf-8.

Total execution time 15 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.8.2