115 Standard Duty Loop Hanger



The 115 Standard Duty Loop Hanger is ideal for suspending stationary, non-insulated pipe lines, including CPVC pipes, in fire sprinkler systems. A knurled insert nut helps simplify vertical adjustments and flared edges on the base (1/2" to 4" sizes) help protect pipes from coming into contact with any sharp edges of the hanger.

FEATURES

- Flared edges help prevent any sharp surfaces from coming into contact with the pipe (1/2" to 4" sizes)
- Retained insert nut helps ensure the loop hanger and insert nut stay together
- Recommended for the suspension of stationary non-insulated pipe lines
- Manufactured to use the minimum rod size permitted by NFPA® for fire sprinkler piping
- Conforms with Federal Specification WW-H-171 (Type 10), Manufacturers Standardization Society (MSS) SP-58 (Type 10)

Finish: Pregalvanized
Material: Steel

SPECIFICATIONS

Table 1/2


Catalog Number	Pipe Size	Outer Diameter (OD)	Rod Size (RS)	Rod Size (RS)	A	B
1150200EG	2" Min	2 3/8"	3/8"	3/8"	4 1/4"	1 7/8"
1150075EG	3/4"	1.05"	3/8"	3/8"	3"	1 3/16"
1150250EG	2 1/2"	2 7/8"	3/8"	3/8"	5 15/16"	3 7/16"
1150150EG BABA	1 1/2"	1.9"	3/8"	3/8"	3 13/16"	1 5/8"
1150400EG	4"	4 1/2"	3/8"	3/8"	7 9/16"	4"
1150125EG BABA	1 1/4" Min	1.66"	3/8"	3/8"	3 9/16"	1 1/2"
1150100EG BABA	1"	1.31"	3/8"	3/8"	3 1/4"	1 3/8"
1150300EG	3"	3 1/2"	3/8"	3/8"	6 9/16"	3 1/2"
1150050EG BABA	1/2"	0.84"	3/8"	3/8"	2 13/16"	1 1/8"

Catalog Number	Pipe Size	Outer Diameter (OD)	Rod Size (RS)	Rod Size (RS)	A	B
1150350EG	3 1/2"	4"	3/8"	3/8"	7 1/16"	3 3/4"
1150500EG	5"	5 9/16"	1/2"	1/2"	9 13/16"	4 3/4"
1150600EG	6"	6 5/8"	1/2"	1/2"	11 5/16"	6 5/16"
1150800EG	8"	8 5/8"	1/2"	1/2"	12 7/8"	6 7/8"

Table 2/2

Catalog Number	C	Static Load (F)	Certifications
1150200EG	15/16"	300lbf	UL, cUL, FM Approved, Pipe Hanger Components
1150075EG	15/16"	300lbf	FM Approved, Pipe Hanger Components, cUL, UL
1150250EG	2"	525lbf	cUL, FM Approved, Pipe Hanger Components, UL
1150150EG BABA	15/16"	300lbf	UL, FM Approved, Pipe Hanger Components, cUL
1150400EG	1 15/16"	650lbf	UL, cUL, FM Approved, Pipe Hanger Components
1150125EG BABA	15/16"	300lbf	UL, cUL, FM Approved, Pipe Hanger Components
1150100EG BABA	15/16"	300lbf	cUL, FM Approved, Pipe Hanger Components, UL
1150300EG	1 15/16"	525lbf	UL, cUL, FM Approved, Pipe Hanger Components
1150050EG BABA	1"	300lbf	cUL, UL
1150350EG	1 15/16"	585lbf	cUL, FM Approved, Pipe Hanger Components, UL
1150500EG	2 1/4"	1000lbf	FM Approved, Pipe Hanger Components, cUL, UL
1150600EG	3 5/16"	1000lbf	FM Approved, Pipe Hanger Components, cUL, UL
1150800EG	2 7/8"	1000lbf	cUL, FM Approved, Pipe Hanger Components, UL

DIAGRAMS



WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

North America
+1.800.753.9221
Option 1 – Customer Care
Option 2 – Technical Support

Europe
Netherlands:
+31 800-0200135
France:
+33 800 901 793

Europe
Germany:
800 1890272
Other Countries:
+31 13 5835404

APAC
Shanghai:
+ 86 21 2412 1618/19
Sydney:
+61 2 9751 8500



Our powerful portfolio of brands:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE

©2026 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners. nVent reserves the right to change specifications without notice.

This document is system-generated.