300 Universal Beam Clamp



FEATURES

Conforms with Federal Specification WW-H-171 (Type 23), Manufacturers Standardization Society (MSS) SP-58 (Type 19 and 23)

Material: Cast Iron

SPECIFICATIONS

Table 1/2


Catalog Number	Finish	Rod Size (RS)	Rod Size (RS)	Flange Thickness (FT)	A	Torque (TQ)
3000037EG	Electrogalvanized	3/8"	3/8"	3/4" Max	1 1/8"	5 ft·lbf
3000037PL	Plain	3/8"	3/8"	3/4" Max	1 1/8"	5 ft·lbf
3000050EG	Electrogalvanized	1/2"	1/2"	3/4" Max	1 1/8"	8 ft·lbf
3000050PL	Plain	1/2"	1/2"	3/4" Max	1 1/8"	8 ft·lbf
3000062EG	Electrogalvanized	5/8"	5/8"	3/4" Max	1 1/8"	5 ft·lbf
3000062PL	Plain	5/8"	5/8"	3/4" Max	1 1/8"	5 ft·lbf
3000075EG	Electrogalvanized	3/4"	3/4"	3/4" Max	1 1/8"	5 ft·lbf
3000075PL	Plain	3/4"	3/4"	3/4" Max	1 1/8"	5 ft·lbf
3000087PL	Plain	7/8"	7/8"	3/4" Max	1 1/8"	5 ft·lbf
3000087EG	Electrogalvanized	7/8"	7/8"	3/4" Max	1 1/8"	5 ft·lbf


Table 2/2			
Catalog Number	**Static Load 1 (F1)**	**Static Load 2 (F2)**	**Certifications**
3000037EG	500lb	250lb	UL, FM Approved, Pipe Hanger Components, cUL
3000037PL	500lb	250lb	FM Approved, Pipe Hanger Components, UL, cUL
3000050EG	950lb	760lb	FM Approved, Pipe Hanger Components, cUL, UL
3000050PL	950lb	760lb	FM Approved, Pipe Hanger Components, UL, cUL
3000062EG	950lb	760lb	UL, cUL
3000062PL	950lb	760lb	UL, cUL
3000075EG	950lb	760lb	UL, cUL
3000075PL	950lb	760lb	UL, cUL
3000087PL	950lb	760lb	UL, cUL
3000087EG	950lb	760lb	UL, cUL

ADDITIONAL PRODUCT DETAILS

Setscrew must be tightened and torqued onto the sloped side of the I-beam.

DIAGRAMS





WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.nvent.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

North America
+1.800.753.9221
Option 1 – Customer Care
Option 2 – Technical Support

Europe
Netherlands:
+31 800-0200135
France:
+33 800 901 793

Europe
Germany:
800 1890272
Other Countries:
+31 13 5835404

APAC
Shanghai:
+ 86 21 2412 1618/19
Sydney:
+61 2 9751 8500

Our powerful portfolio of brands:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE



©2026 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners. nVent reserves the right to change specifications without notice.

This document is system-generated.