

File Edit Code View Plots Session Build Debug Profile Tools Help

Go to file/function Addins

```
1 diabetest1 <- read.csv("C:/Users/Indu Sri/OneDrive/Desktop/EXP 11.csv")
2 A <- as.numeric(diabetest1$Age)
3 Mean <- mean(A, na.rm = TRUE)
4 Std <- sd(A, na.rm = TRUE)
5 Zscore <- (A - Mean) / Std
6 Zscore
7
8 |
```

8:1 (Top Level)

R Script

Console Terminal Background Jobs

```
> diabetest1 <- read.csv("C:/Users/Indu Sri/OneDrive/Desktop/EXP 11.csv")
> A <- as.numeric(diabetest1$Age)
> Mean <- mean(A, na.rm = TRUE)
> Std <- sd(A, na.rm = TRUE)
> Zscore <- (A - Mean) / Std
> Zscore
numeric(0)
>
```

Project: (None)

Environment History Connections Tutorial

Import Dataset 144 MiB

R Global Environment

diabetest1 25 obs. of 4 variables

Values

a	num [1:5]	55 67 89 80 90
A	numeric	(empty)
add		10
age	num [1:3]	23 24 25
b	num [1:5]	60 70 85 75 95
correlation		0.695141335636191
marks	num [1:3]	88 78 25

Files Plots Packages Help Viewer Presentation

Zoom Export