

Compilation Time Benchmark: Clyte, GCC, and Clang (Large Program)

In this benchmarking study, we compare the compilation times of three compilers: Clyte, GCC, and Clang. The comparison involves three programs of different sizes, from small to large. Each program is compiled 5 times to obtain an average compilation time, ensuring fair results by clearing caches between runs.

Clyte Compilation Times

Run	Real Time	User Time	Sys Time
1	0m 0.027s	0m 0.002s	0m 0.000s
2	0m 0.020s	0m 0.002s	0m 0.000s
3	0m 0.029s	0m 0.002s	0m 0.000s
4	0m 0.026s	0m 0.000s	0m 0.002s
5	0m 0.019s	0m 0.002s	0m 0.000s

GCC Compilation Times

Run	Real Time	User Time	Sys Time
1	0m 0.456s	0m 0.042s	0m 0.003s
2	0m 0.437s	0m 0.044s	0m 0.000s
3	0m 0.453s	0m 0.017s	0m 0.029s
4	0m 0.450s	0m 0.013s	0m 0.033s
5	0m 0.468s	0m 0.019s	0m 0.031s

Clang Compilation Times

Run	Real Time	User Time	Sys Time
1	0m 0.881s	0m 0.068s	0m 0.013s
2	0m 0.922s	0m 0.031s	0m 0.070s
3	0m 0.909s	0m 0.032s	0m 0.063s

4	0m 0.947s	0m 0.033s	0m 0.076s
5	0m 0.975s	0m 0.043s	0m 0.054s

Average Compilation Times Summary

Compiler	Average Time (seconds)
Clyte	0.024
GCC	0.453
Clang	0.927