

Evidencias del ejercicio 1 búsqueda no informada

Gael De Jesús Ordoñez Avilés

Ciudades elegidas: Zerind -> Craiova

Uso de Breadth First Search

```
GaeloZero1@DESKTOP-IRVQH1G MINGW64 /e/Programación/IA/inteligencia-artificial/Búsqueda no informada/  
project (main)  
$ python 02_breadth_first_search.py --from-city Zerind --to Craiova  
Algorithm: Breadth-first search  
Problem: Zerind -> Craiova  
Status: success  
Path: Zerind -> Arad -> Sibiu -> Rimnicu Vilcea -> Craiova  
Depth: 4 roads  
Cost: 441 km  
Expanded: 7 nodes  
Generated: 17 nodes  
Frontier: max size 3  
((env) )
```

Uso de Uniform Cost Search

```
GaeloZero1@DESKTOP-IRVQH1G MINGW64 /e/Programación/IA/inteligencia-artificial/Búsqueda no informada/  
project (main)  
$ python 03_uniform_cost_search.py --from-city Zerind --to Craiova  
Algorithm: Uniform-cost search  
Problem: Zerind -> Craiova  
Status: success  
Path: Zerind -> Arad -> Sibiu -> Rimnicu Vilcea -> Craiova  
Depth: 4 roads  
Cost: 441 km  
Expanded: 10 nodes  
Generated: 26 nodes  
Frontier: max size 4  
((env) )
```

Uso de Depth First Search

```
GaeloZero1@DESKTOP-IRVQH1G MINGW64 /e/Programación/IA/inteligencia-artificial/Búsqueda no informada/  
project (main)  
$ python 04_depth_first_search.py --from-city Zerind --to Craiova  
Algorithm: Depth-first search  
Problem: Zerind -> Craiova  
Status: success  
Path: Zerind -> Arad -> Sibiu -> Fagaras -> Bucharest -> Pitesti -> Craiova  
Depth: 6 roads  
Cost: 764 km  
Expanded: 7 nodes  
Generated: 20 nodes  
Frontier: max size 6  
((env) )
```

Uso de Depth Limited Search con límite de 2

```
GaeloZero1@DESKTOP-IRVQH1G MINGW64 /e/Programación/IA/inteligencia-artificial/Búsqueda no informada/  
project (main)  
$ python 05_depth_limited_search.py --from-city Zerind --to Craiova --limit 2  
Algorithm: Depth-limited search  
Problem: Zerind → Craiova  
Status: cutoff  
Detail: limit=2  
Expanded: 3 nodes  
Generated: 8 nodes  
Frontier: max size 5  
((venv) )
```

Uso de Depth Limited Search con límite de 4

```
GaeloZero1@DESKTOP-IRVQH1G MINGW64 /e/Programación/IA/inteligencia-artificial/Búsqueda no informada/  
project (main)  
$ python 05_depth_limited_search.py --from-city Zerind --to Craiova --limit 4  
Algorithm: Depth-limited search  
Problem: Zerind → Craiova  
Status: success  
Detail: limit=4  
Path: Zerind → Arad → Sibiu → Rimnicu Vilcea → Craiova  
Depth: 4 roads  
Cost: 441 km  
Expanded: 6 nodes  
Generated: 12 nodes  
Frontier: max size 7  
((venv) )
```

Uso de Iterative Deepening Search

```
GaeloZero1@DESKTOP-IRVQH1G MINGW64 /e/Programación/IA/inteligencia-artificial/Búsqueda no informada/  
project (main)  
$ python 06_iterative_deepening_search.py --from-city Zerind --to Craiova  
Algorithm: Iterative deepening search  
Problem: Zerind → Craiova  
Status: success  
Detail: last_limit=4  
Path: Zerind → Arad → Sibiu → Rimnicu Vilcea → Craiova  
Depth: 4 roads  
Cost: 441 km  
Expanded: 16 nodes  
Generated: 42 nodes  
Frontier: max size 7  
((venv) )
```