Indexing big colored image bank: Texture 3.0

Etienne CAILLAUD, Thomas LE BRIS, Ibrahima GUEYE, Gaetan ADIER

XLIM-SIC Laboratory UMR CNRS 7252, Poitiers, France








Outline



Project context (1/3)

Objective

Test a solution for content based image indexing flaw: standard descriptors (SIFT, SURF, etc) lacking real color and texture information.



Project context 2/3

What is a descriptor?

Algorithm applied to an image which output is a short vector of numbers which is invariant to common image transformations and can be compared with other descriptors in a database.



FIGURE: Densegrid



FIGURE: Interest points


Project context 3/3

What is a CLEF?

International contest which purpose is to provide a place where labs and companies solution for multimedia analysis of life can compete against each other.



Team presentation



User requirement

- Design software programs : indexation of images database, calculate descriptor according to nature images
- Adapt the last up to date designed color and texture attributes to the current image classification
- Compare our results (using CLEF challenge metrics)
- Provide an abstract of the comparisons and a technical report


Outline



SIFT(1/2)



SIFT(2/2)




C₂O (1/4)

 Limitation of marginal approach Necessity to get a vectorial treatment Include better texture and color informations

$C_2O(2/4)$

- Conversion to a perceptual space (adapted to human perception).
 - C₂O matrix calculation.
- C₂O signature extraction.

 Computation of the C₂O matrix by the color difference calculation



(□) (□) (□) (□) (□)

The C₂O matrix for a poorly textured image :

FIGURE: Image to characterize




FIGURE: Signature

- The C2O matrix for a poorly textured image :
- The C2O matrix for a more textured image :




FIGURE: Image to characterize

FIGURE: Signature

- The C₂O matrix for a poorly textured image :
- The C₂O matrix for a more textured image :
- The C₂O matrix for a more textured and colored image :



FIGURE: Image to characterize






FIGURE: Signature



C₂O (4/4)

βρραα


- The spherical quantization :
- The C₂O signature for a poorly textured image :



C₂O (4/4)

β β β a


- The spherical quantization :
- The C₂O signature for a poorly textured image :
- The C₂O signature for a more textured image :



C₂O (4/4)

β b a

- The spherical quantization :
- The C₂O signature for a poorly textured image :
- The C₂O signature for a more textured image :
- The C₂O signature for a more textured and colored image :




Bag of word




K-nn(1/2)

- The k nearest neighbor method
 - Comparison to the dictionary.



K-nn(1/2)

- The k nearest neighbor method
 - Comparison to the dictionary



- 4 Occurrences of the 'red' class, 1 occurrence of the 'blue' class
- The new point is attributed to the 'red' class

K-nn(2/2)

- Application for image classification
 - More complex data.
 - Distances on signature vectors extracted from the K-mean method.
 - One most adapted distance type for each descriptor.

Result



Discussion



Outline



Scheduling (1/2)

The previsional forecast Gantt chart :

_			E-2 1110-110-2004-2-1-2-2	THE CASE STATES		_			_		_	_	-
П,	D	Task Name	Start	Finish	Duration	mai 2015			juin 2015		1		
Ľ		103x Nume	Start	ringii	Duration	26/4	3/7	10/3	17/3	24/5	31/5	7/6	1
	1	Writing the state of the art	27/04/2015	01/05/2015	1w	K	>						
I	2	Preparing the database	01/05/2015	14/05/2015	2w								1
Г	3	Constitution of database structure	01/05/2015	04/05/2015	2d							1	
ŀ	4	Calculation of SIFT discriptors	04/05/2015	08/05/2015	1w								
F	5	Calculation of SURF discriptors	08/05/2015	14/05/2015	1w						1		
	6	Programming	14/05/2015	29/05/2015	2w 2d			a		•	,		1
Г	7	Programming C2O descriptor calculation	14/05/2015	20/05/2015	1w	•						1	
	8	Programming the distance calculation function	20/05/2015	26/05/2015	1w								
	9	Writing of the technical documentation	26/05/2015	29/05/2015	4d					Œ			1
1	10	Writing of the report	29/05/2015	09/06/2015	1w 3d								
1	11	Preparation of the oral presentation	09/06/2015	15/06/2015	1w							<u> </u>	ļ

- All time affectation done before the beginning of the project
- Rarely respected in important project

Scheduling (2/2)

The project backlog:

ſ	SPRINT EN	5	5 BACKLOG PRODUIT									
L	COURS Sprin -	Catégorie *	Sous catégorie ~	Nom / Description *	Importance +1	Estimation ~	Critères de Vérification ~	Acteur *	Status	Notes +	Bug ~	
ľ	5	Dev Logiciel		C2o - HULK	75	??	Cheres de Vermesson	Pictural	A faire	Hotes	bug	
ı	5	Dev Logiciel	Test	SIFT - calcul sur HULK	75	1,5		Ibrahima	A faire	Présent sprint 2		
	5	Dev Logiciel	Recherche documentaire	classification - doc	55	2			A faire			
ı	5	Dev Logiciel	Redaction documentation	CLEF metrics - doc	65	0,5	presentation équipe scientifique	Thomas	A faire			
I	5	Dev Logiciel		documentation sur le processus "complet"	60		présentation à l'ensemble des acteurs du projet		A faire			
	5	Dev Logiciel	Redaction documentation	SIFT - doc	50	0,5	presentation équipe scientifique		A faire			
	5	Présentation		Présentation - ecriture	40	2	presentation équipe scientifique		A faire			
	5	Rapport		Ecriture du document final - synthèse des docs	40	2	presentation équipe scientifique		A faire			
	5	Présentation		Présentation - préparation	30		présentation à l'équipe pédagogique		A faire			
	5	Dev Logiciel		Procedure de validation	60	2						
4	5	Dev Logiciel	Redaction documentation	Analyse des résultats	75	2			A faire			
Œ	Total 15.5 0											

- Allow to change the affectation of a task
- Weekly time affectation : could be adapted to unforeseen

Our experience

- Minimal lack of time
 - The possibility of changing task affectation is really useful
- An adaptation of the initial schedule has been realised

Outline



Objectives



Achieved work



Problem encountered



Personal point of view



