

Cucumber Report

05-Sep-2025, 8:07:43 pm

Start : Sep 05, 8:07:42.006 pm

End : Sep 05, 8:07:42.853 pm

Duration : 0.847 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Giftcard scenarios</u>	0.847 s	1	0	1	0	2	0	1	1

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@giftcard1	1	0	1	0	1	0	1	0
@giftcardapi	1	0	1	0	1	0	1	0
@api	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Giftcard scenarios</u>	1	0	1	0	0.847 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Giftcard scenarios</u>	<u>gift_card_1-Check giftcard balance</u>	2	0	1	1	0.842 s

Giftcard scenarios

FAILED	DURATION - 0.847 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 8:07:42.006 pm // 8:07:42.853 pm /					

gift_card_1-Check giftcard balance

<div>FAILED</div> <div>DURATION - 0.842 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 8:07:42.011 pm // 8:07:42.853 pm /</div>				
<div>Giftcard scenarios</div>				
<div>@giftcard1 @giftcardapi @api</div>				

#	Step / Hook Details	Status	Duration
1	Given user access token is generated io.cucumber.core.exception.CucumberException: Failed to instantiate class apiStepDef.AcmeTestAPI at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:143) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:127) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)	FAILED	0.822 s

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)</p> <p>at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:584)</p> <p>at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:172)</p> <p>at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)</p> <p>at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:804)</p> <p>at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:145)</p> <p>at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)</p> <p>at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:770)</p> <p>at org.testng.TestRunner.run(TestRunner.java:591)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:402)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:396)</p> <p>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:355)</p> <p>at org.testng.SuiteRunner.run(SuiteRunner.java:304)</p> <p>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)</p> <p>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)</p> <p>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1180)</p> <p>at org.testng.TestNG.runSuitesLocally(TestNG.java:1102)</p> <p>at org.testng.TestNG.runSuites(TestNG.java:1032)</p> <p>at org.testng.TestNG.run(TestNG.java:1000)</p> <p>at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)</p> <p>at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)</p> <p>at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)</p> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:135)</p> <p>... 45 more Caused by: java.lang.StackOverflowError</p> <p>at groovy.lang.MetaClassImpl.createMetaMethodAndMetaProperty(MetaClassImpl.java:2183)</p>		

#	Step / Hook Details	Status	Duration
	at groovy.lang.MetaClassImpl.getProperty(MetaClassImpl.java:1951) at groovy.lang.MetaClassImpl.getProperty(MetaClassImpl.java:3901) at org.codehaus.groovy.runtime.callsite.ClassMetaClassGetPropertySite.getProperty(ClassMetaClassGetPropertySite.java:52) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callGetProperty(AbstractCallSite.java:329) at io.restassured.internal.RequestSpecificationImpl.port(RequestSpecificationImpl.groovy:690) at jdk.internal.reflect.GeneratedMethodAccessor1.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1334) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1089) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1008) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:791) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.<init>(RequestSpecificationImpl.groovy:144) at io.restassured.RestAssured.createTestSpecification(RestAssured.java:1453) at io.restassured.RestAssured.given(RestAssured.java:654) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:24) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25) at api.common.RequestAppSpec.<init>(RequestAppSpec.java:25)		

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]