

# Cucumber Report

05-Sep-2025, 8:10:47 pm

Start : Sep 05, 8:10:45.894 pm

End : Sep 05, 8:10:46.765 pm

Duration : 0.871 s

Features




Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Giftcard scenarios</u>	0.871 s	1	0	1	0	2	0	1	1

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@giftcard1	1	0	1	0	1	0	1	0
@giftcardapi	1	0	1	0	1	0	1	0
@api	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Giftcard scenarios</u>	1	0	1	0	0.871 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Giftcard scenarios</u>	<u>gift_card_1-Check giftcard balance</u>	2	0	1	1	0.868 s

## Giftcard scenarios

<b>FAILED</b>	<b>DURATION - 0.871 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 8:10:45.894 pm // 8:10:46.765 pm /					

### gift\_card\_1-Check giftcard balance

<div>FAILED</div> <div>DURATION - 0.868 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 8:10:45.897 pm // 8:10:46.765 pm /</div>				
<div>Giftcard scenarios</div>				
<div>@giftcard1 @giftcardapi @api</div>				

#	Step / Hook Details	Status	Duration
1	Given user access token is generated  io.cucumber.core.exception.CucumberException: Failed to instantiate class apiStepDef.AcmeTestAPI at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:143) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:127) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:110) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)	FAILED	0.524 s

#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)  at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:584)  at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:172)  at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)  at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:804)  at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:145)  at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)  at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)  at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)  at org.testng.TestRunner.privateRun(TestRunner.java:770)  at org.testng.TestRunner.run(TestRunner.java:591)  at org.testng.SuiteRunner.runTest(SuiteRunner.java:402)  at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:396)  at org.testng.SuiteRunner.privateRun(SuiteRunner.java:355)  at org.testng.SuiteRunner.run(SuiteRunner.java:304)  at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)  at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)  at org.testng.TestNG.runSuitesSequentially(TestNG.java:1180)  at org.testng.TestNG.runSuitesLocally(TestNG.java:1102)  at org.testng.TestNG.runSuites(TestNG.java:1032)  at org.testng.TestNG.run(TestNG.java:1000)  at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)  at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)  at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)  Caused by: java.lang.reflect.InvocationTargetException  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:135)  ... 45 more Caused by: java.lang.StackOverflowError  at groovy.lang.MetaClassImpl.createMetaMethodAndMetaProperty(MetaClassImpl.java:2183) </p>		

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

#	Step / Hook Details	Status	Duration
	AFTER - Hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.009 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "utils.DriverFactory.getMobileDriver()" is null at Hooks.Hooks.tearDown(Hooks.java:95)		