

Troubleshooting

Check two places first: the **browser console** (F12 → Console) and the **backend logs** (your terminal, or Render → Logs).

github.com/murthyroshan/innoblock-2.0-starter

Wallet and frontend

You see	Usually means	Fix
"No wallet found" / <code>window.ethereum</code> is undefined	No wallet extension, a <code>file://</code> page, or a phone browser	Install MetaMask; serve with <code>python -m http.server</code> ; on a phone, open the URL inside the MetaMask app's browser
Wallet on the wrong network	MetaMask isn't on <code>ACTIVE_NETWORK</code>	Press Connect again: the app asks MetaMask to switch. Check <code>ACTIVE_NETWORK</code> in <code>config.js</code>
Yellow banner: "Set <code>CONTRACT_ADDRESS</code> "	<code>config.js</code> still has the placeholder address	Paste your deployed address
"No contract found at <code>CONTRACT_ADDRESS</code> " (<code>BAD_DATA</code>)	Wrong address, wrong network, or an old ABI after a redeploy	Copy the new address and ABI everywhere; check <code>ACTIVE_NETWORK</code> matches where you deployed
<code>ACTION_REJECTED</code> / "You rejected the request"	Someone clicked Reject in MetaMask	Try again
"Your wallet has no test ETH/POL" (<code>INSUFFICIENT_FUNDS</code>)	The connected wallet is empty on this network	Use a faucet from 01 · Setup and networks
Transaction stuck on pending	The network is busy or the fee was low	Wait a minute or use Speed up in MetaMask; the explorer link shows live status
<code>nonce too low</code> / <code>replacement transaction underpriced</code>	MetaMask's local state is out of sync	MetaMask → Settings → Advanced → Clear activity tab data
Another wallet's popup opens instead of MetaMask	Several wallet extensions installed	Disable all but MetaMask
Page changes don't show up	Browser cache	Hard refresh: Ctrl+Shift+R

Backend

You see	Usually means	Fix
Missing in backend/.env: ... on start	No .env , or a value left empty	copy .env.example .env and fill it in
ModuleNotFoundError	venv not active, or a package missing	Activate the venv; <code>pip install -r requirements.txt</code>
"Can't reach the backend" in the page	Backend not running, wrong <code>BACKEND_URL</code> , or Render asleep	Start it / fix <code>config.js</code> / open <code>/health</code> and wait about a minute
CORS error in the console	<code>FRONTEND_ORIGIN</code> doesn't match, or the backend crashed (a crash response has no CORS headers)	Match the frontend URL exactly; read the backend logs for the real error
"The backend wallet ... has no test tokens"	The <code>PRIVATE_KEY</code> wallet is empty	Fund that address from a faucet
<code>nonce too low</code> in the backend	Two transactions from the backend wallet at once, or the same key used in MetaMask at the same time	Send one at a time; don't use the backend's key in MetaMask during testing
<code>execution reverted</code>	A <code>require()</code> in your contract failed	Read the revert reason on the explorer or in Remix; check the inputs
Checksum / invalid address error	The address has a typo or wrong case	<code>Web3.to_checksum_address(...)</code> is already applied to <code>CONTRACT_ADDRESS</code> ; check for typos
AI step returns 401	Wrong or missing <code>API_KEY</code>	Check the key and that <code>AI_BASE_URL</code> matches the provider
AI step returns 404 or "model not found"	Wrong <code>AI_MODEL</code> or base URL	Copy the exact model name from your provider's docs
AI step returns 429	Rate limit or no credit	Wait, or switch provider; keep demo prompts short
Records vanish on Render	<code>DATABASE_URL</code> isn't set on Render, so it fell back to SQLite on a disk that's wiped on restart	Add <code>DATABASE_URL</code> in Render's environment (03 · Deploy and security)
Backend won't start: <code>connection / timeout</code> error mentioning Postgres	Wrong <code>DATABASE_URL</code> , or Supabase's direct string	Re-copy the string; on Supabase use the Session pooler string; check the password
<code>429</code> / "too many requests" from the RPC	The shared public RPC is rate-limiting you	Sign up for a free Alchemy or Infura RPC URL and use it as <code>RPC_URL</code>

Deployment

You see	Usually means	Fix
Render build fails on <code>pip install</code>	A typo in <code>requirements.txt</code> or the wrong root directory	Root Directory must be <code>backend</code>
Render shows "Application failed to respond"	Wrong start command	<code>gunicorn app:app --timeout 120</code>
Mixed-content blocked	An HTTPS page calling an <code>http://</code> backend	Use the <code>https://</code> Render URL
First request takes about a minute	The free service was asleep	UptimeRobot every 5 minutes; open <code>/health</code> before the demo

Still stuck?

Write down the exact error, what you expected, and what you already tried. Then ask a mentor, or paste all three into your AI assistant.