



RUNYES 23L B CLASS TOUCHSCREEN AUTOCLAVE

Product Overview

The Runyes 23L B Class Touchscreen Autoclave is an advanced sterilization device designed to combine affordability, reliability, and aesthetics. Its award-winning design features a full touchscreen interface, providing users with intuitive controls and a modern look.

The Runyes 23L B Class Touchscreen Autoclave is a top-tier sterilization solution that offers a blend of advanced features, high reliability, and user-friendly design. Its comprehensive functionality and robust construction make it an excellent choice for various professional settings.

For more information or to make a purchase, visit [Medigear](#).

Key Features

Advanced Sterilization

- **Class B Sterilization:** European Class B with 3-time pre-vacuum preceding vacuum drying.
- **Versatility:** Suitable for the sterilization of unwrapped, wrapped, hollow, and solid instruments.

High Quality and Reliability

- **Market Leader:** Runyes holds the largest market share in benchtop autoclaves in the most populous market in the world.
- **Australia TGA Approved:** Designed in accordance with Australian Standard AS/NZ 4815 and European Classifications.

User-Friendly Design

- **Touchscreen Interface:** Full touchscreen interface for easy operation.
- **Installation:** Easy to set up with detailed user and service manuals provided.

Robust and Reliable

- **Durability:** Manufactured to the highest standard and backed by a generous two-year warranty.
- **Consumables:** Comes with a pack of consumables to get you started.
- **Customizable Options:** Users can choose between a quick start, pre-set, or custom-defined option.
- **Thermal Printer and USB Storage:** Includes an inbuilt thermal printer and USB storage for convenience.

Specifications

- Internal Dimensions: Diameter - 25cm, Depth - 45cm
- External Dimensions: 59cm deep, 46.5cm width, 45cm height

Testing and Calibration


Testing and Calibration can be carried out as required by one of our specialist field technicians or by a suitably qualified technician of your choice.

Ask us about our Australia wide testing and calibration services and benefit from our additional Discounts and Promotions

⌚ Six layers' new structure chamber, powerful door-lock system

Six layers' new structure chamber, creating new chamber structure

- 1) Six layers' new structure chamber, creating new chamber structure. The chamber adopts six layers' structure, using the special once shaping finish drawing technology, dusting and polishing. It has superstrong pressure-bearing properties, and pass 60000 times fatigue life testing, the outer layer adopts the superfine micropore foaming technique.
- 2) After the tray rack rotating 90 degrees, 5 trays are used for placing instruments.



Imported Spanish Vacuum Pump

Low noise
Sufficient vacuum
Long life time



Double Lock System – Mechanical Lock with Air Lock System

Double lock system makes the autoclave safer, and completely prevents potential safety hazards caused by incorrect operation during the sterilizing cycle




② Two types of record (Dual Recording)

1) USB

Master controller stores 2,000 fresh cycles; the data can be downloaded via USB. You can check and print all the records with a computer.

2) Micro-Printer(Optional) Prints cycle data when the cycle ends.



③ Big Capacity Open Tank

1) Open tank, easy-to-clean.

2) Built-in water quality sensor monitors water quality, reduces machine failure rate, and prolongs machine life time.



④ Suitable for Different Types Instruments

Surgical instruments, dental instruments, glass wares, injection units and other objects of compression resistance and hot steam resistance.

