

TuniCars+

Resilience Testing Report

Docker Swarm vs Kubernetes

Session ID


20260813_224809_00fc1d

Date

2026-08-13T21:48:09.515795+00:00

Executive Summary

20260813_224809_00fc1d



Overall availability: N/A

During this campaign, 0 of 1 scenarios passed, 0 failed and 1 were skipped. Conclusions are limited to the measured scenarios and recorded environment constraints.

Test Environment

Architecture and technologies

Frontend → Backend → PostgreSQL

Docker Swarm environment

- Docker services
- FastAPI backend
- Next.js frontend
- PostgreSQL database

Kubernetes / Minikube environment

- Kubernetes Deployments and Services
- Minikube nodes
- FastAPI · Next.js · PostgreSQL

Test Scenarios

Scenario	swarm
network-partition	1

Full Results Table

											Database probe routes require authentication, but neither RESILIENCE_API_TOKEN nor ESILIENCE_TEST_IDENTIFIER/ASSWORD is configured.	
Scenario	Platform	Detection	Recovery	Required	Success	Avg ms	P95 ms	HTTP Fail	Avail. %	Status	Skip Reason	Error Message
network-partition	swarm	N/A	N/A	N/A	N/A	Not Measured	Not Measured	N/A	Not Measured	SKIPPED	Observed: /cars=public:HTTP 401, /renters=public:HTTP 401, /rentals=public:HTTP 401	N/A

swarm — network-partition

Status: SKIPPED

Detection Time (s): N/A

Recovery Time (s): N/A

HTTP Success: N/A

HTTP Failures: N/A

Availability (%): Not Measured

CPU (%): N/A


Memory (MB): N/A

Recorded interpretation

Database probe routes require authentication, but neither RESILIENCE_API_TOKEN nor RESILIENCE_TEST_IDENTIFIER/RESILIENCE_TEST_PASSWORD is configured. Observed: /cars=public:HTTP 401, /renters=public:HTTP 401, /rentals=public:HTTP 401


Http Failures

Current-session measured data




Platform Comparison

Current-session measured data



Status Summary

Current-session measured data



Failures and Errors

Platform	Scenario	Status	Error
—	—	—	No failures recorded.

Skipped Tests

Platform	Scenario	Exact Reason
swarm	network-partition	Exact Reason: The routes require authentication, but neither RESILIENCE_API_TOKEN nor RESILIENCE_TEST_IDENTIFIER/RESILIENCE_TEST_PASSWORD is configured. Observed: /cars=public:HTTP 401, /renters=public:HTTP 401, /rentals=public:HTTP 401

Swarm vs Kubernetes Comparison

Platform	SKIPPED
swarm	1

Final Conclusion

20260813_224809_00fc1d

During this campaign, 0 of 1 scenarios passed, 0 failed and 1 were skipped. Conclusions are limited to the measured scenarios and recorded environment constraints.