## **INDEX**

Α

A, 102, 165, 221, 251 Abandoning file (See Quitting), 56 Abort function (See (CTRL-C) and [CANCEL]), 65 Adding new text (See Entering new text), 47 Addition (numeric), 277 <ALT> key (IBM PC), 75 ANSI standard terminals, 302 Append to edit buffer (See also Concatenating files), 101, 221 Append to text register, 62, 153, 214, 266 Assembly language programming, 143, 158, 248 Attributes (See Screen attributes), 288 Auto-buffering, 31, 146, 161, 164, 169, 252, 309 Auto-execution, 130, 265 Auto-Indent mode, 77, 252, 309 Auto-read, 161, 164, 221 Auto-startup, 130, 314 Auto-write, 161 Automatic file searching, 131

В

B, 222
[BACK TAB], 41, 344
[BACKSPACE], 21, 51, 345
BACKSPACE key, 119
Backup of file (See also .BAK file), 30, 237
Backward disk buffering, 163, 165, 252
Backward searching, 68, 139, 224
".BAK" file, 30, 164, 166, 241, 256
Bank select, 297
Bit 8 characters, 152, 249
[BLOCK], 51, 61, 62, 63, 87, 93, 349
Branching (See Jump commands), 208
"\*BREAK\*", 103, 119, 335
Breakpoints, 219

C

C, 222
C programming, 77, 88
Calculator (See On-line calculator), 99
[CANCEL], 64, 65, 67, 70, 71, 346
Cancel search operation, 67
"CANNOT FIND", 177, 183
"CANNOT OPEN TWO", 237, 238, 256
CASE structure, 207
Changing disks, 238

```
Characters (numeric value), 99, 185, 187
Clear window (See Erase window), 281
Close files (See also Save text on disk), 241
Color (of window), 138, 280
Column number - display (See Line and column display), 342
Command arguments, 199
Command escape character (See (ESC) key), 118, 313
Command line, 118
Command line - editing, 119
Command macros, 105, 173, 174, 204, 215
Command macros - as keystroke macros, 105, 107
Command macros - auto-execution, 130
Command macros - debugging (See Trace mode), 218
Command macros - executing, 106, 217, 230, 265, 270, 276
Command macros - loading, 184, 269, 271
Command mode, 22, 98, 118
Command mode menu (macro), 115, 131, 217
Command mode prompt, 22, 98, 118, 148, 265
Command mode window, 96, 290
Command repeating (See Iteration loop), 177
Command syntax, 120
Comments (Assembly language), 143
Comments in macros, 183, 265
COMPARE.VDM file, 112
Comparing text (See also Matching text), 156
Concatenating files, 101
Concatenating lines, 50
Conditional conversion character, 158, 249, 307
Conditional expression, 208
Continuation character, 43, 312
Continuation line, 43, 81
Control characters - numeric value, 99, 185
Control characters - in text, 75, 76, 154, 227, 244, 267
Control characters - typing, 39, 118, 119, 302
CONTROL key, 302
Convert lower to upper case (See Lower and upper case), 158
Copying/Moving text, 61, 63, 93, 113, 135, 266
Correcting mistakes (See [UNDO]), 52
CP/M User Number, 128, 129, 132
Creating a new file, 37, 237
Creating windows, 94, 97, 137, 289
CRT terminal versions, 297
Current drive (".$R$" file), 163
Current drive/directory, 128, 255, 314
Current edit buffer, 133
Cursor, 19, 37, 248
[CURSOR DOWN], 41, 344
[CURSOR LEFT], 41, 344
[CURSOR RIGHT], 41, 344
[CURSOR UP], 41, 344
Cursor blink rate, 248, 306
```

Cursor character, 319
Cursor movement, 40, 41, 45, 48, 157
Cursor position, 22, 83, 98, 233, 308
Cursor position (in window), 282
Cursor type, 248, 306
Customizing (See Installation), 295
Cut and paste (See also Text registers), 61

D

D. 200, 223 [DEFINE], 86, 87, 347 [DEL NEXT WORD], 51, 345 [DEL PREVIOUS WORD], 51, 345 [DELETE], 21, 51, 345 Deleting block of text, 50, 51, 62 Deleting files, 127, 245 Deleting lines, 50, 65 Deleting text, 20, 50, 159, 223, 228 Deleting windows, 94, 288 Delimiters (text), 119, 147, 253, 310 Directory display, 60, 127, 182, 239 Disk buffering (See Auto-buffering), 161 Disk full error (recovery), 104, 127, 163, 164, 165 Disk space - freeing, 127, 245 Disk space - using, 163 Displaying files (See also EL command), 100, 246 Displaying text, 181, 232, 287 Displaying text registers, 153, 267, 275 Duplicating lines (macro), 174

E

EA, 126, 236
EB, 37, 126, 164, 181, 237
EC, 167, 170, 238, 251
ED, 127, 128, 182, 239
EE, 133, 169, 240
EF, 102, 104, 241
EG, 100, 187, 242
EH, 122, 243
EI, 75, 244
EJ, 199, 245
EK, 127, 245
EL, 100, 187, 246
EM, 202, 246, 253
EN, 103, 169, 247
EP, 79, 160, 197, 248
EQ, 125, 135, 250

```
ER, 37, 101, 102, 181, 251 ES, 147, 183, 197, 252
ET, 150, 254
EU, 128, 255
EV. 255
EW, 37, 101, 102, 104, 181, 256
EX, 24, 135, 257
EY, 125, 126, 164, 258
EZ, 125, 259
Edit buffer, 30, 134, 233
Edit buffer - auto-buffering, 161, 162
Edit buffer - exiting, 90
Edit buffer - in window, 94
Edit buffer - macros, 215
Edit buffer - multiple, 89, 240
Edit buffer - name), 154, 187
Edit functions, 39
Edit pointer, 121
Edit pointer - moving after insert, 252
Edit pointer - moving by character, 222
Edit pointer - moving by jumping, 199, 222, 235, 245
Edit pointer - moving by line, 229
Edit pointer - moving by matching, 202, 203
Edit pointer - moving by searching, 200, 224
Edit pointer - position, 98, 121, 199, 233
Edit pointer - position in iteration loops, 179
Edit pointer - position (.p), 188
Edit session, 30, 236
Editing a new file, 58, 126, 237, 258
Editing multiple files (See Multiple file editing), 168
Editing text registers, 89
Emptying a text register, 62, 64, 103, 267
"END OF EDIT BUFFER REACHED", 183, 229
End of file, 235
End of file (.ef), 187, 210
End of file padding, 253, 310
End of line, 159, 222
End of line - display, 312
Entering command mode (See also Exiting visual mode), 22, 96
Entering new text, 20, 47, 49
Entering visual mode, 22, 98, 233
[ERASE EOL], 51, 346
[ERASE LINE], 51, 346
Erase window, 281
Error flag (.er), 183, 187, 202
Error messages, 335
<ESC> key, 22, 36, 118, 147, 176, 178
Escape sequences, 39, 75, 159, 302, 321
Examining (See Displaying), 246
Exiting VEDIT PLUS, 55, 90, 108, 125, 135, 257
Exiting visual mode, 22, 98, 347
```

Expand tab (See Tab expansion), 48 Expanding control characters, 267, 275 Explicit delimiter (See Delimiters), 147 Expressions (numeric), 188, 190, 196

F

F. 147, 183, 202, 224, 252 FALSE (logical value), 191 [FILE], 90, 91, 348 File comparison (command), 156 File comparison (macro), 112 File locking, 170 File operations, 53 File "Page", 162, 315 File searching, 131, 314 Filename, 30, 154, 214 Filename - displaying, 181, 251, 256, 342 Filename - extension, 30 Files - large (long), 31, 37, 54, 102, 146, 162, 164 [FIND], 67, 70, 346 Flow control (structures), 204 "Forever" (or "all"), 177 Form-feed character, 73, 182, 262, 306 [FORMAT PARAGRAPH], 81, 83, 347 Formatting paragraphs, 83, 85, 249, 283 Forward disk buffering, 162, 164, 252 Free memory (See Memory space), 163 Full disk (See Disk full error), 104, 165 "FULL" message, 61, 62, 64, 103, 161, 233, 342 Full screen editing, 26 Function keys, 302, 321

G

Global operations, 146, 164, 253, 310 Global replace, 68, 231 [GOTO], 45, 46, 162, 348 Graphics characters, 75, 76, 159, 244, 279, 308

Η

H, 122, 226 Hard disk, 17, 309 [HELP], 348 Help (See also H command), 21, 23, 122, 226, 243 Help files, 17, 123, 314 High bit characters (See Bit 8 characters), 159

Horizontal column value (.x), 189 Horizontal scroll increment, 249, 308 Horizontal scroll margin, 43, 249, 308 Horizontal scrolling, 43 Hot keys, 86, 304

Ι

I, 147, 178, 227 IBM 3101 terminal, 321 IBM Personal Computer /XT /AT, 17, 18, 159 IF-THEN structure, 205 IF-THEN-ELSE structure, 205 Ignore search errors (See Suppress error handling), 183 [INDENT], 77, 79, 82, 347 Indent increment, 77, 248, 307 Indent margin, 77 Indent position, 248 Indenting text (See also [INDENT]), 77, 79, 252 Initialize window, 288 Initializing terminals, 154, 267 Input and output (macros), 212, 213, 274, 277, 278 Input file, 30, 126 Input file - filename, 181 Input file - opening, 251 Input file - reading, 162, 221 [INSERT], 47, 88, 345 "INSERT" message, 47, 342 Insert mode, 20, 47, 88, 312 Inserting control characters, 76, 148, 244, 308 Inserting files (See also EG command), 100, 242 Inserting lines, 47 Inserting new text (See Entering new text), 47 Inserting spaces, 48, 78 Inserting text, 20, 148, 182, 184, 227, 244, 269, 284 Inserting a text register, 61, 63, 252, 268, 309 INSTALL.EXE file, 296 INSTALL.INI file, 296 Installation, 131, 295 Integers, 185 Internal values, 187 Intertec terminal, 300 INTMOD.EXE file. 296 "INVALID EDIT BUFFER OPERATION", 134, 266, 267 Invoking VEDIT PLUS, 19, 37, 38, 58, 126, 130 Iteration brackets, 118, 313 Iteration count, 177 Iteration loop, 118, 177, 204

J

JL, 209, 260 JM, 209, 210, 260 JN, 209, 260 JO, 209, 260 JP, 208, 209, 260 Jump commands, 199, 204, 208, 210, 245, 260 Justifying paragraphs, 83, 85, 253, 311

K

K, 199, 228
Keyboard characters, 39, 75, 158, 244, 253, 311
Keyboard layout, 25, 36, 39, 86, 284, 285, 301, 321
Keystroke macros, 86, 87, 105, 107, 301, 322
Killing files (See Deleting files), 245

L

L, 178, 183, 229 Labels, 208 Large files (See Files - large), 31 Left margin, 77, 82, 83, 306 Line and column display, 342 Line number value (.y), 189 Line numbering, 196 [LINE TOGGLE], 41, 344 Literal character (See also <CTRL-Q> or [NEXT CHAR LITERAL]), 148 Load keyboard layout. 285 Loading files (See Reading files), 251 Loading text registers, 153, 184, 269, 271, 276 Logged-in drive (See Current drive), 128 Logical operators, 190, 193 Long lines, 43 Lower and upper case - conversion, 158, 248, 307 Lower and upper case - convert text, 88 Lower and upper case - escape sequence, 302 Lower and upper case - reversing, 159, 253, 310 Lower and upper case - searching, 69, 224, 253, 309

M

M, 174, 216, 219, 230 [MACRO], 105, 106, 174, 347 "MACRO ERROR IN r", 215, 230, 266 Macros (See Command macros), 173 Mainframe computers, 149, 254

```
Margins (See Left and Right margin), 77
Markers (See Text markers), 45
Match parentheses, 88, 285
Matching (number of characters), 188, 201, 202
Matching (text), 202, 246, 272
Maximum file size (See Files - large), 163
Memory management, 168
Memory mapped versions, 297
Memory space - free, 169, 233, 276, 315
Memory space - free (.f), 188
Memory space - freeing, 64, 103, 163, 165, 234, 240, 247
Memory space - full, 119
Memory space - full (See also FULL and *BREAK* ), 62
Memory space - saving, 216, 267
MENU.VDM file, 115
Merging files, 100, 101
[MISC], 88, 350
Modifiers (command), 146
Moving text (See Copying/Moving text), 61
MS-DOS Commands, 261, 262
MS-DOS directories (See Pathnames), 128
Multi-Tasking Operating Systems, 170
Multiple commands, 120
Multiple drives, 37, 101, 163, 166
Multiple file editing, 89, 91, 133, 168, 240
Multiple screen lines (See Continuation line), 43
```

N

N, 230 "Nearly full", 162, 165 NEC APC, 159 Nested (loops, structures), 177, 206 "NEW FILE", 19, 37, 237, 340 NEWCRT.DOC file, 296 [NEXT CHAR LITERAL], 75, 76, 148, 346 [NEXT LINE], 41, 344 [NEXT PARAGRAPH], 42, 345 [NEXT WORD], 42, 345 "NO DIR SPACE", 104, 127, 165 "NO DISK SPACE", 104, 127, 165, 257
"NO OUTPUT FILE", 135, 224, 234, 241, 257, 258 Notation, 118, 186 Numeric constants, 185 Numeric registers (variables), 186 Numeric registers - as text register name, 198 Numerical accuracy, 192 Numerical operators, 190, 191

0

OC, 261 Offset paragraph, 84 On-line calculator, 22, 99, 196 On-line help (See Help), 21 Opening a file, 30, 237, 251, 256 Operands, 190 Operator precedence, 190, 195 Operators, 190 OS, 262 Output file, 30, 162, 163, 188 Output file - closing, 241 Output file - filename, 181 Output file - opening, 126, 237, 256 Output file - reading, 163, 221 Output file - writing, 161, 234 Over-writing text, 20, 39, 47, 49, 227, 244 Overstrike mode, 20, 47, 88

Ρ

PE, 262 PP, 263 PR, 111, 151, 264 [PAGE DOWN], 46, 316, 345 Page eject, 72, 262 Page movement, 46, 316 [PAGE UP], 46, 316, 345 Paragraphs (See also Formatting paragraphs), 47, 80, 83 Parameters - accessing, 122, 197 Parameters - setting, 130, 150, 248, 252, 263, 306, 309 Parentheses - matching (See Match parentheses), 88 Parentheses - numeric, 190, 195 Pathname, 30, 128 Pattern matching, 141, 142, 144, 313 Pattern set (pattern matching), 144 [PREVIOUS PARAGRAPH], 42, 345 [PREVIOUS WORD], 42, 345 [PRINT], 72, 74, 349 Print Formatter, 32, 80, 84, 111, 254 Print parameters, 151, 263, 305 PRINT.EXC file, 111, 131 Printer control characters, 75 Printer margin, 72 Printing text, 23, 72, 74, 111, 151, 154, 182, 264, 286 Printing text registers, 154, 273 Processor speed, 314 Programmable function keys, 130, 154, 267 Prompting from macros, 213

Q

Q, 186, 186 Quitting edit session, 90, 108, 125, 135, 250, 259 Quitting VEDIT PLUS, 56

R

```
R*, 184, 265
RA, 217, 265
RC, 153, 199, 266
RD, 154, 267
RE, 153, 216, 267
RG, 153, 268
RI, 184, 269
RJ, 216, 270
RL, 131, 132, 153, 271
RM, 156, 203, 272
RP, 154, 273
RQ, 213, 274
RS, 153, 275
RT, 153, 275
RU, 154, 276
RX, 131, 276
Re-routing console output, 181, 284, 286
Reading files, 30, 238, 251, 271
Registers (See Text registers), 153
Relational operators, 190, 193
Remainder from division, 188, 192
[REPEAT], 65, 66, 68, 70, 86, 346
Repeat value, 65
REPEAT-UNTIL structure, 205
Repeated commands (See Iteration loop), 177
Repeating functions - (See [REPEAT]), 65
[REPLACE], 67, 71, 346
Replace text (See Search and Replace), 67
RETURN key, 36, 47, 118, 159
Return value (.rv), 188, 197, 202, 203, 239, 246
"REV FILE OPEN", 167, 238
Reverse lower/upper case (See Lower and upper case), 159
Reverse search (See Backward searching), 68
Right margin, 81, 249, 307
Root directory, 132, 314
```

S

S, 147, 178, 183, 231, 253 Save keyboard layout, 284 Save text and continue, 59, 236

```
Save text on disk, 30, 236, 241, 257, 258
Saving text registers, 153, 275
Screen address, 319
Screen attributes, 138, 188, 280, 288, 317
Screen delay, 121
Screen display - stopping/starting, 121
Screen display - updating, 65, 157
Screen line length, 81, 316
Screen size, 316
[SCREEN TOGGLE], 42, 345
[SCROLL DOWN], 44, 344
[SCROLL LEFT], 44, 344
[SCROLL RIGHT], 44, 344
[SCROLL UP], 44, 344
Scrolling of screen (See Horizontal scrolling), 43
Search (ing), 67, 70, 139, 144, 200, 224, 230
Search and Replace, 67, 71, 140, 175, 180, 231
Search error, 177, 183, 253
Search error (.es), 188, 224, 231
Search for (ESC), 147, 148
Search options, 68, 146
Search string, 67, 139, 144, 147
Selective replace, 68, 71
Separator (pattern matching), 142
".SET" file, 298
Set numeric value, 278
Signon message, 313
SORT. VDM macro file, 114
Splitting files, 102
Splitting lines, 21, 47, 50
Status line, 19, 37, 312, 316
Status line - attribute, 318
Stop character (See also (CTRL-S)), 121
String variables, 144
Strings - See Text Strings or Search Strings, 147
Strip comments, 143
Strip high bit (See also Bit 8 characters), 152, 286
Subdirectory (See also Pathname), 17, 30
Substitute (See Search and Replace), 231
Suppress error handling (See also Search errors), 183, 253, 310
Suppressing (CR), 181, 186, 251, 256, 279, 279
Switch - setting (See also Parameters - setting), 252
Switching windows, 94, 290
```

T

T, 178, 199, 232 [TAB CHARACTER] (See also Tab character), 47, 346 Tab character (key), 47, 78, 118, 252 Tab character - display, 312

```
[TAB CURSOR], 41, 48, 344
Tab expansion, 48, 78, 252, 309
Tab positions, 47, 48, 78, 188, 254
Tab positions - setting, 150, 254, 311
Televideo terminals, 304, 316
Temporary disk file (See ".$R$" file), 163
Text delimiters (See Delimiters), 119
Text markers, 45, 46
Text markers (.vm), 188
"TEXT" message, 61, 276, 343, 349
Text registers, 61, 103, 144, 153, 154, 173, 203, 230, 266, 268
Text registers - displaying (See Displaying text registers), 153
Text registers - emptying (See Emptying a text register), 64
Text registers - inserting (See Inserting a text register), 61
Text registers - loading (See Loading text registers), 271
Text registers - naming, 198
Text registers - saving (See Saving text registers. 275
Text registers - size, 276
Text strings, 119, 147, 227
Trace mode, 219
TRS-80 Model I, 158
TRUE (logical value), 191
Type numeric value, 279
Typing text (See Displaying text), 181
       U
U, 233, 276
"UNABLE TO ENTER VISUAL MODE", 233
[UNDENT], 77, 79, 82, 347
[UNDO], 50, 52, 346
Unjustifying paragraphs, 84
Upper and lower case (See Lower and upper case), 158
[USER], 79, 81, 83, 350
       ٧
V. 22, 98, 233
V-PRINT Document Formatter, 13, 32
V-SPELL Spelling Corrector, 13
"\VEDIT" directory, 17, 132
VEDIT.INI file (See also Auto-startup), 17, 130, 131
Version number, 255
Video board initialization, 320
[VISUAL ESCAPE], 22, 98, 180, 233, 347
[VISUAL EXIT], 98, 180, 233, 347
Visual mode, 26, 37, 98, 174, 180, 233
Visual mode - auto-buffering, 161, 162, 309
Visual mode - customizing, 311
```

W

W, 102, 165, 234
Wildcard characters, 127, 142, 239
[WINDOW], 89, 91, 94, 97, 350
Window commands, 137, 288, 289, 290
Windows, 90, 94
Windows - creating, 137
Windows - size, 189
Word count, 196
Word processing, 32, 77, 80, 254
Word wrap, 81, 82, 83, 249, 307
WordStar files, 152
Write error (.ew), 188
Write errors (See Disk full error), 165
Writing files (See also Saving text on disk), 234, 256

Х

XA, 186, 277 XK, 213, 277 XQ, 213, 278 XS, 186, 278 XT, 186, 279

Y

YD, 181, 279 YEA, 138, 280, 317 YEC, 212, 281 YEH, 212, 282 YEL, 212, 281 YES, 212, 281 YEV, 212, 282 YF, 283 YI, 182, 196, 284 YK, 284 YL, 285 YM, 285 YP, 181, 286 YS, 152, 286 YT, 181, 212, 287 YWB, 137, 289 YWD, 137, 288 YWI, 137, 288 YWL, 137, 289 YWR, 137, 289 YWS, 137, 290 YWT, 137, 289

```
YWZ, 137, 290
       Z
Z, 235
[ZIP], 41, 344
Zoom window, 94, 290
Z80-8086.VDM file (Z80 to 8086 translator), 116
1 END message, 61, 343, 349
".$$$" file, 127, 241, 256
".$R$" file, 127, 163, 165, 167
!, 184, 208
#, 177, 185, 198
$, 118
' (quote), 99
"-" prompt, 119
/, 147
: (colon) command modifier, 183, 253
; (comment character), 158
; (".erJL" command abbreviation), 209
<<, 119
?? Trace command, 218
@ (edit buffer), 133
@ command modifier, 147, 253
[ and ], 118, 177, 313
  (caret), 75, 99
(underscore) command modifier, 146, 253
T, 141, 313
<CR> and <LF>, 118, 149, 159
<CTRL-C>, 24, 64
<CTRL-H>, 119, 148
<CTRL-N>, 69
<CTRL-Q>, 69, 120, 148, 227
<CTRL-S>, 100, 121, 123, 275
<CTRL-U>, 119, 148
<CTRL-V>, 124
<CTRL-X>, 119
<CTRL-Z>, 75
```