

## Pseudo-elements





interview question-40



Follow on in @Duvvuru Kishore

## Css Elements

- Pseudo-elements are that allow you to select and style parts of an HTML element that are not part of the actual document tree.
- They are used to add special effects and styles to specific parts of an element

examples will make you understand better

### ::first-letter

Styles the first letter of a block-level element.

```
p::first-letter {
  font-size: 200%;
  color: #8A2BE2;
}
```

My name is Donald.

live in Duckburg.

My best friend is Mickey.

### ::first-line

### Styles the first line of a block-level element

```
p::first-line {
  background-color: yellow;
}
```

To stop the degradation of the planet's natural environment and to build a future in which humans live in harmony with nature, by; conserving the world's biological diversity, ensuring that the use of renewable natural resources is sustainable, and promoting the reduction of pollution and wasteful consumption.

### ::selection

# Styles the text that is selected by the user with their cursor

```
::selection {
  color: red;
  background: yellow;
}
```

### After selecting the para

This is a paragraph.

This is some text in a div element.

### ::before & ::after

Adds content before the selected element for before element and after the selected element for after element

```
p::before {
  content: "Read this -";
}
```

#### **HTML**

```
My name is Donald
I live in Ducksburg
```

### HTML after style

```
Read this -My name is Donald
```

Read this -I live in Ducksburg











@Duvvuru Kishore

