




WorkshopPLUS: SharePoint Server Administration

Troubleshooting: Logging



CONDITIONS AND TERMS OF USE:

© Microsoft Corporation. All rights reserved.

You may use these training materials solely for your personal internal reference and non-commercial purposes. You may not distribute, transmit, resell or otherwise make these training materials available to any other person or party without express permission from Microsoft Corporation. URL's or other internet website references in the training materials may change without notice. Unless otherwise noted, any companies, organizations, domain names, e-mail addresses, people, places and events depicted in the training materials are for illustration only and are fictitious. No real association is intended or inferred. THESE TRAINING MATERIALS ARE PROVIDED "AS IS"; MICROSOFT MAKES NO WARRANTIES, EXPRESS OR IMPLIED IN THESE TRAINING MATERIALS.

Agenda

1

Logging

Various SharePoint logs



Setup logs



Configuration logs



Upgrade logs




ULS (Trace) logs

SharePoint Setup logs

Setup logs

- Helps in troubleshooting setup failures
- Contains the list and status of the MSI packages installed for Microsoft SharePoint Server
- Create for installation of SharePoint and Language packs



Log location:

%temp%

Name:

SetupExe(xxxxxxxxxx).log

SharePoint Configuration logs

Configuration logs

- Contain errors that occur during the post-setup configuration process
- Indicate whether each entry is of information or error type

```
File Edit Format View Help
PSCDiagnostics_3_25_2017_0_53_55_329_1718092852.log - Notepad

Begin trace logging for SharePoint 2016 Products Configuration Wizard. Version 16.0.4318.1000
03/25/2017 00:53:55 1 INF Entering function PscfgUserInterface.Main.Main
03/25/2017 00:53:55 1 INF Entering function Common.SetCurrentThreadCultureToInstalledCulture
03/25/2017 00:53:55 1 INF Current thread culture is English (United States), current thread ui culture is English (United States), installed culture is English (United States)
03/25/2017 00:53:55 1 INF Leaving function Common.SetThreadCultureToInstalledCulture
03/25/2017 00:53:55 1 INF The current ui culture English (United States) is NOT right to left
03/25/2017 00:53:55 1 INF Leaving function Common.SetCurrentThreadCultureToInstalledCulture
03/25/2017 00:53:55 1 INF Creating the psconfig application context
03/25/2017 00:53:55 1 INF Entering function PscfgApplicationContext.PscfgApplicationContext
03/25/2017 00:53:55 1 INF Entering function UserInterface.UserInterface
03/25/2017 00:53:55 1 INF Leaving function UserInterface.UserInterface
03/25/2017 00:53:55 1 INF Entering function TaskDriver.TaskDriver
03/25/2017 00:53:55 1 INF Entering function TaskDriver.BuildCommandCollection
03/25/2017 00:53:55 1 INF Entering function CommandCollectionBase.CommandCollectionBase
03/25/2017 00:53:55 1 INF Leaving function CommandCollectionBase.CommandCollectionBase
03/25/2017 00:53:55 1 INF Entering function CommandCollectionBase.CommandCollectionBase
03/25/2017 00:53:55 1 INF Leaving function CommandCollectionBase.CommandCollectionBase
03/25/2017 00:53:55 1 INF Entering function CommandCollectionBase.CommandCollectionBase
03/25/2017 00:53:55 1 INF Leaving function CommandCollectionBase.CommandCollectionBase
03/25/2017 00:53:55 1 INF Entering function Command.Command
03/25/2017 00:53:55 1 INF Leaving function Command.Command
03/25/2017 00:53:55 1 INF Entering function Parameter.Parameter
03/25/2017 00:53:55 1 INF Entering function Parameter.Initialize
03/25/2017 00:53:55 1 INF Leaving function Parameter.Initialize
03/25/2017 00:53:55 1 INF Leaving function Parameter.Parameter
03/25/2017 00:53:55 1 INF Entering function BoolExposedParameter.BoolExposedParameter
03/25/2017 00:53:55 1 INF Creating the restartIs bool exposed parameter
03/25/2017 00:53:55 1 INF Leaving function BoolExposedParameter.BoolExposedParameter
03/25/2017 00:53:55 1 INF Entering function BoolInternalParameter.BoolInternalParameter
03/25/2017 00:53:55 1 INF Creating the restartIs bool internal parameter
03/25/2017 00:53:55 1 INF Leaving function BoolInternalParameter.BoolInternalParameter
03/25/2017 00:53:55 1 INF Entering function Parameter.Parameter
03/25/2017 00:53:55 1 INF Entering function Parameter.Initialize
03/25/2017 00:53:55 1 INF Leaving function Parameter.Initialize
03/25/2017 00:53:55 1 INF Leaving function Parameter.Parameter
03/25/2017 00:53:55 1 INF Entering function BoolExposedParameter.BoolExposedParameter
03/25/2017 00:53:55 1 INF Creating the force bool exposed parameter
03/25/2017 00:53:55 1 INF Leaving function BoolExposedParameter.BoolExposedParameter
03/25/2017 00:53:55 1 INF Entering function BoolInternalParameter.BoolInternalParameter
03/25/2017 00:53:55 1 INF Creating the force bool internal parameter
03/25/2017 00:53:55 1 INF Leaving function BoolInternalParameter.BoolInternalParameter
03/25/2017 00:53:55 1 INF Entering function Parameter.Parameter
03/25/2017 00:53:55 1 INF Entering function Parameter.Initialize
03/25/2017 00:53:55 1 INF Leaving function Parameter.Initialize
03/25/2017 00:53:55 1 INF Leaving function Parameter.Parameter
03/25/2017 00:53:55 1 INF Entering function StringExposedParameter.StringExposedParameter
```

Log location:

%COMMONPROGRAMFILES%\Microsoft Shared\Web server extensions\16\LOGS\


Name:

PSCDiagnostics_MM_DD_YYYY_HH_MM_SS_MS_XXX_XXXXXXXXX.log

SharePoint Upgrade logs

Upgrade logs

- Whenever you perform an upgrade of a content database, an upgrade log is generated.
- To verify that upgrade has succeeded, you can review the upgrade log.
- All errors are logged in a separate log file.



Timestamp	Process	TID	Area	Category	EventID	Level	Message
06/15/2017 18:35:40.05	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPUpgradeSession	an57h	INFO	*****
06/15/2017 18:35:40.05	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPUpgradeSession	an57i	INFO	Upgrade session starts 00000000-0000-0000-0000-000000000000
06/15/2017 18:35:40.05	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPUpgradeSession	an57j	INFO	Command line: C:\Program Files\Common Files\microsoft shar
06/15/2017 18:35:40.05	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPUpgradeSession	an57k	DEBUG	User: ACME\admyk 00000000-0000-0000-0000-000000000000
06/15/2017 18:35:40.05	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPUpgradeSession	an57l	DEBUG	Current Machine: SP16SP 00000000-0000-0000-0000-000000000000
06/15/2017 18:35:40.05	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPUpgradeSession	an57m	INFO	Mode: InPlace 00000000-0000-0000-0000-000000000000
06/15/2017 18:35:40.05	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPUpgradeSession	an57n	INFO	Current SharePoint Build: 16.0.4549.1001 00000000-0000-0000-0000-000000000000
06/15/2017 18:35:40.05	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPUpgradeSession	an57q	INFO	Upgrade Entire Farm from Build [16.0.4534.1000] 00000000-0000-0000-0000-000000000000
06/15/2017 18:35:40.05	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPUpgradeSession	an57w	INFO	Upgrade Operation Flags: None 00000000-0000-0000-0000-000000000000
06/15/2017 18:35:40.05	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPUpgradeSession	an57y	INFO	*****
06/15/2017 18:35:40.05	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPManager	ajxol	INFO	Upgrade Boot Strap starts. Initialized in Mode: InPlace, as Machir
06/15/2017 18:35:40.06	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPManager	ajxom	DEBUG	Detected current version configuration database dsn: Data Source=;
06/15/2017 18:35:41.73	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPManager	ajxoo	DEBUG	Cleaning up local config cache 00000000-0000-0000-0000-000000000000
06/15/2017 18:35:41.73	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPConfigurationDatabaseSequence	ajy5v	DEBUG	VERSION LOG (GET): Get version 16.0.4534.1000 for
06/15/2017 18:35:41.73	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPConfigurationDatabaseSequence	brn rz	DEBUG	VERSION LOG (GET): Get version 16.0.1.0 for Datab
06/15/2017 18:35:41.73	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPConfigurationDatabaseSequence	ajy5i	DEBUG	Returning SchemaVersion [16.0.1.0] for Database S
06/15/2017 18:35:41.73	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPConfigurationDatabaseSequence	brn rz	DEBUG	VERSION LOG (GET): Get version 16.0.4534.1000 for
06/15/2017 18:35:41.73	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPConfigurationDatabaseSequence	brn rz	DEBUG	VERSION LOG (GET): Get version 16.0.1.0 for Datab
06/15/2017 18:35:41.73	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPConfigurationDatabaseSequence	ajy5i	DEBUG	Returning SchemaVersion [16.0.1.0] for Database S
06/15/2017 18:35:41.73	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPConfigurationDatabaseSequence	ajy5x	DEBUG	UpgradableBuildBypassInternal = 0 00000000-0000-0000-0000-000000000000
06/15/2017 18:35:41.73	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPConfigurationDatabaseSequence	ajy5x	DEBUG	UpgradableBuildBypass = 0 00000000-0000-0000-0000-000000000000
06/15/2017 18:35:41.73	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPConfigurationDatabaseSequence2	brn rz	DEBUG	VERSION LOG (GET): Get version 16.0.4534.1
06/15/2017 18:35:41.74	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPConfigurationDatabaseSequence2	brn rz	DEBUG	VERSION LOG (GET): Get version 15.0.1.0 for
06/15/2017 18:35:41.74	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPConfigurationDatabaseSequence2	ajy5i	DEBUG	Returning SchemaVersion [15.0.1.0] for Dat
06/15/2017 18:35:41.74	psconfigui (0x18F8)	0x14E4	SharePoint Foundation Upgrade	SPConfigurationDatabaseSequence2	brn rz	DEBUG	VERSION LOG (GET): Get version 16.0.4534.1

Log location:

%COMMONPROGRAMFILES%\Microsoft Shared\Web
server extensions\16\LOGS\

Name:


Upgrade Log : Upgrade-YYYYMMDD-HHMMSS-SSS-
<GUID>.log

Upgrade Error Log: Upgrade- YYYYMMDD-HHMMSS-SSS-
<GUID>-error.log

SharePoint ULS (Trace) logs

ULS logs

- ULS (Unified Logging Service) logs are a robust logging system used by SharePoint.
- Helps in troubleshooting SharePoint client-side and server-side issues.
- The default log location can be changed to a custom location.



Timestamp	Process	TID	Area	Category	EventID	Level	Message	Cc
05/02/2018 14:07:53.69	wsstracing.exe (0x07C0)	0x07CC	SharePoint Foundation	Tracing Controller Service	5152	Information	Tracing Service st	
05/02/2018 14:07:55.31	hostcontrollerservice.exe (0x06C4)	0x074C	SharePoint Foundation	Unified Logging Service	b8fx	High	ULS Init Completec	
05/02/2018 14:07:55.31	DistributedCacheService.exe (0x04E4)	0x054C	SharePoint Foundation	Unified Logging Service	b8fx	High	ULS Init Completec	
05/02/2018 14:07:56.34	DistributedCacheService.exe (0x04E4)	0x054C	SharePoint Foundation	DistributedCache	ahlcq	Medium	Calling... SPDistr	
05/02/2018 14:07:56.34	hostcontrollerservice.exe (0x06C4)	0x074C	SharePoint Foundation	Topology	apzn	Medium	Diagnostics settir	
05/02/2018 14:07:56.77	hostcontrollerservice.exe (0x06C4)	0x074C	SharePoint Foundation	Monitoring	ajjub	Medium	Processor speed: 2	
05/02/2018 14:07:56.77	DistributedCacheService.exe (0x04E4)	0x054C	SharePoint Foundation	Monitoring	ajjub	Medium	Processor speed: 2	
05/02/2018 14:07:58.08	hostcontrollerservice.exe (0x06C4)	0x074C	SharePoint Foundation	Config DB	2myf	Medium	Disabling the conf	
05/02/2018 14:07:58.08	hostcontrollerservice.exe (0x06C4)	0x074C	SharePoint Foundation	Config DB	2myf	Medium	Disabling the obje	
05/02/2018 14:07:58.08	DistributedCacheService.exe (0x04E4)	0x054C	SharePoint Foundation	Config DB	2myf	Medium	Disabling the conf	
05/02/2018 14:07:58.08	DistributedCacheService.exe (0x04E4)	0x054C	SharePoint Foundation	Config DB	2myf	Medium	Disabling the obje	
05/02/2018 14:07:58.39	DistributedCacheService.exe (0x04E4)	0x054C	SharePoint Foundation	Config Cache	az66a	Medium	Disabling the obje	
05/02/2018 14:07:58.39	hostcontrollerservice.exe (0x06C4)	0x074C	SharePoint Foundation	Config Cache	az66a	High	SPPersistedObjectC	
05/02/2018 14:07:58.71	hostcontrollerservice.exe (0x06C4)	0x074C	SharePoint Foundation	Config DB	aydqk	Medium	Disabling the site	
05/02/2018 14:07:59.59	DistributedCacheService.exe (0x04E4)	0x054C	SharePoint Foundation	Topology	az8e0	Medium	Exception during a	
05/02/2018 14:07:59.59	DistributedCacheService.exe (0x04E4)	0x054C	SharePoint Foundation	Topology	az8e0	Medium	Exception during a	
05/02/2018 14:07:59.59*	DistributedCacheService.exe (0x04E4)	0x054C	SharePoint Foundation	Topology	az8e0	Medium	...onFromErrorCod	
05/02/2018 14:07:59.59	DistributedCacheService.exe (0x04E4)	0x054C	SharePoint Foundation	Topology	az8e0	Medium	Exception during a	
05/02/2018 14:07:59.59*	DistributedCacheService.exe (0x04E4)	0x054C	SharePoint Foundation	Topology	az8e0	Medium	...onFromErrorCod	
05/02/2018 14:07:59.59	DistributedCacheService.exe (0x04E4)	0x054C	SharePoint Foundation	Topology	az8e0	Medium	Exception during a	
05/02/2018 14:07:59.59*	DistributedCacheService.exe (0x04E4)	0x054C	SharePoint Foundation	Topology	az8e0	Medium	...onFromErrorCod	
05/02/2018 14:07:59.59	DistributedCacheService.exe (0x04E4)	0x054C	SharePoint Foundation	Topology	az8e0	Medium	Exception during a	
05/02/2018 14:07:59.59*	DistributedCacheService.exe (0x04E4)	0x054C	SharePoint Foundation	Topology	az8e0	Medium	...onFromErrorCod	
05/02/2018 14:07:59.59	DistributedCacheService.exe (0x04E4)	0x054C	SharePoint Foundation	Topology	az8e0	Medium	Exception during a	

Log location:

%COMMONPROGRAMFILES%\Microsoft Shared\Web
server extensions\16\LOGS\

Name:

{ServerName}YYYYMMDD-HHMM.log

Configure logging system - Logging categories

ULS logs

- Configure logging level
 - Configure Event and Trace log level
 - Via Central Administration: Monitoring > Configure Diagnostic Logging
 - Via PowerShell: Get-SPLogLevel, Set-SPLogLevel and Clear-SPLogLevel

Event Throttling

Use these settings to control the severity of events captured in the Windows event log and the trace logs. As the severity decreases, the number of events logged will increase.

You can change the settings for any single category, or for all categories. Updating all categories will lose the changes to individual categories.

Select a category

Category	Event Level	Trace Level
☒ All Categories		
☐ Access Services		
☐ Access Services 2010		
☐ Business Connectivity Services		
☐ Document Conversions		
☐ Document Management Server		
☐ eApproval		
☐ Education		
☐ Excel Services Application		
☐ InfoPath Forms Services		
☐ Office Automation Services		
☐ Office Services Infrastructure		
☐ PerformancePoint Service		
☐ Project Server		
☐ Search		
☐ Secure Store Service		
☐ Services Infrastructure		
☐ SharePoint Express		
☐ SharePoint Foundation		
☐ SharePoint Foundation Search		
☐ SharePoint Portal Server		
☐ SharePoint Server		
☐ SharePoint Server Search		
☐ SharePoint Translation Services		
☐ Visio Graphics Service		
☐ Web Content Management		
☐ Word Automation Services		

Least critical event to report to the event log
▼

Least critical event to report to the trace log
▼

```
PS C:\> Set-SPLogLevel -TraceSeverity Verbose -Identity General
```

```
PS C:\> Get-SPLogLevel | Clear-SPLogLevel
```

Configure logging system - Log settings

Configure trace logging

- Configure logging folder, history and max size
- Via Central Administration: Monitoring > Configure Diagnostic Logging
- Via PowerShell: Get-SPDiagnosticConfig and Set-SPDiagnosticConfig

Trace Log

When tracing is enabled you may want the trace log to go to a certain location. Note: The location you specify must exist on all servers in the farm.

Additionally, you may set the maximum number of days to store log files and restrict the maximum amount of storage to use for logging. [Learn about using the trace log.](#)

Path

Example: %CommonProgramFiles%\Microsoft Shared\Web Server Extensions\16\LOGS

Number of days to store log files

Restrict Trace Log disk space usage

☐ Restrict Trace Log disk space usage

Maximum storage space for Trace Logs (GB)

Correlation IDs

Correlating logs

- A correlation ID is generated for each request.
- The correlation ID is available on many locations.

ULS Log

```
SP16SP-20180502-1407.log - Notepad
File Edit Format View Help
...Overlapped) at System.Threading_IOCompletionCallback.PerformIOCompletionCallback(UInt32 errorCode, UInt32 numbytes, NativeOverlapped* pOVERLAP) 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Querying the DB for Name:[VSS_Administration] of b000f065-9acd-4bad-81bc-0f660587d822 with type:Microsoft.SharePoint.Administration.SPWebService 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Entering Monitored Scope (FetchObjectFromFilesystem: Fetching object [c6c9a0fd-c381-45d9-919b-c27de01f0bed], IdFieldsOnly = [False]). Parent-FeedCacheImplementation 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Deserializing the type named Microsoft.SharePoint.Administration.SPWebService, Microsoft.SharePoint, Version=16.0.0.0, Culture=neutral, PublicKeyToken=719bc9e6c 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Deserializing the type named Microsoft.SharePoint.Administration.SPGlobalExtension, Microsoft.SharePoint, Version=16.0.0.0, Culture=neutral, PublicKeyToken=719bc9e6c 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Refreshed SPPersistedObject with Name VSS_Administration, Id c6c9a0fd-c381-45d9-919b-c27de01f0bed, Parent b000f065-9acd-4bad-81bc-0f660587d822, Version 54669. Last 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Leaving Monitored Scope (FetchObjectFromFilesystem: Fetching object [c6c9a0fd-c381-45d9-919b-c27de01f0bed], IdFieldsOnly = [False]). Execution Time=1.8809; CPU M 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium LogSPersistedObjectStatistic - operation duration too low to log. Duration 1ms. 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Querying the DB for Name:[VSS_Administration] of b000f065-9acd-4bad-81bc-0f660587d822 with type:Microsoft.SharePoint.Administration.SPAdministrationWebApplication 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Entering Monitored Scope (FetchObjectFromFilesystem: Fetching object [6d4015d1-45ef-4e28-966c-171da9506a38], IdFieldsOnly = [False]). Parent-FeedCacheImplementation 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Deserializing the type named Microsoft.SharePoint.Administration.SPAdministrationWebApplication, Microsoft.SharePoint, Version=16.0.0.0, Culture=neutral, PublicKey 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Entering Monitored Scope (FetchObjectFromFilesystem: Fetching object [a2283905-adf0-45c4-99bc-c707ebb0f95f], IdFieldsOnly = [False]). Parent-FetchObjectFromFilesystem 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Deserializing the type named Microsoft.SharePoint.Administration.SPContentDatabase, Microsoft.SharePoint, Version=16.0.0.0, Culture=neutral, PublicKeyToken=719bc9e6c 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Refreshed SPPersistedObject with Name SharePoint_AdminContent_adeaac34-6ab8-44c3-9352-6ea3188faa71, Id a2283905-adf0-45c4-99bc-c707ebb0f95f, Parent 98070553-98f4-4 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Leaving Monitored Scope (FetchObjectFromFilesystem: Fetching object [a2283905-adf0-45c4-99bc-c707ebb0f95f], IdFieldsOnly = [False]). Execution Time=1.6412; CPU M 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium LogSPPersistedObjectStatistic - operation duration too low to log. Duration 1ms. 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Entering Monitored Scope (FetchObjectFromFilesystem: Fetching object [70727566-2c33-481e-b1d8-9cc271a7d06], IdFieldsOnly = [False]). Parent-FetchObjectFromFilesystem 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Deserializing the type named Microsoft.SharePoint.Administration.SPContentDatabase, Microsoft.SharePoint, Version=16.0.0.0, Culture=neutral, PublicKeyToken=719bc9e6c 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Entering Monitored Scope (FetchObjectFromFilesystem: Fetching object [ab35ca77-d371-4a72-9dc3-037195ce5665], IdFieldsOnly = [False]). Parent-FetchObjectFromFilesystem 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Deserializing the type named Microsoft.SharePoint.Administration.SPContentDatabase, Microsoft.SharePoint, Version=16.0.0.0, Culture=neutral, PublicKeyToken=719bc9e6c 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Refreshed SPPersistedObject with Name SharePoint_AdminContent_adeaac34-6ab8-44c3-9352-6ea3188faa71, Id a2283905-adf0-45c4-99bc-c707ebb0f95f, Parent 98070553-98f4-4 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Leaving Monitored Scope (FetchObjectFromFilesystem: Fetching object [ab35ca77-d371-4a72-9dc3-037195ce5665], IdFieldsOnly = [False]). Execution Time=0.4501; CPU M 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium LogSPPersistedObjectStatistic - operation duration too low to log. Duration 0ms. 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Refreshed SPPersistedObject with Name SharePoint_AdminContent_adeaac34-6ab8-44c3-9352-6ea3188faa71, Id a2283905-adf0-45c4-99bc-c707ebb0f95f, Parent 98070553-98f4-4 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Leaving Monitored Scope (FetchObjectFromFilesystem: Fetching object [70727566-2c33-481e-b1d8-9cc271a7d06], IdFieldsOnly = [False]). Execution Time=1.0275; CPU M 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium LogSPPersistedObjectStatistic - operation duration too low to log. Duration 0ms. 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Entering Monitored Scope (FetchObjectFromFilesystem: Fetching object [6a6b4e7e-1cbl-4e5e-8364-be5cd4b7141], IdFieldsOnly = [False]). Parent-FetchObjectFromFilesystem 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Deserializing the type named Microsoft.SharePoint.Administration.SPApplicationPool, Microsoft.SharePoint, Version=16.0.0.0, Culture=neutral, PublicKeyToken=719bc9e6c 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Refreshed SPPersistedObject with Name SharePoint_AdminContent_adeaac34-6ab8-44c3-9352-6ea3188faa71, Id a2283905-adf0-45c4-99bc-c707ebb0f95f, Parent 98070553-98f4-4 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Leaving Monitored Scope (FetchObjectFromFilesystem: Fetching object [6a6b4e7e-1cbl-4e5e-8364-be5cd4b7141], IdFieldsOnly = [False]). Execution Time=0.5868; CPU M 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium LogSPPersistedObjectStatistic - operation duration too low to log. Duration 0ms. 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Entering Monitored Scope (FetchObjectFromFilesystem: Fetching object [880a33ca-f08b-4af1-8351-451b1e519b9c], IdFieldsOnly = [False]). Parent-FetchObjectFromFilesystem 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Deserializing the type named Microsoft.SharePoint.Administration.SPApplicationPool, Microsoft.SharePoint, Version=16.0.0.0, Culture=neutral, PublicKeyToken=719bc9e6c 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Refreshed SPPersistedObject with Name SharePoint_AdminContent_adeaac34-6ab8-44c3-9352-6ea3188faa71, Id a2283905-adf0-45c4-99bc-c707ebb0f95f, Parent 98070553-98f4-4 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Leaving Monitored Scope (FetchObjectFromFilesystem: Fetching object [880a33ca-f08b-4af1-8351-451b1e519b9c], IdFieldsOnly = [False]). Execution Time=0.922; CPU M 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium LogSPPersistedObjectStatistic - operation duration too low to log. Duration 0ms. 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Refreshed SPPersistedObject with Name SharePoint_AdminContent_adeaac34-6ab8-44c3-9352-6ea3188faa71, Id a2283905-adf0-45c4-99bc-c707ebb0f95f, Parent 98070553-98f4-4 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Leaving Monitored Scope (FetchObjectFromFilesystem: Fetching object [6d4015d1-45ef-4e28-966c-171da9506a38], IdFieldsOnly = [False]). Execution Time=13.0789; CPU M 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Init for Farm account Sid 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Store object UPS_LMTRepopulationJob into Config DB 3d2f639e-7d0e-2082-ca7-a21a4b88e730
High An error occurred while manipulating registry for SLA value: System.Security.SecurityException: Requested registry access is not allowed. at System.ThreadHelper 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Config cache. Operation: Write. SLA: 50 3d2f639e-7d0e-2082-ca7-a21a4b88e730
Medium Entering Monitored Scope (StoreObject: Storing object [f386e02f-c205-4bfb-a4f6-98d578d00275]). Parent-FeedCacheImplementation.RepopulateMTRegionInternal 3d2f639e-7d0e-2082-ca7-a21a4b88e730
High System.Data.SqlClient.SqlException (0x80131904): The EXECUTE permission was denied on the object 'proc_putobjectTVP', database 'SharePoint_Config', schema 'dbo'. 3d2f639e-7d0e-2082-ca7-a21a4b88e730
High ...Boolean ForDescribeParameterEncryption) at System.Data.SqlClient.SqlCommand.ExecuteReaderTds(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean 3d2f639e-7d0e-2082-ca7-a21a4b88e730
High ... System.Data.SqlClient.SqlCommand.ExecuteReaderTds(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean 3d2f639e-7d0e-2082-ca7-a21a4b88e730
High ... at Microsoft.SharePoint.Utilities.SqlSession.ExecuteReaderTds(SqlCommand command, SqlInfoMessageEventHandler handler) at Microsoft.SharePoint.Utilities.SqlSe 3d2f639e-7d0e-2082-ca7-a21a4b88e730
```

Sorry, something went wrong

An unexpected error has occurred.

TECHNICAL DETAILS

Troubleshoot issues with Microsoft SharePoint Foundation.

Correlation ID: 2f88c59d-c089-3000-15b3-8ef2e9ff1d93

Date and Time: 12/28/2016 8:49:27 AM

GO BACK TO SITE

Error messages

HTTP headers

SharePoint Sites ACME\admindyk

Team Site EDIT LINKS

Home Get started with your site REMOVE THIS

Documents

2 / 85 http://portal.acme.intra/SitePages/Home.aspx?AjaxDelta=1&isStartPrt=1525265931239

Request headers	Request body	Response headers	Response body	Cookies	Initiator	Timings
Key		Value				
Response		HTTP/1.1 200 OK				
Cache-Control		private, max-age=30				
Content-Type		text/html; charset=UTF-8				
Expires		Tue, 17 Apr 2018 12:58:51 GMT				
Last-Modified		Wed, 02 May 2018 12:58:51 GMT				
Server		Microsoft-IIS/8.5				
X-SharePointHealthScore		0				
deltaBoundary		-deltaBoundary-bf31639e-fd3e-2082-ca7-a2dbbb295e84				
X-AspNet-Version		4.5.1314				
requestId		bf31639e-fd3e-2082-ca7-a2dbbb295e84				
SPRequestDuration		1420				
SPSLatency		0				

Using Correlation ID

Using Correlation IDs

- Use Merge-SPLogFile to retrieve all log entries of a specific Correlation ID **and** its child processes

IMPORTANT: Default timeframe is the last hour!

```
PS C:\> Merge-SPLogFile -Correlation b235639e-cd86-2082-cca7-a9d8000c2cd5 -Path C:\log.txt

PS C:\> Merge-SPLogFile -Correlation b235639e-cd86-2082-cca7-a9d8000c2cd5 -Path C:\log.txt
        -StartTime "01/05/2018 09:00" -EndTime "02/05/2018 12:00"
```

Other useful logs



Internet Information Services (IIS) logs




Event logs


IIS logs

IIS logs

- Record data for a SharePoint web server in various fields such as - Client IP address, Server IP address, Method, HTTP status, Cookie and Protocol Sub status
- Helps to diagnose the SharePoint errors



```
#Software: Microsoft Internet Information Services 8.0
#Version: 1.0
#Date: 2016-10-26 07:55:36
#Fields: date time s-ip cs-method cs-uri-stem cs-uri-query s-port cs-user
2016-10-26 07:55:36 fe80::69f7:da7:142b:4052%24 GET / - 80 - fe80::69f7:d
2016-10-26 07:55:36 fe80::69f7:da7:142b:4052%24 GET / - 80 - fe80::69f7:d
2016-10-26 07:55:59 fe80::69f7:da7:142b:4052%24 GET / - 80 0#.w|contoso\
2016-10-26 07:56:30 fe80::69f7:da7:142b:4052%24 GET / - 80 - fe80::69f7:d
2016-10-26 07:56:30 fe80::69f7:da7:142b:4052%24 GET / - 80 - fe80::69f7:d
2016-10-26 07:56:30 fe80::69f7:da7:142b:4052%24 GET / - 80 0#.w|contoso\
2016-10-26 07:57:08 fe80::69f7:da7:142b:4052%24 GET /SitePages/Home.aspx
2016-10-26 07:57:08 fe80::69f7:da7:142b:4052%24 GET /SitePages/Home.aspx
2016-10-26 07:57:08 fe80::69f7:da7:142b:4052%24 GET /SiteAssets/sojooon.j
2016-10-26 07:57:08 fe80::69f7:da7:142b:4052%24 GET /SiteAssets/sojooon.j
2016-10-26 07:57:10 fe80::69f7:da7:142b:4052%24 POST /_vti_bin/client.svc
2016-10-26 07:57:10 fe80::69f7:da7:142b:4052%24 POST /_vti_bin/client.svc
2016-10-26 07:57:47 fe80::69f7:da7:142b:4052%24 GET / - 80 - fe80::69f7:d
2016-10-26 07:57:47 fe80::69f7:da7:142b:4052%24 GET / - 80 - fe80::69f7:d
```



Name	ID
Default Web Site	1
RootWebApp	1197108509


Default location:

C:\inetpub\logs\LogFiles\W3SVC<website_id>

Event logs

Event logs

- Have the same purpose as any operating system or application logs
- Can help diagnose problems with SharePoint




Lab 5.1:

Review the various logs in SharePoint

Objectives

After completing this lab, you will be able to:

- Find and review log files used with SharePoint



Knowledge Check

Which are the four SharePoint logs?

- Setup, Configuration, Upgrade and ULS logs

Which two non-SharePoint logs are also available?

- IIS and Event logs

Where can the Correlation ID be found?

- Error messages, HTTP Header, ULS logs

Questions?



