```
EXPLORER
                                    Js users.js
                                                      JS user.model.js
                                                                        JS server.js X

✓ MERN-EXERCISE-TRACKER-MONGODB-M...

                                     mern-exercise-tracker-mongodb-master > backend > JS server.js > ☆ app.listen() callback

∨ mern-exercise-tracker-mongodb- cd

                                            const app = express();

∨ backend

                                            const port = process.env.PORT | 5000;
    models
     JS exercise.model.js
                                            app.use(cors());
     JS user.model.js
                                            app.use(express.json());
    > node modules
                                            const uri =

∨ routes

                                               process.env.ATLAS_URI ||
     JS exercises.js
                                               "mongodb+srv://test123:test123@cluster0.bjmvh.mongodb.net/test123?retryWrites=true&w=majority";
     JS users.js
                                            console.log(uri);
    {} package-lock.json
                                            mongoose.connect(uri, { useNewUrlParser: true, useCreateIndex: true });
    {} package.json
                                            const connection = mongoose.connection;
                                            connection.once("open", () => {
    JS server.is
                                               console.log("MongoDB database connection established successfully");
   > node_modules
   > public
   > src
                                            const exercisesRouter = require("./routes/exercises");
   gitignore
                                            const usersRouter = require("./routes/users");
   {} package-lock.json
   {} package.json
                                            app.use("/exercises", exercisesRouter);
                                            app.use("/users", usersRouter);
  (i) README.md
   yarn.lock
                                            app.listen(port, () => {
  {} package-lock.json
                                              console.log(`Server is running on port: ${port}`);
                                                                                                                                                                                                                                           TERMINAL
                                               PROBLEMS OUTPUT DEBUG CONSOLE
                                                                                                                                                                                                                       1: bash, bash
                                      (Use `node --trace-warnings ...` to show where the warning was created)
                                                                                                                                                       ackage.json'
                                      (node:11104) Warning: Accessing non-existent property 'findOne' of module exports inside circular dependency
                                                                                                                                                       npm ERR! encent This is related to npm not being able to find a file.
                                      (node:11104) Warning: Accessing non-existent property 'remove' of module exports inside circular dependency
                                                                                                                                                       Compiled with warnings.
                                      (node:11104) Warning: Accessing non-existent property 'updateOne' of module exports inside circular dependency
                                      Server is running on port: 5000
                                                                                                                                                       ./src/components/exercises-list.component.js
                                      MongoDB database connection established successfully
                                                                                                                                                        Line 12: The href attribute requires a valid value to be accessible. Provide a valid, navigable address as t
                                      [nodemon] restarting due to changes...
                                                                                                                                                       he href value. If you cannot provide a valid href, but still need the element to resemble a link, use a button
                                                                                                                                                       and change it with appropriate styles. Learn more: https://github.com/evcohen/eslint-plugin-jsx-a11y/blob/maste
                                                                                                                                                       r/docs/rules/anchor-is-valid.md jsx-a11y/anchor-is-valid
                                      mongodb+srv://test123:test123@cluster0.bjmvh.mongodb.net/test123?retryWrites=true&w=majority
                                      (node:11404) Warning: Accessing non-existent property 'count' of module exports inside circular dependency
                                      (Use `node --trace-warnings ...` to show where the warning was created)
                                                                                                                                                       Search for the keywords to learn more about each warning.
                                      (node:11404) Warning: Accessing non-existent property 'findOne' of module exports inside circular dependency
                                                                                                                                                       To ignore, add // eslint-disable-next-line to the line before.
                                      (node:11404) Warning: Accessing non-existent property 'remove' of module exports inside circular dependency
                                      (node:11404) Warning: Accessing non-existent property 'updateOne' of module exports inside circular dependency
                                      Server is running on port: 5000
                                      MongoDB database connection established successfully
> OUTLINE
> NPM SCRIPTS
```

ExcerTracker Exercises Create Exercise Log Create User

## **Logged Exercises**

Username	Description	Duration	Date	Actions
galaa	adfasdfsd	0	2020-12-09	edit   delete
bataa	dsfasdfasd	213123	2020-12-16	edit   delete
Galt-Erdene/17b1num1132/	cs142	111	2020-12-09	edit   delete

## **Logged Exercises**

Username	Description	Duration	Date	Actions
galaa	adfasdfsd	0	2020-12-09	edit   delete
bataa	dsfasdfasd	213123	2020-12-16	edit   delete
Galt-Erdene/17b1num1132/	cs142	111	2020-12-09	edit   delete
Jawkhlan	bagsj	0	2020-12-09	edit   delete