Round 2 Judging Rubric: Top 30 to Top 10 to Top 3

The jury goes through each submission and decides the top 10.

Stage 1: Shortlist (30 to 10)

Criterion	Weight	5 =	3 =	1 =
1. Working prototype	25	Runs end to end, live, on inputs the judge picks: input → detection → alert or action	Detection core runs live; parts of the flow are mocked or shown on slides	Mostly slides or a recorded video; nothing runs on new input
2. Spot-check results and measured accuracy	30	Gets most kit samples right; shows error rates (including false positives) on data the model never trained on; names its failure cases	Mixed kit results; metrics shown but the test set is small or unclear	Fails the kit, or claims accuracy with no measurement
3. Own engineering contribution	15	Substantial code written during the finale beyond off-the-shelf models (fine-tuning, fused signals, custom pipeline); any member can walk a judge through it	Existing models wired together with some own logic	Thin wrapper around one API or pretrained model; team can't explain it
4. Alert and response flow, as built	15	The step after detection works in the prototype: a person sees a clear alert and can act on it, and safeguards (on-device processing, no raw data kept, human review) are running, not just described	Alert shown, but the response path or safeguards are partly mocked	Detection ends in a score or log; nothing for a person to act on
5. Delivery against Round 1 plan	15	Built what the 48-hour plan promised, or cut scope deliberately and can say why	Partial delivery with some unexplained gaps	Little resemblance to the plan, no explanation

Stage 2: Final Presentations

Criterion	Weight	5 =	3 =	1 =
1. Problem and user understanding	20	Names a specific user and threat scenario grounded in how UPI, banking or wallet fraud actually happens in India; the pitch shows how victims get hurt today	Clear problem, but the user or scenario is generic	Vague problem or user
2. Deployability and scale	15	Concrete path into a bank, UPI app, wallet or law-enforcement workflow; says who runs it, what it costs and what a pilot would need	Plausible integration story, light on specifics	No credible route to real use
3. Communication and Q&A	10	Clear, on time, direct answers, including "we don't know"	Clear but over time or evasive in places	Hard to follow
4. Live user journey	25	Works live on a realistic scenario the jury can vary; shows the whole path from the attack reaching the user to the alert, the user's action, and any review or report	Works with hiccups, or shows only the detection step	Fails, or is replaced by a video
5. Adversarial robustness	20	In Q&A the team shows how an attacker would evade it, what it misses now and what they would change	Handles some attack questions; vague or defensive on others	Hasn't considered evasion, or claims it can't be fooled
6. Responsible AI and handling mistakes	10	Demonstrates what a genuine user flagged by mistake goes through and how fast they get past it; the alert says why it fired; privacy safeguards are running	False-positive path or safeguards described but not shown	Genuine users would be blocked with no recourse, or privacy is ignored