Sample Project: Control-Arm Writing Stage

Anonymous

Abstract

We compare baseline, main and ablation conditions on a synthetic smoke task. The supplied observations motivate cautious follow-up within the recorded scope.

1 Introduction

The approved smoke comparison illustrates the workflow. Pretraining and adaptation motivate the background[1, 2]; these runs do not reproduce those methods.

2 Related Work

BERT describes pretraining[1], while LoRA studies low-rank adaptation[2]. Abstract-only access limits reconstruction of experimental details.

3 Method

The approved plan compares baseline, main and ablation conditions. The frozen task configuration identifies a smoke test; unavailable implementation details remain unspecified. The frozen supporting runs record Python 3.14.6.

4 Experimental Setup

Only runs supporting the selected comparisons enter the frozen environment summary. The frozen supporting runs record Python 3.14.6.

5 Results

Comparison C1 (final): baseline mean 0.694233, n=3; main mean 0.779900, n=3.

Comparison C2 (final): ablation mean 0.737100, n=3; main mean 0.779900, n=3.




Figure 1: Recorded comparison; error bars show 95% confidence intervals.

6 Discussion

The observed differences may motivate further evaluation; they do not establish a general causal effect.

6.1 Limitations

This synthetic smoke task and its limited seeds cannot establish performance on real tasks. Local offline citation checks do not verify scientific claims.

7 Conclusion

The recorded comparisons illustrate a reproducible pipeline within the approved scope. No generalization beyond these observations is established.

Generative AI Use

An AI agent generated manuscript prose using writing/section v2. Runtime model backend: SampleWritingLLM. Writing roles: writing.writer. Recorded automatic compile-repair attempts: 0; accepted: 0. Evidence checking is disabled (control arm, evidence_check=false). Compilation and local offline citation checks do not establish scientific correctness. Approved idea and plan versions were supplied. Manuscript feedback items processed: 0. This draft awaits manuscript approval; no publication authorization is implied. Prior




Figure 2: Recorded comparison; error bars show 95% confidence intervals.

manuscript approval records: 0. Figure presentation used writing.figure_spec (writing/figure_spec v1); values and graphics came from deterministic scripts.

References

[1] Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. Bert: Pre-training of deep bidirectional transformers for language understanding. In *NAACL*, 2019.

[2] Edward J. Hu, Yelong Shen, Phillip Wallis, Zeyuan Allen-Zhu, Yuanzhi Li, Shean Wang, Lu Wang, and Weizhu Chen. Lora: Low-rank adaptation of large language models. In *ICLR*, 2022.