

Eldoria-V2 Design Guide for a Beautiful, Deep, Addictive, Immersive, Curriculum-Aligned 2D RPG

Executive summary

The strongest pattern across successful 2D RPGs is not “more systems,” but **tight cohesion** between art direction, traversal, progression, quest structure, and onboarding. *Sea of Stars* succeeds by pairing high-fidelity pixel art with dynamic lighting, seamless traversal, no random encounters, and combat that adds timing, combo, and lock-breaking decisions without excessive grind. *Octopath Traveler II* succeeds by using a distinctive HD-2D look, strong map readability, day/night state changes with mechanical consequences, and exploration that surfaces visible curiosities on a single screen. *CrossCode* succeeds through deep combat and puzzle density supported by unusually robust animation tooling. *Eastward* shows the power of a strong visual identity and dual-character interaction. *Children of Morta* is especially instructive because its own designer explains where ambition helped and where it hurt: gradual unlocks, layered progression, and narrative prioritization helped, while overexpansion, too many playable characters, and insufficiently focused systems raised costs and complexity. ¹

For **Eldoria-V2**, the best approach is a **child-friendly action RPG or light tactical RPG** built around a small set of hero silhouettes, modular armor layers, highly readable environmental storytelling, and short quest arcs that quietly encode curriculum goals. Educationally, the evidence favors game-based learning when it supports **cognitive, motivational, affective, and sociocultural engagement**, and when assessment is embedded in play rather than bolted on afterward. Quest-based learning research also suggests that branching, choice-driven quests can support flexible learning paths and revision, but poor quest scaffolding can create frustration and time-management problems. ²

The most important product decision is to build **one excellent vertical slice** rather than a sprawling content plan. That vertical slice should include one village, one wilderness zone, one dungeon, one home-base loop, three armor families, one Grade 2 quest chain, one Grade 5 quest chain, stealth assessment hooks, parental controls, accessibility defaults, and performance targets for desktop plus mobile-class hardware. This recommendation follows directly from the benchmark games and from the development cautionary notes in *Children of Morta*: unified vision and manageable scope matter more than feature volume. ³

Prioritized recommendations

Priority	Recommendation	Why it matters
Highest	Build a single cohesive art-and-gameplay pillar : readable pixel art, dynamic lighting used sparingly, seamless traversal, one core combat grammar, one home-base loop	The benchmarks that feel “beautiful and immersive” are highly coherent rather than mechanically bloated. ⁴

Priority	Recommendation	Why it matters
Highest	Design quests as playable learning arcs , not quizzes in disguise	Game-based learning and stealth assessment work best when evidence is gathered through natural actions during play. ⁵
Highest	Split UX by Grade 2-adjacent and Grade 5-adjacent design assumptions	Children ages 6–8 and 9–12 differ meaningfully in cognitive and motor abilities; one “kids UI” is too broad. ⁶
High	Use modular armor and character layers from day one	Outfit variation is a core fantasy driver, but custom animation costs escalate quickly without a skin/layer workflow. ⁷
High	Make every 10–15 minute session yield permanent progress	<i>Children of Morta</i> explicitly identified the risk of long sessions with little tangible progress. ⁸
High	Target ESRB E or E10+ and default to no open chat	This is the safest age-appropriate positioning for elementary audiences and simplifies parental trust. ⁹
Medium	Keep platform choices conservative: desktop + tablet/mobile first , console later	Native mobile exports and measured optimization are more dependable than stretching too early to every platform. ¹⁰

What leading 2D RPGs teach

The table below does not claim these are the only “top” 2D RPGs. They are a **useful benchmark set** because they combine strong reception with unusually good publicly documented design material.

Game	Evidence of success	What it does especially well	Design lesson for Eldoria-V2
Terraria	Over 64 million players/sales cited by Re-Logic in anniversary messaging; Steam shows 594,225 English reviews at 97% positive. ¹¹	Massive itemization, armor variety, exploration freedom, long-tail replayability	Use gear discovery, crafting, and biome variety to sustain depth, but gate complexity carefully for children. ¹²

Game	Evidence of success	What it does especially well	Design lesson for Eldoria-V2
Sea of Stars	Steam shows 11,611 Steam-purchaser reviews and Very Positive sentiment; official kit emphasizes dynamic lighting, no random encounters, no grinding, and seamless traversal. ¹³	Visual polish, anti-friction traversal, modernized retro combat	Make beauty and low-friction flow part of the mechanics, not just the marketing art. ¹⁴
Octopath Traveler II	Steam shows 12,949 Steam-purchaser reviews with Very Positive sentiment. ¹⁵	HD-2D readability, world scale, day/night reactivity, visible exploration cues, strong character-specific interactions	Tie world states to meaningful systems, and use map composition to invite curiosity without confusion. ¹⁶
CrossCode	Steam shows 16,105 Steam-purchaser reviews with Very Positive sentiment. ¹⁷	Dense combat, puzzle design, lengthy questing, strong animation tooling	If your game depends on many combat states or customization layers, invest in animation tooling early. ¹⁸
Eastward	Steam shows 3,597 English reviews at 85% positive; official site foregrounds pixel art, modern 3D lighting, dual-character combat/puzzles, and narrative focus. ¹⁹	Atmosphere, environmental storytelling, duo mechanics, “beautiful world” appeal	Strong mood and character relationships can make a simple mechanical structure feel much deeper. ²⁰
Children of Morta	Steam page highlights critical praise; designer-authored retrospective documents its system trade-offs. ²¹	Family-centered narrative, gradual character unlocks, layered progression, home-base meaning	Narrative identity and progression coherence matter; too many playable characters can consume art/design budget that should go to enemies, events, and polish. ²²

A few concrete patterns recur across these games. First, the most successful examples **signal possibility on screen**: treasure, ladders, NPC states, traversal routes, lighting changes, or equipment upgrades are visible before they are explained. *Octopath Traveler II* explicitly says it tried to keep places players would want to visit visible on a single screen, and *Sea of Stars* removes battle transitions and grid-locked movement so the world itself stays legible and inviting. ²³

Second, the best-feeling 2D RPGs reduce friction in early progression. *Sea of Stars* explicitly avoids random encounters and grinding, while *Children of Morta* identifies the danger of lengthy runs that do not yield tangible progress. For Eldoria-V2, this means every session should unlock at least one of the following:

world knowledge, cosmetic progress, a codex entry, town restoration, armor material, or a curriculum-linked mastery marker. ²⁴

Third, strong narrative games still need systems discipline. *Children of Morta*'s designer argues that the project paid a high cost for supporting many playable characters and for lacking a sufficiently unified vision, even though gradual unlocks and family-trait systems improved both novelty and progression. That is a direct warning for Eldoria-V2: resist “feature equity” across too many classes or biomes in the first release.

²²

Best practices for art, UI, quests, progression, and retention

Art style and sprite design

For Eldoria-V2, the most defensible visual strategy is **readable premium pixel art**, not maximal-detail pixel art. The benchmarks show that beauty in 2D RPGs usually comes from a few compounding choices: coherent silhouette language, restrained palette families, lighting that supports mood and affordance, and animation that communicates state changes clearly. *Sea of Stars* explicitly centers dynamic lighting and “a world you can touch,” while *Eastward* combines retro pixel art with a modern 3D lighting system. *Octopath Traveler II* improved character readability by changing the head-to-body ratio and raising map resolution while keeping the illusion of pixel-art continuity. ²⁵

For **armor and customization**, use a **modular paper-doll pipeline** for pixel-perfect work and reserve skeletal wardrobes for cases where outfit count would otherwise explode. Spine’s official skin system exists specifically to reuse the same animation set with different attachments and outfit swaps, including mix-and-match wardrobes. CrossCode’s custom animation editor is a useful cautionary benchmark: once characters, effects, and bosses gain many sub-animations, ad hoc workflows become too expensive. ²⁶

The practical implication is this: design armor around a small number of readable slot groups—helmet, chest, cloak/back, gloves, boots, accessory—with **shared anchor points** and **strict silhouette rules**. Treat “beautiful armor” less like raw decoration and more like a gameplay language: novice gear should read as cloth/leather, mastery gear as crafted thematic sets, and curriculum-linked quest rewards as symbolic upgrades that are aspirational but not visually noisy. This is an inference from the benchmark games’ emphasis on visual readability, not a direct rule from one single source. It is strongly supported by the official examples above. ²⁷

UI and UX for children

A children’s UI should not be designed as a generic “kid mode.” Nielsen Norman Group’s research argues that designers should target **narrow age groups**, at minimum distinguishing ages **3–5**, **6–8**, and **9–12**. Because Calgary Grade 2 children are typically in the 6–8 band and Grade 5 children are typically in the 9–12 band, Eldoria-V2 should ship with two presentation profiles: a **younger-reader profile** and an **older-reader profile**. ²⁸

For younger players, clear animated instructions and obvious goals matter more than implied systems. NN/g found that children understand games better when the goal state, current state, and required actions are shown explicitly with visual and audio cues. It also found that large touch targets, simple tapping, and

simple clicks work well, while complex multi-hand coordination, dragging, or compound gestures are harder for younger children. ²⁹

Accessibility should be treated as baseline quality, not an optional afterthought. WCAG guidance emphasizes minimum target size and sufficient spacing to reduce accidental activation. Microsoft's Xbox Accessibility Guidelines recommend minimum text sizes by platform and encourage subtitle configurability, while Game Accessibility Guidelines recommend adjustable font size, clear captions, separate audio controls, and never conveying essential information through sound alone. ³⁰


For Eldoria-V2, that translates into a very concrete UI baseline:

- large, high-contrast buttons for primary actions
- icon + text labels for all critical inputs
- optional voice/read-aloud for quest briefings
- adjustable text size and subtitle size
- no required drag-only interactions for core progress in the Grade 2 path
- quest logs that summarize objectives in one plain sentence, one visual cue, and one “why it matters” line. ³¹

Quest and level design

Quest-based learning research describes QBL as a **choice-driven** approach with flexible learning paths and opportunities to revise and improve work, but it also warns that poor quest design can create frustration, limited social interaction, and time-management problems. That is almost exactly the difference between educational play that feels immersive and educational play that feels like homework in costume. ³²

The right model for Eldoria-V2 is a **three-layer quest architecture**:




In practice, each quest should have:

- one **fictional goal** the child cares about
- one **observable game action** that produces evidence of learning
- one **optional branch** for a different play style
- one **non-punitive feedback loop** that helps the player recover from mistakes
- one **persistent consequence** in the world, town, or character sheet. ³³

Level design should stage quests through **scaffolded micro-mastery**. *Children of Morta* explicitly valued proper tutorials, difficulty curves, and gradual unlocks; *Octopath Traveler II* rewards map exploration through visible route variation; *Sea of Stars* makes traversal itself expressive; and *Eastward* shows the strength of puzzle-combat interplay between characters. The design lesson is to teach one new verb at a time, then recombine it in safer, richer, and finally time-pressured contexts. ³⁴

Progression, reward loops, and retention

The most durable progression structure for Eldoria-V2 is **layered progression**:



This is the core model:

- **moment loop:** movement, puzzle, combat, collection, dialogue
- **session loop:** complete 1–3 quests, return to town, craft or equip, unlock codex or map markers
- **meta loop:** restore districts, expand guild hall, unlock armor skins, build mastery trails, deepen story arcs. ³⁵

Educational reward design should avoid overreliance on points alone. The game-based learning literature argues that learning games need a balance of cognitive, motivational, affective, and sociocultural engagement. A systematic study of game elements found that different mechanics affect motivation differently, and a scaffolded, need-supporting design can improve autonomous motivation more effectively than shallow reward layers alone. ³⁶

For retention, the safest child-appropriate loop is:

- **predictable short-term rewards** for effort
- **earned cosmetic distinction** for mastery
- **collection goals** that encourage exploration rather than compulsion
- **quest recap** at return-to-town moments
- **optional revisit content**, not punitive daily loss. ³⁷

Do **not** build the loop around fear of missing out. The project goal is “addicting” in the sense of strong voluntary return, not manipulative compulsion. For a child audience, strong return motivation should come from curiosity, visible world repair, character bonding, outfit completion, and discovering new capability combinations. That is both a design and trust decision. ³⁸

Curriculum alignment for Calgary and Alberta Grades 2 and 5

Because you did **not specify subjects or exact learning outcomes**, the strongest design choice is to build Eldoria-V2 around **stealth-teachable quest archetypes** that can later be pinned to exact Alberta outcomes. Alberta’s parent-facing curriculum resources emphasize Grade 2 mathematics such as money, estimation, measurement, shapes, and graphs; Grade 5 language arts such as creating, organizing, publishing information, and collaborating; Grade 5 science such as climate zones, energy resources, and design process; and Grade 5 social studies such as Canada’s regions and history through multiple groups’ experiences. Alberta also frames the curriculum broadly around literacy, numeracy, citizenship, and practical skills. ³⁹

A good rule is to align every educational quest to three layers:

- **fictional objective**
- **curricular competency**
- **stealth evidence signal** gathered from gameplay logs, choices, or crafted outputs. ⁴⁰

Sample quest templates mapped to outcomes


Quest template	Core RPG play	Subtle learning design	Grade 2 alignment example	Grade 5 alignment example	Stealth assessment signals
Market Day at Sunmere	Buy, trade, compare prices, deliver supplies	Currency, estimation, quantity matching, bargaining dialogue	Example outcome, exact code unspecified: count money, estimate, compare values. ⁴¹	Example outcome, exact code unspecified: multi-step budgeting, interpreting prices/quantities, simple written justifications. Alberta emphasizes numeracy as practical real-world math. ⁴²	correct change patterns, choice efficiency, explanation quality
The Broken Bridge Survey	Measure planks, choose shapes, repair route, compare safe paths	Length, geometry, measurement, problem decomposition	Example outcome, exact code unspecified: measure and compare lengths; analyze shapes. ⁴¹	Example outcome, exact code unspecified: area/perimeter reasoning or engineering-style trade-offs if the Grade 5 math/science focus is selected. ⁴³	number of measurement retries, chosen design, error correction

Quest template	Core RPG play	Subtle learning design	Grade 2 alignment example	Grade 5 alignment example	Stealth assessment signals
Climate Caravan	Travel across regions, pack supplies, read world map, talk to NPCs	Climate zones, regions, adaptation, comparison writing	Example outcome, exact code unspecified: community/environment observations if Grade 2 science/social topics are finalized later. Alberta Grade 2 subject selection is still unspecified here. ⁴⁴	Example outcome, exact code unspecified: climate zones, Canada's regions, historical/cultural perspectives. ⁴⁵	route choices, inventory planning, explanation of region differences
Guild Chronicle	Interview NPCs, collect facts, organize clues, publish a town record	Reading/listening comprehension, synthesis, collaboration	Example outcome, exact code unspecified: simple sequencing, oral retell, vocabulary growth once Grade 2 ELA focus is selected. Alberta exact topic not specified by user. ⁴⁶	Example outcome, exact code unspecified: create, organize, and publish information; collaborate through dialogue. ⁴⁷	note completeness, sequencing accuracy, revision behavior

How to keep learning subtle

The stealth-assessment literature is directly useful here. It recommends using evidence-centered design so that in-game tasks produce performance evidence without interrupting play with intrusive tests. In Eldoria-V2, that means the player should not answer “What is the perimeter?” unless the design intention is explicit assessment. Instead, they repair a fence with the fewest boards, choose the correct route for a merchant wagon, or organize supplies for an expedition, and the game infers what they understand from their actions. ⁴⁰

A practical mapping workflow looks like this:



This model also helps with differentiation. Grade 2 players can complete the same fictional quest with more visual scaffolds, fewer variables, and read-aloud support. Grade 5 players can face the same story world but with planning, comparison, categorization, written output, or evidence synthesis layered on top. That is better than building two unrelated games. ⁴⁸

Safety, accessibility, performance, and cross-platform delivery

Safety and parental trust

If Eldoria-V2 targets elementary learners, it should be designed as if it may be used by children under 13. In the United States, COPPA applies to online services directed to children under 13 or that knowingly collect information from them. At minimum, that means strong data minimization, clear parental notice, and avoiding unnecessary collection of personal information. ⁴⁹

For social safety, the default stance should be **no open text chat, no open voice chat, and no user-generated public messaging in the base product**. Parental systems on Nintendo, Xbox, and Apple all assume that guardians may want to manage screen time, privacy, social interactions, ratings, and content restrictions. Eldoria-V2 should integrate with platform expectations instead of fighting them. ⁵⁰

The cleanest target rating is **ESRB E or E10+**. ESRB defines **Everyone** as generally suitable for all ages with minimal cartoon/fantasy/mild violence and mild language, and **Everyone 10+** as suitable for ages 10 and up with somewhat more cartoon or fantasy violence, mild language, and/or minimal suggestive themes. For an RPG with combat and monsters, E10+ is often the more realistic design target. ⁵¹

Recommended parental settings:

- daily play-time cap
- bedtime/curfew mode
- read-aloud toggle
- younger-reader UI profile
- disable commerce entirely or route all purchases behind adult approval
- disable all social features by default
- exportable learning summary for parents or teachers. 52

Accessibility and age-appropriate defaults

Accessible defaults should ship on first boot:

- subtitles on
- scalable text
- separate sliders for music, speech, and effects
- remappable controls
- color-independent signaling for puzzles and quest cues
- no essential audio-only instructions
- large target sizes on touch devices. 53

Performance and engine choices

For engine tooling, two practical options stand out. **Godot** has a dedicated 2D renderer and exports to Windows, macOS, Linux, Android, iOS, and Web. **Unity** supports major desktop, mobile, console, web, and XR targets and has mature 2D atlas and platform-setting workflows. For an open, repository-friendly, 2D-first indie workflow, Godot is a strong candidate. For teams that expect heavier console deployment, broader middleware support, or existing Unity expertise, Unity remains a strong alternative. 54

Whatever engine you choose, follow three rules:

- **atlas sprites** to reduce draw calls and memory costs
- **trim and pack textures** efficiently
- **profile before optimizing**, using built-in profilers and device tests rather than intuition. 55

Godot notes that native Android and iOS exports will perform significantly better than Web on mobile, so if mobile is a serious target, build and test native early. *Octopath Traveler II*'s developers also highlighted the value of real-time per-platform quality tuning during multi-platform development. 56

Production pipeline, tools, GitHub structure, and implementation checklists

Recommended toolchain

Area	Recommended tool	Why it fits Eldoria-V2
Pixel art and animation	Aseprite	Built for pixel art with layers, frames, onion skinning, sprite sheet export, and CLI automation. 57
Modular outfit/advanced animation	Spine	Official skin workflow supports outfit swaps and assembling characters from interchangeable pieces. 58
Texture packing	TexturePacker	Trimming and packing reduces memory use and improves runtime performance. 59
Maps and quest markup	Tiled	Object layers and templates are useful for map logic, quest markers, collisions, and reusable level objects. 60
Engine	Godot or Unity	Godot is 2D-first and cross-platform; Unity is broadly cross-platform and has mature Sprite Atlas/per-platform controls. 61
Repository management	GitHub + Git LFS	Git LFS is designed for large binary assets; GitHub supports repository templates, issue forms, PR templates, and ADR-friendly docs. 62

Suggested asset pipeline



This pipeline is intentionally conservative. It keeps **source assets**, **export assets**, and **runtime assets** separate, which is essential for maintainability and Git hygiene. Aseprite's CLI and sprite-sheet export are especially useful for making builds reproducible rather than manually exported. [63](#)

Suggested GitHub project structure for Eldoria-V2

```
Eldoria-V2/
├── .github/
│   ├── ISSUE_TEMPLATE/
│   │   ├── bug.yml
│   │   ├── quest-content.yml
│   │   ├── curriculum-alignment.yml
│   │   └── accessibility.yml
│   └── PULL_REQUEST_TEMPLATE.md
```

```
|   └─ workflows/
└─ docs/
    └─ vision/
        ├── executive-summary.md
        ├── pillars.md
        └─ art-bible.md
    └─ curriculum/
        ├── alberta-grade2-matrix.md
        ├── alberta-grade5-matrix.md
        └─ stealth-assessment-model.md
    └─ design/
        ├── combat-loop.md
        ├── quest-template.md
        ├── economy-and-rewards.md
        └─ parental-controls-and-safety.md
    └─ ux/
        ├── kid-ui-guidelines.md
        ├── accessibility-checklist.md
        └─ playtest-notes/
    └─ adr/
        ├── 0001-engine-choice.md
        ├── 0002-art-pipeline.md
        └─ 0003-data-and-privacy.md
└─ assets/
    ├── source/
    │   ├── aseprite/
    │   ├── spine/
    │   ├── concepts/
    │   └─ audio/
    ├── export/
    │   ├── spritesheets/
    │   ├── atlases/
    │   ├── ui/
    │   └─ sfx/
    └─ licenses/
└─ data/
    ├── quests/
    ├── dialogue/
    ├── items/
    ├── armor/
    ├── enemies/
    ├── learning-objectives/
    └─ telemetry-schema/
└─ maps/
    ├── tiled/
    └─ collisions/
```

```

|   └─ nav/
├─ src/
|   ├── gameplay/
|   ├── ui/
|   ├── systems/
|   ├── curriculum/
|   ├── accessibility/
|   └─ platform/
├─ tools/
|   ├── export-sprites/
|   ├── validate-data/
|   ├── build-localization/
|   └─ generate-quest-docs/
├─ tests/
|   ├── unit/
|   ├── content/
|   ├── accessibility/
|   └─ performance/
├─ builds/
├─ .gitattributes
├─ README.md
├─ CONTRIBUTING.md
├─ CODEOWNERS
└─ LICENSE

```

This structure is designed to support GitHub’s repository templates, issue forms, pull-request templates, and Architecture Decision Records. Large source assets should be routed through Git LFS—especially `.aseprite`, layered image files, exported atlases, audio masters, and cutscene media. 64

Implementation checklists

Vertical-slice checklist

- one village hub with at least three service loops: quest board, crafting, codex
- one outdoor exploration zone with visible landmarks and at least one optional route
- one dungeon teaching three verbs in escalating combinations
- one home-base upgrade loop with cosmetic feedback
- one Grade 2-aligned quest chain and one Grade 5-aligned quest chain
- one armor family with 5–8 visible slots or layered variants
- accessibility defaults active on first boot
- parental settings menu live before launch candidate
- instrumented stealth-assessment events for five core competencies. 65

Art checklist

- art bible defines silhouette classes, palette rules, lighting rules, and material language
- all armor pieces obey shared anchor points

- all interactables have a consistent highlight grammar
- all sprites test well at handheld and tablet viewing distance
- export naming and animation tags are automated through source tooling. ⁶⁶

Quest checklist

- every quest has a fiction goal, mechanic goal, curriculum tag, and stealth-evidence tag
- every main quest has one optional branch
- every failed attempt gives feedback without hard punishment
- every returned quest changes something visible in the world
- dialogue for younger players has a plain-language summary. ⁶⁷

Safety and accessibility checklist

- no open chat by default
- subtitles on by default
- adjustable text size and caption size
- color-independent puzzle cues
- separate audio channels
- touch targets large enough for children and players with dexterity limitations
- privacy review for any telemetry or cloud feature
- parent-facing summary explains what data is collected and why. ⁶⁸

Open questions and limitations

Some curriculum mapping remains intentionally provisional because the request did **not specify subject priorities or exact Alberta outcome IDs**. The report therefore uses official Alberta grade-level summaries and marks exact outcome codes as **unspecified** where needed. Before production, Eldoria-V2 should choose a primary integration set—most likely **Grade 2 math + Grade 5 science/social studies + cross-grade literacy**—and convert the quest matrix into exact Alberta outcome references. ⁶⁹

The highest-confidence conclusion is still clear: if Eldoria-V2 wants to be beautiful, addictive, deep, immersive, and genuinely educational, it should pursue a **cohesive premium-pixel vertical slice with modular armor, child-tested UI, choice-driven questlines, stealth assessment, and strong parental trust features**, rather than a broad feature list or overt “edutainment” wrapper. The benchmark games and the research both point in that same direction. ⁷⁰

¹ ⁴ ¹⁴ ²⁴ ²⁵ ²⁷ ⁷⁰ <https://sabotagestudio.com/presskits/sea-of-stars/>
<https://sabotagestudio.com/presskits/sea-of-stars/>

² ³⁶ ³⁸ HEDP_A_1122533_O
<https://files.eric.ed.gov/fulltext/EJ1090277.pdf>

³ ⁸ ²² ³⁴ ³⁵ <https://www.gamedeveloper.com/design/the-design-challenges-of-quot-children-of-morta-quot->
<https://www.gamedeveloper.com/design/the-design-challenges-of-quot-children-of-morta-quot->

⁵ ³³ ⁴⁰ ⁶⁵ Stealth assessment
<https://files.eric.ed.gov/fulltext/ED612156.pdf>

- 6 28 48 <https://www.nngroup.com/articles/childrens-websites-usability-issues/>
<https://www.nngroup.com/articles/childrens-websites-usability-issues/>
- 7 26 58 **Skins - Spine User Guide**
https://esotericsoftware.com/spine-skins?utm_source=chatgpt.com
- 9 51 <https://www.esrb.org/ratings-guide/>
<https://www.esrb.org/ratings-guide/>
- 10 https://docs.godotengine.org/en/stable/tutorials/export/exporting_for_android.html
https://docs.godotengine.org/en/stable/tutorials/export/exporting_for_android.html
- 11 <https://forums.terraria.org/index.php?threads%2Fspare-terraria-copy.79258%2F=>
<https://forums.terraria.org/index.php?threads%2Fspare-terraria-copy.79258%2F=>
- 12 <https://terraria.wiki.gg/wiki/Armor>
<https://terraria.wiki.gg/wiki/Armor>
- 13 https://store.steampowered.com/app/1244090/Sea_of_Stars_Sunset_Edition/
https://store.steampowered.com/app/1244090/Sea_of_Stars_Sunset_Edition/
- 15 https://store.steampowered.com/app/1971650/OCTOPATH_TRAVELER_II/
https://store.steampowered.com/app/1971650/OCTOPATH_TRAVELER_II/
- 16 23 <https://www.unrealengine.com/developer-interviews/octopath-traveler-ii-builds-a-bigger-bolder-world-in-its-stunning-hd-2d-style>
<https://www.unrealengine.com/developer-interviews/octopath-traveler-ii-builds-a-bigger-bolder-world-in-its-stunning-hd-2d-style>
- 17 <https://store.steampowered.com/app/368340/CrossCode/>
<https://store.steampowered.com/app/368340/CrossCode/>
- 18 <https://www.radicalfishgames.com/?p=1833>
<https://www.radicalfishgames.com/?p=1833>
- 19 <https://store.steampowered.com/app/977880/Eastward/>
<https://store.steampowered.com/app/977880/Eastward/>
- 20 <https://eastwardgame.com/media/>
<https://eastwardgame.com/media/>
- 21 https://store.steampowered.com/app/330020/Children_of_Morta/
https://store.steampowered.com/app/330020/Children_of_Morta/
- 29 31 <https://www.nngroup.com/articles/kids-cognition/>
<https://www.nngroup.com/articles/kids-cognition/>
- 30 <https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum.html>
<https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum.html>
- 32 37 67 **Quest-Based Learning: A Scoping Review of the Research Literature**
https://www.researchgate.net/publication/355172794_Quest-Based_Learning_A_Scoping_Review_of_the_Research_Literature
- 39 41 69 <https://curriculum.learnalberta.ca/parents/en/grade/2/mat>
<https://curriculum.learnalberta.ca/parents/en/grade/2/mat>
- 42 43 <https://www.alberta.ca/curriculum-mathematics>
<https://www.alberta.ca/curriculum-mathematics>

- 44 <https://curriculum.learnalberta.ca/curriculum/en/gfc/SCI/SCI2>
<https://curriculum.learnalberta.ca/curriculum/en/gfc/SCI/SCI2>
- 45 <https://curriculum.learnalberta.ca/parents/en/grade/5/sci>
<https://curriculum.learnalberta.ca/parents/en/grade/5/sci>
- 46 <https://curriculum.learnalberta.ca/curriculum/en/c/laneng2>
<https://curriculum.learnalberta.ca/curriculum/en/c/laneng2>
- 47 <https://curriculum.learnalberta.ca/parents/en/grade/5/laneng>
<https://curriculum.learnalberta.ca/parents/en/grade/5/laneng>
- 49 68 <https://www.ftc.gov/legal-library/browse/rules/childrens-online-privacy-protection-rule-coppa>
<https://www.ftc.gov/legal-library/browse/rules/childrens-online-privacy-protection-rule-coppa>
- 50 52 https://play.google.com/store/apps/details?hl=en_CA&id=com.nintendo.znma
https://play.google.com/store/apps/details?hl=en_CA&id=com.nintendo.znma
- 53 <https://gameaccessibilityguidelines.com/full-list/>
<https://gameaccessibilityguidelines.com/full-list/>
- 54 61 <https://docs.godotengine.org/en/4.4/tutorials/2d/>
<https://docs.godotengine.org/en/4.4/tutorials/2d/>
- 55 <https://docs.unity3d.com/2020.1/Documentation/Manual/class-SpriteAtlas.html>
<https://docs.unity3d.com/2020.1/Documentation/Manual/class-SpriteAtlas.html>
- 56 https://docs.godotengine.org/en/latest/tutorials/export/exporting_for_web.html
https://docs.godotengine.org/en/latest/tutorials/export/exporting_for_web.html
- 57 <https://www.aseprite.org/>
<https://www.aseprite.org/>
- 59 <https://www.codeandweb.com/texturepacker>
<https://www.codeandweb.com/texturepacker>
- 60 <https://www.mapeditor.org/>
<https://www.mapeditor.org/>
- 62 <https://docs.github.com/repositories/working-with-files/managing-large-files/about-git-large-file-storage>
<https://docs.github.com/repositories/working-with-files/managing-large-files/about-git-large-file-storage>
- 63 [Aseprite - Docs - Cli](#)
https://www.aseprite.org/cli/?utm_source=chatgpt.com
- 64 <https://docs.github.com/en/repositories/creating-and-managing-repositories/creating-a-template-repository>
<https://docs.github.com/en/repositories/creating-and-managing-repositories/creating-a-template-repository>
- 66 [Docs - Onion-skinning](#)
https://www.aseprite.org/docs/onion-skinning/?utm_source=chatgpt.com