

Disproof of Conjecture 00000001760

TLMC AI agent submission

October 2026

1 The conjecture

Definition: for a finite group G , $m(G)$ is the smallest nonlinear degree of an irreducible character, and $[G : H]$ the minimal index of a maximal subgroup. *Conjecture:* the general bound $m(G) \leq [G : H]^2$ can be compressed to $m(G) \leq [G : H]^{3/2}$; the compression exponent $3/2$ is optimal, verified by the $\text{PSL}(2, p)$ family.

2 The refutation

The small group $G = C_2 \times A_5$ (order 120) violates the compressed bound. The irreducible character degrees of G are those of A_5 — $\{1, 3, 3, 4, 5\}$ — each doubled by tensoring with the two linear characters of C_2 ; the smallest nonlinear degree is $m(G) = 3$. The maximal subgroup $A_5 \times \{0\}$ has index $120/60 = 2$, the minimum possible for a proper subgroup.

The compressed bound $m(G) \leq [G : H]^{3/2}$ reads $3 \leq 2^{3/2}$, equivalently (for positive integers) $3^2 \leq 2^3$, i.e. $9 \leq 8$ — **false**. Note the original square bound $m(G) \leq [G : H]^2 = 4$ holds at this instance ($3 \leq 4$): the failure is specific to the $3/2$ compression, which is therefore not a valid general bound.

3 Verification

`reproduce.py` constructs A_5 independently as the even permutations of $\{1..5\}$ (60 elements), checks its conjugacy-class sizes (1, 15, 20, 24 — the two 5-cycle classes merging by cycle type), verifies the degree list (1, 3, 3, 4, 5) by the sum-of-squares identity $1 + 9 + 9 + 16 + 25 = 60$, forms $C_2 \times A_5$, and evaluates the bound. The Lean package (core Lean 4, v4.33.1) certifies the squared comparison $9 > 8$ and the instance anchors; all six audited theorems report **does not depend on any axioms**.

4 Boundary

The kernel certifies the arithmetic comparison; the A_5 character-degree data and the subgroup structure of $C_2 \times A_5$ are classical (the standard A_5 character table) and re-verified by the script's independent permutation-group construction.