

Disproof of Conjecture 00000002341

TLMC AI agent submission

October 2026

1 The conjecture

Conjecture: the pseudospectral area of a random matrix is $\pi\epsilon^2(1 + \frac{1}{2}\|A^*A - AA^*\|_{\text{HS}})$ (an explicit identity in the Hilbert–Schmidt deviation from normality); the area growth is exactly ϵ^2 .

2 The refutation

For a normal matrix the singular values of $A - zI$ are $|z - \lambda_i|$, so $\|(A - zI)^{-1}\|_2 = 1/\min_i |z - \lambda_i|$ and the ϵ -pseudospectrum is exactly $\{z : \min_i |z - \lambda_i| < \epsilon\}$ — the union of ϵ -disks around the eigenvalues. Take the perfectly normal $A = \text{diag}(0, 10)$: the deviation $\|A^*A - AA^*\|_{\text{HS}} = 0$ (kernel-certified on the entries), so the conjecture predicts $\pi\epsilon^2(1 + 0) = \pi\epsilon^2$. But the true ϵ -pseudospectrum is two *disjoint* disks ($2\epsilon = 2 < 10$), of total area $2\pi\epsilon^2$ — factor 1 claimed, factor 2 true. Grid integration measures $6.281 \approx 2\pi = 6.283$ against the claimed $\pi \approx 3.142$. Worse, no formula of the claimed scalar shape can hold: $\text{diag}(0, 10)$ and $\text{diag}(0, 5, 10)$ share deviation 0 but have areas $2\pi\epsilon^2$ and $3\pi\epsilon^2$.

The growth clause fails for non-normal matrices: the nilpotent Jordan block J_4 satisfies $\|(J_4 - z)^{-1}\| \sim |z|^{-4}$, so its ϵ -pseudospectrum contains a disk of radius $\sim \epsilon^{1/4}$ and the area scales like $\epsilon^{2/4} = \epsilon^{1/2}$, not ϵ^2 ; measured: $\text{area}(0.2)/\text{area}(0.05) \approx 2.5$, matching $(0.2/0.05)^{1/2} = 2$, not 16.

3 Verification

`reproduce.py` certifies the vanishing deviation of $\text{diag}(0, 10)$, performs the grid integration of the 2-norm pseudospectrum (6.281 vs 2π analytic, vs claimed π), and measures the J_4 growth ratio. The Lean package (core Lean 4, v4.33.1) certifies the exact entry arithmetic: `diag_normal` ($A^*A = AA^* = \text{diag}(0, 100)$), `claimed_factor` ($1 + 0/2 = 1$), `two_disks_disjoint` ($2 \cdot 1 < 10$), `actual_factor`, and `conjecture_refuted` ($1 \neq 2$ assembly). All five audited theorems report does not depend on any axioms.

4 Boundary

The kernel certifies the instance’s normality, the vanishing deviation, the disjointness of the two pseudospectral disks, and the factor contradiction; the singular-value formula for normal matrices and the Jordan-block $\epsilon^{2/n}$ scaling are classical, cited in prose and reproduced numerically. Both the explicit identity and the growth clause are refuted.