




```
ubuntu@ip-10-0-1-106:~$ host consul.service.consul
consul.service.consul has address 10.0.1.89
consul.service.consul has address 10.0.2.116
consul.service.consul has address 10.0.1.106
ubuntu@ip-10-0-1-106:~$
```





galit_dc_hw
Services
Nodes
Key/Value
ACL
Intentions
All Services
webserver
Instances
Intentions
Tags
webserver
All service checks passing
All node checks passing
ip-10-0-1-110
10.0.1.110:80
rails


galit_dc_hw
Services
Nodes
Key/Value
ACL
Intentions
Help
Settings
All Services / Service (webserver)
webserver
10.0.1.162
Service Name
webserver
Node Name
ip-10-0-1-162
Health Checks
Tags & Meta
Service 'webserver' check
ServiceName
webserver
CheckID
service:webserver
Type
script
Notes
Output
% Total % Received % Xferd Average Speed Time Time Time Current
Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 --:--:-- --:--:-- --:--:-- 0100 184 100 184 0 0 61333 0 --:--:-- --:--:-- --:--:-- 61333
<body style="background-color: white;"><font color="blue"> <br><br><br><br><br><br><br><br><br><h1>Welcome to Consul HomeWork at 'ip-10-0-1-162'<br><br></h1> </font></body>
Serf Health Status
NodeName
ip-10-0-1-162
CheckID
serfHealth
Type
Notes
Output
Agent alive and reachable


ubuntu@ip-10-0-1-162:~$ systemctl status consul.service
● consul.service - Consul service discovery agent
Loaded: loaded (/etc/systemd/system/consul.service; enabled; vendor preset: enabled)
Active: active (running) since Mon 2022-04-25 21:44:36 UTC; 1min 35s ago
Process: 402 ExecStartPre=/bin/mkdir -p /run/consul (code=exited, status=0/SUCCESS)
Process: 443 ExecStartPre=/bin/chown consul:consul /run/consul (code=exited, status=0/SUCCESS)
Main PID: 455 (consul)
Tasks: 8 (limit: 1147)
Memory: 72.7M
CGroup: /system.slice/consul.service
└─455 /usr/local/bin/consul agent -pid-file=/run/consul/consul.pid -config-dir=/etc/consul.d
Apr 25 21:44:59 ip-10-0-1-162 consul[455]: 2022-04-25T21:44:59.401Z [INFO] agent.client.serf.lan: serf: EventMemberJoin: ip-10-0-2-116 10.0.2.116
Apr 25 21:44:59 ip-10-0-1-162 consul[455]: 2022-04-25T21:44:59.401Z [WARN] agent.client.memberlist.lan: memberlist: Refuting a dead message (from: ip-10-0-1-162)
Apr 25 21:44:59 ip-10-0-1-162 consul[455]: 2022-04-25T21:44:59.401Z [INFO] agent.client.serf.lan: serf: EventMemberJoin: ip-10-0-1-89 10.0.1.89
Apr 25 21:44:59 ip-10-0-1-162 consul[455]: 2022-04-25T21:44:59.401Z [INFO] agent.client: adding server: server="ip-10-0-1-106 (Addr: tcp/10.0.1.106:8300) (DC: galit_dc_hw)"
Apr 25 21:44:59 ip-10-0-1-162 consul[455]: 2022-04-25T21:44:59.402Z [INFO] agent.client: adding server: server="ip-10-0-2-116 (Addr: tcp/10.0.2.116:8300) (DC: galit_dc_hw)"
Apr 25 21:44:59 ip-10-0-1-162 consul[455]: 2022-04-25T21:44:59.402Z [INFO] agent.client: adding server: server="ip-10-0-1-89 (Addr: tcp/10.0.1.89:8300) (DC: galit_dc_hw)"
Apr 25 21:45:01 ip-10-0-1-162 consul[455]: 2022-04-25T21:45:01.357Z [INFO] agent: Synced node info
Apr 25 21:45:01 ip-10-0-1-162 consul[455]: 2022-04-25T21:45:01.369Z [INFO] agent: Synced service: service=webserver
Apr 25 21:45:09 ip-10-0-1-162 consul[455]: 2022-04-25T21:45:09.408Z [INFO] agent: (LAN) joined: number_of_nodes=4
Apr 25 21:45:09 ip-10-0-1-162 consul[455]: 2022-04-25T21:45:09.409Z [INFO] agent: Join cluster completed. Synced with initial agents: cluster=LAN num_agents=4
ubuntu@ip-10-0-1-162:~$


ubuntu@ip-10-0-1-110:~$ consul members
Node Address Status Type Build Protocol DC Segment
ip-10-0-1-106 10.0.1.106:8301 alive server 1.8.5 2 galit_dc_hw <all>
ip-10-0-1-89 10.0.1.89:8301 alive server 1.8.5 2 galit_dc_hw <all>
ip-10-0-2-116 10.0.2.116:8301 alive server 1.8.5 2 galit_dc_hw <all>
ip-10-0-1-110 10.0.1.110:8301 alive client 1.8.5 2 galit_dc_hw <default>
ubuntu@ip-10-0-1-110:~$