Project Title: Groq Chatbot Project Documentation
Date: August 5, 2024
Project by: Timothy

Groq Chatbot Project Documentation

Project Repository

You can find the project repository on GitHub: [Chatbot Project Documentation](#)

Overview

This documentation provides details on setting up and running the chatbot project. The chatbot utilizes the GroqCloud API and the 'llama3-8b-8192' model for generating responses. The primary data is sourced locally from text or PDF files, while additional data can be obtained from external sources.

Setup

1. Setting Up a Virtual Environment

It's recommended to use a virtual environment to manage the project dependencies. Follow these steps to set up and activate a virtual environment:

Create a Virtual Environment

```bash
python -m venv venv
```

Activate the Virtual Environment

- **On Windows:**

```bash
venv\Scripts\activate
```

- On macOS/Linux:

```bash
source venv/bin/activate
```

2. Install Dependencies

To set up the chatbot project, you need to install the following dependencies:

1. **Streamlit** - A framework for building interactive web applications.

2. **Flask** - A micro web framework for Python.

3. **LangChain** - A library for working with language models.

4. **LangChain-GROQ** - Integration for GroqCloud API with LangChain.

5. **python-dotenv** - A library for managing environment variables.

Installation Commands

```bash
pip install streamlit flask langchain langchain-groq python-dotenv
```

3. Configuration

Ensure that your environment variables are set up correctly. The python-dotenv library will load these variables from a .env file.

Example .env File

Replace your_groq_api_key with your actual API key.

```env
GROQ_API_KEY=your_groq_api_key
```

API and Model Used

- **API**: GroqCloud API

- **Model**: 'llama3-8b-8192'

The chatbot uses the GroqCloud API to interface with the 'llama3-8b-8192' model for generating responses based on user input.

Data Sources

- **Primary Data**: The chatbot retrieves primary data locally from text or PDF files.

- **External Data**: The chatbot can also incorporate data from external sources.

4. How to Run

To run the chatbot application, use the following command:

This command starts the Streamlit application, which will allow you to interact with the chatbot.

```bash
streamlit run app.py
```

Troubleshooting

If you encounter issues, ensure all dependencies are installed correctly and environment variables are set up. Verify that the file paths for local data are correct and that the external sources are accessible.