

Laboratory work №6


Databases

Tolepkazy Galamat


Tuesday, 11:00

Almaty 2026


1. Write a query that displays all flights of a specific airline.




2. Compose a query to obtain a list of all flights with the names of departure airports.




3. Create a query that finds all airlines that have no flights scheduled for the next month.




4. Create a query to display a list of passengers on a specific flight.




5. Write a query that calculates the average, total, maximum and minimum price of tickets for each flight.




6. Create a query that shows all flights flying to a specific country by combining flights, airports and airline, and using the condition on the country name.



7. Display a list of minor passengers and their arrival destination.




8. Display the passenger's full name, passport number, and the passenger's current time of arrival at the destination.




9. Print a list of flights where the airline's home country and origin country are the same. Group them by the airport

country.




10. Write a query that lists each flight number, airline name, departure airport, and arrival airport by joining the relevant
tables.




11. Display all passengers who have booked tickets for flights operated by a specific airline, including the passenger's full name and flight


number.




12. Create a query that shows each flight's number, destination country, and number of passengers booked on that flight. Include flights with no booked passengers.



13. Find passengers who have not booked any tickets, using an appropriate JOIN operation.




14. Display each airline and the total number of flights it operates, including airlines that currently have no flights.



15. List flights departing from airports in a specified country and show the airline name, flight number, and departure airport

city.


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (10)
airline
airport
baggage
baggage_check
boarding_pass
booking
booking_flight
flights
passengers
security_check
Trigger Functions
Types
Views
Subscriptions
Login/Group Roles
Tablespaces
SQL Statistics Dependencies Dependents Processes postgres/postgres@PostgreSQL 18*
postgres/postgres@PostgreSQL 18
No limit
Query Query History
Scratch Pad
SELECT
al.airline_name,
f.flight_no,
ap.city AS departure_city
FROM flights f
JOIN airline al
ON f.airline_id = al.airline_id
JOIN airport ap
ON f.departure_airport_id = ap.airport_id
WHERE ap.country = 'Russia';
Data Output Messages Notifications
SQL
Showing rows: 1 to 49
Page No: 1 of 1
airline_name character varying (50)
flight_no character varying (50)
departure_city character varying (50)
1 DUC ML-2 Stupino
2 PQS TW-TTT Stupino
3 0 CN-51 Stupino
4 SOZ AU-WA
Successfully run. Total query runtime: 68 msec. 49 rows affected.
Total rows: 49
Query complete 00:00:00.068
CRLF
Ln 10, Col 29