

République algérienne démocratique et populaire  
Ministère de l'enseignement supérieur et de la recherche scientifique



## UNIVERSITÉ ABDELHAMID MEHRI – CONSTANTINE 2

Faculté des nouvelles technologies de l'information et de la communication (NTIC)

Technologies des Logiciels et des Systèmes d'Information (TLSI)

# MÉMOIRE DE MASTER

*pour obtenir le diplôme de Master en Informatique*

**Option: Génie logiciel (GL)**

---

## SmartFarm Solution

---

**Réalisé par :**

Mr. Gharzouli Abderahmane Mahdi

Mme. Sadi Belkacem

**Sous la direction de :**

Mr. Smain Nasr-Eddine Bouzenada

Juin 2023



---

# Remerciements



Au nom de nous tous, je tiens à exprimer ma profonde gratitude et mes sincères remerciements pour l'énorme soutien et l'encadrement que vous m'avez accordés tout au long de la réalisation de mon rapport de recherche pour mon Master 2 .

Votre expertise et votre patience ont été des facteurs déterminants dans l'aboutissement de mon travail, et je suis vraiment reconnaissant pour tout le temps que vous m'avez accordé pour discuter de mes idées et me guider dans la bonne direction.

Je voudrais également remercier tous les enseignants et membres du personnel de l'université qui ont contribué à mon parcours académique et m'ont aidé à acquérir les compétences nécessaires pour mener à bien cette recherche.

Enfin, j'exprime ma profonde gratitude envers mes parents et mes proches qui m'ont soutenu tout au long de mes études et ont toujours cru en moi.

Encore une fois, merci infiniment pour votre précieuse contribution à mon parcours universitaire.

---

# Résumé



## Abstract

Smartfarm in greenhouse is an advanced agricultural system that integrates smart technologies and data analytics to optimize crop growth and yield in a controlled environment. The system uses a network of sensors and monitoring devices to collect data on various environmental parameters such as temperature, humidity and light intensity. This data is analyzed using machine learning algorithms to provide insights into crop growth patterns, predict yield.

Smartfarm is designed to provide real-time feedback to farmers and greenhouse managers, allowing them to make informed decisions about crop management. The system also provides remote access to monitor and control the environment, such as adjusting temperature and humidity levels, and ensuring optimal growing conditions.

The integration of Smartfarm has numerous benefits, including increased efficiency, reduced resource consumption, and improved crop yields. The system allows farmers to optimize their operations to produce more food sustainably while reducing costs and minimizing environmental impact. Overall, Smartfarm represents a significant step forward in sustainable agriculture, and its potential to revolutionize the industry is significant. By leveraging advanced technology and data-driven insights, Smartfarm in greenhouse offers a new and more efficient way to grow crops in a controlled environment.

## Résumé

Ferme intelligente en serre est un système agricole avancé qui intègre des technologies intelligentes et de l'analyse de données pour optimiser la croissance et le rendement des cultures dans un environnement contrôlé. Le système utilise un réseau de capteurs et de dispositifs de surveillance pour collecter des données sur divers paramètres environnementaux tels que la température, l'humidité et l'intensité lumineuse. Ces données sont analysées à l'aide d'algorithmes d'apprentissage automatique pour fournir des informations sur les modèles de croissance des cultures, prédire le rendement. ferme intelligente est conçu pour fournir des commentaires en temps réel aux agriculteurs et aux gestionnaires de serre, leur permettant de prendre des décisions éclairées en matière de gestion des cultures. Le système fournit également un accès à distance pour surveiller et contrôler l'environnement, comme régler les niveaux de température et d'humidité, et assurer des conditions de croissance optimales.

L'intégration de ferme intelligente présente de nombreux avantages, notamment une efficacité accrue, une consommation de ressources réduite et une amélioration des rendements des cultures. Le système permet aux agriculteurs d'optimiser leurs opérations pour produire plus de nourriture de manière durable, tout en réduisant les coûts et en minimisant l'impact sur l'environnement.

Dans l'ensemble, ferme intelligente représente une avancée significative dans l'agriculture durable, et son potentiel de révolutionner l'industrie est important. En tirant parti de technologies avancées et d'informations fondées sur les données, ferme intelligente offre une nouvelle manière plus efficace de cultiver les cultures dans un environnement contrôlé.

## ملخص

المزرعة الذكية في البيوت البلاستكية هو نظام زراعي متقدم يدمج التقنيات الذكية وتحليل البيانات لتحسين نمو المحاصيل والحصاد في بيئة مراقبة. يستخدم النظام شبكة من الحساسات وأجهزة المراقبة لجمع البيانات عن مختلف المعلمات البيئية مثل درجة الحرارة والرطوبة وشدة الإضاءة. يتم تحليل هذه البيانات باستخدام خوارزميات التعلم الآلي لتوفير إدراكات حول أنماط نمو النباتات، وتوقعات الحصاد. تم تصميم المزرعة الذكية لتوفير ردود فعل في الوقت الحقيقي للمزارعين ومديري البيوت الزراعية، مما يتيح لهم اتخاذ قرارات مدروسة بشأن إدارة المحاصيل. كما يوفر النظام الوصول عن بعد لمراقبة والتحكم في البيئة، مثل ضبط درجة الحرارة والرطوبة، وضمان الظروف المثلى للنمو. تتميز تكامل المزرعة الذكية بالعديد من الفوائد، بما في ذلك زيادة الكفاءة، وتقليل استهلاك الموارد، وتحسين حصاد المحاصيل. يتيح النظام للمزارعين تحسين عملياتهم لإنتاج المزيد من الغذاء بشكل مستدام، مع تقليل التكاليف وتقليل الأثر على البيئة. بشكل عام، يمثل المزرعة الذكية خطوة مهمة في الزراعة المستدامة، وإمكاناته لتحويل الصناعة هامة. من خلال الاستفادة من التكنولوجيا المتقدمة.

---

# Table of Contents



<b>Remerciements</b>	<b>ii</b>
<b>Résumés</b>	<b>iii</b>
<b>Table of Contents</b>	<b>vi</b>
<b>General Introduction</b>	<b>1</b>
<b>1 GG</b>	<b>2</b>
1.1 Project Context and Area . . . . .	2
1.2 Related Works . . . . .	2
1.3 Synthesis and Discussion . . . . .	2
<b>2 Contributions</b>	<b>3</b>
2.1 Theoretical Proposal . . . . .	3
2.2 Implementation et Experiments . . . . .	3
<b>General Conclusion</b>	<b>4</b>
<b>3 Template Items</b>	<b>5</b>
3.1 Title - Level 2 . . . . .	5
3.1.1 Title - Level 3 . . . . .	5
3.2 Lists of Items . . . . .	5
3.3 Figures, Tables and Algorithms . . . . .	6
3.4 Cross-Referencing . . . . .	6
3.5 Source Codes . . . . .	7
3.6 Bibliographic Citations . . . . .	9
<b>Bibliography</b>	<b>10</b>





---

# General Introduction



(The introduction, which **must not exceed 3 pages**, consists of the following four sections.)

## Project Background

(In this section, you describe the context in which your project is being processed.)

## Problem

(Here, you describe the problem that needs to be solved in the development of your thesis. It comes directly from the theme proposed by your supervisor(s).)

## Proposed Solutions

(Here, you list the objectives of your thesis study, as well as the solutions you consider to answer the addressed problem.)

In this work, we propose...

## Document Plan

This thesis is organized as follows: In the first chapter, we...

(Here, you present the state of the art that situates the contribution of your project through the treated area. This part, which consists of one (01) or two (02) chapters maximum, **should not exceed 15 pages**. Each chapter should be structured as follows:)

## **Introduction**

### **1.1 Project Context and Area**

### **1.2 Related Works**

### **1.3 Synthesis and Discussion**

## **Conclusion**

---

# Contributions

(This part includes all the contributions proposed in your project. You describe the adopted approach and methodology and you explain how you carried out your project. The results obtained are also presented, analyzed and discussed. This part may consist of one (01) or two (02) chapters maximum, and **should not exceed 20 pages**. The general structure is as follows:)

## Introduction

### 2.1 Theoretical Proposal

(This section may include the following: Project description, formal or semi-formal project design, system architecture, process used in project development, etc.)

### 2.2 Implementation et Experiments

## Conclusion

---

# General Conclusion



(Consisting of **2 pages maximum**, this part is reserved for conclusion and perspectives. In the conclusion, you provide a summary of your contributions, providing an answer to the addressed problem and specifying the context of project applicability. In addition, the limits and perspectives of the project are also discussed, by listing the works to be considered in the future.)

## Synthesis

## Perspectives

---

# Template Items

This part contains the typographical elements of the template, to be used in writing your Master's thesis. A course on scientific writing using L<sup>A</sup>T<sub>E</sub>X is available at: <https://drive.google.com/file/d/1coBxyvq-XRw5Sr3G0-VDJhYsPSLOQpRD/>

This chapter aims to give you examples of the template. You must absolutely remove it during the final version of the thesis.

## 3.1 Title - Level 2

### 3.1.1 Title - Level 3

#### 3.1.1.1 Title - Level 4

## Title - Level 2 (Unnumbered)

### Title - Level 3 (Unnumbered)

#### Title - Level 4 (Unnumbered)

## 3.2 Lists of Items

This is normal text. followed by a list of items:

- ▶ Item 1
- ▶ Item 2
  - Item A
  - Item B
    - Item I

- Item II
- ...

And here is an enumerated list of items:

1. Item 1
2. Item 2
  - a) Item A
  - b) Item B
    - i. Item I
    - ii. Item II
    - iii. ...

### 3.3 Figures, Tables and Algorithms

You can define several types of floating elements: Figures, tables, and algorithms.



Figure 3.1: An example of figures

Table 3.1: An example of tables

Colonne 1	Colonne 2	Colonne 3
Ligne 1	Ligne 1	Ligne 1
Ligne 2	Ligne 2	Ligne 2
...	...	...
...	...	...
...	...	...

### 3.4 Cross-Referencing

By using labels, it is possible to reference different elements of the document. As examples, Chapter 3, Section 3.1, Figure 3.1, Table 3.1, Algorithm 3.1 and Definition 3.1.

**Definition 3.1** (*Title of the definition*)

*An example of definitions,  $E = mc^2$ ...*

---

**Algorithm 3.1** An example of algorithms

---

**Require:**  $i \in \mathbb{N}$

```
1:  $i \leftarrow 10$ 
2: if  $i \geq 5$  then
3:    $i \leftarrow i - 1$ 
4: else
5:   if  $i \leq 3$  then
6:      $i \leftarrow i + 2$ 
7:   end if
8: end if
```

---

In addition to definitions, you can use theorems, proofs, remarks, notations, lemmas, or propositions.

### 3.5 Source Codes

You can also introduce source codes, like the following example which is written in Java language (The syntax highlighting can be customized in the file `"/macros.tex"`):

**A.java**

```
1 public class A {
2     public String a1;
3     package String a2;
4     protected String a3;
5     private String a4;
6
7     public void op1() { ... }
8     public void op2() { ... }
9 }
```

**A.py**

```
1 a = float(input("Mag Controle:"))
2 aa = float(input("Mag Tp :"))
3
4 b= float(input("AL Controle:"))
5 bb= float(input("AL TP:"))
6
7 c = float(input("ABD Controle:"))
8 cc = float(input("ABD TP:"))
9
10 d = float(input("POA Controle:"))
11 dd = float(input("POA TP:"))
12
13 f = float(input("SOACC Controle:"))
14 ff = float(input("SOACC TP:"))
15
16
17 m = float(input("IDM Controle:"));
18 mm = float(input("IDM TP:"));
19
20 mag = (a*0.67 + aa*0.33)*3
21 al = (b*0.6+bb*0.4)*3
22 abd = (c*0.67+cc*0.33)*3
23 poa = (d*0.67+dd*0.33)*4
24 idm = (m*0.67+mm*0.33)*4
25 soacc = ((f*2+ff)/3)*4
26 print(mag/3)
27 print(al/3)
28 print(abd/3)
29 print(poa/4)
30 print(idm/4)
31 print(soacc/4)
32
33
34
35
36
37
38 moyenne = (mag+al+abd+poa+idm+soacc)/21
39 print(moyenne)
```



## 3.6 Bibliographic Citations

References are managed using the BibTeX tool. The sources are stored and organized in the file "bibliography.bib". To cite a source in the text, there are several possibilities:

- ▶ `\citet{bar73}`     $\Rightarrow$     Bardeen et al. [1973]
- ▶ `\citep{bar73}`     $\Rightarrow$     [Bardeen et al., 1973]
- ▶ `\citep[see][]{bar73}`     $\Rightarrow$     [see Bardeen et al., 1973]
- ▶ `\citet*{bar73}`     $\Rightarrow$     Bardeen, Carter, and Hawking [1973]
- ▶ `\citep*{bar73}`     $\Rightarrow$     [Bardeen, Carter, and Hawking, 1973]
- ▶ `\citealt{bar73}`     $\Rightarrow$     Bardeen et al. 1973
- ▶ `\citeauthor{bar73}`     $\Rightarrow$     Bardeen et al.
- ▶ `\citeauthor*{bar73}`     $\Rightarrow$     Bardeen, Carter, and Hawking
- ▶ `\citeyear{bar73}`     $\Rightarrow$     1973
- ▶ `\citeyearpar{bar73}`     $\Rightarrow$     [1973]

---

# Bibliography



James M Bardeen, Brandon Carter, and Stephen W Hawking. The four laws of black hole mechanics. *Communications in mathematical physics*, 31(2):161–170, 1973.

---

# Acronyms



(You can list the acronyms used in the document, for example:)

**NTIC** New Technologies of Information and Communication

**UML** Unified Modeling Language