



Taller 1- Github

Gabriel Molina - 02220131028

Universidad de Santander

Ingeniería de Sistemas





```
MINGW64:/c/Users/LOQ
LOQ@DESKTOP-JA6M9C3 MINGW64 ~
$ git config --global user.name "GambMoli190"
LOQ@DESKTOP-JA6M9C3 MINGW64 ~
$ git config --global user.email "02220131028@mail.udes.edu.co"
LOQ@DESKTOP-JA6M9C3 MINGW64 ~
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=C:/Program Files/Git/mingw64/etc/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=main
user.name=GambMoli190
user.email=02220131028@mail.udes.edu.co
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
_OO@DESKTOP-JA6M9C3 MINGW64 ~
```

```
Initialized empty Git repository in C:/Users/LOQ/Desktop/Taller1/.git/
warning: in the working copy of 'README.md', LF will be replaced by CRLF the nex
t time Git touches it
[main (root-commit) 6d54958] first commit
1 file changed, 1 insertion(+)
create mode 100644 README.md
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 230 bytes | 230.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/GambMoli190/Taller1Git.git
* [new branch] main -> main
branch 'main' set up to track 'origin/main'.

LOQ@DESKTOP-JA6M9C3 MINGW64 ~/Desktop/Taller1 (main)
$ |
```





