


College Fest Event Participation System

● Schema Diagram :



1) DEPARTMENT TABLE :

```
CREATE TABLE DEPARTMENT (  
DEPT_ID NUMBER PRIMARY KEY,  
DEPT_NAME VARCHAR2(100) NOT NULL  
);
```

```
INSERT INTO DEPARTMENT VALUES (1,'COMPUTER SCIENCE');  
INSERT INTO DEPARTMENT VALUES (2,'INFORMATION TECHNOLOGY');  
INSERT INTO DEPARTMENT VALUES (3,'ELECTRONICS');  
INSERT INTO DEPARTMENT VALUES (4,'MECHANICAL');  
INSERT INTO DEPARTMENT VALUES (5,'CIVIL');  
INSERT INTO DEPARTMENT VALUES (6,'ELECTRICAL');  
INSERT INTO DEPARTMENT VALUES (7,'AI AND DS');  
INSERT INTO DEPARTMENT VALUES (8,'CYBER SECURITY');  
INSERT INTO DEPARTMENT VALUES (9,'DATA SCIENCE');  
INSERT INTO DEPARTMENT VALUES (10,'ROBOTICS');  
INSERT INTO DEPARTMENT VALUES (11,'MBA');  
INSERT INTO DEPARTMENT VALUES (12,'BCA');  
INSERT INTO DEPARTMENT VALUES (13,'MCA');  
INSERT INTO DEPARTMENT VALUES (14,'BIOTECHNOLOGY');  
INSERT INTO DEPARTMENT VALUES (15,'CHEMICAL');
```

DEPT_ID	DEPT_NAME
1	COMPUTER SCIENCE
2	INFORMATION TECHNOLOGY
3	ELECTRONICS
4	MECHANICAL
5	CIVIL
6	ELECTRICAL
9	DATA SCIENCE
10	ROBOTICS
11	MBA
12	BCA
13	MCA
14	BIOTECHNOLOGY
15	CHEMICAL
7	AI AND DS
8	CYBER SECURITY

2) ORGANIZER TABLE :

```
CREATE TABLE ORGANIZER (  
ORGANIZER_ID NUMBER PRIMARY KEY,  
ORGANIZER_NAME VARCHAR2(100) NOT NULL,  
ROLE VARCHAR2(30) CHECK (ROLE IN ('FACULTY', 'STUDENT COORDINATOR'))  
);
```

```
INSERT INTO ORGANIZER VALUES (1,'DR. SHARMA','FACULTY');  
INSERT INTO ORGANIZER VALUES (2,'PROF. MEHTA','FACULTY');  
INSERT INTO ORGANIZER VALUES (3,'ANKIT PATIL','STUDENT COORDINATOR');  
INSERT INTO ORGANIZER VALUES (4,'SNEHA KULKARNI','STUDENT COORDINATOR');  
INSERT INTO ORGANIZER VALUES (5,'DR. RAO','FACULTY');  
INSERT INTO ORGANIZER VALUES (6,'AMIT JOSHI','STUDENT COORDINATOR');  
INSERT INTO ORGANIZER VALUES (7,'PROF. IYER','FACULTY');  
INSERT INTO ORGANIZER VALUES (8,'NEHA SINGH','STUDENT COORDINATOR');  
INSERT INTO ORGANIZER VALUES (9,'DR. DESHMUKH','FACULTY');  
INSERT INTO ORGANIZER VALUES (10,'RAHUL VERMA','STUDENT COORDINATOR');  
INSERT INTO ORGANIZER VALUES (11,'PROF. KULKARNI','FACULTY');  
INSERT INTO ORGANIZER VALUES (12,'POOJA PATIL','STUDENT COORDINATOR');
```

```

INSERT INTO ORGANIZER VALUES (13,'DR. KHAN','FACULTY');
INSERT INTO ORGANIZER VALUES (14,'SURESH MORE','STUDENT COORDINATOR');
INSERT INTO ORGANIZER VALUES (15,'DR. JOSHI','FACULTY');

```

ORGANIZER_ID	ORGANIZER_NAME	ROLE
1	DR. SHARMA	FACULTY
2	PROF. MEHTA	FACULTY
3	ANKIT PATIL	STUDENT COORDINATOR
4	SNEHA KULKARNI	STUDENT COORDINATOR
5	DR. RAO	FACULTY
6	AMIT JOSHI	STUDENT COORDINATOR
7	PROF. IYER	FACULTY
8	NEHA SINGH	STUDENT COORDINATOR
9	DR. DESHMUKH	FACULTY
10	RAHUL VERMA	STUDENT COORDINATOR
11	PROF. KULKARNI	FACULTY
12	POOJA PATIL	STUDENT COORDINATOR
13	DR. KHAN	FACULTY
14	SURESH MORE	STUDENT COORDINATOR
15	DR. JOSHI	FACULTY

3) VENUE TABLE :

```

CREATE TABLE VENUE (
VENUE_ID NUMBER PRIMARY KEY,
VENUE_NAME VARCHAR2(100) NOT NULL,
CAPACITY NUMBER
);

```

```

INSERT INTO VENUE VALUES (1,'MAIN AUDITORIUM',1000);
INSERT INTO VENUE VALUES (2,'SEMINAR HALL A',300);
INSERT INTO VENUE VALUES (3,'SEMINAR HALL B',250);
INSERT INTO VENUE VALUES (4,'OPEN GROUND',2000);
INSERT INTO VENUE VALUES (5,'CONFERENCE ROOM',150);
INSERT INTO VENUE VALUES (6,'LAB 101',60);
INSERT INTO VENUE VALUES (7,'LAB 202',60);
INSERT INTO VENUE VALUES (8,'CULTURAL HALL',500);
INSERT INTO VENUE VALUES (9,'SPORTS COMPLEX',1200);
INSERT INTO VENUE VALUES (10,'LIBRARY HALL',200);
INSERT INTO VENUE VALUES (11,'MINI AUDITORIUM',400);
INSERT INTO VENUE VALUES (12,'INNOVATION HUB',100);
INSERT INTO VENUE VALUES (13,'WORKSHOP HALL',180);
INSERT INTO VENUE VALUES (14,'EXHIBITION CENTER',800);
INSERT INTO VENUE VALUES (15,'STUDENT PLAZA',600);

```

VENUE_ID	VENUE_NAME	CAPACITY
1	MAIN AUDITORIUM	1000
2	SEMINAR HALL A	300
3	SEMINAR HALL B	250
4	OPEN GROUND	2000
5	CONFERENCE ROOM	150
6	LAB 101	60
7	LAB 202	60
8	CULTURAL HALL	500
9	SPORTS COMPLEX	1200
10	LIBRARY HALL	200
11	MINI AUDITORIUM	400
12	INNOVATION HUB	100
13	WORKSHOP HALL	180
14	EXHIBITION CENTER	800
15	STUDENT PLAZA	600

4) STUDENT TABLE

(DEPARTMENT → STUDENT : ONE-TO-MANY)

```
CREATE TABLE STUDENT (  
STUDENT_ID NUMBER PRIMARY KEY,  
STUDENT_NAME VARCHAR2(100) NOT NULL,  
GENDER VARCHAR2(10) CHECK (GENDER IN ('MALE', 'FEMALE')),  
MOBILE VARCHAR2(15),  
DEPT_ID NUMBER,  
CONSTRAINT FK_STUDENT_DEPT FOREIGN KEY (DEPT_ID) REFERENCES DEPARTMENT(DEPT_ID)  
);
```

```
INSERT INTO STUDENT VALUES (1,'AMIT KUMAR','MALE','9876543210',1);  
INSERT INTO STUDENT VALUES (2,'SNEHA PATIL','FEMALE','9876543211',2);  
INSERT INTO STUDENT VALUES (3,'RAHUL SHARMA','MALE','9876543212',3);  
INSERT INTO STUDENT VALUES (4,'POOJA DESAI','FEMALE','9876543213',4);  
INSERT INTO STUDENT VALUES (5,'VIKAS SINGH','MALE','9876543214',5);  
INSERT INTO STUDENT VALUES (6,'NEHA JOSHI','FEMALE','9876543215',6);  
INSERT INTO STUDENT VALUES (7,'ROHIT VERMA','MALE','9876543216',7);  
INSERT INTO STUDENT VALUES (8,'ANJALI KULKARNI','FEMALE','9876543217',8);  
INSERT INTO STUDENT VALUES (9,'KUNAL MEHTA','MALE','9876543218',9);  
INSERT INTO STUDENT VALUES (10,'PRIYA NAIR','FEMALE','9876543219',10);  
INSERT INTO STUDENT VALUES (11,'SAURABH PATIL','MALE','9876543220',11);  
INSERT INTO STUDENT VALUES (12,'KAVITA RAO','FEMALE','9876543221',12);  
INSERT INTO STUDENT VALUES (13,'AKASH GUPTA','MALE','9876543222',13);  
INSERT INTO STUDENT VALUES (14,'SHREYA BOSE','FEMALE','9876543223',14);  
INSERT INTO STUDENT VALUES (15,'NITIN YADAV','MALE','9876543224',15);
```

STUDENT_ID	STUDENT_NAME	GENDER	MOBILE
DEPT_ID			
1	AMIT KUMAR	MALE	9876543210
2	SNEHA PATIL	FEMALE	9876543211
3	RAHUL SHARMA	MALE	9876543212
4	POOJA DESAI	FEMALE	9876543213
5	VIKAS SINGH	MALE	9876543214
6	NEHA JOSHI	FEMALE	9876543215
7	ROHIT VERMA	MALE	9876543216
8	ANJALI KULKARNI	FEMALE	9876543217
9	KUNAL MEHTA	MALE	9876543218
10	PRIYA NAIR	FEMALE	9876543219
11	SAURABH PATIL	MALE	9876543220
12	KAVITA RAO	FEMALE	9876543221
13	AKASH GUPTA	MALE	9876543222
14	SHREYA BOSE	FEMALE	9876543223
15	NITIN YADAV	MALE	9876543224

5) EVENT TABLE

(ORGANIZER → EVENT : ONE-TO-MANY)
(VENUE → EVENT : ONE-TO-MANY)

```
CREATE TABLE EVENT (  
EVENT_ID NUMBER PRIMARY KEY,  
EVENT_NAME VARCHAR2(100) NOT NULL,  
EVENT_DATE DATE,  
ORGANIZER_ID NUMBER,  
VENUE_ID NUMBER,
```

```

CONSTRAINT FK_EVENT_ORGANIZER FOREIGN KEY (ORGANIZER_ID) REFERENCES
ORGANIZER(ORGANIZER_ID),
CONSTRAINT FK_EVENT_VENUE FOREIGN KEY (VENUE_ID) REFERENCES VENUE(VENUE_ID));
INSERT INTO EVENT VALUES (1,'CODE HACKATHON',DATE '2025-02-01',1,1);
INSERT INTO EVENT VALUES (2,'TECH QUIZ',DATE '2025-02-02',2,2);
INSERT INTO EVENT VALUES (3,'ROBOTICS SHOW',DATE '2025-02-03',3,4);
INSERT INTO EVENT VALUES (4,'CULTURAL DANCE',DATE '2025-02-04',4,8);
INSERT INTO EVENT VALUES (5,'PAPER PRESENTATION',DATE '2025-02-05',5,11);
INSERT INTO EVENT VALUES (6,'POSTER MAKING',DATE '2025-02-06',6,15);
INSERT INTO EVENT VALUES (7,'AI WORKSHOP',DATE '2025-02-07',7,12);
INSERT INTO EVENT VALUES (8,'CYBER SECURITY TALK',DATE '2025-02-08',8,10);
INSERT INTO EVENT VALUES (9,'SPORTS MEET',DATE '2025-02-09',9,9);
INSERT INTO EVENT VALUES (10,'DRAMA COMPETITION',DATE '2025-02-10',10,14);
INSERT INTO EVENT VALUES (11,'STARTUP PITCH',DATE '2025-02-11',11,5);
INSERT INTO EVENT VALUES (12,'DEBUGGING CONTEST',DATE '2025-02-12',12,6);
INSERT INTO EVENT VALUES (13,'SCIENCE EXPO',DATE '2025-02-13',13,13);
INSERT INTO EVENT VALUES (14,'MUSIC FEST',DATE '2025-02-14',14,3);
INSERT INTO EVENT VALUES (15,'PHOTOGRAPHY CONTEST',DATE '2025-02-15',15,7);

```

EVENT_ID	EVENT_NAME	EVENT_DAT	ORGANIZER_ID	VENUE_ID
1	CODE HACKATHON	01-FEB-25	1	1
2	TECH QUIZ	02-FEB-25	2	2
3	ROBOTICS SHOW	03-FEB-25	3	4
4	CULTURAL DANCE	04-FEB-25	4	8
5	PAPER PRESENTATION	05-FEB-25	5	11
6	POSTER MAKING	06-FEB-25	6	15
7	AI WORKSHOP	07-FEB-25	7	12
8	CYBER SECURITY TALK	08-FEB-25	8	10
9	SPORTS MEET	09-FEB-25	9	9
10	DRAMA COMPETITION	10-FEB-25	10	14
11	STARTUP PITCH	11-FEB-25	11	5
12	DEBUGGING CONTEST	12-FEB-25	12	6
13	SCIENCE EXPO	13-FEB-25	13	13
14	MUSIC FEST	14-FEB-25	14	3
15	PHOTOGRAPHY CONTEST	15-FEB-25	15	7

6) PARTICIPATION TABLE

(STUDENT → PARTICIPATION : ONE-TO-MANY)
(EVENT → PARTICIPATION : ONE-TO-MANY)

```

CREATE TABLE PARTICIPATION (
PARTICIPATION_ID NUMBER PRIMARY KEY,
STUDENT_ID NUMBER,
EVENT_ID NUMBER,
POSITION VARCHAR2(20)
CHECK (POSITION IN ('WINNER', 'RUNNER', 'PARTICIPANT')),
CONSTRAINT FK_PARTICIPATION_STUDENT FOREIGN KEY (STUDENT_ID) REFERENCES
STUDENT(STUDENT_ID),
CONSTRAINT FK_PARTICIPATION_EVENT FOREIGN KEY (EVENT_ID) REFERENCES EVENT(EVENT_ID)
);

```

```

INSERT INTO PARTICIPATION VALUES (1,1,1,'WINNER');
INSERT INTO PARTICIPATION VALUES (2,2,1,'RUNNER');
INSERT INTO PARTICIPATION VALUES (3,3,2,'PARTICIPANT');
INSERT INTO PARTICIPATION VALUES (4,4,3,'WINNER');
INSERT INTO PARTICIPATION VALUES (5,5,4,'PARTICIPANT');
INSERT INTO PARTICIPATION VALUES (6,6,5,'RUNNER');
INSERT INTO PARTICIPATION VALUES (7,7,6,'WINNER');
INSERT INTO PARTICIPATION VALUES (8,8,7,'PARTICIPANT');
INSERT INTO PARTICIPATION VALUES (9,9,8,'RUNNER');
INSERT INTO PARTICIPATION VALUES (10,10,9,'PARTICIPANT');

```

```
INSERT INTO PARTICIPATION VALUES (11,11,10,'WINNER');
INSERT INTO PARTICIPATION VALUES (12,12,11,'PARTICIPANT');
INSERT INTO PARTICIPATION VALUES (13,13,12,'RUNNER');
INSERT INTO PARTICIPATION VALUES (14,14,13,'WINNER');
INSERT INTO PARTICIPATION VALUES (15,15,14,'PARTICIPANT');
```

PARTICIPATION_ID	STUDENT_ID	EVENT_ID	POSITION
1	1	1	WINNER
2	2	1	RUNNER
3	3	2	PARTICIPANT
4	4	3	WINNER
5	5	4	PARTICIPANT
6	6	5	RUNNER
7	7	6	WINNER
8	8	7	PARTICIPANT
9	9	8	RUNNER
10	10	9	PARTICIPANT
11	11	10	WINNER
12	12	11	PARTICIPANT
13	13	12	RUNNER
14	14	13	WINNER
15	15	14	PARTICIPANT

RELATIONSHIP SUMMARY

PARENT TABLE	CHILD TABLE	RELATIONSHIP
DEPARTMENT	STUDENT	ONE-TO-MANY
ORGANIZER	EVENT	ONE-TO-MANY
VENUE	EVENT	ONE-TO-MANY
STUDENT	PARTICIPATION	ONE-TO-MANY
EVENT	PARTICIPATION	ONE-TO-MANY