

File Browser

Native file browser for standalone



API

© 2017-2019 **crosstales** LLC
<https://www.crosstales.com>

Date: 14.10.2019
Version: 2019.5.0

Contents

1	Namespace Index	1
1.1	Packages	1
2	Hierarchical Index	3
2.1	Class Hierarchy	3
3	Class Index	5
3.1	Class List	5
4	Namespace Documentation	9
4.1	Crosstales Namespace Reference	9
4.2	Crosstales.Common Namespace Reference	9
4.3	Crosstales.Common.EditorTask Namespace Reference	9
4.4	Crosstales.Common.EditorUtil Namespace Reference	10
4.5	Crosstales.Common.Model Namespace Reference	10
4.6	Crosstales.Common.Model.Enum Namespace Reference	10
4.6.1	Enumeration Type Documentation	10
4.6.1.1	Platform	10
4.7	Crosstales.Common.Util Namespace Reference	10
4.8	Crosstales.FB Namespace Reference	11
4.9	Crosstales.FB.Demo Namespace Reference	11
4.10	Crosstales.FB.EditorIntegration Namespace Reference	11
4.11	Crosstales.FB.EditorTask Namespace Reference	12
4.11.1	Enumeration Type Documentation	12
4.11.1.1	UpdateStatus	12
4.12	Crosstales.FB.EditorUtil Namespace Reference	12
4.13	Crosstales.FB.Util Namespace Reference	13
4.14	Crosstales.FB.Wrapper Namespace Reference	13
4.15	Crosstales.FB.Wrapper.Mac Namespace Reference	13
4.16	Crosstales.UI Namespace Reference	14
4.17	Crosstales.UI.Util Namespace Reference	14

5	Class Documentation	15
5.1	Crosstales.FB.EditorTask.AAACConfigLoader Class Reference	15
5.1.1	Detailed Description	15
5.2	Crosstales.UI.Util.AudioFilterController Class Reference	15
5.2.1	Detailed Description	16
5.2.2	Member Function Documentation	16
5.2.2.1	FindAllAudioFilters()	16
5.2.2.2	ResetAudioFilters()	17
5.2.3	Member Data Documentation	17
5.2.3.1	FindAllAudioFiltersOnStart	17
5.3	Crosstales.UI.Util.AudioSourceController Class Reference	17
5.3.1	Detailed Description	18
5.3.2	Member Function Documentation	18
5.3.2.1	FindAllAudioSources()	18
5.3.2.2	ResetAllAudioSources()	18
5.3.3	Member Data Documentation	18
5.3.3.1	AudioSources	18
5.3.3.2	FindAllAudioSourcesOnStart	18
5.3.3.3	Loop	19
5.3.3.4	Mute	19
5.3.3.5	Pitch	19
5.3.3.6	ResetAudioSourcesOnStart	19
5.3.3.7	StereoPan	19
5.3.3.8	Volume	19
5.4	Crosstales.Common.EditorTask.BaseCompileDefines Class Reference	19
5.4.1	Detailed Description	20
5.5	Crosstales.Common.Util.BaseConstants Class Reference	20
5.5.1	Detailed Description	22
5.5.2	Member Data Documentation	22
5.5.2.1	ASSET_3P_PLAYMAKER	22

5.5.2.2	ASSET_AUTHOR	22
5.5.2.3	ASSET_AUTHOR_URL	23
5.5.2.4	ASSET_BWF	23
5.5.2.5	ASSET_CT_URL	23
5.5.2.6	ASSET_DJ	23
5.5.2.7	ASSET_FB	23
5.5.2.8	ASSET_OC	23
5.5.2.9	ASSET_RADIO	23
5.5.2.10	ASSET_RTV	23
5.5.2.11	ASSET_SOCIAL_DISCORD	23
5.5.2.12	ASSET_SOCIAL_FACEBOOK	24
5.5.2.13	ASSET_SOCIAL_LINKEDIN	24
5.5.2.14	ASSET_SOCIAL_TWITTER	24
5.5.2.15	ASSET_SOCIAL_YOUTUBE	24
5.5.2.16	ASSET_TB	24
5.5.2.17	ASSET_TPB	24
5.5.2.18	ASSET_TPS	24
5.5.2.19	ASSET_TR	24
5.5.2.20	CMD_WINDOWS_PATH	24
5.5.2.21	DEV_DEBUG	25
5.5.2.22	FACTOR_GB	25
5.5.2.23	FACTOR_KB	25
5.5.2.24	FACTOR_MB	25
5.5.2.25	FLOAT_32768	25
5.5.2.26	FLOAT_TOLERANCE	25
5.5.2.27	FORMAT_NO_DECIMAL_PLACES	25
5.5.2.28	FORMAT_PERCENT	25
5.5.2.29	FORMAT_TWO_DECIMAL_PLACES	25
5.5.2.30	PATH_DELIMITER_UNIX	25
5.5.2.31	PATH_DELIMITER_WINDOWS	26

5.5.2.32	PROCESS_KILL_TIME	26
5.5.2.33	SHOW_BWF_BANNER	26
5.5.2.34	SHOW_DJ_BANNER	26
5.5.2.35	SHOW_FB_BANNER	26
5.5.2.36	SHOW_OC_BANNER	26
5.5.2.37	SHOW_RADIO_BANNER	26
5.5.2.38	SHOW_RTV_BANNER	26
5.5.2.39	SHOW_TB_BANNER	26
5.5.2.40	SHOW_TPB_BANNER	26
5.5.2.41	SHOW_TPS_BANNER	27
5.5.2.42	SHOW_TR_BANNER	27
5.5.3	Property Documentation	27
5.5.3.1	APPLICATION_PATH	27
5.5.3.2	PREFIX_FILE	27
5.6	Crosstales.Common.EditorUtil.BaseEditorHelper Class Reference	27
5.6.1	Detailed Description	29
5.6.2	Member Function Documentation	29
5.6.2.1	FindAssetsByType< T >()	29
5.6.2.2	getBuildNameFromBuildTarget(BuildTarget build)	29
5.6.2.3	getBuildTargetForBuildName(string build)	29
5.6.2.4	getCLIArgument(string name)	30
5.6.2.5	isValidBuildTarget(BuildTarget target)	30
5.6.2.6	ReadOnlyTextField(string label, string text)	30
5.6.2.7	RefreshAssetDatabase()	30
5.6.2.8	RestartUnity(string executeMethod="")	30
5.6.2.9	SeparatorUI(int space=12)	31
5.7	Crosstales.Common.EditorUtil.BaseGAApi Class Reference	31
5.7.1	Detailed Description	32
5.7.2	Member Function Documentation	32
5.7.2.1	Event(string name, string version, string category, string action, string label="", int value=0)	32

5.8	Crosstales.Common.Util.BaseHelper Class Reference	32
5.8.1	Detailed Description	35
5.8.2	Member Function Documentation	35
5.8.2.1	CleanUrl(string url, bool removeProtocol=true, bool removeWWW=true, bool removeSlash=true)	35
5.8.2.2	ClearLineEndings(string text)	35
5.8.2.3	ClearSpaces(string text)	36
5.8.2.4	ClearTags(string text)	36
5.8.2.5	CreateString(string replaceChars, int stringLength)	36
5.8.2.6	FileCopy(string inputFile, string outputFile, bool move=false)	36
5.8.2.7	FormatBytesToHRF(long bytes)	37
5.8.2.8	FormatSecondsToHourMinSec(double seconds)	37
5.8.2.9	GetDirectories(string path, bool isRecursive=false)	37
5.8.2.10	GetFiles(string path, bool isRecursive=false, params string[] extensions)	37
5.8.2.11	hasActiveClip(AudioSource source)	38
5.8.2.12	HSVToRGB(float h, float s, float v, float a=1f)	38
5.8.2.13	IsValidURL(string url)	38
5.8.2.14	OpenFile(string file)	38
5.8.2.15	RemoteCertificateValidationCallback(System.Object sender, System.Security.Crypto- graphy.X509Certificates.X509Certificate certificate, System.Security.Crypto- graphy.X509Certificates.X509Chain chain, System.Net.Security.SslPolicyErrors sslPolicyErrors)	39
5.8.2.16	ShowFileLocation(string file)	39
5.8.2.17	SplitStringToLines(string text, bool ignoreCommentedLines=true, int skipHeaderLines=0, int skipFooterLines=0)	39
5.8.2.18	ValidateFile(string path)	39
5.8.2.19	ValidatePath(string path, bool addEndDelimiter=true)	40
5.8.2.20	ValidURLFromFilePath(string path)	40
5.8.3	Property Documentation	40
5.8.3.1	CurrentPlatform	40
5.8.3.2	isAndroidPlatform	40
5.8.3.3	isAppleBasedPlatform	41
5.8.3.4	isEditor	41

5.8.3.5	isEditorMode	41
5.8.3.6	isIL2CPP	41
5.8.3.7	isInternetAvailable	41
5.8.3.8	isIOSBasedPlatform	41
5.8.3.9	isIOSPlatform	42
5.8.3.10	isLinuxEditor	42
5.8.3.11	isLinuxPlatform	42
5.8.3.12	isMacOSEditor	42
5.8.3.13	isMacOSPlatform	42
5.8.3.14	isPS4Platform	42
5.8.3.15	isStandalonePlatform	43
5.8.3.16	isTvOSPlatform	43
5.8.3.17	isWebGLPlatform	43
5.8.3.18	isWebPlatform	43
5.8.3.19	isWindowsBasedPlatform	43
5.8.3.20	isWindowsEditor	43
5.8.3.21	isWindowsPlatform	44
5.8.3.22	isWSABasedPlatform	44
5.8.3.23	isWSAPlatform	44
5.8.3.24	isXboxOnePlatform	44
5.8.3.25	StreamingAssetsPath	44
5.9	Crosstales.Common.EditorTask.BaseSetupResources Class Reference	45
5.9.1	Detailed Description	45
5.10	Crosstales.FB.EditorTask.CompileDefines Class Reference	45
5.10.1	Detailed Description	45
5.11	Crosstales.FB.Util.Config Class Reference	46
5.11.1	Detailed Description	46
5.11.2	Member Function Documentation	46
5.11.2.1	Load()	46
5.11.2.2	Reset()	46

5.11.2.3	Save()	46
5.11.3	Member Data Documentation	46
5.11.3.1	DEBUG	46
5.11.3.2	isLoading	47
5.11.3.3	NATIVE_WINDOWS	47
5.12	Crosstales.FB.EditorIntegration.ConfigBase Class Reference	47
5.12.1	Detailed Description	47
5.13	Crosstales.FB.EditorIntegration.ConfigPreferences Class Reference	48
5.13.1	Detailed Description	48
5.14	Crosstales.FB.EditorIntegration.ConfigWindow Class Reference	48
5.14.1	Detailed Description	49
5.15	Crosstales.FB.Util.Constants Class Reference	49
5.15.1	Detailed Description	50
5.15.2	Member Data Documentation	50
5.15.2.1	ASSET_API_URL	50
5.15.2.2	ASSET_BUILD	50
5.15.2.3	ASSET_CHANGED	50
5.15.2.4	ASSET_CONTACT	51
5.15.2.5	ASSET_CREATED	51
5.15.2.6	ASSET_FORUM_URL	51
5.15.2.7	ASSET_MANUAL_URL	51
5.15.2.8	ASSET_NAME	51
5.15.2.9	ASSET_NAME_SHORT	51
5.15.2.10	ASSET_PRO_URL	51
5.15.2.11	ASSET_UPDATE_CHECK_URL	51
5.15.2.12	ASSET_VERSION	51
5.15.2.13	ASSET_WEB_URL	52
5.16	Crosstales.Common.Util.CTPlayerPrefs Class Reference	52
5.16.1	Detailed Description	52
5.16.2	Member Function Documentation	53

5.16.2.1	DeleteAll()	53
5.16.2.2	DeleteKey(string key)	53
5.16.2.3	GetBool(string key)	53
5.16.2.4	GetDate(string key)	53
5.16.2.5	GetFloat(string key)	53
5.16.2.6	GetInt(string key)	54
5.16.2.7	GetString(string key)	54
5.16.2.8	HasKey(string key)	54
5.16.2.9	Save()	55
5.16.2.10	SetBool(string key, bool value)	55
5.16.2.11	SetDate(string key, System.DateTime value)	55
5.16.2.12	SetFloat(string key, float value)	55
5.16.2.13	SetInt(string key, int value)	55
5.16.2.14	SetString(string key, string value)	55
5.17	Crosstales.Common.Util.CTWebClient Class Reference	56
5.17.1	Detailed Description	56
5.17.2	Property Documentation	57
5.17.2.1	ConnectionLimit	57
5.17.2.2	Timeout	57
5.18	Crosstales.FB.EditorUtil.EditorConfig Class Reference	57
5.18.1	Detailed Description	57
5.18.2	Member Function Documentation	58
5.18.2.1	Load()	58
5.18.2.2	Reset()	58
5.18.2.3	Save()	58
5.18.3	Member Data Documentation	58
5.18.3.1	isLoading	58
5.18.3.2	TRACER	58
5.18.3.3	UPDATE_CHECK	58
5.18.4	Property Documentation	58

5.18.4.1	ASSET_PATH	58
5.19	Crosstales.FB.EditorUtil.EditorConstants Class Reference	59
5.19.1	Detailed Description	59
5.19.2	Property Documentation	59
5.19.2.1	ASSET_ID	59
5.19.2.2	ASSET_UID	60
5.19.2.3	ASSET_URL	60
5.20	Crosstales.FB.EditorUtil.EditorHelper Class Reference	60
5.20.1	Detailed Description	61
5.20.2	Member Function Documentation	61
5.20.2.1	BannerFB()	61
5.21	Crosstales.FB.Demo.Examples Class Reference	61
5.21.1	Detailed Description	62
5.22	Crosstales.FB.ExtensionFilter Struct Reference	62
5.22.1	Detailed Description	62
5.23	Crosstales.ExtensionMethods Class Reference	62
5.23.1	Detailed Description	64
5.23.2	Member Function Documentation	64
5.23.2.1	CTAddRange< K, V >(this System.Collections.Generic.IDictionary< K, V > source, System.Collections.Generic.IDictionary< K, V > collection)	64
5.23.2.2	CTContains(this string str, string toCheck, System.StringComparison comp=↔ System.StringComparison.OrdinalIgnoreCase)	64
5.23.2.3	CTContainsAll(this string str, string searchTerms, char splitChar= ' ')	64
5.23.2.4	CTContainsAny(this string str, string searchTerms, char splitChar= ' ')	65
5.23.2.5	CTDump(this Quaternion[] array)	65
5.23.2.6	CTDump(this Vector2[] array)	65
5.23.2.7	CTDump(this Vector3[] array)	65
5.23.2.8	CTDump(this Vector4[] array)	66
5.23.2.9	CTDump(this System.Collections.Generic.IList< Quaternion > list)	66
5.23.2.10	CTDump(this System.Collections.Generic.IList< Vector2 > list)	66
5.23.2.11	CTDump(this System.Collections.Generic.IList< Vector3 > list)	67

5.23.2.12	CTDump(this System.Collections.Generic.IList< Vector4 > list)	67
5.23.2.13	CTDump< K, V >(this System.Collections.Generic.IDictionary< K, V > dict, string prefix="'", string postfix="'")	67
5.23.2.14	CTDump< T >(this T[] array, string prefix="'", string postfix="'")	68
5.23.2.15	CTDump< T >(this System.Collections.Generic.IList< T > list, string prefix="'", string postfix="'")	68
5.23.2.16	CTEquals(this string str, string toCheck, System.StringComparison comp=↔ System.StringComparison.OrdinalIgnoreCase)	68
5.23.2.17	CTIsVisibleFrom(this Renderer renderer, Camera camera)	69
5.23.2.18	CTReplace(this string str, string oldString, string newString, System.String↔ Comparison comp=System.StringComparison.OrdinalIgnoreCase)	69
5.23.2.19	CTReverse(this string str)	69
5.23.2.20	CTShuffle< T >(this T[] array, int seed=0)	69
5.23.2.21	CTShuffle< T >(this System.Collections.Generic.IList< T > list, int seed=0)	70
5.23.2.22	CTToString< T >(this T[] array)	70
5.23.2.23	CTToString< T >(this System.Collections.Generic.IList< T > list)	70
5.23.2.24	CTToTitleCase(this string str)	70
5.24	Crosstales.FB.FileBrowser Class Reference	71
5.24.1	Detailed Description	72
5.24.2	Member Function Documentation	72
5.24.2.1	GetDirectories(string path, bool isRecursive=false)	72
5.24.2.2	GetFiles(string path, bool isRecursive=false, params string[] extensions)	73
5.24.2.3	GetFiles(string path, bool isRecursive, params ExtensionFilter[] extensions)	73
5.24.2.4	OpenFiles(string extension="'*.*')"	73
5.24.2.5	OpenFiles(string title, string directory, params string[] extensions)	74
5.24.2.6	OpenFiles(string title, string directory, params ExtensionFilter[] extensions)	74
5.24.2.7	OpenFilesAsync(System.Action< string[]> cb, bool multiselect=true, params string[] extensions)	74
5.24.2.8	OpenFilesAsync(System.Action< string[]> cb, string title, string directory, bool multiselect=true, params string[] extensions)	75
5.24.2.9	OpenFilesAsync(System.Action< string[]> cb, string title, string directory, bool multiselect=true, params ExtensionFilter[] extensions)	75
5.24.2.10	OpenFolders()	75

5.24.2.11	OpenFolders(string title, string directory=""")	75
5.24.2.12	OpenFoldersAsync(System.Action< string[]> cb, bool multiselect=true)	76
5.24.2.13	OpenFoldersAsync(System.Action< string[]> cb, string title, string directory="", bool multiselect=true)	76
5.24.2.14	OpenSingleFile(string extension="*")	76
5.24.2.15	OpenSingleFile(string title, string directory, params string[] extensions)	77
5.24.2.16	OpenSingleFile(string title, string directory, params ExtensionFilter[] extensions)	77
5.24.2.17	OpenSingleFolder()	77
5.24.2.18	OpenSingleFolder(string title, string directory=""")	78
5.24.2.19	SaveFile(string defaultName="", string extension="*")	78
5.24.2.20	SaveFile(string title, string directory, string defaultName, params string[] extensions)	78
5.24.2.21	SaveFile(string title, string directory, string defaultName, params ExtensionFilter[] extensions)	78
5.24.2.22	SaveFileAsync(System.Action< string > cb, string defaultName="", string extension="*")	79
5.24.2.23	SaveFileAsync(System.Action< string > cb, string title, string directory, string defaultName, params string[] extensions)	79
5.24.2.24	SaveFileAsync(System.Action< string > cb, string title, string directory, string defaultName, params ExtensionFilter[] extensions)	79
5.24.3	Property Documentation	80
5.24.3.1	canOpenMultipleFiles	80
5.24.3.2	canOpenMultipleFolders	80
5.24.3.3	isPlatformSupported	80
5.25	Crosstales.FB.Wrapper.FileBrowserBase Class Reference	81
5.25.1	Detailed Description	81
5.25.2	Member Function Documentation	81
5.25.2.1	OpenFiles(string title, string directory, ExtensionFilter[] extensions, bool multiselect)	81
5.25.2.2	OpenFilesAsync(string title, string directory, ExtensionFilter[] extensions, bool multiselect, System.Action< string[]> cb)	82
5.25.2.3	OpenFolders(string title, string directory, bool multiselect)	82
5.25.2.4	OpenFoldersAsync(string title, string directory, bool multiselect, System.Action< string[]> cb)	83
5.25.2.5	OpenSingleFile(string title, string directory, ExtensionFilter[] extensions)	83

5.25.2.6	OpenSingleFolder(string title, string directory)	83
5.25.2.7	SaveFile(string title, string directory, string defaultName, ExtensionFilter[] extensions)	84
5.25.2.8	SaveFileAsync(string title, string directory, string defaultName, ExtensionFilter[] extensions, System.Action< string > cb)	84
5.26	Crosstales.FB.Wrapper.FileBrowserEditor Class Reference	85
5.26.1	Member Function Documentation	85
5.26.1.1	OpenFiles(string title, string directory, ExtensionFilter[] extensions, bool multiselect)	85
5.26.1.2	OpenFolders(string title, string directory, bool multiselect)	86
5.26.1.3	SaveFile(string title, string directory, string defaultName, ExtensionFilter[] extensions)	86
5.27	Crosstales.FB.Wrapper.FileBrowserGeneric Class Reference	87
5.27.1	Detailed Description	87
5.27.2	Member Function Documentation	87
5.27.2.1	OpenFiles(string title, string directory, ExtensionFilter[] extensions, bool multiselect)	87
5.27.2.2	OpenFolders(string title, string directory, bool multiselect)	88
5.27.2.3	SaveFile(string title, string directory, string defaultName, ExtensionFilter[] extensions)	88
5.28	Crosstales.FB.Wrapper.FileBrowserMac Class Reference	89
5.28.1	Detailed Description	89
5.28.2	Member Function Documentation	89
5.28.2.1	OpenFiles(string title, string directory, ExtensionFilter[] extensions, bool multiselect)	89
5.28.2.2	OpenFolders(string title, string directory, bool multiselect)	90
5.28.2.3	SaveFile(string title, string directory, string defaultName, ExtensionFilter[] extensions)	90
5.29	Crosstales.FB.Wrapper.FileBrowserWindows Class Reference	91
5.29.1	Detailed Description	91
5.29.2	Member Function Documentation	91
5.29.2.1	OpenFiles(string title, string directory, ExtensionFilter[] extensions, bool multiselect)	91
5.29.2.2	OpenFolders(string title, string directory, bool multiselect)	92
5.29.2.3	SaveFile(string title, string directory, string defaultName, ExtensionFilter[] extensions)	92
5.30	Crosstales.UI.Util.FPSDisplay Class Reference	93

5.30.1 Detailed Description	93
5.30.2 Member Data Documentation	93
5.30.2.1 FPS	93
5.31 Crosstales.Common.Util.FreeCam Class Reference	94
5.31.1 Detailed Description	94
5.31.2 Member Function Documentation	94
5.31.2.1 StartLooking()	94
5.31.2.2 StopLooking()	95
5.31.3 Member Data Documentation	95
5.31.3.1 FastMovementSpeed	95
5.31.3.2 FastZoomSensitivity	95
5.31.3.3 FreeLookSensitivity	95
5.31.3.4 MovementSpeed	95
5.31.3.5 ZoomSensitivity	95
5.32 Crosstales.FB.EditorUtil.GAApi Class Reference	95
5.32.1 Detailed Description	96
5.32.2 Member Function Documentation	96
5.32.2.1 Event(string category, string action, string label="", int value=0)	96
5.33 Crosstales.FB.Demo.GUIMain Class Reference	96
5.33.1 Detailed Description	97
5.34 Crosstales.FB.Demo.GUIScenes Class Reference	97
5.34.1 Detailed Description	97
5.35 Crosstales.FB.Util.Helper Class Reference	98
5.35.1 Detailed Description	98
5.35.2 Property Documentation	98
5.35.2.1 isSupportedPlatform	98
5.36 Crosstales.FB.Wrapper.IFileBrowser Interface Reference	98
5.36.1 Detailed Description	99
5.36.2 Member Function Documentation	99
5.36.2.1 OpenFiles(string title, string directory, ExtensionFilter[] extensions, bool multiselect)	99

5.36.2.2	OpenFilesAsync(string title, string directory, ExtensionFilter[] extensions, bool multiselect, System.Action< string[]> cb)	100
5.36.2.3	OpenFolders(string title, string directory, bool multiselect)	100
5.36.2.4	OpenFoldersAsync(string title, string directory, bool multiselect, System.Action< string[]> cb)	100
5.36.2.5	OpenSingleFile(string title, string directory, ExtensionFilter[] extensions)	101
5.36.2.6	OpenSingleFolder(string title, string directory)	101
5.36.2.7	SaveFile(string title, string directory, string defaultName, ExtensionFilter[] extensions)	102
5.36.2.8	SaveFileAsync(string title, string directory, string defaultName, ExtensionFilter[] extensions, System.Action< string > cb)	102
5.36.3	Property Documentation	102
5.36.3.1	canOpenMultipleFiles	102
5.36.3.2	canOpenMultipleFolders	103
5.36.3.3	isPlatformSupported	103
5.37	Crosstales.FB.EditorTask.Launch Class Reference	103
5.37.1	Detailed Description	103
5.38	Crosstales.Common.EditorTask.NYCheck Class Reference	103
5.38.1	Detailed Description	103
5.39	Crosstales.Common.Util.PlatformController Class Reference	104
5.39.1	Detailed Description	104
5.39.2	Member Data Documentation	104
5.39.2.1	Active	104
5.39.2.2	Platforms	105
5.40	Crosstales.Common.Util.RandomColor Class Reference	105
5.40.1	Detailed Description	106
5.40.2	Member Data Documentation	106
5.40.2.1	AlphaRange	106
5.40.2.2	ChangeInterval	106
5.40.2.3	GrayScale	106
5.40.2.4	HueRange	106
5.40.2.5	Material	106

5.40.2.6	SaturationRange	106
5.40.2.7	UseInterval	106
5.40.2.8	ValueRange	106
5.41	Crosstales.Common.Util.RandomRotator Class Reference	107
5.41.1	Detailed Description	107
5.41.2	Member Data Documentation	107
5.41.2.1	ChangeInterval	107
5.41.2.2	SpeedMax	107
5.41.2.3	SpeedMin	107
5.41.2.4	UseInterval	108
5.42	Crosstales.Common.Util.RandomScaler Class Reference	108
5.42.1	Detailed Description	108
5.42.2	Member Data Documentation	109
5.42.2.1	ChangeInterval	109
5.42.2.2	ScaleMax	109
5.42.2.3	ScaleMin	109
5.42.2.4	Uniform	109
5.42.2.5	UseInterval	109
5.43	Crosstales.FB.EditorTask.ReminderCheck Class Reference	109
5.43.1	Detailed Description	109
5.44	Crosstales.FB.EditorTask.ReminderCT Class Reference	110
5.44.1	Detailed Description	110
5.45	Crosstales.UI.Util.ScrollRectHandler Class Reference	110
5.45.1	Detailed Description	110
5.46	Crosstales.Common.Util.SerializableDictionary< TKey, TVal > Class Template Reference	111
5.46.1	Detailed Description	111
5.47	Crosstales.Common.EditorTask.SetupResources Class Reference	111
5.47.1	Detailed Description	112
5.48	Crosstales.FB.EditorTask.SetupResources Class Reference	112
5.48.1	Detailed Description	112

5.49	Crosstales.UI.Social Class Reference	112
5.49.1	Detailed Description	113
5.50	Crosstales.UI.StaticManager Class Reference	113
5.50.1	Detailed Description	113
5.50.2	Member Function Documentation	113
5.50.2.1	OpenCrosstales()	113
5.50.2.2	Quit()	114
5.51	Crosstales.Common.Util.TakeScreenshot Class Reference	114
5.51.1	Detailed Description	114
5.51.2	Member Function Documentation	114
5.51.2.1	Capture()	114
5.51.3	Member Data Documentation	115
5.51.3.1	Prefix	115
5.51.3.2	Scale	115
5.52	Crosstales.FB.EditorTask.Tracer Class Reference	115
5.52.1	Detailed Description	115
5.53	Crosstales.UI.UIDrag Class Reference	115
5.53.1	Detailed Description	116
5.53.2	Member Function Documentation	116
5.53.2.1	BeginDrag()	116
5.54	Crosstales.UI.UIFocus Class Reference	116
5.54.1	Detailed Description	117
5.54.2	Member Function Documentation	117
5.54.2.1	OnPanelEnter()	117
5.54.3	Member Data Documentation	117
5.54.3.1	ManagerName	117
5.55	Crosstales.UI.UIHint Class Reference	117
5.55.1	Detailed Description	118
5.55.2	Member Data Documentation	118
5.55.2.1	Delay	118

5.55.2.2	Disable	118
5.55.2.3	FadeAtStart	118
5.55.2.4	FadeTime	118
5.55.2.5	Group	118
5.56	Crosstales.UI.UIResize Class Reference	118
5.56.1	Detailed Description	119
5.56.2	Member Data Documentation	119
5.56.2.1	MaxSize	119
5.56.2.2	MinSize	119
5.57	Crosstales.UI.UIWindowManager Class Reference	119
5.57.1	Detailed Description	120
5.57.2	Member Function Documentation	120
5.57.2.1	ChangeState(GameObject active)	120
5.57.3	Member Data Documentation	120
5.57.3.1	Windows	120
5.58	Crosstales.FB.EditorTask.UpdateCheck Class Reference	120
5.58.1	Detailed Description	121
5.59	Crosstales.UI.WindowManager Class Reference	121
5.59.1	Detailed Description	121
5.59.2	Member Function Documentation	122
5.59.2.1	OpenPanel()	122
5.59.2.2	SwitchPanel()	122
5.59.3	Member Data Documentation	122
5.59.3.1	Dependencies	122
5.59.3.2	Speed	122
5.60	Crosstales.Common.Util.XmlHelper Class Reference	122
5.60.1	Detailed Description	122
5.60.2	Member Function Documentation	122
5.60.2.1	DeserializeFromFile< T >(string filename, bool skipBOM=false)	122
5.60.2.2	DeserializeFromResource< T >(string resourceName, bool skipBOM=true)	123
5.60.2.3	DeserializeFromString< T >(string xmlAsString, bool skipBOM=true)	123
5.60.2.4	SerializeToFile< T >(T obj, string filename)	123
5.60.2.5	SerializeToString< T >(T obj)	124

6	More information	125
6.1	Homepage	125
6.2	AssetStore	125
6.3	Forum	125
6.4	Documentation	125
6.5	Discord	125
6.6	Demos	125
6.6.1	Windows	125
6.6.2	macOS	126
6.7	Videos	126
Index		127

Chapter 1

Namespace Index

1.1 Packages

Here are the packages with brief descriptions (if available):

Crosstales	9
Crosstales.Common	9
Crosstales.Common.EditorTask	9
Crosstales.Common.EditorUtil	10
Crosstales.Common.Model	10
Crosstales.Common.Model.Enum	10
Crosstales.Common.Util	10
Crosstales.FB	11
Crosstales.FB.Demo	11
Crosstales.FB.EditorIntegration	11
Crosstales.FB.EditorTask	12
Crosstales.FB.EditorUtil	12
Crosstales.FB.Util	13
Crosstales.FB.Wrapper	13
Crosstales.FB.Wrapper.Mac	13
Crosstales.UI	14
Crosstales.UI.Util	14

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

Crosstales.FB.EditorTask.AAConfigLoader	15
Crosstales.Common.EditorTask.BaseCompileDefines	19
Crosstales.FB.EditorTask.CompileDefines	45
Crosstales.Common.Util.BaseConstants	20
Crosstales.FB.Util.Constants	49
Crosstales.Common.EditorUtil.BaseGAApi	31
Crosstales.FB.EditorUtil.GAApi	95
Crosstales.Common.Util.BaseHelper	32
Crosstales.Common.EditorUtil.BaseEditorHelper	27
Crosstales.FB.EditorUtil.EditorHelper	60
Crosstales.FB.Util.Helper	98
Crosstales.Common.EditorTask.BaseSetupResources	45
Crosstales.Common.EditorTask.SetupResources	111
Crosstales.FB.EditorTask.SetupResources	112
Crosstales.FB.Util.Config	46
Crosstales.Common.Util.CTPlayerPrefs	52
Dictionary	
Crosstales.Common.Util.SerializableDictionary< TKey, TVal >	111
Crosstales.FB.EditorUtil.EditorConfig	57
Crosstales.FB.EditorUtil.EditorConstants	59
EditorWindow	
Crosstales.FB.EditorIntegration.ConfigBase	47
Crosstales.FB.EditorIntegration.ConfigPreferences	48
Crosstales.FB.EditorIntegration.ConfigWindow	48
Crosstales.FB.ExtensionFilter	62
Crosstales.ExtensionMethods	62
Crosstales.FB.FileBrowser	71
IDragHandler	
Crosstales.UI.UIResize	118
Crosstales.FB.Wrapper.IFileBrowser	98
Crosstales.FB.Wrapper.FileBrowserBase	81
Crosstales.FB.Wrapper.FileBrowserEditor	85
Crosstales.FB.Wrapper.FileBrowserGeneric	87

Crosstales.FB.Wrapper.FileBrowserMac	89
Crosstales.FB.Wrapper.FileBrowserWindows	91
IPointerDownHandler	
Crosstales.UI.UIResize	118
ISerializable	
Crosstales.Common.Util.SerializableDictionary< TKey, TVal >	111
IXmlSerializable	
Crosstales.Common.Util.SerializableDictionary< TKey, TVal >	111
Crosstales.FB.EditorTask.Launch	103
MonoBehaviour	
Crosstales.Common.Util.FreeCam	94
Crosstales.Common.Util.PlatformController	104
Crosstales.Common.Util.RandomColor	105
Crosstales.Common.Util.RandomRotator	107
Crosstales.Common.Util.RandomScaler	108
Crosstales.Common.Util.TakeScreenshot	114
Crosstales.FB.Demo.Examples	61
Crosstales.FB.Demo.GUIMain	96
Crosstales.FB.Demo.GUIScenes	97
Crosstales.UI.Social	112
Crosstales.UI.StaticManager	113
Crosstales.UI.UIDrag	115
Crosstales.UI.UIFocus	116
Crosstales.UI.UIHint	117
Crosstales.UI.UIResize	118
Crosstales.UI.UIWindowManager	119
Crosstales.UI.Util.AudioFilterController	15
Crosstales.UI.Util.AudioSourceController	17
Crosstales.UI.Util.FPSDisplay	93
Crosstales.UI.Util.ScrollRectHandler	110
Crosstales.UI.WindowManager	121
Crosstales.Common.EditorTask.NYCheck	103
Crosstales.FB.EditorTask.ReminderCheck	109
Crosstales.FB.EditorTask.ReminderCT	110
Crosstales.Common.Util.SerializableDictionary< string, string >	111
Crosstales.FB.EditorTask.Tracer	115
Crosstales.FB.EditorTask.UpdateCheck	120
WebClient	
Crosstales.Common.Util.CTWebClient	56
Crosstales.Common.Util.XmlHelper	122

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Crosstales.FB.EditorTask.AAAConfigLoader	15
Loads the configuration at startup.	
Crosstales.UI.Util.AudioFilterController	15
Controller for audio filters.	
Crosstales.UI.Util.AudioSourceController	17
Controller for AudioSources.	
Crosstales.Common.EditorTask.BaseCompileDefines	19
Base for adding and removing the given define symbols to PlayerSettings define symbols.	
Crosstales.Common.Util.BaseConstants	20
Base for collected constants of very general utility for the asset.	
Crosstales.Common.EditorUtil.BaseEditorHelper	27
Base for various Editor helper functions.	
Crosstales.Common.EditorUtil.BaseGAApi	31
Base GA-wrapper API.	
Crosstales.Common.Util.BaseHelper	32
Base for various helper functions.	
Crosstales.Common.EditorTask.BaseSetupResources	45
Base for copying all resources to 'Editor Default Resources'.	
Crosstales.FB.EditorTask.CompileDefines	45
Adds the given define symbols to PlayerSettings define symbols.	
Crosstales.FB.Util.Config	46
Configuration for the asset.	
Crosstales.FB.EditorIntegration.ConfigBase	47
Base class for editor windows.	
Crosstales.FB.EditorIntegration.ConfigPreferences	48
Unity "Preferences" extension.	
Crosstales.FB.EditorIntegration.ConfigWindow	48
Editor window extension.	
Crosstales.FB.Util.Constants	49
Collected constants of very general utility for the asset.	
Crosstales.Common.Util.CTPlayerPrefs	52
Wrapper for the PlayerPrefs.	
Crosstales.Common.Util.CTWebClient	56
Specialized WebClient.	
Crosstales.FB.EditorUtil.EditorConfig	57
Editor configuration for the asset.	

Crosstales.FB.EditorUtil.EditorConstants	
Collected editor constants of very general utility for the asset.	59
Crosstales.FB.EditorUtil.EditorHelper	
Editor helper class.	60
Crosstales.FB.Demo.Examples	
Examples for all methods.	61
Crosstales.FB.ExtensionFilter	
Filter for extensions.	62
Crosstales.ExtensionMethods	
Various extension methods.	62
Crosstales.FB.FileBrowser	
Native file browser various actions like open file, open folder and save file.	71
Crosstales.FB.Wrapper.FileBrowserBase	
Base class for all file browsers.	81
Crosstales.FB.Wrapper.FileBrowserEditor	
	85
Crosstales.FB.Wrapper.FileBrowserGeneric	
File browser implementation for generic devices (currently NOT IMPLEMENTED).	87
Crosstales.FB.Wrapper.FileBrowserMac	
File browser implementation for macOS.	89
Crosstales.FB.Wrapper.FileBrowserWindows	
File browser implementation for Windows.	91
Crosstales.UI.Util.FPSDisplay	
Simple FPS-Counter.	93
Crosstales.Common.Util.FreeCam	
A simple free camera to be added to a Unity game object	94
Crosstales.FB.EditorUtil.GAApi	
GA-wrapper API.	95
Crosstales.FB.Demo.GUIMain	
Main GUI component for all demo scenes.	96
Crosstales.FB.Demo.GUIScenes	
Main GUI scene manager for all demo scenes.	97
Crosstales.FB.Util.Helper	
Various helper functions.	98
Crosstales.FB.Wrapper.IFileBrowser	
Interface for all file browsers.	98
Crosstales.FB.EditorTask.Launch	
Show the configuration window on the first launch.	103
Crosstales.Common.EditorTask.NYCheck	
Checks if a 'Happy new year'-message must be displayed.	103
Crosstales.Common.Util.PlatformController	
Enables or disable game objects for a given platform.	104
Crosstales.Common.Util.RandomColor	
Random color changer.	105
Crosstales.Common.Util.RandomRotator	
Random rotation changer.	107
Crosstales.Common.Util.RandomScaler	
Random scale changer.	108
Crosstales.FB.EditorTask.ReminderCheck	
Reminds the customer to create an UAS review.	109
Crosstales.FB.EditorTask.ReminderCT	
Reminds the customer to visit our other assets.	110
Crosstales.UI.Util.ScrollRectHandler	
Changes the sensitivity of ScrollRects under various platforms.	110
Crosstales.Common.Util.SerializableDictionary< TKey, TValue >	
Serializable Dictionary-class for XML.	111
Crosstales.Common.EditorTask.SetupResources	
Copies all resources to 'Editor Default Resources'.	111

Crosstales.FB.EditorTask.SetupResources	
Copies all resources to 'Editor Default Resources'.	112
Crosstales.UI.Social	
Crosstales social media links.	112
Crosstales.UI.StaticManager	
Static Button Manager.	113
Crosstales.Common.Util.TakeScreenshot	
Take screen shots inside an application.	114
Crosstales.FB.EditorTask.Tracer	
Gather some tracing data for the asset.	115
Crosstales.UI.UIDrag	
Allow to Drag the Windows arround.	115
Crosstales.UI.UIFocus	
Change the Focus on from a Window.	116
Crosstales.UI.UIHint	
Controls a UI group (hint).	117
Crosstales.UI.UIResize	
Resize a UI element.	118
Crosstales.UI.UIWindowManager	
Change the state of all Window panels.	119
Crosstales.FB.EditorTask.UpdateCheck	
Checks for updates of the asset.	120
Crosstales.UI.WindowManager	
Manager for a Window.	121
Crosstales.Common.Util.XmlHelper	
Helper-class for XML.	122

Chapter 4

Namespace Documentation

4.1 Crosstales Namespace Reference

Namespaces

Classes

- class [ExtensionMethods](#)
Various extension methods.

4.2 Crosstales.Common Namespace Reference

Namespaces

4.3 Crosstales.Common.EditorTask Namespace Reference

Classes

- class [BaseCompileDefines](#)
Base for adding and removing the given define symbols to PlayerSettings define symbols.
- class [BaseSetupResources](#)
Base for copying all resources to 'Editor Default Resources'.
- class [NYCheck](#)
Checks if a 'Happy new year'-message must be displayed.
- class [SetupResources](#)
Copies all resources to 'Editor Default Resources'.

4.4 Crosstales.Common.EditorUtil Namespace Reference

Classes

- class [BaseEditorHelper](#)
Base for various Editor helper functions.
- class [BaseGAApi](#)
Base GA-wrapper API.

4.5 Crosstales.Common.Model Namespace Reference

Namespaces

4.6 Crosstales.Common.Model.Enum Namespace Reference

Enumerations

- enum [Platform](#) {
Windows, OSX, Linux, IOS,
Android, WSA, Web, Unsupported,
MaryTTS }
All available platforms.

4.6.1 Enumeration Type Documentation

4.6.1.1 enum [Crosstales.Common.Model.Enum.Platform](#) [strong]

All available platforms.

4.7 Crosstales.Common.Util Namespace Reference

Classes

- class [BaseConstants](#)
Base for collected constants of very general utility for the asset.
- class [BaseHelper](#)
Base for various helper functions.
- class [CTPlayerPrefs](#)
Wrapper for the PlayerPrefs.
- class [CTWebClient](#)
Specialized WebClient.
- class [FreeCam](#)
A simple free camera to be added to a Unity game object.
- class [PlatformController](#)

- Enables or disable game objects for a given platform.*
- class [RandomColor](#)
Random color changer.
- class [RandomRotator](#)
Random rotation changer.
- class [RandomScaler](#)
Random scale changer.
- class [SerializableDictionary](#)
Serializable Dictionary-class for XML.
- class [TakeScreenshot](#)
Take screen shots inside an application.
- class [XmlHelper](#)
Helper-class for XML.

4.8 Crosstales.FB Namespace Reference

Namespaces

Classes

- struct [ExtensionFilter](#)
Filter for extensions.
- class [FileBrowser](#)
Native file browser various actions like open file, open folder and save file.

4.9 Crosstales.FB.Demo Namespace Reference

Classes

- class [Examples](#)
Examples for all methods.
- class [GUIMain](#)
Main GUI component for all demo scenes.
- class [GUIScenes](#)
Main GUI scene manager for all demo scenes.

4.10 Crosstales.FB.EditorIntegration Namespace Reference

Classes

- class [ConfigBase](#)
Base class for editor windows.
- class [ConfigPreferences](#)
Unity "Preferences" extension.
- class [ConfigWindow](#)
Editor window extension.

4.11 Crosstales.FB.EditorTask Namespace Reference

Classes

- class [AAConfigLoader](#)
Loads the configuration at startup.
- class [CompileDefines](#)
Adds the given define symbols to PlayerSettings define symbols.
- class [Launch](#)
Show the configuration window on the first launch.
- class [ReminderCheck](#)
Reminds the customer to create an UAS review.
- class [ReminderCT](#)
Reminds the customer to visit our other assets.
- class [SetupResources](#)
Copies all resources to 'Editor Default Resources'.
- class [Tracer](#)
Gather some tracing data for the asset.
- class [UpdateCheck](#)
Checks for updates of the asset.

Enumerations

- enum [UpdateStatus](#) {
 NOT_CHECKED, **NO_UPDATE**, **UPDATE**, **UPDATE_PRO**,
 UPDATE_VERSION, **DEPRECATED** }
All possible update stati.

4.11.1 Enumeration Type Documentation

4.11.1.1 enum **Crosstales.FB.EditorTask.UpdateStatus** [strong]

All possible update stati.

4.12 Crosstales.FB.EditorUtil Namespace Reference

Classes

- class [EditorConfig](#)
Editor configuration for the asset.
- class [EditorConstants](#)
Collected editor constants of very general utility for the asset.
- class [EditorHelper](#)
Editor helper class.
- class [GAApi](#)
GA-wrapper API.

4.13 Crosstales.FB.Util Namespace Reference

Classes

- class [Config](#)
Configuration for the asset.
- class [Constants](#)
Collected constants of very general utility for the asset.
- class [Helper](#)
Various helper functions.

4.14 Crosstales.FB.Wrapper Namespace Reference

Namespaces

Classes

- class [FileBrowserBase](#)
Base class for all file browsers.
- class [FileBrowserEditor](#)
- class [FileBrowserGeneric](#)
File browser implementation for generic devices (currently NOT IMPLEMENTED).
- class [FileBrowserMac](#)
File browser implementation for macOS.
- class [FileBrowserWindows](#)
File browser implementation for Windows.
- interface [IFileBrowser](#)
Interface for all file browsers.

4.15 Crosstales.FB.Wrapper.Mac Namespace Reference

Classes

- class **NativeMethods**
Native methods (bridge to macOS).

4.16 Crosstales.UI Namespace Reference

Namespaces

Classes

- class [Social](#)
Crosstales social media links.
- class [StaticManager](#)
Static Button Manager.
- class [UIDrag](#)
Allow to Drag the Windows around.
- class [UIFocus](#)
Change the Focus on from a Window.
- class [UIHint](#)
Controls a [UI](#) group (hint).
- class [UIResize](#)
Resize a [UI](#) element.
- class [UIWindowManager](#)
Change the state of all Window panels.
- class [WindowManager](#)
Manager for a Window.

4.17 Crosstales.UI.Util Namespace Reference

Classes

- class [AudioFilterController](#)
Controller for audio filters.
- class [AudioSourceController](#)
Controller for AudioSources.
- class [FPSDisplay](#)
Simple FPS-Counter.
- class [ScrollRectHandler](#)
Changes the sensitivity of ScrollRects under various platforms.

Chapter 5

Class Documentation

5.1 Crosstales.FB.EditorTask.AAConfigLoader Class Reference

Loads the configuration at startup.

5.1.1 Detailed Description

Loads the configuration at startup.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Editor/Task/AAConfigLoader.cs

5.2 Crosstales.UI.Util.AudioFilterController Class Reference

Controller for audio filters.

Inheritance diagram for Crosstales.UI.Util.AudioFilterController:



Public Member Functions

- void **Start** ()
- void **Update** ()
- void **FindAllAudioFilters** ()
Finds all audio filters in the scene.
- void **ResetAudioFilters** ()
Resets all audio filters.
- void **ReverbFilterDropdownChanged** (System.Int32 index)
- void **ChorusFilterEnabled** (bool isEnabled)
- void **EchoFilterEnabled** (bool isEnabled)
- void **DistortionFilterEnabled** (bool isEnabled)
- void **DistortionFilterChanged** (float value)
- void **LowPassFilterEnabled** (bool isEnabled)
- void **LowPassFilterChanged** (float value)
- void **HighPassFilterEnabled** (bool isEnabled)
- void **HighPassFilterChanged** (float value)

Public Attributes

- bool **FindAllAudioFiltersOnStart** = true
Searches for all audio filters in the whole scene (default: true).
- AudioReverbFilter[] **ReverbFilters**
- AudioChorusFilter[] **ChorusFilters**
- AudioEchoFilter[] **EchoFilters**
- AudioDistortionFilter[] **DistortionFilters**
- AudioLowPassFilter[] **LowPassFilters**
- AudioHighPassFilter[] **HighPassFilters**
- bool **ResetAudioFiltersOnStart** = true
- bool **ChorusFilter** = false
- bool **EchoFilter** = false
- bool **DistortionFilter** = false
- float **DistortionFilterValue** = 0.5f
- bool **LowpassFilter** = false
- float **LowpassFilterValue** = 5000f
- bool **HighpassFilter** = false
- float **HighpassFilterValue** = 5000f
- Dropdown **ReverbFilterDropdown**
- Text **DistortionText**
- Text **LowpassText**
- Text **HighpassText**

5.2.1 Detailed Description

Controller for audio filters.

5.2.2 Member Function Documentation

5.2.2.1 void Crosstales.UI.Util.AudioFilterController.FindAllAudioFilters ()

Finds all audio filters in the scene.

5.2.2.2 void Crosstales.UI.Util.AudioFilterController.ResetAudioFilters ()

Resets all audio filters.

5.2.3 Member Data Documentation

5.2.3.1 bool Crosstales.UI.Util.AudioFilterController.FindAllAudioFiltersOnStart = true

Searches for all audio filters in the whole scene (default: true).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/UI/Scripts/↔
Util/AudioFilterController.cs

5.3 Crosstales.UI.Util.AudioSourceController Class Reference

Controller for AudioSources.

Inheritance diagram for Crosstales.UI.Util.AudioSourceController:



Public Member Functions

- void **Update** ()
- void **FindAllAudioSources** ()
Finds all audio sources in the scene.
- void **ResetAllAudioSources** ()
Resets all audio sources.
- void **MuteEnabled** (bool isEnabled)
- void **LoopEnabled** (bool isEnabled)
- void **VolumeChanged** (float value)
- void **PitchChanged** (float value)
- void **StereoPanChanged** (float value)

Public Attributes

- bool [FindAllAudioSourcesOnStart](#) = true
Searches for all AudioSource in the whole scene (default: true).
- AudioSource[] [AudioSources](#)
Active controlled AudioSources.
- bool [ResetAudioSourcesOnStart](#) = true
Resets all active AudioSources (default: true).
- bool [Mute](#) = false
Mute on/off (default: false).
- bool [Loop](#) = false
Loop on/off (default: false).
- float [Volume](#) = 1f
Volume of the audio (default: 1)
- float [Pitch](#) = 1f
Pitch of the audio (default: 1).
- float [StereoPan](#) = 0f
Stereo pan of the audio (default: 0).
- Text **VolumeText**
- Text **PitchText**
- Text **StereoPanText**

5.3.1 Detailed Description

Controller for AudioSources.

5.3.2 Member Function Documentation

5.3.2.1 void Crosstales.UI.Util.AudioSourceController.FindAllAudioSources ()

Finds all audio sources in the scene.

5.3.2.2 void Crosstales.UI.Util.AudioSourceController.ResetAllAudioSources ()

Resets all audio sources.

5.3.3 Member Data Documentation

5.3.3.1 AudioSource [] Crosstales.UI.Util.AudioSourceController.AudioSources

Active controlled AudioSources.

5.3.3.2 bool Crosstales.UI.Util.AudioSourceController.FindAllAudioSourcesOnStart = true

Searches for all AudioSource in the whole scene (default: true).

5.3.3.3 `bool Crosstales.UI.Util.AudioSourceController.Loop = false`

Loop on/off (default: false).

5.3.3.4 `bool Crosstales.UI.Util.AudioSourceController.Mute = false`

Mute on/off (default: false).

5.3.3.5 `float Crosstales.UI.Util.AudioSourceController.Pitch = 1f`

Pitch of the audio (default: 1).

5.3.3.6 `bool Crosstales.UI.Util.AudioSourceController.ResetAudioSourcesOnStart = true`

Resets all active AudioSources (default: true).

5.3.3.7 `float Crosstales.UI.Util.AudioSourceController.StereoPan = 0f`

Stereo pan of the audio (default: 0).

5.3.3.8 `float Crosstales.UI.Util.AudioSourceController.Volume = 1f`

Volume of the audio (default: 1)


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/UI/Scripts/↵
Util/AudioSourceController.cs`

5.4 Crosstales.Common.EditorTask.BaseCompileDefines Class Reference

Base for adding and removing the given define symbols to PlayerSettings define symbols.

Inheritance diagram for `Crosstales.Common.EditorTask.BaseCompileDefines`:



Static Protected Member Functions

- static void **addSymbolsToAllTargets** (params string[] symbols)
- static void **removeSymbolsFromAllTargets** (params string[] symbols)
- static void **setCompileDefines** (string[] symbols)

5.4.1 Detailed Description

Base for adding and removing the given define symbols to PlayerSettings define symbols.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/Editor/Task/Base↔ CompileDefines.cs

5.5 Crosstales.Common.Util.BaseConstants Class Reference

Base for collected constants of very general utility for the asset.

Inheritance diagram for Crosstales.Common.Util.BaseConstants:



Public Attributes

- const string **ASSET_AUTHOR** = "crosstales LLC"
Author of the asset.
- const string **ASSET_AUTHOR_URL** = "https://www.crosstales.com"
URL of the asset author.
- const string **ASSET_CT_URL** = "https://assetstore.unity.com/lists/crosstales-42213?aid=1011INGT"
URL of the crosstales assets in UAS.
- const string **ASSET_SOCIAL_DISCORD** = "https://discord.gg/ZbZ2sh4"
URL of the crosstales Discord-channel.
- const string **ASSET_SOCIAL_FACEBOOK** = "https://www.facebook.com/crosstales/"
URL of the crosstales Facebook-profile.
- const string **ASSET_SOCIAL_TWITTER** = "https://twitter.com/crosstales"
URL of the crosstales Twitter-profile.
- const string **ASSET_SOCIAL_YOUTUBE** = "https://www.youtube.com/c/Crosstales"
URL of the crosstales Youtube-profile.
- const string **ASSET_SOCIAL_LINKEDIN** = "https://www.linkedin.com/company/crosstales"
URL of the crosstales LinkedIn-profile.
- const string **ASSET_3P_PLAYMAKER** = "https://assetstore.unity.com/packages/slug/368?aid=1011INGT"
URL of the 3rd party asset "PlayMaker".
- const string **ASSET_BWF** = "https://assetstore.unity.com/packages/slug/26255?aid=1011INGT"

- URL of the "Badword Filter" asset.*
- const string **ASSET_DJ** = "https://assetstore.unity.com/packages/slug/41993?aid=1011INGT"
- URL of the "DJ" asset.*
- const string **ASSET_FB** = "https://assetstore.unity.com/packages/slug/98713?aid=1011INGT"
- URL of the "File Browser" asset.*
- const string **ASSET_OC** = "https://assetstore.unity.com/packages/slug/74688?aid=1011INGT"
- URL of the "Online Check" asset.*
- const string **ASSET_RADIO** = "https://assetstore.unity.com/packages/slug/32034?aid=1011INGT"
- URL of the "Radio" asset.*
- const string **ASSET_RTV** = "https://assetstore.unity.com/packages/slug/41068?aid=1011INGT"
- URL of the "RT-Voice" asset.*
- const string **ASSET_TB** = "https://assetstore.unity.com/packages/slug/98711?aid=1011INGT"
- URL of the "Turbo Backup" asset.*
- const string **ASSET_TPB** = "https://assetstore.unity.com/packages/slug/98714?aid=1011INGT"
- URL of the "Turbo Builder" asset.*
- const string **ASSET_TPS** = "https://assetstore.unity.com/packages/slug/60040?aid=1011INGT"
- URL of the "Turbo Switch" asset.*
- const string **ASSET_TR** = "https://assetstore.unity.com/packages/slug/61617?aid=1011INGT"
- URL of the "True Random" asset.*
- const int **FACTOR_KB** = 1024
- Factor for kilo bytes.*
- const int **FACTOR_MB** = **FACTOR_KB** * 1024
- Factor for mega bytes.*
- const int **FACTOR_GB** = **FACTOR_MB** * 1024
- Factor for giga bytes.*
- const float **FLOAT_32768** = 32768f
- Float value of 32768.*
- const float **FLOAT_TOLERANCE** = 0.0001f
- Float tolerance.*
- const string **FORMAT_TWO_DECIMAL_PLACES** = "0.00"
- ToString for two decimal places.*
- const string **FORMAT_NO_DECIMAL_PLACES** = "0"
- ToString for no decimal places.*
- const string **FORMAT_PERCENT** = "0%"
- ToString for percent.*
- const bool **DEFAULT_DEBUG** = false
- const string **PATH_DELIMITER_WINDOWS** = @"\"
- Path delimiter for Windows.*
- const string **PATH_DELIMITER_UNIX** = "/"
- Path delimiter for Unix.*

Static Public Attributes

- static bool **DEV_DEBUG** = false
- Development debug logging for the asset.*
- static string **TEXT_TOSTRING_START** = "{"
- static string **TEXT_TOSTRING_END** = "}"
- static string **TEXT_TOSTRING_DELIMITER** = ", "
- static string **TEXT_TOSTRING_DELIMITER_END** = ""
- static string **PREFIX_HTTP** = "http://"

- static string **PREFIX_HTTPS** = "https://"
- static int **PROCESS_KILL_TIME** = 5000
Kill processes after 5000 milliseconds.
- static string **CMD_WINDOWS_PATH** = @"C:\Windows\system32\cmd.exe"
Path to the cmd under Windows.
- static bool **SHOW_BWF_BANNER** = true
Show the BWF banner.
- static bool **SHOW_DJ_BANNER** = true
Show the DJ banner.
- static bool **SHOW_FB_BANNER** = true
Show the FB banner.
- static bool **SHOW_OC_BANNER** = true
Show the OC banner.
- static bool **SHOW_RADIO_BANNER** = true
Show the Radio banner.
- static bool **SHOW_RTV_BANNER** = true
Show the RTV banner.
- static bool **SHOW_TB_BANNER** = true
Show the TB banner.
- static bool **SHOW_TPB_BANNER** = false
Show the TPB banner.
- static bool **SHOW_TPS_BANNER** = true
Show the TPS banner.
- static bool **SHOW_TR_BANNER** = true
Show the TR banner.

Properties

- static string **PREFIX_FILE** [get]
URL prefix for files.
- static string **APPLICATION_PATH** [get]
Application path.

5.5.1 Detailed Description

Base for collected constants of very general utility for the asset.

5.5.2 Member Data Documentation

5.5.2.1 `const string Crosstales.Common.Util.BaseConstants.ASSET_3P_PLAYMAKER = "https://assetstore.unity.com/packages/slug/368?aid=1011INGT"`

URL of the 3rd party asset "PlayMaker".

5.5.2.2 `const string Crosstales.Common.Util.BaseConstants.ASSET_AUTHOR = "crosstales LLC"`

Author of the asset.

5.5.2.3 `const string Crosstales.Common.Util.BaseConstants.ASSET_AUTHOR_URL = "https://www.crosstales.com"`

URL of the asset author.

5.5.2.4 `const string Crosstales.Common.Util.BaseConstants.ASSET_BWF = "https://assetstore.unity.com/packages/slug/26255?aid=1011INGT"`

URL of the "Badword Filter" asset.

5.5.2.5 `const string Crosstales.Common.Util.BaseConstants.ASSET_CT_URL = "https://assetstore.unity.com/lists/crosstales-42213?aid=1011INGT"`

URL of the crosstales assets in UAS.

5.5.2.6 `const string Crosstales.Common.Util.BaseConstants.ASSET_DJ = "https://assetstore.unity.com/packages/slug/41993?aid=1011INGT"`

URL of the "DJ" asset.

5.5.2.7 `const string Crosstales.Common.Util.BaseConstants.ASSET_FB = "https://assetstore.unity.com/packages/slug/98713?aid=1011INGT"`

URL of the "File Browser" asset.

5.5.2.8 `const string Crosstales.Common.Util.BaseConstants.ASSET_OC = "https://assetstore.unity.com/packages/slug/74688?aid=1011INGT"`

URL of the "Online Check" asset.

5.5.2.9 `const string Crosstales.Common.Util.BaseConstants.ASSET_RADIO = "https://assetstore.unity.com/packages/slug/32034?aid=1011INGT"`

URL of the "Radio" asset.

5.5.2.10 `const string Crosstales.Common.Util.BaseConstants.ASSET_RTV = "https://assetstore.unity.com/packages/slug/41068?aid=1011INGT"`

URL of the "RT-Voice" asset.

5.5.2.11 `const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_DISCORD = "https://discord.gg/ZbZ2sh4"`

URL of the crosstales Discord-channel.

5.5.2.12 `const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_FACEBOOK = "https://www.facebook.com/crosstales/"`

URL of the crosstales Facebook-profile.

5.5.2.13 `const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_LINKEDIN = "https://www.linkedin.com/company/crosstales"`

URL of the crosstales LinkedIn-profile.

5.5.2.14 `const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_TWITTER = "https://twitter.com/crosstales"`

URL of the crosstales Twitter-profile.

5.5.2.15 `const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_YOUTUBE = "https://www.youtube.com/c/Crosstales"`

URL of the crosstales Youtube-profile.

5.5.2.16 `const string Crosstales.Common.Util.BaseConstants.ASSET_TB = "https://assetstore.unity.com/packages/slug/98711?aid=1011INGT"`

URL of the "Turbo Backup" asset.

5.5.2.17 `const string Crosstales.Common.Util.BaseConstants.ASSET_TPB = "https://assetstore.unity.com/packages/slug/98714?aid=1011INGT"`

URL of the "Turbo Builder" asset.

5.5.2.18 `const string Crosstales.Common.Util.BaseConstants.ASSET_TPS = "https://assetstore.unity.com/packages/slug/60040?aid=1011INGT"`

URL of the "Turbo Switch" asset.

5.5.2.19 `const string Crosstales.Common.Util.BaseConstants.ASSET_TR = "https://assetstore.unity.com/packages/slug/61617?aid=1011INGT"`

URL of the "True Random" asset.

5.5.2.20 `string Crosstales.Common.Util.BaseConstants.CMD_WINDOWS_PATH = @"C:\Windows\system32\cmd.exe"`
`[static]`

Path to the cmd under Windows.

5.5.2.21 `bool Crosstales.Common.Util.BaseConstants.DEV_DEBUG = false` `[static]`

Development debug logging for the asset.

5.5.2.22 `const int Crosstales.Common.Util.BaseConstants.FACTOR_GB = FACTOR_MB * 1024`

Factor for giga bytes.

5.5.2.23 `const int Crosstales.Common.Util.BaseConstants.FACTOR_KB = 1024`

Factor for kilo bytes.

5.5.2.24 `const int Crosstales.Common.Util.BaseConstants.FACTOR_MB = FACTOR_KB * 1024`

Factor for mega bytes.

5.5.2.25 `const float Crosstales.Common.Util.BaseConstants.FLOAT_32768 = 32768f`

Float value of 32768.

5.5.2.26 `const float Crosstales.Common.Util.BaseConstants.FLOAT_TOLERANCE = 0.0001f`

Float tolerance.

5.5.2.27 `const string Crosstales.Common.Util.BaseConstants.FORMAT_NO_DECIMAL_PLACES = "0"`

ToString for no decimal places.

5.5.2.28 `const string Crosstales.Common.Util.BaseConstants.FORMAT_PERCENT = "0%"`

ToString for percent.

5.5.2.29 `const string Crosstales.Common.Util.BaseConstants.FORMAT_TWO_DECIMAL_PLACES = "0.00"`

ToString for two decimal places.

5.5.2.30 `const string Crosstales.Common.Util.BaseConstants.PATH_DELIMITER_UNIX = "/"`

Path delimiter for Unix.

5.5.2.31 `const string Crosstales.Common.Util.BaseConstants.PATH_DELIMITER_WINDOWS = @"\"`

Path delimiter for Windows.

5.5.2.32 `int Crosstales.Common.Util.BaseConstants.PROCESS_KILL_TIME = 5000` `[static]`

Kill processes after 5000 milliseconds.

5.5.2.33 `bool Crosstales.Common.Util.BaseConstants.SHOW_BWF_BANNER = true` `[static]`

Show the BWF banner.

5.5.2.34 `bool Crosstales.Common.Util.BaseConstants.SHOW_DJ_BANNER = true` `[static]`

Show the DJ banner.

5.5.2.35 `bool Crosstales.Common.Util.BaseConstants.SHOW_FB_BANNER = true` `[static]`

Show the [FB](#) banner.

5.5.2.36 `bool Crosstales.Common.Util.BaseConstants.SHOW_OC_BANNER = true` `[static]`

Show the OC banner.

5.5.2.37 `bool Crosstales.Common.Util.BaseConstants.SHOW_RADIO_BANNER = true` `[static]`

Show the Radio banner.

5.5.2.38 `bool Crosstales.Common.Util.BaseConstants.SHOW_RTV_BANNER = true` `[static]`

Show the RTV banner.

5.5.2.39 `bool Crosstales.Common.Util.BaseConstants.SHOW_TB_BANNER = true` `[static]`

Show the TB banner.

5.5.2.40 `bool Crosstales.Common.Util.BaseConstants.SHOW_TPB_BANNER = false` `[static]`

Show the TPB banner.

5.5.2.41 `bool Crosstales.Common.Util.BaseConstants.SHOW_TPS_BANNER = true` `[static]`

Show the TPS banner.

5.5.2.42 `bool Crosstales.Common.Util.BaseConstants.SHOW_TR_BANNER = true` `[static]`

Show the TR banner.

5.5.3 Property Documentation

5.5.3.1 `string Crosstales.Common.Util.BaseConstants.APPLICATION_PATH` `[static]`, `[get]`

Application path.

5.5.3.2 `string Crosstales.Common.Util.BaseConstants.PREFIX_FILE` `[static]`, `[get]`

URL prefix for files.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/Scripts/Util/BaseConstants.cs`

5.6 Crosstales.Common.EditorUtil.BaseEditorHelper Class Reference

Base for various Editor helper functions.

Inheritance diagram for `Crosstales.Common.EditorUtil.BaseEditorHelper`:



Static Public Member Functions

- static void [RestartUnity](#) (string executeMethod="")
Restart Unity.
- static void [SeparatorUI](#) (int space=12)
Shows a separator-UI.
- static void [ReadOnlyTextField](#) (string label, string text)
Generates a read-only text field with a label.
- static void [RefreshAssetDatabase](#) ()
Refreshes the asset database.
- static void [InvokeMethod](#) (string className, string methodName, params object[] parameters)
- static bool [IsValidBuildTarget](#) (BuildTarget target)
Returns the true if the BuildTarget is installed in Unity.
- static string [getCLIArgument](#) (string name)
Returns an argument for a name from the command line.
- static BuildTarget [getBuildTargetForBuildName](#) (string build)
Returns the BuildTarget for a build name, like 'win64'.
- static string [getBuildNameFromBuildTarget](#) (BuildTarget build)
Returns the build name for a BuildTarget.
- static System.Collections.Generic.List< T > [FindAssetsByType< T >](#) ()
Returns assets for a certain type.

Properties

- static Texture2D [Logo_Asset_BWF](#) [get]
- static Texture2D [Logo_Asset_DJ](#) [get]
- static Texture2D [Logo_Asset_FB](#) [get]
- static Texture2D [Logo_Asset_OC](#) [get]
- static Texture2D [Logo_Asset_Radio](#) [get]
- static Texture2D [Logo_Asset_RTV](#) [get]
- static Texture2D [Logo_Asset_TB](#) [get]
- static Texture2D [Logo_Asset_TPB](#) [get]
- static Texture2D [Logo_Asset_TPS](#) [get]
- static Texture2D [Logo_Asset_TR](#) [get]
- static Texture2D [Logo_CT](#) [get]
- static Texture2D [Logo_Unity](#) [get]
- static Texture2D [Icon_Save](#) [get]
- static Texture2D [Icon_Reset](#) [get]
- static Texture2D [Icon_Refresh](#) [get]
- static Texture2D [Icon_Delete](#) [get]
- static Texture2D [Icon_Folder](#) [get]
- static Texture2D [Icon_Plus](#) [get]
- static Texture2D [Icon_Minus](#) [get]
- static Texture2D [Icon_Manual](#) [get]
- static Texture2D [Icon_API](#) [get]
- static Texture2D [Icon_Forum](#) [get]
- static Texture2D [Icon_Product](#) [get]
- static Texture2D [Icon_Check](#) [get]
- static Texture2D [Social_Discord](#) [get]
- static Texture2D [Social_Facebook](#) [get]
- static Texture2D [Social_Twitter](#) [get]
- static Texture2D [Social_Youtube](#) [get]

- static Texture2D **Social_Linkedin** [get]
- static Texture2D **Video_Promo** [get]
- static Texture2D **Video_Tutorial** [get]
- static Texture2D **Icon_Videos** [get]
- static Texture2D **Icon_3p_Assets** [get]
- static Texture2D **Asset_PlayMaker** [get]

Additional Inherited Members

5.6.1 Detailed Description

Base for various Editor helper functions.

5.6.2 Member Function Documentation

5.6.2.1 static System.Collections.Generic.List<T> Crosstales.Common.EditorUtil.BaseEditorHelper.FindAssetsByType< T > () [static]

Returns assets for a certain type.

Returns

List of assets for a certain type.

Type Constraints

T: *Object*

5.6.2.2 static string Crosstales.Common.EditorUtil.BaseEditorHelper.getBuildNameFromBuildTarget (BuildTarget *build*) [static]

Returns the build name for a BuildTarget.

Parameters

<i>build</i>	BuildTarget for a build name
--------------	------------------------------

Returns

The build name for a BuildTarget.

5.6.2.3 static BuildTarget Crosstales.Common.EditorUtil.BaseEditorHelper.getBuildTargetForBuildName (string *build*) [static]

Returns the BuildTarget for a build name, like 'win64'.

Parameters

<i>build</i>	Build name, like 'win64'
--------------	--------------------------

Returns

The BuildTarget for a build name.

5.6.2.4 `static string Crosstales.Common.EditorUtil.BaseEditorHelper.getCLIArgument (string name) [static]`

Returns an argument for a name from the command line.

Parameters

<i>name</i>	Name for the argument
-------------	-----------------------

Returns

True if the BuildTarget is installed in Unity.

5.6.2.5 `static bool Crosstales.Common.EditorUtil.BaseEditorHelper.isValidBuildTarget (BuildTarget target) [static]`

Returns the true if the BuildTarget is installed in Unity.

Parameters

<i>target</i>	BuildTarget to test
---------------	---------------------

Returns

True if the BuildTarget is installed in Unity.

5.6.2.6 `static void Crosstales.Common.EditorUtil.BaseEditorHelper.ReadOnlyTextField (string label, string text) [static]`

Generates a read-only text field with a label.

5.6.2.7 `static void Crosstales.Common.EditorUtil.BaseEditorHelper.RefreshAssetDatabase () [static]`

Refreshes the asset database.

5.6.2.8 `static void Crosstales.Common.EditorUtil.BaseEditorHelper.RestartUnity (string executeMethod = " ") [static]`

Restart Unity.

Parameters

<code>executeMethod</code>	Executed method after the restart (optional)
----------------------------	--

5.6.2.9 static void Crosstales.Common.EditorUtil.BaseEditorHelper.SeparatorUI (int *space* = 12) [static]

Shows a separator-UI.

Parameters

<code>space</code>	Space in pixels between the component and the separator line (default: 12, optional).
--------------------	---


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/Editor/Util/BaseEditorHelper.cs

5.7 Crosstales.Common.EditorUtil.BaseGAApi Class Reference

Base GA-wrapper API.

Inheritance diagram for Crosstales.Common.EditorUtil.BaseGAApi:



Static Public Member Functions

- static void [Event](#) (string name, string version, string category, string action, string label="", int value=0)
Tracks an event from the asset.

Static Protected Attributes

- static readonly string **clientId** = SystemInfo.deviceUniqueIdentifier
- static readonly string **screenResolution** = Screen.currentResolution.ToString()
- static readonly string **userLanguage** = System.Threading.Thread.CurrentThread.CurrentCulture.Name
- static readonly string **unityVersion** = Application.unityVersion
- static readonly string **os** = SystemInfo.operatingSystem
- static readonly string **cpu** = SystemInfo.processorType
- static readonly int **cpuCores** = SystemInfo.processorCount
- static readonly int **cpuFrequency** = SystemInfo.processorFrequency
- static readonly string **productName** = Application.productName
- static readonly string **companyName** = Application.companyName
- static readonly int **memory** = SystemInfo.systemMemorySize
- static readonly string **gpu** = SystemInfo.graphicsDeviceName
- static readonly int **gpuMemory** = SystemInfo.graphicsMemorySize
- static readonly int **gpuShaderLevel** = SystemInfo.graphicsShaderLevel

5.7.1 Detailed Description

Base GA-wrapper API.

5.7.2 Member Function Documentation

5.7.2.1 `static void Crosstales.Common.EditorUtil.BaseGAApi.Event (string name, string version, string category, string action, string label = " ", int value = 0) [static]`

Tracks an event from the asset.

Parameters

<i>name</i>	Name of the asset.
<i>version</i>	Version of the asset.
<i>category</i>	Specifies the event category.
<i>action</i>	Specifies the event action.
<i>label</i>	Specifies the event label.
<i>value</i>	Specifies the event value.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/Editor/Util/BaseGAApi.cs

5.8 Crosstales.Common.Util.BaseHelper Class Reference

Base for various helper functions.

Inheritance diagram for Crosstales.Common.Util.BaseHelper:



Static Public Member Functions

- static string [CreateString](#) (string replaceChars, int stringLength)
Creates a string of characters with a given length.
- static bool [hasActiveClip](#) (AudioSource source)
Determines if an AudioSource has an active clip.

- static bool [RemoteCertificateValidationCallback](#) (System.Object sender, System.Security.Cryptography.X509Certificates.X509Certificate certificate, System.Security.Cryptography.X509Certificates.X509Chain chain, System.Net.Security.SslPolicyErrors sslPolicyErrors)
HTTPS-certification callback.
- static string [ValidatePath](#) (string path, bool addEndDelimiter=true)
Validates a given path and add missing slash.
- static string [ValidateFile](#) (string path)
Validates a given file.
- static string[] [GetFiles](#) (string path, bool isRecursive=false, params string[] extensions)
Find files inside a path.
- static string[] [GetDirectories](#) (string path, bool isRecursive=false)
Find directories inside.
- static string [ValidURLFromFilePath](#) (string path)
Validates a given file.
- static string [CleanUrl](#) (string url, bool removeProtocol=true, bool removeWWW=true, bool removeSlash=true)
Cleans a given URL.
- static string [ClearTags](#) (string text)
Cleans a given text from tags.
- static string [ClearSpaces](#) (string text)
Cleans a given text from multiple spaces.
- static string [ClearLineEndings](#) (string text)
Cleans a given text from line endings.
- static System.Collections.Generic.List< string > [SplitStringToLines](#) (string text, bool ignoreCommentedLines=true, int skipHeaderLines=0, int skipFooterLines=0)
Split the given text to lines and return it as list.
- static string [FormatBytesToHRF](#) (long bytes)
Format byte-value to Human-Readable-Form.
- static string [FormatSecondsToHourMinSec](#) (double seconds)
Format seconds to Human-Readable-Form.
- static Color [HSVToRGB](#) (float h, float s, float v, float a=1f)
Generate nice HSV colors. Based on <https://gist.github.com/rje/6206099>
- static bool [IsValidURL](#) (string url)
Checks if the URL is valid.
- static void [FileCopy](#) (string inputFile, string outputFile, bool move=false)
Copy or move a file.
- static void [ShowFileLocation](#) (string file)
Shows the location of a path or file in OS file explorer. NOTE: only works for standalone platforms
- static void [OpenFile](#) (string file)
Opens a file with the OS default application. NOTE: only works for standalone platforms

Static Public Attributes

- static readonly System.Globalization.CultureInfo **BaseCulture** = new System.Globalization.CultureInfo("en-US")

Protected Attributes

- const string **file_prefix** = "file://"

Static Protected Attributes

- static readonly System.Text.RegularExpressions.Regex **lineEndingsRegex** = new System.Text.RegularExpressions.Regex(@"\r\n|\r|\n")
- static readonly System.Text.RegularExpressions.Regex **cleanSpacesRegex** = new System.Text.RegularExpressions.Regex(@"\s+")
- static readonly System.Text.RegularExpressions.Regex **cleanTagsRegex** = new System.Text.RegularExpressions.Regex("<.*?>")
- static readonly System.Random **rnd** = new System.Random()

Properties

- static bool **isInternetAvailable** [get]
Checks if an Internet connection is available.
- static bool **isWindowsPlatform** [get]
Checks if the current platform is Windows.
- static bool **isMacOSPlatform** [get]
Checks if the current platform is OSX.
- static bool **isLinuxPlatform** [get]
Checks if the current platform is Linux.
- static bool **isStandalonePlatform** [get]
Checks if the current platform is standalone (Windows, macOS or Linux).
- static bool **isAndroidPlatform** [get]
Checks if the current platform is Android.
- static bool **isIOSPlatform** [get]
Checks if the current platform is iOS.
- static bool **isTvOSPlatform** [get]
Checks if the current platform is tvOS.
- static bool **isWSAPlatform** [get]
Checks if the current platform is WSA.
- static bool **isXboxOnePlatform** [get]
Checks if the current platform is XboxOne.
- static bool **isPS4Platform** [get]
Checks if the current platform is PS4.
- static bool **isWebGLPlatform** [get]
Checks if the current platform is WebGL.
- static bool **isWebPlatform** [get]
Checks if the current platform is Web (WebPlayer or WebGL).
- static bool **isWindowsBasedPlatform** [get]
Checks if the current platform is Windows-based (Windows standalone, WSA or XboxOne).
- static bool **isWSABasedPlatform** [get]
Checks if the current platform is WSA-based (WSA or XboxOne).
- static bool **isAppleBasedPlatform** [get]
Checks if the current platform is Apple-based (macOS standalone, iOS or tvOS).
- static bool **isIOSBasedPlatform** [get]
Checks if the current platform is iOS-based (iOS or tvOS).
- static bool **isEditor** [get]
Checks if we are inside the Editor.
- static bool **isWindowsEditor** [get]
Checks if we are inside the Windows Editor.
- static bool **isMacOSEditor** [get]

- Checks if we are inside the macOS Editor.*
 - static bool `isLinuxEditor` [get]
- Checks if we are inside the Linux Editor.*
 - static bool `isEditorMode` [get]
- Checks if we are in Editor mode.*
 - static bool `isIL2CPP` [get]
- Checks if the current build target uses IL2CPP.*
 - static `Model.Enum.Platform CurrentPlatform` [get]
- Returns the current platform.*
 - static string `StreamingAssetsPath` [get]
- Returns the path to the the "Streaming Assets".*

5.8.1 Detailed Description

Base for various helper functions.

5.8.2 Member Function Documentation

5.8.2.1 static string `Crosstales.Common.Util.BaseHelper.CleanUrl (string url, bool removeProtocol = true, bool removeWWW = true, bool removeSlash = true)` [static]

Cleans a given URL.

Parameters

<i>url</i>	URL to clean
<i>removeProtocol</i>	Remove the protocol, e.g. <code>http://</code> (default: true, optional).
<i>removeWWW</i>	Remove www (default: true, optional).
<i>removeSlash</i>	Remove slash at the end (default: true, optional)

Returns

Clean URL

5.8.2.2 static string `Crosstales.Common.Util.BaseHelper.ClearLineEndings (string text)` [static]

Cleans a given text from line endings.

Parameters

<i>text</i>	Text to clean.
-------------	----------------

Returns

Clean text without line endings.

5.8.2.3 static string Crosstales.Common.Util.BaseHelper.ClearSpaces (string *text*) [static]

Cleans a given text from multiple spaces.

Parameters

<i>text</i>	Text to clean.
-------------	----------------

Returns

Clean text without multiple spaces.

5.8.2.4 static string Crosstales.Common.Util.BaseHelper.ClearTags (string *text*) [static]

Cleans a given text from tags.

Parameters

<i>text</i>	Text to clean.
-------------	----------------

Returns

Clean text without tags.

5.8.2.5 static string Crosstales.Common.Util.BaseHelper.CreateString (string *replaceChars*, int *stringLength*) [static]

Creates a string of characters with a given length.

Parameters

<i>replaceChars</i>	Characters to generate the string (if more than one character is used, the generated string will be a randomized result of all characters)
<i>stringLength</i>	Length of the generated string

Returns

Generated string

5.8.2.6 static void Crosstales.Common.Util.BaseHelper.FileCopy (string *inputFile*, string *outputFile*, bool *move* = false) [static]

Copy or move a file.

Parameters

<i>inputFile</i>	Input file path
<i>outputFile</i>	Output file path
<i>move</i>	Move file instead of copy (default: false, optional)

5.8.2.7 static string Crosstales.Common.Util.BaseHelper.FormatBytesToHRF (long *bytes*) [static]

Format byte-value to Human-Readable-Form.

Returns

Formatted byte-value in Human-Readable-Form.

5.8.2.8 static string Crosstales.Common.Util.BaseHelper.FormatSecondsToHourMinSec (double *seconds*) [static]

Format seconds to Human-Readable-Form.

Returns

Formatted seconds in Human-Readable-Form.

5.8.2.9 static string [] Crosstales.Common.Util.BaseHelper.GetDirectories (string *path*, bool *isRecursive* = false) [static]

Find directories inside.

Parameters

<i>path</i>	Path to find the directories
<i>isRecursive</i>	Recursive search (default: false, optional)

Returns

Returns array of the found directories inside the path. Zero length array when an error occurred.

5.8.2.10 static string [] Crosstales.Common.Util.BaseHelper.GetFiles (string *path*, bool *isRecursive* = false, params string[] *extensions*) [static]

Find files inside a path.

Parameters

<i>path</i>	Path to find the files
<i>isRecursive</i>	Recursive search (default: false, optional)
<i>extensions</i>	Extensions for the file search, e.g. "png" (optional)

Returns

Returns array of the found files inside the path (alphabetically ordered). Zero length array when an error occurred.

5.8.2.11 static bool Crosstales.Common.Util.BaseHelper.hasActiveClip (AudioSource *source*) [static]

Determines if an AudioSource has an active clip.

Parameters

<i>source</i>	AudioSource to check.
---------------	-----------------------

Returns

True if the AudioSource has an active clip.

5.8.2.12 static Color Crosstales.Common.Util.BaseHelper.HSVToRGB (float *h*, float *s*, float *v*, float *a* = 1f) [static]

Generate nice HSV colors. Based on <https://gist.github.com/rje/6206099>

Parameters

<i>h</i>	Hue
<i>s</i>	Saturation
<i>v</i>	Value
<i>a</i>	Alpha (optional)

Returns

True if the current platform is supported.

5.8.2.13 static bool Crosstales.Common.Util.BaseHelper.isValidURL (string *url*) [static]

Checks if the URL is valid.

Parameters

<i>url</i>	URL to check
------------	--------------

Returns

True if the URL is valid.

5.8.2.14 static void Crosstales.Common.Util.BaseHelper.OpenFile (string *file*) [static]

Opens a file with the OS default application. NOTE: only works for standalone platforms

Parameters

<i>file</i>	File path
-------------	-----------

5.8.2.15 static bool Crosstales.Common.Util.BaseHelper.RemoteCertificateValidationCallback (System.Object sender, System.Security.Cryptography.X509Certificates.X509Certificate certificate, System.Security.Cryptography.X509Certificates.X509Chain chain, System.Net.Security.SslPolicyErrors sslPolicyErrors) [static]

HTTPS-certification callback.

5.8.2.16 static void Crosstales.Common.Util.BaseHelper.ShowFileLocation (string file) [static]

Shows the location of a path or file in OS file explorer. NOTE: only works for standalone platforms

Parameters

<i>file</i>	File path
-------------	-----------

5.8.2.17 static System.Collections.Generic.List<string> Crosstales.Common.Util.BaseHelper.SplitStringToLines (string text, bool ignoreCommentedLines = true, int skipHeaderLines = 0, int skipFooterLines = 0) [static]

Split the given text to lines and return it as list.

Parameters

<i>text</i>	Complete text fragment
<i>ignoreCommentedLines</i>	Ignore commente lines (default: true, optional)
<i>skipHeaderLines</i>	Number of skipped header lines (default: 0, optional)
<i>skipFooterLines</i>	Number of skipped footer lines (default: 0, optional)

Returns

Splitted lines as array

5.8.2.18 static string Crosstales.Common.Util.BaseHelper.ValidateFile (string path) [static]

Validates a given file.

Parameters

<i>path</i>	File to validate
-------------	------------------

Returns

Valid file path

5.8.2.19 `static string Crosstales.Common.Util.BaseHelper.ValidatePath (string path, bool addEndDelimiter = true)`
[static]

Validates a given path and add missing slash.

Parameters

<i>path</i>	Path to validate
<i>addEndDelimiter</i>	Add delimiter at the end of the path (optional, default: true)

Returns

Valid path

5.8.2.20 `static string Crosstales.Common.Util.BaseHelper.ValidURLFromFilePath (string path)` [static]

Validates a given file.

Parameters

<i>path</i>	File to validate
-------------	------------------

Returns

Valid file path

5.8.3 Property Documentation

5.8.3.1 `Model.Enum.Platform Crosstales.Common.Util.BaseHelper.CurrentPlatform` [static], [get]

Returns the current platform.

Returns

The current platform.

5.8.3.2 `bool Crosstales.Common.Util.BaseHelper.isAndroidPlatform` [static], [get]

Checks if the current platform is Android.

Returns

True if the current platform is Android.

5.8.3.3 bool Crosstales.Common.Util.BaseHelper.isAppleBasedPlatform [static], [get]

Checks if the current platform is Apple-based (macOS standalone, iOS or tvOS).

Returns

True if the current platform is Apple-based (macOS standalone, iOS or tvOS).

5.8.3.4 bool Crosstales.Common.Util.BaseHelper.isEditor [static], [get]

Checks if we are inside the Editor.

Returns

True if we are inside the Editor.

5.8.3.5 bool Crosstales.Common.Util.BaseHelper.isEditorMode [static], [get]

Checks if we are in Editor mode.

Returns

True if in Editor mode.

5.8.3.6 bool Crosstales.Common.Util.BaseHelper.isIL2CPP [static], [get]

Checks if the current build target uses IL2CPP.

Returns

True if the current build target uses IL2CPP.

5.8.3.7 bool Crosstales.Common.Util.BaseHelper.isInternetAvailable [static], [get]

Checks if an Internet connection is available.

Returns

True if an Internet connection is available.

5.8.3.8 bool Crosstales.Common.Util.BaseHelper.isIOSBasedPlatform [static], [get]

Checks if the current platform is iOS-based (iOS or tvOS).

Returns

True if the current platform is iOS-based (iOS or tvOS).

5.8.3.9 `bool Crosstales.Common.Util.BaseHelper.isIOSPlatform` `[static], [get]`

Checks if the current platform is iOS.

Returns

True if the current platform is iOS.

5.8.3.10 `bool Crosstales.Common.Util.BaseHelper.isLinuxEditor` `[static], [get]`

Checks if we are inside the Linux Editor.

Returns

True if we are inside the Linux Editor.

5.8.3.11 `bool Crosstales.Common.Util.BaseHelper.isLinuxPlatform` `[static], [get]`

Checks if the current platform is Linux.

Returns

True if the current platform is Linux.

5.8.3.12 `bool Crosstales.Common.Util.BaseHelper.isMacOSEditor` `[static], [get]`

Checks if we are inside the macOS Editor.

Returns

True if we are inside the macOS Editor.

5.8.3.13 `bool Crosstales.Common.Util.BaseHelper.isMacOSPlatform` `[static], [get]`

Checks if the current platform is OSX.

Returns

True if the current platform is OSX.

5.8.3.14 `bool Crosstales.Common.Util.BaseHelper.isPS4Platform` `[static], [get]`

Checks if the current platform is PS4.

Returns

True if the current platform is PS4.

5.8.3.15 `bool Crosstales.Common.Util.BaseHelper.isStandalonePlatform` `[static], [get]`

Checks if the current platform is standalone (Windows, macOS or Linux).

Returns

True if the current platform is standalone (Windows, macOS or Linux).

5.8.3.16 `bool Crosstales.Common.Util.BaseHelper.isTvOSPlatform` `[static], [get]`

Checks if the current platform is tvOS.

Returns

True if the current platform is tvOS.

5.8.3.17 `bool Crosstales.Common.Util.BaseHelper.isWebGLPlatform` `[static], [get]`

Checks if the current platform is WebGL.

Returns

True if the current platform is WebGL.

5.8.3.18 `bool Crosstales.Common.Util.BaseHelper.isWebPlatform` `[static], [get]`

Checks if the current platform is Web (WebPlayer or WebGL).

Returns

True if the current platform is Web (WebPlayer or WebGL).

5.8.3.19 `bool Crosstales.Common.Util.BaseHelper.isWindowsBasedPlatform` `[static], [get]`

Checks if the current platform is Windows-based (Windows standalone, WSA or XboxOne).

Returns

True if the current platform is Windows-based (Windows standalone, WSA or XboxOne).

5.8.3.20 `bool Crosstales.Common.Util.BaseHelper.isWindowsEditor` `[static], [get]`

Checks if we are inside the Windows Editor.

Returns

True if we are inside the Windows Editor.

5.8.3.21 bool Crosstales.Common.Util.BaseHelper.isWindowsPlatform [static], [get]

Checks if the current platform is Windows.

Returns

True if the current platform is Windows.

5.8.3.22 bool Crosstales.Common.Util.BaseHelper.isWSABasedPlatform [static], [get]

Checks if the current platform is WSA-based (WSA or XboxOne).

Returns

True if the current platform is WSA-based (WSA or XboxOne).

5.8.3.23 bool Crosstales.Common.Util.BaseHelper.isWSAPlatform [static], [get]

Checks if the current platform is WSA.

Returns

True if the current platform is WSA.

5.8.3.24 bool Crosstales.Common.Util.BaseHelper.isXboxOnePlatform [static], [get]

Checks if the current platform is XboxOne.

Returns

True if the current platform is XboxOne.

5.8.3.25 string Crosstales.Common.Util.BaseHelper.StreamingAssetsPath [static], [get]

Returns the path to the the "Streaming Assets".

Returns

The path to the the "Streaming Assets".


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/Scripts/Util/BaseHelper.cs

5.9 Crosstales.Common.EditorTask.BaseSetupResources Class Reference

Base for copying all resources to 'Editor Default Resources'.

Inheritance diagram for Crosstales.Common.EditorTask.BaseSetupResources:



Static Protected Member Functions

- static void **setupResources** (string source, string sourceFolder, string target, string targetFolder, string metafile)

5.9.1 Detailed Description

Base for copying all resources to 'Editor Default Resources'.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/Editor/Task/Base↔ SetupResources.cs

5.10 Crosstales.FB.EditorTask.CompileDefines Class Reference

Adds the given define symbols to PlayerSettings define symbols.

Inheritance diagram for Crosstales.FB.EditorTask.CompileDefines:



Additional Inherited Members

5.10.1 Detailed Description

Adds the given define symbols to PlayerSettings define symbols.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Editor/↔ Task/CompileDefines.cs

5.11 Crosstales.FB.Util.Config Class Reference

Configuration for the asset.

Static Public Member Functions

- static void [Reset](#) ()
Resets all changeable variables to their default value.
- static void [Load](#) ()
Loads the all changeable variables.
- static void [Save](#) ()
Saves the all changeable variables.

Static Public Attributes

- static bool [DEBUG](#) = Constants.DEFAULT_DEBUG
Enable or disable debug logging for the asset.
- static bool [NATIVE_WINDOWS](#) = Constants.DEFAULT_NATIVE_WINDOWS
Enable or disable native file browser inside the Unity Editor.
- static bool [isLoading](#) = false
Is the configuration loaded?

5.11.1 Detailed Description

Configuration for the asset.

5.11.2 Member Function Documentation

5.11.2.1 static void Crosstales.FB.Util.Config.Load () [static]

Loads the all changeable variables.

5.11.2.2 static void Crosstales.FB.Util.Config.Reset () [static]

Resets all changeable variables to their default value.

5.11.2.3 static void Crosstales.FB.Util.Config.Save () [static]

Saves the all changeable variables.

5.11.3 Member Data Documentation

5.11.3.1 bool Crosstales.FB.Util.Config.DEBUG = Constants.DEFAULT_DEBUG [static]

Enable or disable debug logging for the asset.

5.11.3.2 `bool Crosstales.FB.Util.Config.isLoaded = false` `[static]`

Is the configuration loaded?

5.11.3.3 `bool Crosstales.FB.Util.Config.NATIVE_WINDOWS = Constants.DEFAULT_NATIVE_WINDOWS` `[static]`

Enable or disable native file browser inside the Unity Editor.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Scripts/↔ Util/Config.cs`

5.12 Crosstales.FB.EditorIntegration.ConfigBase Class Reference

Base class for editor windows.

Inheritance diagram for `Crosstales.FB.EditorIntegration.ConfigBase`:



Protected Member Functions

- `void showConfiguration ()`
- `void showHelp ()`
- `void showAbout ()`

Static Protected Member Functions

- `static void save ()`

5.12.1 Detailed Description

Base class for editor windows.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Editor/↔ Integration/ConfigBase.cs`

5.13 Crosstales.FB.EditorIntegration.ConfigPreferences Class Reference

Unity "Preferences" extension.

Inheritance diagram for Crosstales.FB.EditorIntegration.ConfigPreferences:



Additional Inherited Members

5.13.1 Detailed Description

Unity "Preferences" extension.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Editor/Integration/ConfigPreferences.cs`

5.14 Crosstales.FB.EditorIntegration.ConfigWindow Class Reference

Editor window extension.

Inheritance diagram for Crosstales.FB.EditorIntegration.ConfigWindow:



Public Member Functions

- void **OnEnable** ()
- void **OnDestroy** ()
- void **OnLostFocus** ()
- void **OnGUI** ()
- void **OnInspectorUpdate** ()

Static Public Member Functions

- static void **ShowWindow** ()
- static void **ShowWindow** (int tab)

Additional Inherited Members

5.14.1 Detailed Description

Editor window extension.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Editor/↵
Integration/ConfigWindow.cs

5.15 Crosstales.FB.Util.Constants Class Reference

Collected constants of very general utility for the asset.

Inheritance diagram for Crosstales.FB.Util.Constants:



Public Attributes

- const string **ASSET_NAME** = "File Browser"
Name of the asset.
- const string **ASSET_NAME_SHORT** = "FB"
Short name of the asset.
- const string **ASSET_VERSION** = "2019.5.0"
Version of the asset.
- const int **ASSET_BUILD** = 20191014
Build number of the asset.
- const string **ASSET_PRO_URL** = "https://assetstore.unity.com/packages/slug/98713?aid=1011INGT"
URL of the PRO asset in UAS.
- const string **ASSET_UPDATE_CHECK_URL** = "https://www.crosstales.com/media/assets/fb_versions.txt"
URL for update-checks of the asset
- const string **ASSET_CONTACT** = "fb@crosstales.com"
Contact to the owner of the asset.
- const string **ASSET_MANUAL_URL** = "https://www.crosstales.com/media/data/assets/FileBrowser/File↵
Browser-doc.pdf"
URL of the asset manual.
- const string **ASSET_API_URL** = "https://www.crosstales.com/media/data/assets/FileBrowser/api/"

URL of the asset API.

- const string **ASSET_FORUM_URL** = "https://forum.unity.com/threads/file-browser-native-file-browser-for-standalone.510403/"

URL of the asset forum.

- const string **ASSET_WEB_URL** = "https://www.crosstales.com/en/portfolio/FileBrowser/"

URL of the asset in crosstales.

- const string **KEY_PREFIX** = "FILEBROWSER_CFG_"
- const string **KEY_DEBUG** = KEY_PREFIX + "DEBUG"
- const string **KEY_NATIVE_WINDOWS** = KEY_PREFIX + "NATIVE_WINDOWS"
- const bool **DEFAULT_NATIVE_WINDOWS** = true

Static Public Attributes

- static readonly System.DateTime **ASSET_CREATED** = new System.DateTime(2017, 8, 1)
Create date of the asset (YYYY, MM, DD).
- static readonly System.DateTime **ASSET_CHANGED** = new System.DateTime(2019, 10, 14)
Change date of the asset (YYYY, MM, DD).
- static string **TEXT_OPEN_FILE** = "Open file"
- static string **TEXT_OPEN_FILES** = "Open files"
- static string **TEXT_OPEN_FOLDER** = "Open folder"
- static string **TEXT_OPEN_FOLDERS** = "Open folders"
- static string **TEXT_SAVE_FILE** = "Save file"
- static string **TEXT_ALL_FILES** = "All files"
- static string **TEXT_SAVE_FILE_NAME** = "MySaveFile"

Additional Inherited Members

5.15.1 Detailed Description

Collected constants of very general utility for the asset.

5.15.2 Member Data Documentation

- 5.15.2.1 const string Crosstales.FB.Util.Constants.ASSET_API_URL = "https://www.crosstales.com/media/data/assets/FileBrowser/api/"

URL of the asset API.

- 5.15.2.2 const int Crosstales.FB.Util.Constants.ASSET_BUILD = 20191014

Build number of the asset.

- 5.15.2.3 readonly System.DateTime Crosstales.FB.Util.Constants.ASSET_CHANGED = new System.DateTime(2019, 10, 14)
[static]

Change date of the asset (YYYY, MM, DD).

5.15.2.4 `const string Crosstales.FB.Util.Constants.ASSET_CONTACT = "fb@crosstales.com"`

Contact to the owner of the asset.

5.15.2.5 `readonly System.DateTime Crosstales.FB.Util.Constants.ASSET_CREATED = new System.DateTime(2017, 8, 1)`
`[static]`

Create date of the asset (YYYY, MM, DD).

5.15.2.6 `const string Crosstales.FB.Util.Constants.ASSET_FORUM_URL = "https://forum.unity.com/threads/file-browser-native-file-browser-for-standalone.510403/"`

URL of the asset forum.

5.15.2.7 `const string Crosstales.FB.Util.Constants.ASSET_MANUAL_URL = "https://www.crosstales.com/media/data/assets/FileBrowser/FileBrowser-doc.pdf"`

URL of the asset manual.

5.15.2.8 `const string Crosstales.FB.Util.Constants.ASSET_NAME = "File Browser"`

Name of the asset.

5.15.2.9 `const string Crosstales.FB.Util.Constants.ASSET_NAME_SHORT = "FB"`

Short name of the asset.

5.15.2.10 `const string Crosstales.FB.Util.Constants.ASSET_PRO_URL = "https://assetstore.unity.com/packages/slug/98713?aid=1011INGT"`

URL of the PRO asset in UAS.

5.15.2.11 `const string Crosstales.FB.Util.Constants.ASSET_UPDATE_CHECK_URL = "https://www.crosstales.com/media/assets/fb_versions.txt"`

URL for update-checks of the asset

5.15.2.12 `const string Crosstales.FB.Util.Constants.ASSET_VERSION = "2019.5.0"`

Version of the asset.

5.15.2.13 `const string Crosstales.FB.Util.Constants.ASSET_WEB_URL = "https://www.crosstales.com/en/portfolio/FileBrowser/"`

URL of the asset in crosstales.

The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Scripts/Util/Constants.cs`

5.16 Crosstales.Common.Util.CTPlayerPrefs Class Reference

Wrapper for the PlayerPrefs.

Static Public Member Functions

- static bool `HasKey` (string key)
Exists the key?
- static void `DeleteAll` ()
Deletes all keys.
- static void `DeleteKey` (string key)
Delete the key.
- static void `Save` ()
Saves all modifications.
- static string `GetString` (string key)
Allows to get a string from a key.
- static float `GetFloat` (string key)
Allows to get a float from a key.
- static int `GetInt` (string key)
Allows to get an int from a key.
- static bool `GetBool` (string key)
Allows to get a bool from a key.
- static System.DateTime `GetDate` (string key)
Allows to get a DateTime from a key.
- static void `SetString` (string key, string value)
Allows to set a string for a key.
- static void `SetFloat` (string key, float value)
Allows to set a float for a key.
- static void `SetInt` (string key, int value)
Allows to set an int for a key.
- static void `SetBool` (string key, bool value)
Allows to set a bool for a key.
- static void `SetDate` (string key, System.DateTime value)
Allows to set a DateTime for a key.

5.16.1 Detailed Description

Wrapper for the PlayerPrefs.

5.16.2 Member Function Documentation

5.16.2.1 static void Crosstales.Common.Util.CTPlayerPrefs.DeleteAll () [static]

Deletes all keys.

5.16.2.2 static void Crosstales.Common.Util.CTPlayerPrefs.DeleteKey (string key) [static]

Delete the key.

Parameters

key	Key to delete in the PlayerPrefs.
-----	-----------------------------------

5.16.2.3 static bool Crosstales.Common.Util.CTPlayerPrefs.GetBool (string key) [static]

Allows to get a bool from a key.

Parameters

key	Key for the PlayerPrefs.
-----	--------------------------

Returns

Value for the key.

5.16.2.4 static System.DateTime Crosstales.Common.Util.CTPlayerPrefs.GetDate (string key) [static]

Allows to get a DateTime from a key.

Parameters

key	Key for the PlayerPrefs.
-----	--------------------------

Returns

Value for the key.

5.16.2.5 static float Crosstales.Common.Util.CTPlayerPrefs.GetFloat (string key) [static]

Allows to get a float from a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.16.2.6 `static int Crosstales.Common.Util.CTPlayerPrefs.GetInt (string key) [static]`

Allows to get an int from a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.16.2.7 `static string Crosstales.Common.Util.CTPlayerPrefs.GetString (string key) [static]`

Allows to get a string from a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.16.2.8 `static bool Crosstales.Common.Util.CTPlayerPrefs.HasKey (string key) [static]`

Exists the key?

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.16.2.9 static void Crosstales.Common.Util.CTPlayerPrefs.Save () [static]

Saves all modifications.

5.16.2.10 static void Crosstales.Common.Util.CTPlayerPrefs.SetBool (string key, bool value) [static]

Allows to set a bool for a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
<i>value</i>	Value for the PlayerPrefs.

5.16.2.11 static void Crosstales.Common.Util.CTPlayerPrefs.SetDate (string key, System.DateTime value) [static]

Allows to set a DateTime for a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
<i>value</i>	Value for the PlayerPrefs.

5.16.2.12 static void Crosstales.Common.Util.CTPlayerPrefs.SetFloat (string key, float value) [static]

Allows to set a float for a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
<i>value</i>	Value for the PlayerPrefs.

5.16.2.13 static void Crosstales.Common.Util.CTPlayerPrefs.SetInt (string key, int value) [static]

Allows to set an int for a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
<i>value</i>	Value for the PlayerPrefs.

5.16.2.14 static void Crosstales.Common.Util.CTPlayerPrefs.SetString (string key, string value) [static]

Allows to set a string for a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
<i>value</i>	Value for the PlayerPrefs.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/Scripts/Util/CT↔
PlayerPrefs.cs

5.17 Crosstales.Common.Util.CTWebClient Class Reference

Specialized WebClient.

Inheritance diagram for Crosstales.Common.Util.CTWebClient:



Public Member Functions

- **CTWebClient** (int timeout, int connectionLimit=20)
- System.Net.WebRequest **CTGetWebRequest** (string uri)

Protected Member Functions

- override System.Net.WebRequest **GetWebRequest** (System.Uri uri)

Properties

- int **Timeout** [get, set]
Timeout in milliseconds
- int **ConnectionLimit** [get, set]
Connection limit for all WebClients

5.17.1 Detailed Description

Specialized WebClient.

5.17.2 Property Documentation

5.17.2.1 `int Crosstales.Common.Util.CTWebClient.ConnectionLimit` `[get]`, `[set]`

Connection limit for all WebClients

5.17.2.2 `int Crosstales.Common.Util.CTWebClient.Timeout` `[get]`, `[set]`

Timeout in milliseconds

The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/Scripts/Util/CT↔WebClient.cs`

5.18 Crosstales.FB.EditorUtil.EditorConfig Class Reference

Editor configuration for the asset.

Static Public Member Functions

- static void `Reset` ()
Resets all changable variables to their default value.
- static void `Load` ()
Loads the all changable variables.
- static void `Save` ()
Saves the all changable variables.

Static Public Attributes

- static bool `UPDATE_CHECK` = `EditorConstants.DEFAULT_UPDATE_CHECK`
Enable or disable update-checks for the asset.
- static bool `TRACER` = `EditorConstants.DEFAULT_TRACER`
Enable or disable anonymous tracing data.
- static bool `isLoading` = `false`
Is the configuration loaded?

Properties

- static string `ASSET_PATH` `[get]`
Returns the path to the asset inside the Unity project.

5.18.1 Detailed Description

Editor configuration for the asset.

5.18.2 Member Function Documentation

5.18.2.1 static void Crosstales.FB.EditorUtil.EditorConfig.Load () [static]

Loads the all changable variables.

5.18.2.2 static void Crosstales.FB.EditorUtil.EditorConfig.Reset () [static]

Resets all changable variables to their default value.

5.18.2.3 static void Crosstales.FB.EditorUtil.EditorConfig.Save () [static]

Saves the all changable variables.

5.18.3 Member Data Documentation

5.18.3.1 bool Crosstales.FB.EditorUtil.EditorConfig.isLoaded = false [static]

Is the configuration loaded?

5.18.3.2 bool Crosstales.FB.EditorUtil.EditorConfig.TRACER = EditorConstants.DEFAULT_TRACER [static]

Enable or disable anonymous tracing data.

5.18.3.3 bool Crosstales.FB.EditorUtil.EditorConfig.UPDATE_CHECK = EditorConstants.DEFAULT_UPDATE_CHECK [static]

Enable or disable update-checks for the asset.

5.18.4 Property Documentation

5.18.4.1 string Crosstales.FB.EditorUtil.EditorConfig.ASSET_PATH [static], [get]

Returns the path to the asset inside the Unity project.

Returns

The path to the asset inside the Unity project.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Editor/↔ Util/EditorConfig.cs

5.19 Crosstales.FB.EditorUtil.EditorConstants Class Reference

Collected editor constants of very general utility for the asset.

Public Attributes

- const string **KEY_UPDATE_CHECK** = Util.Constants.KEY_PREFIX + "UPDATE_CHECK"
- const string **KEY_UPDATE_OPEN_UAS** = Util.Constants.KEY_PREFIX + "UPDATE_OPEN_UAS"
- const string **KEY_TRACER** = Util.Constants.KEY_PREFIX + "TRACER"
- const string **KEY_UPDATE_DATE** = Util.Constants.KEY_PREFIX + "UPDATE_DATE"
- const string **KEY_REMINDER_DATE** = Util.Constants.KEY_PREFIX + "REMINDER_DATE"
- const string **KEY_REMINDER_COUNT** = Util.Constants.KEY_PREFIX + "REMINDER_COUNT"
- const string **KEY_CT_REMINDER_DATE** = Util.Constants.KEY_PREFIX + "CT_REMINDER_DATE"
- const string **KEY_CT_REMINDER_COUNT** = Util.Constants.KEY_PREFIX + "CT_REMINDER_COUNT"
- const string **KEY_LAUNCH** = Util.Constants.KEY_PREFIX + "LAUNCH"
- const string **KEY_TRACER_DATE** = Util.Constants.KEY_PREFIX + "TRACER_DATE"
- const string **DEFAULT_ASSET_PATH** = "/Plugins/crosstales/[FileBrowser](#)/"
- const bool **DEFAULT_UPDATE_CHECK** = false
- const bool **DEFAULT_TRACER** = true

Properties

- static string [ASSET_URL](#) [get]
Returns the URL of the asset in UAS.
- static string [ASSET_ID](#) [get]
Returns the ID of the asset in UAS.
- static System.Guid [ASSET_UID](#) [get]
Returns the UID of the asset.

5.19.1 Detailed Description

Collected editor constants of very general utility for the asset.

5.19.2 Property Documentation

5.19.2.1 string Crosstales.FB.EditorUtil.EditorConstants.ASSET_ID [static], [get]

Returns the ID of the asset in UAS.

Returns

The ID of the asset in UAS.

5.19.2.2 System.Guid Crosstales.FB.EditorUtil.EditorConstants.ASSET_UID [static], [get]

Returns the UID of the asset.

Returns

The UID of the asset.

5.19.2.3 string Crosstales.FB.EditorUtil.EditorConstants.ASSET_URL [static], [get]

Returns the URL of the asset in UAS.

Returns

The URL of the asset in UAS.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Editor/↔ Util/EditorConstants.cs

5.20 Crosstales.FB.EditorUtil.EditorHelper Class Reference

Editor helper class.

Inheritance diagram for Crosstales.FB.EditorUtil.EditorHelper:



Static Public Member Functions

- static void **BannerFB** ()
Shows a banner for "File Browser PRO".

Properties

- static Texture2D **Logo_Asset** [get]
- static Texture2D **Logo_Asset_Small** [get]

Additional Inherited Members

5.20.1 Detailed Description

Editor helper class.

5.20.2 Member Function Documentation

5.20.2.1 `static void Crosstales.FB.EditorUtil.EditorHelper.BannerFB () [static]`

Shows a banner for "File Browser PRO".


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Editor/↵ Util/EditorHelper.cs

5.21 Crosstales.FB.Demo.Examples Class Reference

[Examples](#) for all methods.

Inheritance diagram for Crosstales.FB.Demo.Examples:



Public Member Functions

- void **Start** ()
- void **OpenSingleFile** ()
- void **OpenFiles** ()
- void **OpenSingleFolder** ()
- void **OpenFolders** ()
- void **SaveFile** ()
- void **OpenFilesAsync** ()
- void **OpenFoldersAsync** ()
- void **SaveFileAsync** ()

Public Attributes

- GameObject **TextPrefab**
- GameObject **ScrollView**
- Button **OpenFilesBtn**
- Button **OpenFoldersBtn**
- Text **Error**

5.21.1 Detailed Description

[Examples](#) for all methods.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Demo/↔ Scripts/Examples.cs

5.22 Crosstales.FB.ExtensionFilter Struct Reference

Filter for extensions.

Public Member Functions

- **ExtensionFilter** (string filterName, params string[] filterExtensions)
- override string **ToString** ()

Public Attributes

- string **Name**
- string[] **Extensions**

5.22.1 Detailed Description

Filter for extensions.

The documentation for this struct was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Scripts/File↔ Browser.cs

5.23 Crosstales.ExtensionMethods Class Reference

Various extension methods.

Static Public Member Functions

- static string [CTToTitleCase](#) (this string str)
Extension method for strings. Converts a string to title case (first letter uppercase).
- static string [CTReverse](#) (this string str)
Extension method for strings. Reverses a string.
- static string [CTReplace](#) (this string str, string oldString, string newString, System.StringComparison comp=System.StringComparison.OrdinalIgnoreCase)
Extension method for strings. Case insensitive 'Replace'.
- static bool [CTEquals](#) (this string str, string toCheck, System.StringComparison comp=System.StringComparison.OrdinalIgnoreCase)
Extension method for strings. Case insensitive 'Equals'.
- static bool [CTContains](#) (this string str, string toCheck, System.StringComparison comp=System.StringComparison.OrdinalIgnoreCase)
Extension method for strings. Case insensitive 'Contains'.
- static bool [CTContainsAny](#) (this string str, string searchTerms, char splitChar= ' ')
Extension method for strings. Contains any given string.
- static bool [CTContainsAll](#) (this string str, string searchTerms, char splitChar= ' ')
Extension method for strings. Contains all given strings.
- static void [CTShuffle< T >](#) (this T[] array, int seed=0)
Extension method for Arrays. Shuffles an Array.
- static string [CTDump< T >](#) (this T[] array, string prefix="", string postfix="")
Extension method for Arrays. Dumps an array to a string.
- static string [CTDump](#) (this Quaternion[] array)
Extension method for Quaternion-Arrays. Dumps an array to a string.
- static string [CTDump](#) (this Vector2[] array)
Extension method for Vector2-Arrays. Dumps an array to a string.
- static string [CTDump](#) (this Vector3[] array)
Extension method for Vector3-Arrays. Dumps an array to a string.
- static string [CTDump](#) (this Vector4[] array)
Extension method for Vector4-Arrays. Dumps an array to a string.
- static string[] [CTToString< T >](#) (this T[] array)
Extension method for Arrays. Generates a string array with all entries (via ToString).
- static void [CTShuffle< T >](#) (this System.Collections.Generic.IList< T > list, int seed=0)
Extension method for IList. Shuffles a List.
- static string [CTDump< T >](#) (this System.Collections.Generic.IList< T > list, string prefix="", string postfix="")
Extension method for IList. Dumps a list to a string.
- static string [CTDump](#) (this System.Collections.Generic.IList< Quaternion > list)
Extension method for Quaternion-IList. Dumps a list to a string.
- static string [CTDump](#) (this System.Collections.Generic.IList< Vector2 > list)
Extension method for Vector2-IList. Dumps a list to a string.
- static string [CTDump](#) (this System.Collections.Generic.IList< Vector3 > list)
Extension method for Vector3-IList. Dumps a list to a string.
- static string [CTDump](#) (this System.Collections.Generic.IList< Vector4 > list)
Extension method for Vector4-IList. Dumps a list to a string.
- static System.Collections.Generic.List< string > [CTToString< T >](#) (this System.Collections.Generic.IList< T > list)
Extension method for IList. Generates a string list with all entries (via ToString).
- static string [CTDump< K, V >](#) (this System.Collections.Generic.IDictionary< K, V > dict, string prefix="", string postfix="")
Extension method for IDictionary. Dumps a dictionary to a string.

- static void [CTAddRange< K, V >](#) (this System.Collections.Generic.IDictionary< K, V > source, System.Collections.Generic.IDictionary< K, V > collection)
Extension method for IDictionary. Adds a dictionary to an existing one.
- static bool [CTIsVisibleFrom](#) (this Renderer renderer, Camera camera)
Extension method for Renderer. Determines if the renderer is visible from a certain camera.

5.23.1 Detailed Description

Various extension methods.

5.23.2 Member Function Documentation

5.23.2.1 static void Crosstales.ExtensionMethods.CTAddRange< K, V > (this System.Collections.Generic.IDictionary< K, V > *source*, System.Collections.Generic.IDictionary< K, V > *collection*) [static]

Extension method for IDictionary. Adds a dictionary to an existing one.

Parameters

<i>source</i>	IDictionary-instance.
<i>collection</i>	Dictionary to add.

5.23.2.2 static bool Crosstales.ExtensionMethods.CTContains (this string *str*, string *toCheck*, System.StringComparison *comp* = System.StringComparison.OrdinalIgnoreCase) [static]

Extension method for strings. Case insensitive 'Contains'.

Parameters

<i>str</i>	String-instance.
<i>toCheck</i>	String to check.
<i>comp</i>	StringComparison-method (default: StringComparison.OrdinalIgnoreCase, optional)

Returns

True if the string contains the given string.

5.23.2.3 static bool Crosstales.ExtensionMethods.CTContainsAll (this string *str*, string *searchTerms*, char *splitChar* = ' ') [static]

Extension method for strings. Contains all given strings.

Parameters

<i>str</i>	String-instance.
<i>searchTerms</i>	Search terms separated by the given split-character.
<i>splitChar</i>	Split-character (default: ' ', optional)

Returns

True if the string contains all parts of the given string.

5.23.2.4 `static bool Crosstales.ExtensionMethods.CTContainsAny (this string str, string searchTerms, char splitChar = ' ')`
[static]

Extension method for strings. Contains any given string.

Parameters

<i>str</i>	String-instance.
<i>searchTerms</i>	Search terms separated by the given split-character.
<i>splitChar</i>	Split-character (default: ' ', optional)

Returns

True if the string contains any parts of the given string.

5.23.2.5 `static string Crosstales.ExtensionMethods.CTDump (this Quaternion[] array)` [static]

Extension method for Quaternion-Arrays. Dumps an array to a string.

Parameters

<i>array</i>	Quaternion-Array-instance to dump.
--------------	------------------------------------

Returns

String with lines for all array entries.

5.23.2.6 `static string Crosstales.ExtensionMethods.CTDump (this Vector2[] array)` [static]

Extension method for Vector2-Arrays. Dumps an array to a string.

Parameters

<i>array</i>	Vector2-Array-instance to dump.
--------------	---------------------------------

Returns

String with lines for all array entries.

5.23.2.7 `static string Crosstales.ExtensionMethods.CTDump (this Vector3[] array)` [static]

Extension method for Vector3-Arrays. Dumps an array to a string.

Parameters

<i>array</i>	Vector3-Array-instance to dump.
--------------	---------------------------------

Returns

String with lines for all array entries.

5.23.2.8 static string Crosstales.ExtensionMethods.CTDump (this Vector4[] array) [static]

Extension method for Vector4-Arrays. Dumps an array to a string.

Parameters

<i>array</i>	Vector4-Array-instance to dump.
--------------	---------------------------------

Returns

String with lines for all array entries.

5.23.2.9 static string Crosstales.ExtensionMethods.CTDump (this System.Collections.Generic.IList< Quaternion > list) [static]

Extension method for Quaternion-IList. Dumps a list to a string.

Parameters

<i>list</i>	Quaternion-IList-instance to dump.
-------------	------------------------------------

Returns

String with lines for all list entries.

5.23.2.10 static string Crosstales.ExtensionMethods.CTDump (this System.Collections.Generic.IList< Vector2 > list) [static]

Extension method for Vector2-IList. Dumps a list to a string.

Parameters

<i>list</i>	Vector2-IList-instance to dump.
-------------	---------------------------------

Returns

String with lines for all list entries.

5.23.2.11 `static string Crosstales.ExtensionMethods.CTDump (this System.Collections.Generic.IList< Vector3 > list)`
[static]

Extension method for Vector3-IList. Dumps a list to a string.

Parameters

<i>list</i>	Vector3-IList-instance to dump.
-------------	---------------------------------

Returns

String with lines for all list entries.

5.23.2.12 `static string Crosstales.ExtensionMethods.CTDump (this System.Collections.Generic.IList< Vector4 > list)`
[static]

Extension method for Vector4-IList. Dumps a list to a string.

Parameters

<i>list</i>	Vector4-IList-instance to dump.
-------------	---------------------------------

Returns

String with lines for all list entries.

5.23.2.13 `static string Crosstales.ExtensionMethods.CTDump< K, V > (this System.Collections.Generic.IDictionary< K, V > dict, string prefix = " ", string postfix = " ")` [static]

Extension method for IDictionary. Dumps a dictionary to a string.

Parameters

<i>dict</i>	IDictionary-instance to dump.
<i>prefix</i>	Prefix for every element (default: empty, optional).
<i>postfix</i>	Postfix for every element (default: empty, optional).

Returns

String with lines for all dictionary entries.

5.23.2.14 static string **Crosstales.ExtensionMethods.CTDump**< T > (this T[] *array*, string *prefix* = " ", string *postfix* = " ") [static]

Extension method for Arrays. Dumps an array to a string.

Parameters

<i>array</i>	Array-instance to dump.
<i>prefix</i>	Prefix for every element (default: empty, optional).
<i>postfix</i>	Postfix for every element (default: empty, optional).

Returns

String with lines for all array entries.

5.23.2.15 static string **Crosstales.ExtensionMethods.CTDump**< T > (this System.Collections.Generic.IList< T > *list*, string *prefix* = " ", string *postfix* = " ") [static]

Extension method for IList. Dumps a list to a string.

Parameters

<i>list</i>	IList-instance to dump.
<i>prefix</i>	Prefix for every element (default: empty, optional).
<i>postfix</i>	Postfix for every element (default: empty, optional).

Returns

String with lines for all list entries.

5.23.2.16 static bool **Crosstales.ExtensionMethods.CTEquals** (this string *str*, string *toCheck*, System.StringComparison *comp* = System.StringComparison.OrdinalIgnoreCase) [static]

Extension method for strings. Case insensitive 'Equals'.

Parameters

<i>str</i>	String-instance.
<i>toCheck</i>	String to check.
<i>comp</i>	StringComparison-method (default: StringComparison.OrdinalIgnoreCase, optional)

Returns

True if the string contains the given string.

5.23.2.17 `static bool Crosstales.ExtensionMethods.CTIsVisibleFrom (this Renderer renderer, Camera camera)` `[static]`

Extension method for *Renderer*. Determines if the renderer is visible from a certain camera.

Parameters

<i>renderer</i>	Renderer to test the visibility.
<i>camera</i>	Camera for the test.

Returns

True if the renderer is visible by the given camera.

5.23.2.18 `static string Crosstales.ExtensionMethods.CTReplace (this string str, string oldString, string newString, System.StringComparison comp = System.StringComparison.OrdinalIgnoreCase)`
`[static]`

Extension method for strings. Case insensitive 'Replace'.

Parameters

<i>str</i>	String-instance.
<i>oldString</i>	String to replace.
<i>newString</i>	New replacement string.
<i>comp</i>	StringComparison-method (default: <i>StringComparison.OrdinalIgnoreCase</i> , optional)

Returns

Replaced string.

5.23.2.19 `static string Crosstales.ExtensionMethods.CTReverse (this string str)` `[static]`

Extension method for strings. Reverses a string.

Parameters

<i>str</i>	String-instance.
------------	------------------

Returns

Reversed string.

5.23.2.20 `static void Crosstales.ExtensionMethods.CTShuffle< T > (this T[] array, int seed = 0)` `[static]`

Extension method for Arrays. Shuffles an Array.

Parameters

<i>array</i>	Array-instance to shuffle.
<i>seed</i>	Seed for the PRNG (default: 0 (=standard), optional)

5.23.2.21 `static void Crosstales.ExtensionMethods.CTShuffle< T > (this System.Collections.Generic.IList< T > list, int seed = 0) [static]`

Extension method for IList. Shuffles a List.

Parameters

<i>list</i>	IList-instance to shuffle.
<i>seed</i>	Seed for the PRNG (default: 0 (=standard), optional)

5.23.2.22 `static string [] Crosstales.ExtensionMethods.CTToString< T > (this T[] array) [static]`

Extension method for Arrays. Generates a string array with all entries (via ToString).

Parameters

<i>array</i>	Array-instance to ToString.
--------------	-----------------------------

Returns

String array with all entries (via ToString).

5.23.2.23 `static System.Collections.Generic.List<string> Crosstales.ExtensionMethods.CTToString< T > (this System.Collections.Generic.IList< T > list) [static]`

Extension method for IList. Generates a string list with all entries (via ToString).

Parameters

<i>list</i>	IList-instance to ToString.
-------------	-----------------------------

Returns

String list with all entries (via ToString).

5.23.2.24 `static string Crosstales.ExtensionMethods.CTToTitleCase (this string str) [static]`

Extension method for strings. Converts a string to title case (first letter uppercase).

Parameters

<i>str</i>	String-instance.
------------	------------------

Returns

Converted string in title case.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/Scripts/Extension↔ Methods.cs

5.24 Crosstales.FB.FileBrowser Class Reference

Native file browser various actions like open file, open folder and save file.

Static Public Member Functions

- static string [OpenSingleFile](#) (string extension="*")
Open native file browser for a single file.
- static string [OpenSingleFile](#) (string title, string directory, params string[] extensions)
Open native file browser for a single file.
- static string [OpenSingleFile](#) (string title, string directory, params [ExtensionFilter](#)[] extensions)
Open native file browser for a single file.
- static string[] [OpenFiles](#) (string extension="*")
Open native file browser for multiple files.
- static string[] [OpenFiles](#) (string title, string directory, params string[] extensions)
Open native file browser for multiple files.
- static string[] [OpenFiles](#) (string title, string directory, params [ExtensionFilter](#)[] extensions)
Open native file browser for multiple files.
- static string [OpenSingleFolder](#) ()
Open native folder browser for a single folder.
- static string [OpenSingleFolder](#) (string title, string directory="")
Open native folder browser for a single folder.
- static string[] [OpenFolders](#) ()
Open native folder browser for multiple folders. NOTE: Multiple folder selection is not supported under Windows!
- static string[] [OpenFolders](#) (string title, string directory="")
Open native folder browser for multiple folders. NOTE: Multiple folder selection is not supported on Windows!
- static string [SaveFile](#) (string defaultName="", string extension="*")
Open native save file browser
- static string [SaveFile](#) (string title, string directory, string defaultName, params string[] extensions)
Open native save file browser
- static string [SaveFile](#) (string title, string directory, string defaultName, params [ExtensionFilter](#)[] extensions)
Open native save file browser
- static void [OpenFilesAsync](#) (System.Action< string[]> cb, bool multiselect=true, params string[] extensions)
Open native file browser for multiple files.

- static void [OpenFilesAsync](#) (System.Action< string[]> cb, string title, string directory, bool multiselect=true, params string[] extensions)
Open native file browser for multiple files.
- static void [OpenFilesAsync](#) (System.Action< string[]> cb, string title, string directory, bool multiselect=true, params [ExtensionFilter](#)[] extensions)
Open native file browser for multiple files (async).
- static void [OpenFoldersAsync](#) (System.Action< string[]> cb, bool multiselect=true)
Open native folder browser for multiple folders (async).
- static void [OpenFoldersAsync](#) (System.Action< string[]> cb, string title, string directory="", bool multiselect=true)
Open native folder browser for multiple folders (async).
- static void [SaveFileAsync](#) (System.Action< string > cb, string defaultName="", string extension="*")
Open native save file browser
- static void [SaveFileAsync](#) (System.Action< string > cb, string title, string directory, string defaultName, params string[] extensions)
Open native save file browser
- static void [SaveFileAsync](#) (System.Action< string > cb, string title, string directory, string defaultName, params [ExtensionFilter](#)[] extensions)
Open native save file browser (async).
- static string[] [GetFiles](#) (string path, bool isRecursive=false, params string[] extensions)
Find files inside a path.
- static string[] [GetFiles](#) (string path, bool isRecursive, params [ExtensionFilter](#)[] extensions)
Find files inside a path.
- static string[] [GetDirectories](#) (string path, bool isRecursive=false)
Find directories inside.

Properties

- static bool [canOpenMultipleFiles](#) [get]
Indicates if this wrapper can open multiple files.
- static bool [canOpenMultipleFolders](#) [get]
Indicates if this wrapper can open multiple folders.
- static bool [isPlatformSupported](#) [get]
Indicates if this wrapper is supporting the current platform.

5.24.1 Detailed Description

Native file browser various actions like open file, open folder and save file.

5.24.2 Member Function Documentation

5.24.2.1 static string [] [Crosstales.FB.FileBrowser.GetDirectories](#) (string *path*, bool *isRecursive* = false) [static]

Find directories inside.

Parameters

<i>path</i>	Path to find the directories
<i>isRecursive</i>	Recursive search (default: false, optional)

Returns

Returns array of the found directories inside the path. Zero length array when an error occurred.

5.24.2.2 `static string [] Crosstales.FB.FileBrowser.GetFiles (string path, bool isRecursive = false, params string[] extensions) [static]`

Find files inside a path.

Parameters

<i>path</i>	Path to find the files
<i>isRecursive</i>	Recursive search (default: false, optional)
<i>extensions</i>	Extensions for the file search, e.g. "png" (optional)

Returns

Returns array of the found files inside the path (alphabetically ordered). Zero length array when an error occurred.

5.24.2.3 `static string [] Crosstales.FB.FileBrowser.GetFiles (string path, bool isRecursive, params ExtensionFilter[] extensions) [static]`

Find files inside a path.

Parameters

<i>path</i>	Path to find the files
<i>isRecursive</i>	Recursive search
<i>extensions</i>	List of extension filters for the search (optional)

Returns

Returns array of the found files inside the path. Zero length array when an error occurred.

5.24.2.4 `static string [] Crosstales.FB.FileBrowser.OpenFiles (string extension = "*") [static]`

Open native file browser for multiple files.

Parameters

<i>extension</i>	Allowed extension, e.g. "png" (optional)
------------------	--

Returns

Returns a string of the chosen file. Empty string when cancelled

5.24.2.5 `static string [] Crosstales.FB.FileBrowser.OpenFiles (string title, string directory, params string[] extensions)`
`[static]`

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>extensions</i>	Allowed extensions, e.g. "png" (optional)

Returns

Returns array of chosen files. Zero length array when cancelled

5.24.2.6 `static string [] Crosstales.FB.FileBrowser.OpenFiles (string title, string directory, params ExtensionFilter[] extensions)`
`[static]`

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>extensions</i>	List of extension filters (optional)

Returns

Returns array of chosen files. Zero length array when cancelled

5.24.2.7 `static void Crosstales.FB.FileBrowser.OpenFilesAsync (System.Action< string[]> cb, bool multiselect = true, params string[] extensions)`
`[static]`

Open native file browser for multiple files.

Parameters

<i>cb</i>	Callback for the async operation.
<i>multiselect</i>	Allow multiple file selection (default: true, optional)
<i>extensions</i>	Allowed extensions, e.g. "png" (optional)

Returns

Returns array of chosen files. Zero length array when cancelled

5.24.2.8 `static void Crosstales.FB.FileBrowser.OpenFilesAsync (System.Action< string[]> cb, string title, string directory, bool multiselect = true, params string[] extensions) [static]`

Open native file browser for multiple files.

Parameters

<i>cb</i>	Callback for the async operation.
<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple file selection (default: true, optional)
<i>extensions</i>	Allowed extensions, e.g. "png" (optional)

Returns

Returns array of chosen files. Zero length array when cancelled

5.24.2.9 `static void Crosstales.FB.FileBrowser.OpenFilesAsync (System.Action< string[]> cb, string title, string directory, bool multiselect = true, params ExtensionFilter[] extensions) [static]`

Open native file browser for multiple files (async).

Parameters

<i>cb</i>	Callback for the async operation.
<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple file selection (default: true, optional)
<i>extensions</i>	List of extension filters (optional)

Returns

Returns array of chosen files. Zero length array when cancelled

5.24.2.10 `static string [] Crosstales.FB.FileBrowser.OpenFolders () [static]`

Open native folder browser for multiple folders. NOTE: Multiple folder selection is not supported under Windows!

Returns

Returns array of chosen folders. Zero length array when cancelled

5.24.2.11 `static string [] Crosstales.FB.FileBrowser.OpenFolders (string title, string directory = " ") [static]`

Open native folder browser for multiple folders. NOTE: Multiple folder selection is not supported on Windows!

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory (default: current, optional)

Returns

Returns array of chosen folders. Zero length array when cancelled

```
5.24.2.12 static void Crosstales.FB.FileBrowser.OpenFoldersAsync ( System.Action< string[]> cb, bool multiselect = true ) [static]
```

Open native folder browser for multiple folders (async).

Parameters

<i>cb</i>	Callback for the async operation.
<i>multiselect</i>	Allow multiple folder selection (default: true, optional)

Returns

Returns array of chosen folders. Zero length array when cancelled

```
5.24.2.13 static void Crosstales.FB.FileBrowser.OpenFoldersAsync ( System.Action< string[]> cb, string title, string directory = "", bool multiselect = true ) [static]
```

Open native folder browser for multiple folders (async).

Parameters

<i>cb</i>	Callback for the async operation.
<i>title</i>	Dialog title
<i>directory</i>	Root directory (default: current, optional)
<i>multiselect</i>	Allow multiple folder selection (default: true, optional)

Returns

Returns array of chosen folders. Zero length array when cancelled

```
5.24.2.14 static string Crosstales.FB.FileBrowser.OpenSingleFile ( string extension = "*" ) [static]
```

Open native file browser for a single file.

Parameters

<i>extension</i>	Allowed extension, e.g. "png" (optional)
------------------	--

Returns

Returns a string of the chosen file. Empty string when cancelled

5.24.2.15 `static string Crosstales.FB.FileBrowser.OpenSingleFile (string title, string directory, params string[] extensions)`
[static]

Open native file browser for a single file.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>extensions</i>	Allowed extensions, e.g. "png" (optional)

Returns

Returns a string of the chosen file. Empty string when cancelled

5.24.2.16 `static string Crosstales.FB.FileBrowser.OpenSingleFile (string title, string directory, params ExtensionFilter[] extensions)` [static]

Open native file browser for a single file.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>extensions</i>	List of extension filters (optional)

Returns

Returns a string of the chosen file. Empty string when cancelled

5.24.2.17 `static string Crosstales.FB.FileBrowser.OpenSingleFolder ()` [static]

Open native folder browser for a single folder.

Returns

Returns a string of the chosen folder. Empty string when cancelled

5.24.2.18 `static string Crosstales.FB.FileBrowser.OpenSingleFolder (string title, string directory = " ") [static]`

Open native folder browser for a single folder.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory (default: current, optional)

Returns

Returns a string of the chosen folder. Empty string when cancelled

5.24.2.19 `static string Crosstales.FB.FileBrowser.SaveFile (string defaultName = " ", string extension = "*") [static]`

Open native save file browser

Parameters

<i>defaultName</i>	Default file name (optional)
<i>extension</i>	File extensions, e.g. "png" (optional)

Returns

Returns chosen file. Empty string when cancelled

5.24.2.20 `static string Crosstales.FB.FileBrowser.SaveFile (string title, string directory, string defaultName, params string[] extensions) [static]`

Open native save file browser

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	File extensions, e.g. "png" (optional)

Returns

Returns chosen file. Empty string when cancelled

5.24.2.21 `static string Crosstales.FB.FileBrowser.SaveFile (string title, string directory, string defaultName, params ExtensionFilter[] extensions) [static]`

Open native save file browser

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters (optional)

Returns

Returns chosen file. Empty string when cancelled

5.24.2.22 `static void Crosstales.FB.FileBrowser.SaveFileAsync (System.Action< string > cb, string defaultName = " ", string extension = "*") [static]`

Open native save file browser

Parameters

<i>cb</i>	Callback for the async operation.
<i>defaultName</i>	Default file name (optional)
<i>extension</i>	File extension, e.g. "png" (optional)

Returns

Returns chosen file. Empty string when cancelled

5.24.2.23 `static void Crosstales.FB.FileBrowser.SaveFileAsync (System.Action< string > cb, string title, string directory, string defaultName, params string[] extensions) [static]`

Open native save file browser

Parameters

<i>cb</i>	Callback for the async operation.
<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	File extensions, e.g. "png" (optional)

Returns

Returns chosen file. Empty string when cancelled

5.24.2.24 `static void Crosstales.FB.FileBrowser.SaveFileAsync (System.Action< string > cb, string title, string directory, string defaultName, params ExtensionFilter[] extensions) [static]`

Open native save file browser (async).

Parameters

<i>cb</i>	Callback for the async operation.
<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters (optional)

Returns

Returns chosen file. Empty string when cancelled

5.24.3 Property Documentation

5.24.3.1 `bool Crosstales.FB.FileBrowser.canOpenMultipleFiles` `[static], [get]`

Indicates if this wrapper can open multiple files.

Returns

[Wrapper](#) can open multiple files.

5.24.3.2 `bool Crosstales.FB.FileBrowser.canOpenMultipleFolders` `[static], [get]`

Indicates if this wrapper can open multiple folders.

Returns

[Wrapper](#) can open multiple folders.

5.24.3.3 `bool Crosstales.FB.FileBrowser.isPlatformSupported` `[static], [get]`

Indicates if this wrapper is supporting the current platform.

Returns

True if this wrapper supports current platform.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Scripts/File↔
Browser.cs`

5.25 Crosstales.FB.Wrapper.FileBrowserBase Class Reference

Base class for all file browsers.

Inheritance diagram for Crosstales.FB.Wrapper.FileBrowserBase:



Public Member Functions

- string [OpenSingleFile](#) (string title, string directory, [ExtensionFilter\[\]](#) extensions)
Open native file browser for a single file.
- abstract string[] [OpenFiles](#) (string title, string directory, [ExtensionFilter\[\]](#) extensions, bool multiselect)
Open native file browser for multiple files.
- string [OpenSingleFolder](#) (string title, string directory)
Open native folder browser for a single folder.
- abstract string[] [OpenFolders](#) (string title, string directory, bool multiselect)
Open native folder browser for multiple folders.
- abstract string [SaveFile](#) (string title, string directory, string defaultName, [ExtensionFilter\[\]](#) extensions)
Open native save file browser.
- abstract void [OpenFilesAsync](#) (string title, string directory, [ExtensionFilter\[\]](#) extensions, bool multiselect, System.Action< string[]> cb)
Open native file browser for multiple files (async).
- abstract void [OpenFoldersAsync](#) (string title, string directory, bool multiselect, System.Action< string[]> cb)
Open native folder browser for multiple folders (async).
- abstract void [SaveFileAsync](#) (string title, string directory, string defaultName, [ExtensionFilter\[\]](#) extensions, System.Action< string > cb)
Open native save file browser (async).

Properties

- abstract bool **canOpenMultipleFiles** [get]
- abstract bool **canOpenMultipleFolders** [get]
- abstract bool **isPlatformSupported** [get]

5.25.1 Detailed Description

Base class for all file browsers.

5.25.2 Member Function Documentation

- 5.25.2.1 **abstract string []** `Crosstales.FB.Wrapper.FileBrowserBase.OpenFiles (string title, string directory, ExtensionFilter[] extensions, bool multiselect)` [pure virtual]

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")
<i>multiselect</i>	Allow multiple file selection

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

Implemented in [Crosstales.FB.Wrapper.FileBrowserMac](#), [Crosstales.FB.Wrapper.FileBrowserWindows](#), [Crosstales.FB.Wrapper.FileBrowserEditor](#), and [Crosstales.FB.Wrapper.FileBrowserGeneric](#).

5.25.2.2 `abstract void Crosstales.FB.Wrapper.FileBrowserBase.OpenFilesAsync (string title, string directory, ExtensionFilter[] extensions, bool multiselect, System.Action< string[]> cb) [pure virtual]`

Open native file browser for multiple files (async).

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")
<i>multiselect</i>	Allow multiple file selection
<i>cb</i>	Callback for the async operation.

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

5.25.2.3 `abstract string [] Crosstales.FB.Wrapper.FileBrowserBase.OpenFolders (string title, string directory, bool multiselect) [pure virtual]`

Open native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

Implemented in [Crosstales.FB.Wrapper.FileBrowserMac](#), [Crosstales.FB.Wrapper.FileBrowserEditor](#), [Crosstales.FB.Wrapper.FileBrowserWindows](#), and [Crosstales.FB.Wrapper.FileBrowserGeneric](#).

5.25.2.4 `abstract void Crosstales.FB.Wrapper.FileBrowserBase.OpenFoldersAsync (string title, string directory, bool multiselect, System.Action< string[]> cb)` [pure virtual]

Open native folder browser for multiple folders (async).

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection
<i>cb</i>	Callback for the async operation.

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

5.25.2.5 `string Crosstales.FB.Wrapper.FileBrowserBase.OpenSingleFile (string title, string directory, ExtensionFilter[] extensions)`

Open native file browser for a single file.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns a string of the chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

5.25.2.6 `string Crosstales.FB.Wrapper.FileBrowserBase.OpenSingleFolder (string title, string directory)`

Open native folder browser for a single folder.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory

Returns

Returns a string of the chosen folder. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

5.25.2.7 `abstract string Crosstales.FB.Wrapper.FileBrowserBase.SaveFile (string title, string directory, string defaultName, ExtensionFilter[] extensions) [pure virtual]`

Open native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

Implemented in [Crosstales.FB.Wrapper.FileBrowserMac](#), [Crosstales.FB.Wrapper.FileBrowserEditor](#), [Crosstales.FB.Wrapper.FileBrowserWindows](#), and [Crosstales.FB.Wrapper.FileBrowserGeneric](#).

5.25.2.8 `abstract void Crosstales.FB.Wrapper.FileBrowserBase.SaveFileAsync (string title, string directory, string defaultName, ExtensionFilter[] extensions, System.Action< string > cb) [pure virtual]`

Open native save file browser (async).

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")
<i>cb</i>	Callback for the async operation.

Returns

Returns chosen file. Empty string when cancelled


Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Scripts/↵
Wrapper/FileBrowserBase.cs

5.26 Crosstales.FB.Wrapper.FileBrowserEditor Class Reference

Inheritance diagram for Crosstales.FB.Wrapper.FileBrowserEditor:

**Public Member Functions**

- override string[] **OpenFiles** (string title, string directory, [ExtensionFilter](#)[] extensions, bool multiselect)
Open native file browser for multiple files.
- override string[] **OpenFolders** (string title, string directory, bool multiselect)
Open native folder browser for multiple folders.
- override string **SaveFile** (string title, string directory, string defaultName, [ExtensionFilter](#)[] extensions)
Open native save file browser.
- override void **OpenFilesAsync** (string title, string directory, [ExtensionFilter](#)[] extensions, bool multiselect, Action< string[]> cb)
- override void **OpenFoldersAsync** (string title, string directory, bool multiselect, Action< string[]> cb)
- override void **SaveFileAsync** (string title, string directory, string defaultName, [ExtensionFilter](#)[] extensions, Action< string > cb)

Properties

- override bool **canOpenMultipleFiles** [get]
- override bool **canOpenMultipleFolders** [get]
- override bool **isPlatformSupported** [get]

5.26.1 Member Function Documentation

5.26.1.1 override string [] Crosstales.FB.Wrapper.FileBrowserEditor.OpenFiles (string title, string directory, [ExtensionFilter](#)[] extensions, bool multiselect) [virtual]

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")
<i>multiselect</i>	Allow multiple file selection

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.FileBrowserBase](#).

5.26.1.2 `override string [] Crosstales.FB.Wrapper.FileBrowserEditor.OpenFolders (string title, string directory, bool multiselect) [virtual]`

Open native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.FileBrowserBase](#).

5.26.1.3 `override string Crosstales.FB.Wrapper.FileBrowserEditor.SaveFile (string title, string directory, string defaultName, ExtensionFilter[] extensions) [virtual]`

Open native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.FileBrowserBase](#).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Scripts/↔
Wrapper/FileBrowserEditor.cs

5.27 Crosstales.FB.Wrapper.FileBrowserGeneric Class Reference

File browser implementation for generic devices (currently NOT IMPLEMENTED).

Inheritance diagram for Crosstales.FB.Wrapper.FileBrowserGeneric:



Public Member Functions

- override string[] **OpenFiles** (string title, string directory, [ExtensionFilter](#)[] extensions, bool multiselect)
Open native file browser for multiple files.
- override string[] **OpenFolders** (string title, string directory, bool multiselect)
Open native folder browser for multiple folders.
- override string **SaveFile** (string title, string directory, string defaultName, [ExtensionFilter](#)[] extensions)
Open native save file browser.
- override void **OpenFilesAsync** (string title, string directory, [ExtensionFilter](#)[] extensions, bool multiselect, Action< string[]> cb)
- override void **OpenFoldersAsync** (string title, string directory, bool multiselect, Action< string[]> cb)
- override void **SaveFileAsync** (string title, string directory, string defaultName, [ExtensionFilter](#)[] extensions, Action< string > cb)

Properties

- override bool **canOpenMultipleFiles** [get]
- override bool **canOpenMultipleFolders** [get]
- override bool **isPlatformSupported** [get]

5.27.1 Detailed Description

File browser implementation for generic devices (currently NOT IMPLEMENTED).

5.27.2 Member Function Documentation

- 5.27.2.1 override string [] Crosstales.FB.Wrapper.FileBrowserGeneric.OpenFiles (string title, string directory, [ExtensionFilter](#)[] extensions, bool multiselect) [virtual]

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")
<i>multiselect</i>	Allow multiple file selection

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.FileBrowserBase](#).

5.27.2.2 `override string [] Crosstales.FB.Wrapper.FileBrowserGeneric.OpenFolders (string title, string directory, bool multiselect) [virtual]`

Open native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.FileBrowserBase](#).

5.27.2.3 `override string Crosstales.FB.Wrapper.FileBrowserGeneric.SaveFile (string title, string directory, string defaultName, ExtensionFilter\[\] extensions) [virtual]`

Open native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.FileBrowserBase](#).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Scripts/↵
Wrapper/FileBrowserGeneric.cs

5.28 Crosstales.FB.Wrapper.FileBrowserMac Class Reference

File browser implementation for macOS.

Inheritance diagram for Crosstales.FB.Wrapper.FileBrowserMac:



Public Member Functions

- override string[] **OpenFiles** (string title, string directory, [ExtensionFilter\[\]](#) extensions, bool multiselect)
Open native file browser for multiple files.
- override string[] **OpenFolders** (string title, string directory, bool multiselect)
Open native folder browser for multiple folders.
- override string **SaveFile** (string title, string directory, string defaultName, [ExtensionFilter\[\]](#) extensions)
Open native save file browser.
- override void **OpenFilesAsync** (string title, string directory, [ExtensionFilter\[\]](#) extensions, bool multiselect, Action< string[]> cb)
- override void **OpenFoldersAsync** (string title, string directory, bool multiselect, Action< string[]> cb)
- override void **SaveFileAsync** (string title, string directory, string defaultName, [ExtensionFilter\[\]](#) extensions, Action< string > cb)

Properties

- override bool **canOpenMultipleFiles** [get]
- override bool **canOpenMultipleFolders** [get]
- override bool **isPlatformSupported** [get]

5.28.1 Detailed Description

File browser implementation for macOS.

5.28.2 Member Function Documentation

- 5.28.2.1 override string[] Crosstales.FB.Wrapper.FileBrowserMac.OpenFiles (string title, string directory, [ExtensionFilter\[\]](#) extensions, bool multiselect) [virtual]

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")
<i>multiselect</i>	Allow multiple file selection

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.FileBrowserBase](#).

5.28.2.2 `override string [] Crosstales.FB.Wrapper.FileBrowserMac.OpenFolders (string title, string directory, bool multiselect) [virtual]`

Open native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.FileBrowserBase](#).

5.28.2.3 `override string Crosstales.FB.Wrapper.FileBrowserMac.SaveFile (string title, string directory, string defaultName, ExtensionFilter[] extensions) [virtual]`

Open native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.FileBrowserBase](#).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Scripts/↔
Wrapper/FileBrowserMac.cs

5.29 Crosstales.FB.Wrapper.FileBrowserWindows Class Reference

File browser implementation for Windows.

Inheritance diagram for Crosstales.FB.Wrapper.FileBrowserWindows:



Public Member Functions

- override string[] **OpenFiles** (string title, string directory, [ExtensionFilter](#)[] extensions, bool multiselect)
Open native file browser for multiple files.
- override string[] **OpenFolders** (string title, string directory, bool multiselect)
Open native folder browser for multiple folders.
- override string **SaveFile** (string title, string directory, string defaultName, [ExtensionFilter](#)[] extensions)
Open native save file browser.
- override void **OpenFilesAsync** (string title, string directory, [ExtensionFilter](#)[] extensions, bool multiselect, Action< string[]> cb)
- override void **OpenFoldersAsync** (string title, string directory, bool multiselect, Action< string[]> cb)
- override void **SaveFileAsync** (string title, string directory, string defaultName, [ExtensionFilter](#)[] extensions, Action< string > cb)

Properties

- override bool **canOpenMultipleFiles** [get]
- override bool **canOpenMultipleFolders** [get]
- override bool **isPlatformSupported** [get]

5.29.1 Detailed Description

File browser implementation for Windows.

5.29.2 Member Function Documentation

- 5.29.2.1 override string [] Crosstales.FB.Wrapper.FileBrowserWindows.OpenFiles (string title, string directory, [ExtensionFilter](#)[] extensions, bool multiselect) [virtual]

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")
<i>multiselect</i>	Allow multiple file selection

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.FileBrowserBase](#).

5.29.2.2 `override string [] Crosstales.FB.Wrapper.FileBrowserWindows.OpenFolders (string title, string directory, bool multiselect) [virtual]`

Open native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.FileBrowserBase](#).

5.29.2.3 `override string Crosstales.FB.Wrapper.FileBrowserWindows.SaveFile (string title, string directory, string defaultName, ExtensionFilter[] extensions) [virtual]`

Open native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.FileBrowserBase](#).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Scripts/↔
Wrapper/FileBrowserWindows.cs

5.30 Crosstales.UI.Util.FPSDisplay Class Reference

Simple FPS-Counter.

Inheritance diagram for Crosstales.UI.Util.FPSDisplay:



Public Member Functions

- void **Update** ()

Public Attributes

- Text **FPS**
Text component to display the FPS.

5.30.1 Detailed Description

Simple FPS-Counter.

5.30.2 Member Data Documentation

5.30.2.1 Text Crosstales.UI.Util.FPSDisplay.FPS

Text component to display the FPS.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/UI/Scripts/Util/F↔
PSDisplay.cs

5.31 Crosstales.Common.Util.FreeCam Class Reference

A simple free camera to be added to a Unity game object.

Inheritance diagram for Crosstales.Common.Util.FreeCam:



Public Member Functions

- void **Start** ()
- void **Update** ()
- void **OnDisable** ()
- void **StartLooking** ()
Enable free looking.
- void **StopLooking** ()
Disable free looking.

Public Attributes

- float **MovementSpeed** = 10f
Normal speed of camera movement.
- float **FastMovementSpeed** = 100f
Speed of camera movement when shift is held down.
- float **FreeLookSensitivity** = 3f
Sensitivity for free look.
- float **ZoomSensitivity** = 10f
Amount to zoom the camera when using the mouse wheel.
- float **FastZoomSensitivity** = 50f
Amount to zoom the camera when using the mouse wheel (fast mode).

5.31.1 Detailed Description

A simple free camera to be added to a Unity game object.

Keys: wasd / arrows - movement q/e - up/down (local space) r/f - up/down (world space) pageup/pagedown - up/down (world space) hold shift - enable fast movement mode right mouse - enable free look mouse - free look / rotation

5.31.2 Member Function Documentation

5.31.2.1 void Crosstales.Common.Util.FreeCam.StartLooking ()

Enable free looking.

5.31.2.2 void Crosstales.Common.Util.FreeCam.StopLooking ()

Disable free looking.

5.31.3 Member Data Documentation

5.31.3.1 float Crosstales.Common.Util.FreeCam.FastMovementSpeed = 100f

Speed of camera movement when shift is held down.

5.31.3.2 float Crosstales.Common.Util.FreeCam.FastZoomSensitivity = 50f

Amount to zoom the camera when using the mouse wheel (fast mode).

5.31.3.3 float Crosstales.Common.Util.FreeCam.FreeLookSensitivity = 3f

Sensitivity for free look.

5.31.3.4 float Crosstales.Common.Util.FreeCam.MovementSpeed = 10f

Normal speed of camera movement.

5.31.3.5 float Crosstales.Common.Util.FreeCam.ZoomSensitivity = 10f

Amount to zoom the camera when using the mouse wheel.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/Scripts/Util/Free↔
Cam.cs

5.32 Crosstales.FB.EditorUtil.GAApi Class Reference

GA-wrapper API.

Inheritance diagram for Crosstales.FB.EditorUtil.GAApi:



Static Public Member Functions

- static void [Event](#) (string category, string action, string label="", int value=0)
Tracks an event from the asset.

Additional Inherited Members

5.32.1 Detailed Description

GA-wrapper API.

5.32.2 Member Function Documentation

5.32.2.1 static void Crosstales.FB.EditorUtil.GAApi.Event (string category, string action, string label = " ", int value = 0)
[static]

Tracks an event from the asset.

Parameters

<i>category</i>	Specifies the event category.
<i>action</i>	Specifies the event action.
<i>label</i>	Specifies the event label.
<i>value</i>	Specifies the event value.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Editor/Util/GA↔
Api.cs

5.33 Crosstales.FB.Demo.GUIMain Class Reference

Main GUI component for all demo scenes.

Inheritance diagram for Crosstales.FB.Demo.GUIMain:



Public Member Functions

- void **Start** ()
- void **OpenAssetURL** ()
- void **OpenCTURL** ()
- void **Quit** ()

Public Attributes

- Text **Name**
- Text **Version**
- Text **Scene**

5.33.1 Detailed Description

Main GUI component for all demo scenes.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstailes/FileBrowser/Demo/Scripts/GUIMain.cs

5.34 Crosstailes.FB.Demo.GUIScenes Class Reference

Main GUI scene manager for all demo scenes.

Inheritance diagram for Crosstailes.FB.Demo.GUIScenes:



Public Member Functions

- void **LoadPrevoiusScene** ()
- void **LoadNextScene** ()

Public Attributes

- string **PreviousScene**
- string **NextScene**

5.34.1 Detailed Description

Main GUI scene manager for all demo scenes.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstailes/FileBrowser/Demo/Scripts/GUIScenes.cs

5.35 Crosstales.FB.Util.Helper Class Reference

Various helper functions.

Inheritance diagram for Crosstales.FB.Util.Helper:



Properties

- static bool `isSupportedPlatform` [get]
Checks if the current platform is supported.

Additional Inherited Members

5.35.1 Detailed Description

Various helper functions.

5.35.2 Property Documentation

5.35.2.1 bool Crosstales.FB.Util.Helper.isSupportedPlatform [static], [get]

Checks if the current platform is supported.

Returns

True if the current platform is supported.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Scripts/↔ Util/Helper.cs

5.36 Crosstales.FB.Wrapper.IFileBrowser Interface Reference

Interface for all file browsers.

Inheritance diagram for Crosstales.FB.Wrapper.IFileBrowser:



Public Member Functions

- string [OpenSingleFile](#) (string title, string directory, [ExtensionFilter\[\]](#) extensions)
Open native file browser for a single file.
- string[] [OpenFiles](#) (string title, string directory, [ExtensionFilter\[\]](#) extensions, bool multiselect)
Open native file browser for multiple files.
- string [OpenSingleFolder](#) (string title, string directory)
Open native folder browser for a single folder.
- string[] [OpenFolders](#) (string title, string directory, bool multiselect)
Open native folder browser for multiple folders.
- string [SaveFile](#) (string title, string directory, string defaultName, [ExtensionFilter\[\]](#) extensions)
Open native save file browser.
- void [OpenFilesAsync](#) (string title, string directory, [ExtensionFilter\[\]](#) extensions, bool multiselect, System.Action< string[]> cb)
Open native file browser for multiple files (async).
- void [OpenFoldersAsync](#) (string title, string directory, bool multiselect, System.Action< string[]> cb)
Open native folder browser for multiple folders (async).
- void [SaveFileAsync](#) (string title, string directory, string defaultName, [ExtensionFilter\[\]](#) extensions, System.Action< string > cb)
Open native save file browser (async).

Properties

- bool [canOpenMultipleFiles](#) [get]
Indicates if this wrapper can open multiple files.
- bool [canOpenMultipleFolders](#) [get]
Indicates if this wrapper can open multiple folders.
- bool [isPlatformSupported](#) [get]
Indicates if this wrapper is supporting the current platform.

5.36.1 Detailed Description

Interface for all file browsers.

5.36.2 Member Function Documentation

5.36.2.1 string[] Crosstales.FB.Wrapper.IFileBrowser.OpenFiles (string title, string directory, [ExtensionFilter\[\]](#) extensions, bool multiselect)

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")
<i>multiselect</i>	Allow multiple file selection

Returns

Returns array of chosen files. Zero length array when cancelled

Implemented in [Crosstales.FB.Wrapper.FileBrowserMac](#), [Crosstales.FB.Wrapper.FileBrowserWindows](#), [Crosstales.FB.Wrapper.FileBrowserEditor](#), [Crosstales.FB.Wrapper.FileBrowserGeneric](#), and [Crosstales.FB.Wrapper.FileBrowserBase](#).

5.36.2.2 `void Crosstales.FB.Wrapper.IFileBrowser.OpenFilesAsync (string title, string directory, ExtensionFilter[] extensions, bool multiselect, System.Action< string[] > cb)`

Open native file browser for multiple files (async).

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")
<i>multiselect</i>	Allow multiple file selection
<i>cb</i>	Callback for the async operation.

Returns

Returns array of chosen files. Zero length array when cancelled

Implemented in [Crosstales.FB.Wrapper.FileBrowserBase](#).

5.36.2.3 `string [] Crosstales.FB.Wrapper.IFileBrowser.OpenFolders (string title, string directory, bool multiselect)`

Open native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection

Returns

Returns array of chosen folders. Zero length array when cancelled

Implemented in [Crosstales.FB.Wrapper.FileBrowserMac](#), [Crosstales.FB.Wrapper.FileBrowserEditor](#), [Crosstales.FB.Wrapper.FileBrowserWindows](#), [Crosstales.FB.Wrapper.FileBrowserGeneric](#), and [Crosstales.FB.Wrapper.FileBrowserBase](#).

5.36.2.4 `void Crosstales.FB.Wrapper.IFileBrowser.OpenFoldersAsync (string title, string directory, bool multiselect, System.Action< string[] > cb)`

Open native folder browser for multiple folders (async).

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection
<i>cb</i>	Callback for the async operation.

Returns

Returns array of chosen folders. Zero length array when cancelled

Implemented in [Crosstales.FB.Wrapper.FileBrowserBase](#).

5.36.2.5 `string Crosstales.FB.Wrapper.IFileBrowser.OpenSingleFile (string title, string directory, ExtensionFilter[] extensions)`

Open native file browser for a single file.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns a string of the chosen file. Empty string when cancelled

Implemented in [Crosstales.FB.Wrapper.FileBrowserBase](#).

5.36.2.6 `string Crosstales.FB.Wrapper.IFileBrowser.OpenSingleFolder (string title, string directory)`

Open native folder browser for a single folder.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory

Returns

Returns a string of the chosen folder. Empty string when cancelled

Implemented in [Crosstales.FB.Wrapper.FileBrowserBase](#).

5.36.2.7 `string Crosstales.FB.Wrapper.IFileBrowser.SaveFile (string title, string directory, string defaultName, ExtensionFilter[] extensions)`

Open native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns chosen file. Empty string when cancelled

Implemented in [Crosstales.FB.Wrapper.FileBrowserMac](#), [Crosstales.FB.Wrapper.FileBrowserEditor](#), [Crosstales.FB.Wrapper.FileBrowserWindows](#), [Crosstales.FB.Wrapper.FileBrowserGeneric](#), and [Crosstales.FB.Wrapper.FileBrowserBase](#).

5.36.2.8 `void Crosstales.FB.Wrapper.IFileBrowser.SaveFileAsync (string title, string directory, string defaultName, ExtensionFilter[] extensions, System.Action< string > cb)`

Open native save file browser (async).

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")
<i>cb</i>	Callback for the async operation.

Returns

Returns chosen file. Empty string when cancelled

Implemented in [Crosstales.FB.Wrapper.FileBrowserBase](#).

5.36.3 Property Documentation

5.36.3.1 `bool Crosstales.FB.Wrapper.IFileBrowser.canOpenMultipleFiles` [[get](#)]

Indicates if this wrapper can open multiple files.

Returns

[Wrapper](#) can open multiple files.

5.36.3.2 bool Crosstales.FB.Wrapper.IFileBrowser.canOpenMultipleFolders [get]

Indicates if this wrapper can open multiple folders.

Returns

[Wrapper](#) can open multiple folders.

5.36.3.3 bool Crosstales.FB.Wrapper.IFileBrowser.isPlatformSupported [get]

Indicates if this wrapper is supporting the current platform.

Returns

True if this wrapper supports current platform.

The documentation for this interface was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Scripts/↔
Wrapper/IFileBrowser.cs

5.37 Crosstales.FB.EditorTask.Launch Class Reference

Show the configuration window on the first launch.

5.37.1 Detailed Description

Show the configuration window on the first launch.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Editor/↔
Task/Launch.cs

5.38 Crosstales.Common.EditorTask.NYCheck Class Reference

Checks if a 'Happy new year'-message must be displayed.

5.38.1 Detailed Description

Checks if a 'Happy new year'-message must be displayed.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/Editor/Task/NY↔
Check.cs

5.39 Crosstales.Common.Util.PlatformController Class Reference

Enables or disable game objects for a given platform.

Inheritance diagram for Crosstales.Common.Util.PlatformController:



Public Member Functions

- virtual void **Start** ()

Public Attributes

- System.Collections.Generic.List< [Model.Enum.Platform](#) > **Platforms**
Selected platforms for the controller.
- bool **Active** = true
summary> Selected objects for the controller.
- GameObject[] **Objects**

Protected Member Functions

- void **selectPlatform** ()
- void **activateGO** ()

Protected Attributes

- [Model.Enum.Platform](#) **currentPlatform**

5.39.1 Detailed Description

Enables or disable game objects for a given platform.

5.39.2 Member Data Documentation

5.39.2.1 bool Crosstales.Common.Util.PlatformController.Active = true

summary> Selected objects for the controller.

5.39.2.2 System.Collections.Generic.List<Model.Enum.Platform> Crosstales.Common.Util.PlatformController.Platforms

Selected platforms for the controller.

summary>Enable or disable the 'Objects' for the selected 'Platforms' (default: true).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/Scripts/Util/PlatformController.cs

5.40 Crosstales.Common.Util.RandomColor Class Reference

Random color changer.

Inheritance diagram for Crosstales.Common.Util.RandomColor:



Public Member Functions

- void **Start** ()
- void **Update** ()

Public Attributes

- bool **UseInterval** = true
Use intervals to change the color (default: true).
- Vector2 **ChangeInterval** = new Vector2(5, 10)
summary>Random hue range between min (= x) and max (= y) (default: x = 0, y = 1).
- Vector2 **HueRange** = new Vector2(0f, 1f)
summary>Random saturation range between min (= x) and max (= y) (default: x = 1, y = 1).
- Vector2 **SaturationRange** = new Vector2(1f, 1f)
summary>Random value range between min (= x) and max (= y) (default: x = 1, y = 1).
- Vector2 **ValueRange** = new Vector2(1f, 1f)
summary>Random alpha range between min (= x) and max (= y) (default: x = 1, y = 1).
- Vector2 **AlphaRange** = new Vector2(1f, 1f)
summary>Use gray scale colors (default: false).
- bool **GrayScale** = false
summary>Modify the color of a material instead of the Renderer (default: not set, optional).
- Material **Material**
summary>Set the object to a random color at Start (default: false).
- bool **RandomColorAtStart** = false

5.40.1 Detailed Description

Random color changer.

5.40.2 Member Data Documentation

5.40.2.1 Vector2 Crosstales.Common.Util.RandomColor.AlphaRange = new Vector2(1f, 1f)

summary>Use gray scale colors (default: false).

5.40.2.2 Vector2 Crosstales.Common.Util.RandomColor.ChangeInterval = new Vector2(5, 10)

summary>Random hue range between min (= x) and max (= y) (default: x = 0, y = 1).

5.40.2.3 bool Crosstales.Common.Util.RandomColor.GrayScale = false

summary>Modify the color of a material instead of the Renderer (default: not set, optional).

5.40.2.4 Vector2 Crosstales.Common.Util.RandomColor.HueRange = new Vector2(0f, 1f)

summary>Random saturation range between min (= x) and max (= y) (default: x = 1, y = 1).

5.40.2.5 Material Crosstales.Common.Util.RandomColor.Material

summary>Set the object to a random color at Start (default: false).

5.40.2.6 Vector2 Crosstales.Common.Util.RandomColor.SaturationRange = new Vector2(1f, 1f)

summary>Random value range between min (= x) and max (= y) (default: x = 1, y = 1).

5.40.2.7 bool Crosstales.Common.Util.RandomColor.UseInterval = true

Use intervals to change the color (default: true).

summary>Random change interval between min (= x) and max (= y) in seconds (default: x = 5, y = 10).

5.40.2.8 Vector2 Crosstales.Common.Util.RandomColor.ValueRange = new Vector2(1f, 1f)

summary>Random alpha range between min (= x) and max (= y) (default: x = 1, y = 1).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/Scripts/Util/RandomColor.cs

5.41 Crosstales.Common.Util.RandomRotator Class Reference

Random rotation changer.

Inheritance diagram for Crosstales.Common.Util.RandomRotator:



Public Member Functions

- void **Start** ()
- void **Update** ()

Public Attributes

- bool **UseInterval** = true
Use intervals to change the rotation (default: true).
- Vector2 **ChangeInterval** = new Vector2(10, 20)
summary>Minimum rotation speed per axis (default: 5 for all axis).
- Vector3 **SpeedMin** = new Vector3(5, 5, 5)
summary>Maximum rotation speed per axis (default: 15 for all axis).
- Vector3 **SpeedMax** = new Vector3(15, 15, 15)
summary>Set the object to a random rotation at Start (default: false).
- bool **RandomRotationAtStart** = false

5.41.1 Detailed Description

Random rotation changer.

5.41.2 Member Data Documentation

5.41.2.1 Vector2 Crosstales.Common.Util.RandomRotator.ChangeInterval = new Vector2(10, 20)

summary>Minimum rotation speed per axis (default: 5 for all axis).

5.41.2.2 Vector3 Crosstales.Common.Util.RandomRotator.SpeedMax = new Vector3(15, 15, 15)

summary>Set the object to a random rotation at Start (default: false).

5.41.2.3 Vector3 Crosstales.Common.Util.RandomRotator.SpeedMin = new Vector3(5, 5, 5)

summary>Maximum rotation speed per axis (default: 15 for all axis).

5.41.2.4 bool Crosstales.Common.Util.RandomRotator.UseInterval = true

Use intervals to change the rotation (default: true).

summary>Random change interval between min (= x) and max (= y) in seconds (default: x = 10, y = 20).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/Scripts/Util/RandomRotator.cs

5.42 Crosstales.Common.Util.RandomScaler Class Reference

Random scale changer.

Inheritance diagram for Crosstales.Common.Util.RandomScaler:



Public Member Functions

- void **Start** ()
- void **Update** ()

Public Attributes

- bool **UseInterval** = true
Use intervals to change the scale (default: true).
- Vector2 **ChangeInterval** = new Vector2(10, 20)
summary>Minimum scale per axis (default: 0.1 for all axis).
- Vector3 **ScaleMin** = new Vector3(0.1f, 0.1f, 0.1f)
summary>Maximum scale per axis (default: 0.1 for all axis).
- Vector3 **ScaleMax** = new Vector3(3, 3, 3)
summary>Uniform scaling for all axis (x-axis values will be used, default: true).
- bool **Uniform** = true
summary>Set the object to a random scale at Start (default: false).
- bool **RandomScaleAtStart** = false

5.42.1 Detailed Description

Random scale changer.

5.42.2 Member Data Documentation

5.42.2.1 Vector2 Crosstales.Common.Util.RandomScaler.ChangeInterval = new Vector2(10, 20)

summary>Minimum scale per axis (default: 0.1 for all axis).

5.42.2.2 Vector3 Crosstales.Common.Util.RandomScaler.ScaleMax = new Vector3(3, 3, 3)

summary>Uniform scaling for all axis (x-axis values will be used, default: true).

5.42.2.3 Vector3 Crosstales.Common.Util.RandomScaler.ScaleMin = new Vector3(0.1f, 0.1f, 0.1f)

summary>Maximum scale per axis (default: 0.1 for all axis).

5.42.2.4 bool Crosstales.Common.Util.RandomScaler.Uniform = true

summary>Set the object to a random scale at Start (default: false).

5.42.2.5 bool Crosstales.Common.Util.RandomScaler.UseInterval = true

Use intervals to change the scale (default: true).

summary>Random change interval between min (= x) and max (= y) in seconds (default: x = 10, y = 20).

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/Scripts/Util/Random↵
Scaler.cs

5.43 Crosstales.FB.EditorTask.ReminderCheck Class Reference

Reminds the customer to create an UAS review.

5.43.1 Detailed Description

Reminds the customer to create an UAS review.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Editor/↵
Task/ReminderCheck.cs

5.44 Crosstales.FB.EditorTask.ReminderCT Class Reference

Reminds the customer to visit our other assets.

5.44.1 Detailed Description

Reminds the customer to visit our other assets.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Editor/Task/ReminderCT.cs`

5.45 Crosstales.UI.Util.ScrollRectHandler Class Reference

Changes the sensitivity of ScrollRects under various platforms.

Inheritance diagram for Crosstales.UI.Util.ScrollRectHandler:



Public Member Functions

- `void Start ()`

Public Attributes

- `ScrollRect Scroll`
- `float WindowsSensitivity = 35f`
- `float MacSensitivity = 25f`

5.45.1 Detailed Description

Changes the sensitivity of ScrollRects under various platforms.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/UI/Scripts/Util/ScrollRectHandler.cs`

5.46 Crosstales.Common.Util.SerializableDictionary< TKey, TVal > Class Template Reference

Serializable Dictionary-class for XML.

Inheritance diagram for Crosstales.Common.Util.SerializableDictionary< TKey, TVal >:



Public Member Functions

- **SerializableDictionary** (System.Collections.Generic.IDictionary< TKey, TVal > dictionary)
- **SerializableDictionary** (System.Collections.Generic.IEqualityComparer< TKey > comparer)
- **SerializableDictionary** (int capacity)
- **SerializableDictionary** (System.Collections.Generic.IDictionary< TKey, TVal > dictionary, System.Collections.Generic.IEqualityComparer< TKey > comparer)
- **SerializableDictionary** (int capacity, System.Collections.Generic.IEqualityComparer< TKey > comparer)

Protected Member Functions

- **SerializableDictionary** (System.Runtime.Serialization.SerializationInfo info, System.Runtime.Serialization.StreamingContext context)

5.46.1 Detailed Description

Serializable Dictionary-class for XML.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/Scripts/Util/SerializableDictionary.cs

5.47 Crosstales.Common.EditorTask.SetupResources Class Reference

Copies all resources to 'Editor Default Resources'.

Inheritance diagram for Crosstales.Common.EditorTask.SetupResources:



Additional Inherited Members

5.47.1 Detailed Description

Copies all resources to 'Editor Default Resources'.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/Editor/Task/SetupResources.cs`

5.48 Crosstales.FB.EditorTask.SetupResources Class Reference

Copies all resources to 'Editor Default Resources'.

Inheritance diagram for Crosstales.FB.EditorTask.SetupResources:



Additional Inherited Members

5.48.1 Detailed Description

Copies all resources to 'Editor Default Resources'.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Editor/Task/SetupResources.cs`

5.49 Crosstales.UI.Social Class Reference

[Crosstales](#) social media links.

Inheritance diagram for Crosstales.UI.Social:



Public Member Functions

- void **Facebook** ()
- void **Twitter** ()
- void **LinkedIn** ()
- void **Youtube** ()
- void **Discord** ()

5.49.1 Detailed Description

[Crosstailes](#) social media links.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstailes/Common/UI/Scripts/Social.↵
cs

5.50 Crosstailes.UI.StaticManager Class Reference

Static Button Manager.

Inheritance diagram for Crosstailes.UI.StaticManager:



Public Member Functions

- void [Quit](#) ()
Quit the application (stop playing inside the Editor).
- void [OpenCrosstailes](#) ()
summary> Open the Unity AssetStore homepage.
- void **OpenAssetstore** ()

5.50.1 Detailed Description

Static Button Manager.

5.50.2 Member Function Documentation

5.50.2.1 void Crosstailes.UI.StaticManager.OpenCrosstailes ()

summary> Open the Unity AssetStore homepage.

5.50.2.2 void Crosstales.UI.StaticManager.Quit ()

Quit the application (stop playing inside the Editor).

summary>Open the crosstales homepage.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/UI/Scripts/StaticManager.cs

5.51 Crosstales.Common.Util.TakeScreenshot Class Reference

Take screen shots inside an application.

Inheritance diagram for Crosstales.Common.Util.TakeScreenshot:



Public Member Functions

- void **Start** ()
- void **Update** ()
- void **Capture** ()
Capture the screen.
- void **Start** ()

Public Attributes

- string **Prefix** = "CT_Screenshot"
Prefix for the generate file names.
- int **Scale** = 1
summary>Key-press to capture the screen (default: F8).
- KeyCode **KeyCode** = KeyCode.F8

5.51.1 Detailed Description

Take screen shots inside an application.

5.51.2 Member Function Documentation

5.51.2.1 void Crosstales.Common.Util.TakeScreenshot.Capture ()

Capture the screen.

5.51.3 Member Data Documentation

5.51.3.1 `string Crosstailes.Common.Util.TakeScreenshot.Prefix = "CT_Screenshot"`

Prefix for the generate file names.

summary>Factor by which to increase resolution (default: 1).

5.51.3.2 `int Crosstailes.Common.Util.TakeScreenshot.Scale = 1`

summary>Key-press to capture the screen (default: F8).

The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstailes/Common/Scripts/Tool/TakeScreenshot.cs`

5.52 Crosstailes.FB.EditorTask.Tracer Class Reference

Gather some tracing data for the asset.

5.52.1 Detailed Description

Gather some tracing data for the asset.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstailes/FileBrowser/Editor/Task/Tracer.cs`

5.53 Crosstailes.UI.UIDrag Class Reference

Allow to Drag the Windows around.

Inheritance diagram for `Crosstailes.UI.UIDrag`:



Public Member Functions

- void **Start** ()
- void **BeginDrag** ()
Drag started.
- void **OnDrag** ()

5.53.1 Detailed Description

Allow to Drag the Windows around.

5.53.2 Member Function Documentation

5.53.2.1 void Crosstales.UI.UIDrag.BeginDrag ()

Drag started.

summary>While dragging.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/UI/Scripts/UI↔
Drag.cs

5.54 Crosstales.UI.UIFocus Class Reference

Change the Focus on from a Window.

Inheritance diagram for Crosstales.UI.UIFocus:



Public Member Functions

- void **Start** ()
- void **OnPanelEnter** ()
Panel entered.

Public Attributes

- string **ManagerName** = "Canvas"
Name of the gameobject containing the `UIWindowManager`.

5.54.1 Detailed Description

Change the Focus on from a Window.

5.54.2 Member Function Documentation

5.54.2.1 void Crosstales.UI.UIFocus.OnPanelEnter ()

Panel entered.

5.54.3 Member Data Documentation

5.54.3.1 string Crosstales.UI.UIFocus.ManagerName = "Canvas"

Name of the gameobject containing the [UIWindowManager](#).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/UI/Scripts/UIFocus.cs

5.55 Crosstales.UI.UIHint Class Reference

Controls a [UI](#) group (hint).

Inheritance diagram for Crosstales.UI.UIHint:



Public Member Functions

- void **Start** ()
- void **FadeUp** ()
- void **FadeDown** ()

Public Attributes

- CanvasGroup [Group](#)
Group to fade.
- float [Delay](#) = 2f
Delay in seconds before fading (default: 2).
- float [FadeTime](#) = 2f
Fade time in seconds (default: 2).
- bool [Disable](#) = true
Disable [UI](#) element after the fade (default: true).
- bool [FadeAtStart](#) = true
Fade at Start (default: true).

5.55.1 Detailed Description

Controls a [UI](#) group (hint).

5.55.2 Member Data Documentation

5.55.2.1 `float Crosstales.UI.UIHint.Delay = 2f`

Delay in seconds before fading (default: 2).

5.55.2.2 `bool Crosstales.UI.UIHint.Disable = true`

Disable [UI](#) element after the fade (default: true).

5.55.2.3 `bool Crosstales.UI.UIHint.FadeAtStart = true`

Fade at Start (default: true).

5.55.2.4 `float Crosstales.UI.UIHint.FadeTime = 2f`

Fade time in seconds (default: 2).

5.55.2.5 `CanvasGroup Crosstales.UI.UIHint.Group`

Group to fade.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/UI/Scripts/UIHint.cs`

5.56 Crosstales.UI.UIResize Class Reference

Resize a [UI](#) element.

Inheritance diagram for Crosstales.UI.UIResize:



Public Member Functions

- void **Awake** ()
- void **OnPointerDown** (PointerEventData data)
- void **OnDrag** (PointerEventData data)

Public Attributes

- Vector2 **MinSize** = new Vector2(300, 160)
Minimum size of the [UI](#) element.
- Vector2 **MaxSize** = new Vector2(800, 600)
Maximum size of the [UI](#) element.

5.56.1 Detailed Description

Resize a [UI](#) element.

5.56.2 Member Data Documentation

5.56.2.1 Vector2 Crosstales.UI.UIResize.MaxSize = new Vector2(800, 600)

Maximum size of the [UI](#) element.

5.56.2.2 Vector2 Crosstales.UI.UIResize.MinSize = new Vector2(300, 160)

Minimum size of the [UI](#) element.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/UI/Scripts/UI↔
Resize.cs

5.57 Crosstales.UI.UIWindowManager Class Reference

Change the state of all Window panels.

Inheritance diagram for Crosstales.UI.UIWindowManager:



Public Member Functions

- void **Start** ()
- void **ChangeState** (GameObject active)

Change the state of all windows.

Public Attributes

- GameObject[] **Windows**

All Windows of the scene.

5.57.1 Detailed Description

Change the state of all Window panels.

5.57.2 Member Function Documentation

5.57.2.1 void Crosstales.UI.UIWindowManager.ChangeState (GameObject active)

Change the state of all windows.

Parameters

<i>active</i>	Active window.
---------------	----------------

5.57.3 Member Data Documentation

5.57.3.1 GameObject [] Crosstales.UI.UIWindowManager.Windows

All Windows of the scene.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/UI/Scripts/UI↔WindowManager.cs

5.58 Crosstales.FB.EditorTask.UpdateCheck Class Reference

Checks for updates of the asset.

Static Public Member Functions

- static void **UpdateCheckForEditor** (out string result, out **UpdateStatus** st)

Public Attributes

- const string **TEXT_NOT_CHECKED** = "Not checked."
- const string **TEXT_NO_UPDATE** = "No update available - you are using the latest version."

5.58.1 Detailed Description

Checks for updates of the asset.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/FileBrowser/Editor/↵
Task/UpdateCheck.cs

5.59 Crosstales.UI.WindowManager Class Reference

Manager for a Window.

Inheritance diagram for Crosstales.UI.WindowManager:



Public Member Functions

- void **Start** ()
- void **Update** ()
- void **SwitchPanel** ()
Switch between open and close.
- void **OpenPanel** ()
summary>Close the panel.
- void **ClosePanel** ()

Public Attributes

- float **Speed** = 3f
Window movement speed (default: 3).
- GameObject[] **Dependencies**
Dependent GameObjects (active == open).

5.59.1 Detailed Description

Manager for a Window.

5.59.2 Member Function Documentation

5.59.2.1 void Crosstales.UI.WindowManager.OpenPanel ()

summary>Close the panel.

5.59.2.2 void Crosstales.UI.WindowManager.SwitchPanel ()

Switch between open and close.

summary>Open the panel.

5.59.3 Member Data Documentation

5.59.3.1 GameObject [] Crosstales.UI.WindowManager.Dependencies

Dependent GameObjects (active == open).

5.59.3.2 float Crosstales.UI.WindowManager.Speed = 3f

Window movement speed (default: 3).

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/UI/Scripts/Window↵
Manager.cs

5.60 Crosstales.Common.Util.XmlHelper Class Reference

Helper-class for XML.

Static Public Member Functions

- static void [SerializeToFile< T >](#) (T obj, string filename)
Serialize an object to an XML-file.
- static T [DeserializeFromFile< T >](#) (string filename, bool skipBOM=false)
Deserialize a XML-file to an object.
- static string [SerializeToString< T >](#) (T obj)
Serialize an object to an XML-string.
- static T [DeserializeFromString< T >](#) (string xmlAsString, bool skipBOM=true)
Deserialize a XML-string to an object.
- static T [DeserializeFromResource< T >](#) (string resourceName, bool skipBOM=true)
Deserialize a Unity XML resource (TextAsset) to an object.

5.60.1 Detailed Description

Helper-class for XML.

5.60.2 Member Function Documentation

5.60.2.1 static T Crosstales.Common.Util.XmlHelper.DeserializeFromFile< T > (string filename, bool skipBOM = false) [static]

Deserialize a XML-file to an object.

Parameters

<i>filename</i>	XML-file of the object
<i>skipBOM</i>	Skip BOM (optional, default: false)

Returns

Object

5.60.2.2 `static T Crosstales.Common.Util.XmlHelper.DeserializeFromResource< T > (string resourceName, bool skipBOM = true) [static]`

Deserialize a Unity XML resource (TextAsset) to an object.

Parameters

<i>resourceName</i>	Name of the resource
<i>skipBOM</i>	Skip BOM (optional, default: true)

Returns

Object

5.60.2.3 `static T Crosstales.Common.Util.XmlHelper.DeserializeFromString< T > (string xmlAsString, bool skipBOM = true) [static]`

Deserialize a XML-string to an object.

Parameters

<i>xmlAsString</i>	XML of the object
<i>skipBOM</i>	Skip BOM (optional, default: true)

Returns

Object

5.60.2.4 `static void Crosstales.Common.Util.XmlHelper.SerializeToFile< T > (T obj, string filename) [static]`

Serialize an object to an XML-file.

Parameters

<i>obj</i>	Object to serialize.
<i>filename</i>	File name of the XML.

5.60.2.5 `static string Crosstales.Common.Util.XmlHelper.SerializeToString<T>(T obj)` [static]

Serialize an object to an XML-string.

Parameters

<i>obj</i>	Object to serialize.
------------	----------------------

Returns

Object as XML-stringValid path

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowser/Assets/Plugins/crosstales/Common/Scripts/Util/Xml↵
Helper.cs

Chapter 6

More information

6.1 Homepage

<https://www.crosstales.com/>

6.2 AssetStore

<https://assetstore.unity.com/lists/crosstales-42213?aid=10111NGT>

6.3 Forum

<https://forum.unity.com/threads/file-browser-native-file-browser-for-windows-and-macos.510403/>

6.4 Documentation

<https://www.crosstales.com/media/data/assets/FileBrowser/FileBrowser-doc.pdf>

6.5 Discord

<https://discord.gg/ZbZ2sh4>

6.6 Demos

6.6.1 Windows

https://www.crosstales.com/media/data/assets/FileBrowser/downloads/FileBrowser_win.zip

6.6.2 macOS

https://www.crosstales.com/media/data/assets/FileBrowser/downloads/FileBrowser_mac.zip

6.7 Videos

<https://www.youtube.com/c/Crosstales>

Index

- APPLICATION_PATH
 - Crosstales::Common::Util::BaseConstants, [27](#)
- ASSET_3P_PLAYMAKER
 - Crosstales::Common::Util::BaseConstants, [22](#)
- ASSET_API_URL
 - Crosstales::FB::Util::Constants, [50](#)
- ASSET_AUTHOR_URL
 - Crosstales::Common::Util::BaseConstants, [22](#)
- ASSET_AUTHOR
 - Crosstales::Common::Util::BaseConstants, [22](#)
- ASSET_BUILD
 - Crosstales::FB::Util::Constants, [50](#)
- ASSET_BWF
 - Crosstales::Common::Util::BaseConstants, [23](#)
- ASSET_CHANGED
 - Crosstales::FB::Util::Constants, [50](#)
- ASSET_CONTACT
 - Crosstales::FB::Util::Constants, [50](#)
- ASSET_CREATED
 - Crosstales::FB::Util::Constants, [51](#)
- ASSET_CT_URL
 - Crosstales::Common::Util::BaseConstants, [23](#)
- ASSET_DJ
 - Crosstales::Common::Util::BaseConstants, [23](#)
- ASSET_FORUM_URL
 - Crosstales::FB::Util::Constants, [51](#)
- ASSET_FB
 - Crosstales::Common::Util::BaseConstants, [23](#)
- ASSET_ID
 - Crosstales::FB::EditorUtil::EditorConstants, [59](#)
- ASSET_MANUAL_URL
 - Crosstales::FB::Util::Constants, [51](#)
- ASSET_NAME_SHORT
 - Crosstales::FB::Util::Constants, [51](#)
- ASSET_NAME
 - Crosstales::FB::Util::Constants, [51](#)
- ASSET_OC
 - Crosstales::Common::Util::BaseConstants, [23](#)
- ASSET_PATH
 - Crosstales::FB::EditorUtil::EditorConfig, [58](#)
- ASSET_PRO_URL
 - Crosstales::FB::Util::Constants, [51](#)
- ASSET_RADIO
 - Crosstales::Common::Util::BaseConstants, [23](#)
- ASSET_RTV
 - Crosstales::Common::Util::BaseConstants, [23](#)
- ASSET_SOCIAL_DISCORD
 - Crosstales::Common::Util::BaseConstants, [23](#)
- ASSET_SOCIAL_FACEBOOK
 - Crosstales::Common::Util::BaseConstants, [23](#)
- ASSET_SOCIAL_LINKEDIN
 - Crosstales::Common::Util::BaseConstants, [24](#)
- ASSET_SOCIAL_TWITTER
 - Crosstales::Common::Util::BaseConstants, [24](#)
- ASSET_SOCIAL_YOUTUBE
 - Crosstales::Common::Util::BaseConstants, [24](#)
- ASSET_TPB
 - Crosstales::Common::Util::BaseConstants, [24](#)
- ASSET_TPS
 - Crosstales::Common::Util::BaseConstants, [24](#)
- ASSET_TB
 - Crosstales::Common::Util::BaseConstants, [24](#)
- ASSET_TR
 - Crosstales::Common::Util::BaseConstants, [24](#)
- ASSET_UID
 - Crosstales::FB::EditorUtil::EditorConstants, [59](#)
- ASSET_UPDATE_CHECK_URL
 - Crosstales::FB::Util::Constants, [51](#)
- ASSET_URL
 - Crosstales::FB::EditorUtil::EditorConstants, [60](#)
- ASSET_VERSION
 - Crosstales::FB::Util::Constants, [51](#)
- ASSET_WEB_URL
 - Crosstales::FB::Util::Constants, [51](#)
- Active
 - Crosstales::Common::Util::PlatformController, [104](#)
- AlphaRange
 - Crosstales::Common::Util::RandomColor, [106](#)
- AudioSources
 - Crosstales::UI::Util::AudioSourceController, [18](#)
- BannerFB
 - Crosstales::FB::EditorUtil::EditorHelper, [61](#)
- BeginDrag
 - Crosstales::UI::UIDrag, [116](#)
- CMD_WINDOWS_PATH
 - Crosstales::Common::Util::BaseConstants, [24](#)
- CTAddRange< K, V >
 - Crosstales::ExtensionMethods, [64](#)
- CTContains
 - Crosstales::ExtensionMethods, [64](#)
- CTContainsAll
 - Crosstales::ExtensionMethods, [64](#)
- CTContainsAny
 - Crosstales::ExtensionMethods, [65](#)
- CTDump
 - Crosstales::ExtensionMethods, [65–67](#)
- CTDump< K, V >

- Crosstales::ExtensionMethods, [67](#)
- CTDump< T >
 - Crosstales::ExtensionMethods, [67](#), [68](#)
- CTEquals
 - Crosstales::ExtensionMethods, [68](#)
- CTIsVisibleFrom
 - Crosstales::ExtensionMethods, [68](#)
- CTReplace
 - Crosstales::ExtensionMethods, [69](#)
- CTReverse
 - Crosstales::ExtensionMethods, [69](#)
- CTShuffle< T >
 - Crosstales::ExtensionMethods, [69](#), [70](#)
- CTToString< T >
 - Crosstales::ExtensionMethods, [70](#)
- CTToTitleCase
 - Crosstales::ExtensionMethods, [70](#)
- canOpenMultipleFiles
 - Crosstales::FB::FileBrowser, [80](#)
 - Crosstales::FB::Wrapper::IFileBrowser, [102](#)
- canOpenMultipleFolders
 - Crosstales::FB::FileBrowser, [80](#)
 - Crosstales::FB::Wrapper::IFileBrowser, [102](#)
- Capture
 - Crosstales::Common::Util::TakeScreenshot, [114](#)
- ChangeInterval
 - Crosstales::Common::Util::RandomColor, [106](#)
 - Crosstales::Common::Util::RandomRotator, [107](#)
 - Crosstales::Common::Util::RandomScaler, [109](#)
- ChangeState
 - Crosstales::UI::UIWindowManager, [120](#)
- CleanUrl
 - Crosstales::Common::Util::BaseHelper, [35](#)
- ClearLineEndings
 - Crosstales::Common::Util::BaseHelper, [35](#)
- ClearSpaces
 - Crosstales::Common::Util::BaseHelper, [35](#)
- ClearTags
 - Crosstales::Common::Util::BaseHelper, [36](#)
- ConnectionLimit
 - Crosstales::Common::Util::CTWebClient, [57](#)
- CreateString
 - Crosstales::Common::Util::BaseHelper, [36](#)
- Crosstales, [9](#)
- Crosstales.Common, [9](#)
- Crosstales.Common.EditorTask, [9](#)
- Crosstales.Common.EditorTask.BaseCompileDefines,
 - [19](#)
- Crosstales.Common.EditorTask.BaseSetupResources,
 - [45](#)
- Crosstales.Common.EditorTask.NYCheck, [103](#)
- Crosstales.Common.EditorTask.SetupResources, [111](#)
- Crosstales.Common.EditorUtil, [10](#)
- Crosstales.Common.EditorUtil.BaseEditorHelper, [27](#)
- Crosstales.Common.EditorUtil.BaseGAApi, [31](#)
- Crosstales.Common.Model, [10](#)
- Crosstales.Common.Model.Enum, [10](#)
- Crosstales.Common.Util, [10](#)
- Crosstales.Common.Util.BaseConstants, [20](#)
- Crosstales.Common.Util.BaseHelper, [32](#)
- Crosstales.Common.Util.CTPlayerPrefs, [52](#)
- Crosstales.Common.Util.CTWebClient, [56](#)
- Crosstales.Common.Util.FreeCam, [94](#)
- Crosstales.Common.Util.PlatformController, [104](#)
- Crosstales.Common.Util.RandomColor, [105](#)
- Crosstales.Common.Util.RandomRotator, [107](#)
- Crosstales.Common.Util.RandomScaler, [108](#)
- Crosstales.Common.Util.SerializableDictionary< TKey,
 - TVal >, [111](#)
- Crosstales.Common.Util.TakeScreenshot, [114](#)
- Crosstales.Common.Util.XmlHelper, [122](#)
- Crosstales.ExtensionMethods, [62](#)
- Crosstales.FB.Demo, [11](#)
- Crosstales.FB.Demo.Examples, [61](#)
- Crosstales.FB.Demo.GUIMain, [96](#)
- Crosstales.FB.Demo.GUIScenes, [97](#)
- Crosstales.FB.EditorIntegration, [11](#)
- Crosstales.FB.EditorIntegration.ConfigBase, [47](#)
- Crosstales.FB.EditorIntegration.ConfigPreferences, [48](#)
- Crosstales.FB.EditorIntegration.ConfigWindow, [48](#)
- Crosstales.FB.EditorTask, [12](#)
- Crosstales.FB.EditorTask.AAAConfigLoader, [15](#)
- Crosstales.FB.EditorTask.CompileDefines, [45](#)
- Crosstales.FB.EditorTask.Launch, [103](#)
- Crosstales.FB.EditorTask.ReminderCheck, [109](#)
- Crosstales.FB.EditorTask.ReminderCT, [110](#)
- Crosstales.FB.EditorTask.SetupResources, [112](#)
- Crosstales.FB.EditorTask.Tracer, [115](#)
- Crosstales.FB.EditorTask.UpdateCheck, [120](#)
- Crosstales.FB.EditorUtil, [12](#)
- Crosstales.FB.EditorUtil.EditorConfig, [57](#)
- Crosstales.FB.EditorUtil.EditorConstants, [59](#)
- Crosstales.FB.EditorUtil.EditorHelper, [60](#)
- Crosstales.FB.EditorUtil.GAApi, [95](#)
- Crosstales.FB.ExtensionFilter, [62](#)
- Crosstales.FB.FileBrowser, [71](#)
- Crosstales.FB.Util, [13](#)
- Crosstales.FB.Util.Config, [46](#)
- Crosstales.FB.Util.Constants, [49](#)
- Crosstales.FB.Util.Helper, [98](#)
- Crosstales.FB.Wrapper, [13](#)
- Crosstales.FB.Wrapper.FileBrowserBase, [81](#)
- Crosstales.FB.Wrapper.FileBrowserEditor, [85](#)
- Crosstales.FB.Wrapper.FileBrowserGeneric, [87](#)
- Crosstales.FB.Wrapper.FileBrowserMac, [89](#)
- Crosstales.FB.Wrapper.FileBrowserWindows, [91](#)
- Crosstales.FB.Wrapper.IFileBrowser, [98](#)
- Crosstales.FB.Wrapper.Mac, [13](#)
- Crosstales.FB, [11](#)
- Crosstales.UI.Social, [112](#)
- Crosstales.UI.StaticManager, [113](#)
- Crosstales.UI.UIDrag, [115](#)
- Crosstales.UI.UIFocus, [116](#)
- Crosstales.UI.UIHint, [117](#)
- Crosstales.UI.UIResize, [118](#)
- Crosstales.UI.UIWindowManager, [119](#)

- Crosstales.UI.Util, [14](#)
- Crosstales.UI.Util.AudioFilterController, [15](#)
- Crosstales.UI.Util.AudioSourceController, [17](#)
- Crosstales.UI.Util.FPSDisplay, [93](#)
- Crosstales.UI.Util.ScrollRectHandler, [110](#)
- Crosstales.UI.WindowManager, [121](#)
- Crosstales.UI, [14](#)
- Crosstales::Common::EditorUtil::BaseEditorHelper
 - FindAssetsByType< T >, [29](#)
 - getBuildNameFromBuildTarget, [29](#)
 - getBuildTargetForBuildName, [29](#)
 - getCLIArgument, [30](#)
 - isValidBuildTarget, [30](#)
 - ReadOnlyTextField, [30](#)
 - RefreshAssetDatabase, [30](#)
 - RestartUnity, [30](#)
 - SeparatorUI, [31](#)
- Crosstales::Common::EditorUtil::BaseGAApi
 - Event, [32](#)
- Crosstales::Common::Model::Enum
 - Platform, [10](#)
- Crosstales::Common::Util::BaseConstants
 - APPLICATION_PATH, [27](#)
 - ASSET_3P_PLAYMAKER, [22](#)
 - ASSET_AUTHOR_URL, [22](#)
 - ASSET_AUTHOR, [22](#)
 - ASSET_BWF, [23](#)
 - ASSET_CT_URL, [23](#)
 - ASSET_DJ, [23](#)
 - ASSET_FB, [23](#)
 - ASSET_OC, [23](#)
 - ASSET_RADIO, [23](#)
 - ASSET_RTV, [23](#)
 - ASSET_SOCIAL_DISCORD, [23](#)
 - ASSET_SOCIAL_FACEBOOK, [23](#)
 - ASSET_SOCIAL_LINKEDIN, [24](#)
 - ASSET_SOCIAL_TWITTER, [24](#)
 - ASSET_SOCIAL_YOUTUBE, [24](#)
 - ASSET_TPB, [24](#)
 - ASSET_TPS, [24](#)
 - ASSET_TB, [24](#)
 - ASSET_TR, [24](#)
 - CMD_WINDOWS_PATH, [24](#)
 - DEV_DEBUG, [24](#)
 - FACTOR_GB, [25](#)
 - FACTOR_KB, [25](#)
 - FACTOR_MB, [25](#)
 - FLOAT_32768, [25](#)
 - FLOAT_TOLERANCE, [25](#)
 - FORMAT_NO_DECIMAL_PLACES, [25](#)
 - FORMAT_PERCENT, [25](#)
 - FORMAT_TWO_DECIMAL_PLACES, [25](#)
 - PATH_DELIMITER_UNIX, [25](#)
 - PATH_DELIMITER_WINDOWS, [25](#)
 - PREFIX_FILE, [27](#)
 - PROCESS_KILL_TIME, [26](#)
 - SHOW_BWF_BANNER, [26](#)
 - SHOW_DJ_BANNER, [26](#)
 - SHOW_FB_BANNER, [26](#)
 - SHOW_OC_BANNER, [26](#)
 - SHOW_RADIO_BANNER, [26](#)
 - SHOW_RTV_BANNER, [26](#)
 - SHOW_TB_BANNER, [26](#)
 - SHOW_TPB_BANNER, [26](#)
 - SHOW_TPS_BANNER, [26](#)
 - SHOW_TR_BANNER, [27](#)
- Crosstales::Common::Util::BaseHelper
 - CleanUrl, [35](#)
 - ClearLineEndings, [35](#)
 - ClearSpaces, [35](#)
 - ClearTags, [36](#)
 - CreateString, [36](#)
 - CurrentPlatform, [40](#)
 - FileCopy, [36](#)
 - FormatBytesToHRF, [37](#)
 - FormatSecondsToHourMinSec, [37](#)
 - GetDirectories, [37](#)
 - GetFiles, [37](#)
 - HSVToRGB, [38](#)
 - hasActiveClip, [37](#)
 - isAndroidPlatform, [40](#)
 - isAppleBasedPlatform, [40](#)
 - isEditor, [41](#)
 - isEditorMode, [41](#)
 - isIL2CPP, [41](#)
 - isIOSBasedPlatform, [41](#)
 - isIOSPlatform, [41](#)
 - isInternetAvailable, [41](#)
 - isLinuxEditor, [42](#)
 - isLinuxPlatform, [42](#)
 - isMacOSEditor, [42](#)
 - isMacOSPlatform, [42](#)
 - isPS4Platform, [42](#)
 - isStandalonePlatform, [42](#)
 - isTvOSPlatform, [43](#)
 - isValidURL, [38](#)
 - isWSABasedPlatform, [44](#)
 - isWSAPlatform, [44](#)
 - isWebGLPlatform, [43](#)
 - isWebPlatform, [43](#)
 - isWindowsBasedPlatform, [43](#)
 - isWindowsEditor, [43](#)
 - isWindowsPlatform, [43](#)
 - isXboxOnePlatform, [44](#)
 - OpenFile, [38](#)
 - RemoteCertificateValidationCallback, [39](#)
 - ShowFileLocation, [39](#)
 - SplitStringToLines, [39](#)
 - StreamingAssetsPath, [44](#)
 - ValidURLFromFilePath, [40](#)
 - ValidateFile, [39](#)
 - ValidatePath, [39](#)
- Crosstales::Common::Util::CTPlayerPrefs
 - DeleteAll, [53](#)
 - DeleteKey, [53](#)
 - GetBool, [53](#)

- GetDate, [53](#)
- GetFloat, [53](#)
- GetInt, [54](#)
- GetString, [54](#)
- HasKey, [54](#)
- Save, [54](#)
- SetBool, [55](#)
- SetDate, [55](#)
- SetFloat, [55](#)
- SetInt, [55](#)
- SetString, [55](#)
- Crosstales::Common::Util::CTWebClient
 - ConnectionLimit, [57](#)
 - Timeout, [57](#)
- Crosstales::Common::Util::FreeCam
 - FastMovementSpeed, [95](#)
 - FastZoomSensitivity, [95](#)
 - FreeLookSensitivity, [95](#)
 - MovementSpeed, [95](#)
 - StartLooking, [94](#)
 - StopLooking, [94](#)
 - ZoomSensitivity, [95](#)
- Crosstales::Common::Util::PlatformController
 - Active, [104](#)
 - Platforms, [104](#)
- Crosstales::Common::Util::RandomColor
 - AlphaRange, [106](#)
 - ChangeInterval, [106](#)
 - GrayScale, [106](#)
 - HueRange, [106](#)
 - Material, [106](#)
 - SaturationRange, [106](#)
 - UseInterval, [106](#)
 - ValueRange, [106](#)
- Crosstales::Common::Util::RandomRotator
 - ChangeInterval, [107](#)
 - SpeedMax, [107](#)
 - SpeedMin, [107](#)
 - UseInterval, [107](#)
- Crosstales::Common::Util::RandomScaler
 - ChangeInterval, [109](#)
 - ScaleMax, [109](#)
 - ScaleMin, [109](#)
 - Uniform, [109](#)
 - UseInterval, [109](#)
- Crosstales::Common::Util::TakeScreenshot
 - Capture, [114](#)
 - Prefix, [115](#)
 - Scale, [115](#)
- Crosstales::Common::Util::XmlHelper
 - DeserializeFromFile< T >, [122](#)
 - DeserializeFromResource< T >, [123](#)
 - DeserializeFromString< T >, [123](#)
 - SerializeToFile< T >, [123](#)
 - SerializeToString< T >, [124](#)
- Crosstales::ExtensionMethods
 - CTAddRange< K, V >, [64](#)
 - CTContains, [64](#)
 - CTContainsAll, [64](#)
 - CTContainsAny, [65](#)
 - CTDump, [65–67](#)
 - CTDump< K, V >, [67](#)
 - CTDump< T >, [67, 68](#)
 - CTEquals, [68](#)
 - CTIsVisibleFrom, [68](#)
 - CTReplace, [69](#)
 - CTReverse, [69](#)
 - CTShuffle< T >, [69, 70](#)
 - CTToString< T >, [70](#)
 - CTToTitleCase, [70](#)
- Crosstales::FB::EditorTask
 - UpdateStatus, [12](#)
- Crosstales::FB::EditorUtil::EditorConfig
 - ASSET_PATH, [58](#)
 - isLoaded, [58](#)
 - Load, [58](#)
 - Reset, [58](#)
 - Save, [58](#)
 - TRACER, [58](#)
 - UPDATE_CHECK, [58](#)
- Crosstales::FB::EditorUtil::EditorConstants
 - ASSET_ID, [59](#)
 - ASSET_UID, [59](#)
 - ASSET_URL, [60](#)
- Crosstales::FB::EditorUtil::EditorHelper
 - BannerFB, [61](#)
- Crosstales::FB::EditorUtil::GAApi
 - Event, [96](#)
- Crosstales::FB::FileBrowser
 - canOpenMultipleFiles, [80](#)
 - canOpenMultipleFolders, [80](#)
 - GetDirectories, [72](#)
 - GetFiles, [73](#)
 - isPlatformSupported, [80](#)
 - OpenFiles, [73, 74](#)
 - OpenFilesAsync, [74, 75](#)
 - OpenFolders, [75](#)
 - OpenFoldersAsync, [76](#)
 - OpenSingleFile, [76, 77](#)
 - OpenSingleFolder, [77](#)
 - SaveFile, [78](#)
 - SaveFileAsync, [79](#)
- Crosstales::FB::Util::Config
 - DEBUG, [46](#)
 - isLoaded, [46](#)
 - Load, [46](#)
 - NATIVE_WINDOWS, [47](#)
 - Reset, [46](#)
 - Save, [46](#)
- Crosstales::FB::Util::Constants
 - ASSET_API_URL, [50](#)
 - ASSET_BUILD, [50](#)
 - ASSET_CHANGED, [50](#)
 - ASSET_CONTACT, [50](#)
 - ASSET_CREATED, [51](#)
 - ASSET_FORUM_URL, [51](#)

- ASSET_MANUAL_URL, [51](#)
- ASSET_NAME_SHORT, [51](#)
- ASSET_NAME, [51](#)
- ASSET_PRO_URL, [51](#)
- ASSET_UPDATE_CHECK_URL, [51](#)
- ASSET_VERSION, [51](#)
- ASSET_WEB_URL, [51](#)
- Crosstales::FB::Util::Helper
 - isSupportedPlatform, [98](#)
- Crosstales::FB::Wrapper::FileBrowserBase
 - OpenFiles, [81](#)
 - OpenFilesAsync, [82](#)
 - OpenFolders, [82](#)
 - OpenFoldersAsync, [83](#)
 - OpenSingleFile, [83](#)
 - OpenSingleFolder, [83](#)
 - SaveFile, [84](#)
 - SaveFileAsync, [84](#)
- Crosstales::FB::Wrapper::FileBrowserEditor
 - OpenFiles, [85](#)
 - OpenFolders, [86](#)
 - SaveFile, [86](#)
- Crosstales::FB::Wrapper::FileBrowserGeneric
 - OpenFiles, [87](#)
 - OpenFolders, [88](#)
 - SaveFile, [88](#)
- Crosstales::FB::Wrapper::FileBrowserMac
 - OpenFiles, [89](#)
 - OpenFolders, [90](#)
 - SaveFile, [90](#)
- Crosstales::FB::Wrapper::FileBrowserWindows
 - OpenFiles, [91](#)
 - OpenFolders, [92](#)
 - SaveFile, [92](#)
- Crosstales::FB::Wrapper::IFileBrowser
 - canOpenMultipleFiles, [102](#)
 - canOpenMultipleFolders, [102](#)
 - isPlatformSupported, [103](#)
 - OpenFiles, [99](#)
 - OpenFilesAsync, [100](#)
 - OpenFolders, [100](#)
 - OpenFoldersAsync, [100](#)
 - OpenSingleFile, [101](#)
 - OpenSingleFolder, [101](#)
 - SaveFile, [101](#)
 - SaveFileAsync, [102](#)
- Crosstales::UI::StaticManager
 - OpenCrosstales, [113](#)
 - Quit, [113](#)
- Crosstales::UI::UIDrag
 - BeginDrag, [116](#)
- Crosstales::UI::UIFocus
 - ManagerName, [117](#)
 - OnPanelEnter, [117](#)
- Crosstales::UI::UIHint
 - Delay, [118](#)
 - Disable, [118](#)
 - FadeAtStart, [118](#)
 - FadeTime, [118](#)
 - Group, [118](#)
- Crosstales::UI::UIResize
 - MaxSize, [119](#)
 - MinSize, [119](#)
- Crosstales::UI::UIWindowManager
 - ChangeState, [120](#)
 - Windows, [120](#)
- Crosstales::UI::Util::AudioFilterController
 - FindAllAudioFilters, [16](#)
 - FindAllAudioFiltersOnStart, [17](#)
 - ResetAudioFilters, [16](#)
- Crosstales::UI::Util::AudioSourceController
 - AudioSources, [18](#)
 - FindAllAudioSources, [18](#)
 - FindAllAudioSourcesOnStart, [18](#)
 - Loop, [18](#)
 - Mute, [19](#)
 - Pitch, [19](#)
 - ResetAllAudioSources, [18](#)
 - ResetAudioSourcesOnStart, [19](#)
 - StereoPan, [19](#)
 - Volume, [19](#)
- Crosstales::UI::Util::FPSDisplay
 - FPS, [93](#)
- Crosstales::UI::WindowManager
 - Dependencies, [122](#)
 - OpenPanel, [122](#)
 - Speed, [122](#)
 - SwitchPanel, [122](#)
- CurrentPlatform
 - Crosstales::Common::Util::BaseHelper, [40](#)
- DEBUG
 - Crosstales::FB::Util::Config, [46](#)
- DEV_DEBUG
 - Crosstales::Common::Util::BaseConstants, [24](#)
- Delay
 - Crosstales::UI::UIHint, [118](#)
- DeleteAll
 - Crosstales::Common::Util::CTPlayerPrefs, [53](#)
- DeleteKey
 - Crosstales::Common::Util::CTPlayerPrefs, [53](#)
- Dependencies
 - Crosstales::UI::WindowManager, [122](#)
- DeserializeFromFile< T >
 - Crosstales::Common::Util::XmlHelper, [122](#)
- DeserializeFromResource< T >
 - Crosstales::Common::Util::XmlHelper, [123](#)
- DeserializeFromString< T >
 - Crosstales::Common::Util::XmlHelper, [123](#)
- Disable
 - Crosstales::UI::UIHint, [118](#)
- Event
 - Crosstales::Common::EditorUtil::BaseGAApi, [32](#)
 - Crosstales::FB::EditorUtil::GAApi, [96](#)
- FACTOR_GB

- Crosstales::Common::Util::BaseConstants, [25](#)
- FACTOR_KB
 - Crosstales::Common::Util::BaseConstants, [25](#)
- FACTOR_MB
 - Crosstales::Common::Util::BaseConstants, [25](#)
- FLOAT_32768
 - Crosstales::Common::Util::BaseConstants, [25](#)
- FLOAT_TOLERANCE
 - Crosstales::Common::Util::BaseConstants, [25](#)
- FORMAT_NO_DECIMAL_PLACES
 - Crosstales::Common::Util::BaseConstants, [25](#)
- FORMAT_PERCENT
 - Crosstales::Common::Util::BaseConstants, [25](#)
- FORMAT_TWO_DECIMAL_PLACES
 - Crosstales::Common::Util::BaseConstants, [25](#)
- FPS
 - Crosstales::UI::Util::FPSDisplay, [93](#)
- FadeAtStart
 - Crosstales::UI::UIHint, [118](#)
- FadeTime
 - Crosstales::UI::UIHint, [118](#)
- FastMovementSpeed
 - Crosstales::Common::Util::FreeCam, [95](#)
- FastZoomSensitivity
 - Crosstales::Common::Util::FreeCam, [95](#)
- FileCopy
 - Crosstales::Common::Util::BaseHelper, [36](#)
- FindAllAudioFilters
 - Crosstales::UI::Util::AudioFilterController, [16](#)
- FindAllAudioFiltersOnStart
 - Crosstales::UI::Util::AudioFilterController, [17](#)
- FindAllAudioSources
 - Crosstales::UI::Util::AudioSourceController, [18](#)
- FindAllAudioSourcesOnStart
 - Crosstales::UI::Util::AudioSourceController, [18](#)
- FindAssetsByType< T >
 - Crosstales::Common::EditorUtil::BaseEditor↔
Helper, [29](#)
- FormatBytesToHRF
 - Crosstales::Common::Util::BaseHelper, [37](#)
- FormatSecondsToHourMinSec
 - Crosstales::Common::Util::BaseHelper, [37](#)
- FreeLookSensitivity
 - Crosstales::Common::Util::FreeCam, [95](#)
- GetBool
 - Crosstales::Common::Util::CTPlayerPrefs, [53](#)
- getBuildNameFromBuildTarget
 - Crosstales::Common::EditorUtil::BaseEditor↔
Helper, [29](#)
- getBuildTargetForBuildName
 - Crosstales::Common::EditorUtil::BaseEditor↔
Helper, [29](#)
- getCLIArgument
 - Crosstales::Common::EditorUtil::BaseEditor↔
Helper, [30](#)
- GetDate
 - Crosstales::Common::Util::CTPlayerPrefs, [53](#)
- GetDirectories
 - Crosstales::Common::Util::BaseHelper, [37](#)
- Crosstales::FB::FileBrowser, [72](#)
- GetFiles
 - Crosstales::Common::Util::BaseHelper, [37](#)
 - Crosstales::FB::FileBrowser, [73](#)
- GetFloat
 - Crosstales::Common::Util::CTPlayerPrefs, [53](#)
- GetInt
 - Crosstales::Common::Util::CTPlayerPrefs, [54](#)
- GetString
 - Crosstales::Common::Util::CTPlayerPrefs, [54](#)
- GrayScale
 - Crosstales::Common::Util::RandomColor, [106](#)
- Group
 - Crosstales::UI::UIHint, [118](#)
- HSVToRGB
 - Crosstales::Common::Util::BaseHelper, [38](#)
- hasActiveClip
 - Crosstales::Common::Util::BaseHelper, [37](#)
- HasKey
 - Crosstales::Common::Util::CTPlayerPrefs, [54](#)
- HueRange
 - Crosstales::Common::Util::RandomColor, [106](#)
- isAndroidPlatform
 - Crosstales::Common::Util::BaseHelper, [40](#)
- isAppleBasedPlatform
 - Crosstales::Common::Util::BaseHelper, [40](#)
- isEditor
 - Crosstales::Common::Util::BaseHelper, [41](#)
- isEditorMode
 - Crosstales::Common::Util::BaseHelper, [41](#)
- isIL2CPP
 - Crosstales::Common::Util::BaseHelper, [41](#)
- isIOSBasedPlatform
 - Crosstales::Common::Util::BaseHelper, [41](#)
- isIOSPlatform
 - Crosstales::Common::Util::BaseHelper, [41](#)
- isInternetAvailable
 - Crosstales::Common::Util::BaseHelper, [41](#)
- isLinuxEditor
 - Crosstales::Common::Util::BaseHelper, [42](#)
- isLinuxPlatform
 - Crosstales::Common::Util::BaseHelper, [42](#)
- isLoaded
 - Crosstales::FB::EditorUtil::EditorConfig, [58](#)
 - Crosstales::FB::Util::Config, [46](#)
- isMacOSEditor
 - Crosstales::Common::Util::BaseHelper, [42](#)
- isMacOSPlatform
 - Crosstales::Common::Util::BaseHelper, [42](#)
- isPS4Platform
 - Crosstales::Common::Util::BaseHelper, [42](#)
- isPlatformSupported
 - Crosstales::FB::FileBrowser, [80](#)
 - Crosstales::FB::Wrapper::IFileBrowser, [103](#)
- isStandalonePlatform
 - Crosstales::Common::Util::BaseHelper, [42](#)

- isSupportedPlatform
 - Crosstales::FB::Util::Helper, [98](#)
- isTvOSPlatform
 - Crosstales::Common::Util::BaseHelper, [43](#)
- isValidBuildTarget
 - Crosstales::Common::EditorUtil::BaseEditor↔
Helper, [30](#)
- isValidURL
 - Crosstales::Common::Util::BaseHelper, [38](#)
- isWSABasedPlatform
 - Crosstales::Common::Util::BaseHelper, [44](#)
- isWSAPlatform
 - Crosstales::Common::Util::BaseHelper, [44](#)
- isWebGLPlatform
 - Crosstales::Common::Util::BaseHelper, [43](#)
- isWebPlatform
 - Crosstales::Common::Util::BaseHelper, [43](#)
- isWindowsBasedPlatform
 - Crosstales::Common::Util::BaseHelper, [43](#)
- isWindowsEditor
 - Crosstales::Common::Util::BaseHelper, [43](#)
- isWindowsPlatform
 - Crosstales::Common::Util::BaseHelper, [43](#)
- isXboxOnePlatform
 - Crosstales::Common::Util::BaseHelper, [44](#)
- Load
 - Crosstales::FB::EditorUtil::EditorConfig, [58](#)
 - Crosstales::FB::Util::Config, [46](#)
- Loop
 - Crosstales::UI::Util::AudioSourceController, [18](#)
- ManagerName
 - Crosstales::UI::UIFocus, [117](#)
- Material
 - Crosstales::Common::Util::RandomColor, [106](#)
- MaxSize
 - Crosstales::UI::UIResize, [119](#)
- MinSize
 - Crosstales::UI::UIResize, [119](#)
- MovementSpeed
 - Crosstales::Common::Util::FreeCam, [95](#)
- Mute
 - Crosstales::UI::Util::AudioSourceController, [19](#)
- NATIVE_WINDOWS
 - Crosstales::FB::Util::Config, [47](#)
- OnPanelEnter
 - Crosstales::UI::UIFocus, [117](#)
- OpenCrosstales
 - Crosstales::UI::StaticManager, [113](#)
- OpenFile
 - Crosstales::Common::Util::BaseHelper, [38](#)
- OpenFiles
 - Crosstales::FB::FileBrowser, [73](#), [74](#)
 - Crosstales::FB::Wrapper::FileBrowserBase, [81](#)
 - Crosstales::FB::Wrapper::FileBrowserEditor, [85](#)
 - Crosstales::FB::Wrapper::FileBrowserGeneric, [87](#)
 - Crosstales::FB::Wrapper::FileBrowserMac, [89](#)
 - Crosstales::FB::Wrapper::FileBrowserWindows, [91](#)
 - Crosstales::FB::Wrapper::IFileBrowser, [99](#)
- OpenFilesAsync
 - Crosstales::FB::FileBrowser, [74](#), [75](#)
 - Crosstales::FB::Wrapper::FileBrowserBase, [82](#)
 - Crosstales::FB::Wrapper::IFileBrowser, [100](#)
- OpenFolders
 - Crosstales::FB::FileBrowser, [75](#)
 - Crosstales::FB::Wrapper::FileBrowserBase, [82](#)
 - Crosstales::FB::Wrapper::FileBrowserEditor, [86](#)
 - Crosstales::FB::Wrapper::FileBrowserGeneric, [88](#)
 - Crosstales::FB::Wrapper::FileBrowserMac, [90](#)
 - Crosstales::FB::Wrapper::FileBrowserWindows, [92](#)
 - Crosstales::FB::Wrapper::IFileBrowser, [100](#)
- OpenFoldersAsync
 - Crosstales::FB::FileBrowser, [76](#)
 - Crosstales::FB::Wrapper::FileBrowserBase, [83](#)
 - Crosstales::FB::Wrapper::IFileBrowser, [100](#)
- OpenPanel
 - Crosstales::UI::WindowManager, [122](#)
- OpenSingleFile
 - Crosstales::FB::FileBrowser, [76](#), [77](#)
 - Crosstales::FB::Wrapper::FileBrowserBase, [83](#)
 - Crosstales::FB::Wrapper::IFileBrowser, [101](#)
- OpenSingleFolder
 - Crosstales::FB::FileBrowser, [77](#)
 - Crosstales::FB::Wrapper::FileBrowserBase, [83](#)
 - Crosstales::FB::Wrapper::IFileBrowser, [101](#)
- PATH_DELIMITER_UNIX
 - Crosstales::Common::Util::BaseConstants, [25](#)
- PATH_DELIMITER_WINDOWS
 - Crosstales::Common::Util::BaseConstants, [25](#)
- PREFIX_FILE
 - Crosstales::Common::Util::BaseConstants, [27](#)
- PROCESS_KILL_TIME
 - Crosstales::Common::Util::BaseConstants, [26](#)
- Pitch
 - Crosstales::UI::Util::AudioSourceController, [19](#)
- Platform
 - Crosstales::Common::Model::Enum, [10](#)
- Platforms
 - Crosstales::Common::Util::PlatformController, [104](#)
- Prefix
 - Crosstales::Common::Util::TakeScreenshot, [115](#)
- Quit
 - Crosstales::UI::StaticManager, [113](#)
- ReadOnlyTextField
 - Crosstales::Common::EditorUtil::BaseEditor↔
Helper, [30](#)
- RefreshAssetDatabase
 - Crosstales::Common::EditorUtil::BaseEditor↔
Helper, [30](#)
- RemoteCertificateValidationCallback
 - Crosstales::Common::Util::BaseHelper, [39](#)
- Reset

- Crosstales::FB::EditorUtil::EditorConfig, [58](#)
- Crosstales::FB::Util::Config, [46](#)
- ResetAllAudioSources
 - Crosstales::UI::Util::AudioSourceController, [18](#)
- ResetAudioFilters
 - Crosstales::UI::Util::AudioFilterController, [16](#)
- ResetAudioSourcesOnStart
 - Crosstales::UI::Util::AudioSourceController, [19](#)
- RestartUnity
 - Crosstales::Common::EditorUtil::BaseEditor↵Helper, [30](#)
- SHOW_BWF_BANNER
 - Crosstales::Common::Util::BaseConstants, [26](#)
- SHOW_DJ_BANNER
 - Crosstales::Common::Util::BaseConstants, [26](#)
- SHOW_FB_BANNER
 - Crosstales::Common::Util::BaseConstants, [26](#)
- SHOW_OC_BANNER
 - Crosstales::Common::Util::BaseConstants, [26](#)
- SHOW_RADIO_BANNER
 - Crosstales::Common::Util::BaseConstants, [26](#)
- SHOW_RTV_BANNER
 - Crosstales::Common::Util::BaseConstants, [26](#)
- SHOW_TB_BANNER
 - Crosstales::Common::Util::BaseConstants, [26](#)
- SHOW_TPB_BANNER
 - Crosstales::Common::Util::BaseConstants, [26](#)
- SHOW_TPS_BANNER
 - Crosstales::Common::Util::BaseConstants, [26](#)
- SHOW_TR_BANNER
 - Crosstales::Common::Util::BaseConstants, [27](#)
- SaturationRange
 - Crosstales::Common::Util::RandomColor, [106](#)
- Save
 - Crosstales::Common::Util::CTPlayerPrefs, [54](#)
 - Crosstales::FB::EditorUtil::EditorConfig, [58](#)
 - Crosstales::FB::Util::Config, [46](#)
- SaveFile
 - Crosstales::FB::FileBrowser, [78](#)
 - Crosstales::FB::Wrapper::FileBrowserBase, [84](#)
 - Crosstales::FB::Wrapper::FileBrowserEditor, [86](#)
 - Crosstales::FB::Wrapper::FileBrowserGeneric, [88](#)
 - Crosstales::FB::Wrapper::FileBrowserMac, [90](#)
 - Crosstales::FB::Wrapper::FileBrowserWindows, [92](#)
 - Crosstales::FB::Wrapper::IFileBrowser, [101](#)
- SaveFileAsync
 - Crosstales::FB::FileBrowser, [79](#)
 - Crosstales::FB::Wrapper::FileBrowserBase, [84](#)
 - Crosstales::FB::Wrapper::IFileBrowser, [102](#)
- Scale
 - Crosstales::Common::Util::TakeScreenshot, [115](#)
- ScaleMax
 - Crosstales::Common::Util::RandomScaler, [109](#)
- ScaleMin
 - Crosstales::Common::Util::RandomScaler, [109](#)
- SeparatorUI
 - Crosstales::Common::EditorUtil::BaseEditor↵Helper, [31](#)
- SerializeToFile< T >
 - Crosstales::Common::Util::XmlHelper, [123](#)
- SerializeToString< T >
 - Crosstales::Common::Util::XmlHelper, [124](#)
- SetBool
 - Crosstales::Common::Util::CTPlayerPrefs, [55](#)
- SetDate
 - Crosstales::Common::Util::CTPlayerPrefs, [55](#)
- SetFloat
 - Crosstales::Common::Util::CTPlayerPrefs, [55](#)
- SetInt
 - Crosstales::Common::Util::CTPlayerPrefs, [55](#)
- SetString
 - Crosstales::Common::Util::CTPlayerPrefs, [55](#)
- ShowFileLocation
 - Crosstales::Common::Util::BaseHelper, [39](#)
- Speed
 - Crosstales::UI::WindowManager, [122](#)
- SpeedMax
 - Crosstales::Common::Util::RandomRotator, [107](#)
- SpeedMin
 - Crosstales::Common::Util::RandomRotator, [107](#)
- SplitStringToLines
 - Crosstales::Common::Util::BaseHelper, [39](#)
- StartLooking
 - Crosstales::Common::Util::FreeCam, [94](#)
- StereoPan
 - Crosstales::UI::Util::AudioSourceController, [19](#)
- StopLooking
 - Crosstales::Common::Util::FreeCam, [94](#)
- StreamingAssetsPath
 - Crosstales::Common::Util::BaseHelper, [44](#)
- SwitchPanel
 - Crosstales::UI::WindowManager, [122](#)
- TRACER
 - Crosstales::FB::EditorUtil::EditorConfig, [58](#)
- Timeout
 - Crosstales::Common::Util::CTWebClient, [57](#)
- UPDATE_CHECK
 - Crosstales::FB::EditorUtil::EditorConfig, [58](#)
- Uniform
 - Crosstales::Common::Util::RandomScaler, [109](#)
- UpdateStatus
 - Crosstales::FB::EditorTask, [12](#)
- UseInterval
 - Crosstales::Common::Util::RandomColor, [106](#)
 - Crosstales::Common::Util::RandomRotator, [107](#)
 - Crosstales::Common::Util::RandomScaler, [109](#)
- ValidURLFromFilePath
 - Crosstales::Common::Util::BaseHelper, [40](#)
- ValidateFile
 - Crosstales::Common::Util::BaseHelper, [39](#)
- ValidatePath
 - Crosstales::Common::Util::BaseHelper, [39](#)
- ValueRange
 - Crosstales::Common::Util::RandomColor, [106](#)

Volume

Crosstales::UI::Util::AudioSourceController, [19](#)

Windows

Crosstales::UI::UIWindowManager, [120](#)

ZoomSensitivity

Crosstales::Common::Util::FreeCam, [95](#)