CS280 – Splay Trees
January 17, 2016

Sudoku Questions

http://azrael.digipen.edu/~mmead/www/Courses/2016/winter/cs280/project3/index.html

- Make sure place_value returns a boolean
- We should call recirsove function for every space on the board
    - Only if there is no conflict
- States of the program
    - Conflicts
        - Backing up
    - No conflicts
        - Moving forwards
- Abort check probably won't be tested, mostly for debugging
- **Midterm next Wednesday**

http://azrael.digipen.edu/~mmead/www/Courses/CS280/Trees.html

Trees

- Rotating nodes is similar to a linked list
    - Just pointer manipulation
- Order of the data matters as it will affect the tree structure (unless you manually balance the data as you go)
- Worst case for a BST (Binary Search Tree) is sorted data
    - Degenerates into a linked list

Splay Trees



'Splaying' a node

- Moving a newly inserted node into the correct spot is called 'splaying' the node
- Four different types of patterns from grandparent to grandchild
  - zig-zig
  - zig-zag
  - zag-zag
  - zag-zig



- Splaying trees has good average performance
- Meant to be used on large sets of data
- Splaying algorithm is trivial if not keeping the tree balanced
  - Keeping it balanced is another matter entirely however

- Key to expression trees is **post order traversal**
- Compilers make large use of unions to build expression trees
    - A Union is like a struct, but it shares the memory of the largest data type.
    - 'Mutually Exclusive struct'



- Unions are a great way to save space
    - Think of a networking bottleneck
- const
    - *const int i = get(); //i is constant but only known at runtime*
- constexpr
    - *constexpr int foo(); //can be evaluated at compile time*
- Midterm exam will cover up to what we went over on the 17th