

Α.



```
gamik@GamikaKJ MINGN64 /d/(D) Documents/Lessons/Year 03 Sem 02/BECS 32263 - Full-Stack Software Development Development/Full-Stack-Devlopment-Practical-Guides/Lab_02/recipe-hub (main)
$ git init
    02/recipe-hub/.git/
    gamik@GamikaKJ MINGW64 /d/(D) Documents/Lessons/Year 03 Sem 02/BECS 32263 - Full-Stack Software Development/Full-Stack-Devlopment-Practical-Guides/Lab_02/recipe-hub
• $ git add .
    gamik@GamikaKJ MINGW64 /d/(D) Documents/Lessons/Year 03 Sem 02/BECS 32263 - Full-Stack Software Development/Full-Stack-Devlopment-Practical-Guides/Lab 02/recipe-hub
• $ git commit -m "first commit"
    [master (root-commit) 2897e82] first commit
1 file changed, 31 insertions(+)
create mode 100644 index.html
    gamik@GamikakJ MINGw64 /d/(D) Documents/Lessons/Year 03 Sem 02/BECS 32263 - Full-Stack Software Development/Full-Stack-Devlopment-Practical-Guides/Lab_02/recipe-hub
• $ git branch -M main
    gamik@GamikaKJ MINGW64 /d/(D) Documents/Lessons/Year 03 Sem 02/BECS 32263 - Full-Stack Software Development/Full-Stack-Devlopment-Practical-Guides/Lab_02/recipe-hub
• $ git remote add origin https://github.com/GamikaJayawardana/recipe-hub.git
    gamik@GamikaKJ MINGW64 /d/(D) Documents/Lessons/Year 03 Sem 02/BECS 32263 - Full-Stack Software Development/Full-Stack-Devlopment-Practical-Guides/Lab_02/recipe-hub
• $ git push -u origin main
  $ git push -u origin main Enumerating objects: 100% (3/3), done.
Counting objects: 100% (3/3), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 637 bytes | 212.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/GamikaJayawardana/recipe-hub.git
* Inew branch | main > main | main > main | main > main | main > main | main 
      * [new branch] main -> main
branch 'main' set up to track 'origin/main'
```



```
gamik@GamikaKJ MINGN64 /d/(D) Documents/Lessons/Year 03 Sem 02/BECS 32263 - Full-Stack Software Development/Full-Stack-Devlopment-Practical-Guides/La
  b_02/recipe-hub (main)
$ git pull origin main
  $ git pull origin main
  From https://github.com/GamikaJayawardana/recipe-hub
                                      -> FETCH_HEAD
                         main
  Already up to date.
  gamik@GamikaKJ MINGW64 /d/(D) Documents/Lessons/Year 03 Sem 02/BECS 32263 - Full-Stack Software Development/Full-Stack-Devlopment-Practical-Guides/La
b_02/recipe-hub (main)$ git checkout -b appetizers
  Switched to a new branch 'appetizers'
gamik@GamikaKJ MINGw64 /d/(D) Documents/Lessons/Year 03 Sem 02/BECS 32263 - Full-Stack Software Development/Full-Stack-Devlopment-Practical-Guides/La


• b_02/recipe-hub (appetizers)
  $ git add appetizers.html
1 file changed, 54 insertions(+)
   create mode 100644 appetizers.html
gamik@GamikaKJ MINGW64 /d/(D) Documents/Lessons/Year 03 Sem 02/BECS 32263 - Full-Stack Software Development/Full-Stack-Devlopment-Practical-Guides/La


• b_02/recipe-hub (appetizers)
  $ git push origin appetizers
  Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
 Compression objects: 100% (4/4), done.


Compressing objects: 100% (3/3), done.

Writing objects: 100% (3/3), 653 bytes | 130.00 KiB/s, done.

Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
  remote:
  remote: Create a pull request for 'appetizers' on GitHub by visiting: remote: https://gitHub.com/GamikaJayawardana/recipe-hub/pull/new/appetizers
  remote:
  To https://github.com/GamikaJayawardana/recipe-hub.git
   * [new branch]
                        appetizers -> appetizers
```







```
gamik@GamikakCl MINGw64 /d/(D) Documents/Lessons/Year 03 Sem 02/BECS 32263 - Full-Stack Software Development/Full-Stack-Devlopment-Practical-Guides/Lab_02/recipe-hu b (desserts)

$ git add desserts.html

gamik@GamikakCl MINGw64 /d/(D) Documents/Lessons/Year 03 Sem 02/BECS 32263 - Full-Stack Software Development/Full-Stack-Devlopment-Practical-Guides/Lab_02/recipe-hu b (desserts)

$ git comit - m "Added desserts.html with 2 desserts"

[desserts 5e4420b] Added dessertss.html with 2 desserts 1 file changed, 54 insertions(+) create mode 100644 desserts.html

gamik@GamikakCl MINGw64 /d/(D) Documents/Lessons/Year 03 Sem 02/BECS 32263 - Full-Stack Software Development/Full-Stack-Devlopment-Practical-Guides/Lab_02/recipe-hu b (desserts)

$ git push origin desserts

Enumerating objects: 4, done.

Counting objects: 100% (4/4), done.

Delta compressing up to 12 threads

Compressing objects: 100% (3/3), done.

Writing objects: 100% (3/3), done.

Writing objects: 100% (3/3), done.

Writing objects: 100% (3/3), done (delta 0), pack-reused 0 (from 0) remote:

remote: Create a pull request for 'desserts' on GitHub by visiting:

remote: https://github.com/GamikaJayawardana/recipe-hub/pull/new/desserts

[new branch] desserts -> desserts
```



