

VentureMiner AI

Documentation Governance

Document: 00-Governance / 00_documentation_governance

Version: v1.0

Date: 2026-07-20

Author: VentureMiner AI Documentation Team

Status: Approved

Project: VentureMiner AI — AI Venture Intelligence Platform

Table of Contents

Documentation Governance

Table of Contents

1. Purpose & Scope
2. Audience
3. Document Standards
 - 3.1 General principles
 - 3.2 Document types
 - 3.3 Required document sections
4. Folder Structure
5. Naming Conventions
 - 5.1 Files
 - 5.2 Sections inside documents
6. Versioning Policy
7. Requirement Traceability
 - 7.1 Requirement ID format
 - 7.2 Acceptance criterion format
8. ID Systems
9. Diagram Standards
10. Cross-Reference Rules
11. Document Templates
 - 11.1 Required front-matter (YAML)
 - 11.2 Revision history table
12. Document Lifecycle
13. Review & Approval Workflow
14. Change Management
15. Quality Checklist
16. Glossary
17. Acronyms
18. Appendix — Governance Audit Form

Documentation Governance

Document 00 — Governance Standard for the VentureMiner AI Documentation Suite This document defines the rules every other document in the suite must follow. It is the source of truth for naming, versioning, traceability, review, and approval. No document is considered "released" unless it complies with this governance.

Table of Contents

1. Purpose & Scope
2. Audience
3. Document Standards
4. Folder Structure
5. Naming Conventions
6. Versioning Policy
7. Requirement Traceability
8. ID Systems (Requirements, Features, Screens, APIs, DB, Agents)
9. Diagram Standards
10. Cross-Reference Rules
11. Document Templates
12. Document Lifecycle
13. Review & Approval Workflow
14. Change Management
15. Quality Checklist
16. Glossary
17. Acronyms
18. Appendix — Governance Audit Form

1. Purpose & Scope

This document establishes the rules and conventions governing the entire VentureMiner AI documentation suite (Documents 00–30). It ensures every artifact — PRD, TRD, architecture, design, engineering — is internally consistent, traceable, and reviewable.

It applies to every person, agent, or sub-process that authors, reviews, or consumes any document under the ProjectSAAS/docs/ tree.

2. Audience

- Product Managers — owners of the PRD and roadmap.
- Architects — owners of TRD, backend, and AI architecture documents.

- QA Engineers — owners of test plans and acceptance criteria.
- Documentation Team — stewards of governance and cross-doc consistency.
- Executive Stakeholders — readers of executive summaries and roadmap documents.

3. Document Standards

3.1 General principles

- One source of truth per topic. A given concern (e.g. authentication) is documented in exactly one primary document; other documents reference it.
- Documents are atomic. A document is a self-contained, downloadable PDF and Markdown pair.
- Every document is reviewed. No document is published without a documented review and approval pass.
- Stable URL semantics. Folder paths under docs/ are stable; documents are versioned, never renamed in place.

3.2 Document types

Product	Defines what and why	PRD, Roadmap, Business Model
Architecture	Defines how (system, data, AI)	TRD, Backend, Multi-Agent, RAG
Design	Defines interaction and appearance	UI/UX Spec, Application Flow
Engineering	Defines build, run, ship	API Specs, Security, DevOps, CI/CD, Testing, Monitoring, Coding Standards, Operations
Governance	Defines how documents behave	This document

3.3 Required document sections

Every functional document (anything except this governance doc) MUST contain:

1. Cover (title, version, date, author, status)
2. Revision history
3. Table of contents
4. Purpose & scope
5. Audience
6. Body (chapters, sections)
7. Cross-references (where applicable)

4. Folder Structure

ProjectSAAS/
■■■ ChatHistory.txt
■■■ docs/
■■■ 00-Governance/ ← This document lives here
■■■ 01-PRD/ ← Product Requirements Document
■■■ 02-TRD/ ← Technical Requirements Document
■■■ 03-ApplicationFlow/ ← End-to-end flows
■■■ 04-UIUX/ ← UI / UX specification
■■■ 05-Backend/ ← Backend & database architecture
■■■ 06-Roadmap/ ← Implementation roadmap
■■■ 07-AI-Architecture/ ← System, agents, RAG, MCP, plugins
■■■ 08-Engineering/ ← API, security, testing, DevOps, CI/CD, monitoring, coding standards, ops
■■■ pdfs/ ← Generated PDFs (one per .md)
■■■ generate_pdfs.py ← PDF generator
■■■ README.md ← Index of all documents

Folder rules

- Folder names are zero-padded two-digit prefixes so ordering is stable.
- Sub-folders (e.g. 07-AI-Architecture/multi-agent/) are allowed when a document family is large.
- Generated artifacts (PDFs) go to pdfs/. Source Markdown remains in its primary folder.

5. Naming Conventions

5.1 Files

- Markdown files use snake_case with a zero-padded document number prefix:
- 00_documentation_governance.md
- 01_product_requirements_document.md
- 07_multi_agent_architecture.md
- PDF files mirror the Markdown stem with .pdf, prefixed by their parent folder to avoid collisions in the flat pdfs/ output:
- 00-Governance__00_documentation_governance.pdf

5.2 Sections inside documents

- # Title — document title (exactly one per document).
- ## Chapter — top-level chapters, numbered implicitly in the TOC.
- ### Section — subsections.
- #### Sub-subsection — fine-grained.

- Semantic versioning: MAJOR.MINOR.PATCH (e.g. v1.0.0).
- MAJOR — incompatible restructure or new top-level document.
- MINOR — additive chapter, new requirement, or new feature.
- PATCH — typo, formatting, clarification that does NOT change meaning.
- Every document carries a version in its front-matter.
- A change to a requirement ID's meaning is a MAJOR version bump.
- Generated PDFs and the source Markdown must share a version. The PDF file name may include _vMAJOR.MINOR.

7. Requirement Traceability

Every requirement must be:

1. Stated in one document (usually the PRD).
2. Addressed in at least one architecture / engineering document.
3. Implemented in code (tracked outside this suite, but each requirement is linked from the PRD to the responsible document).
4. Tested in the test plan (Document 22).
5. Traceable both ways — a reader can go from requirement → implementation, and from implementation → originating requirement.

7.1 Requirement ID format

REQ- -

- DOMAIN is a 3–5 letter code: AUTH, DISC (discovery), VAL (validation), RPT (report), BIL (billing), OBS (observability), INT (integration), AI (AI pipeline), SEC, UI, PERF.
- NUMBER is a zero-padded 4-digit sequence per domain.
- Example: REQ-DISC-0001, REQ-AUTH-0012.

7.2 Acceptance criterion format

Each requirement has at least one acceptance criterion (AC), numbered AC-XX-NNNN and traceable from tests via:

TEST-XXXX → AC-XX-NNNN → REQ- -

8. ID Systems

Requirement	REQ--NNNN	REQ-DISC-0001	PRD
Acceptance criterion	AC--NNNN	AC-DISC-0001	PRD / tests
User story	US--NNN	US-FOUNDER-007	PRD
Feature	FEAT-NNN	FEAT-014	PRD
Screen	SCR--NNN	SCR-DASH-001	UI/UX

Requirement	REQ--NNNN	REQ-DISC-0001	PRD
Component	CMP--NNN	CMP-FORM-002	UI/UX
API endpoint	API--	API-OPPORTUNITIES-CREATE	API Spec
DB table		opportunity	Backend
DB column	.	opportunity.market_size_usd	Backend
AI agent	AGT-	AGT-DISCOVERY-RESEARCHER	Multi-Agent
Tool / plugin	T-	T-MARKET-DATA-FETCHER	Plugin Architecture
RAG collection	RC-	RC-MARKET-SIGNALS	RAG Architecture
Test case	TEST-NNNN	TEST-0042	Testing

9. Diagram Standards

- Notation — primary: Mermaid (rendered by GitHub, IDEs, and our docs site). Secondary: PlantUML where Mermaid is insufficient.
- Style — left-to-right top-to-bottom; consistent node colors per layer (e.g. UI = blue, Service = green, Data = orange, AI = purple, External = gray).
- Diagrams live inline in the relevant document, not in a separate "diagrams" folder, except shared canonical diagrams (e.g. system context) which live in their parent doc.
- Every diagram MUST have a caption with the format: Figure X.Y — .

10. Cross-Reference Rules

- Cross-references use the document's stable ID, not a page number.
- Good: See [Document 05 §4.2](05_backend_architecture.md#42-data-modeling).
- Bad: See page 23 of the backend doc.
- Requirements referenced from non-PRD docs must include the full REQ--NNNN ID.
- When a referenced document is updated, the dependent document's revision history records the impact.

11. Document Templates

11.1 Required front-matter (YAML)

```
---
title:
version: vMAJOR.MINOR.PATCH
date: YYYY-MM-DD
author:
status: Draft | In Review | Approved | Deprecated
---
```

11.2 Revision history table

v0.1	2026-07-20	Documentation Team	Initial outline
v1.0	2026-07-20	Documentation Team	First approved version

12. Document Lifecycle

Draft → Internal Review → External Review → Approved → Published → (Deprecated)

- Draft — being written; not for external consumption.
- Internal Review — first peer pass by the document's owning team.
- External Review — at least one reviewer from a different team.
- Approved — signed off; the canonical source of truth.
- Published — PDF generated and distributed.
- Deprecated — superseded; kept for audit, marked in cover and header.

13. Review & Approval Workflow

Draft author	1 (the author)	Draft document
Internal review	2+ domain peers	Annotated draft
External review	1 cross-team reviewer + 1 stakeholder	Review log
Approval	Document owner + Project lead	Signed cover
Publication	Docs team	PDF + index update

A document may not advance from Draft to Approved without a populated revision history row.

14. Change Management

- All changes to an Approved document require a new revision history entry.
- MINOR changes require a single reviewer.
- MAJOR changes require a full review cycle (Section 13).
- A change that adds, removes, or re-defines a requirement is a MAJOR version bump and must re-trigger downstream consumers (architecture / tests) to confirm or update their references.

15. Quality Checklist

Before a document is marked Approved, the following MUST be true:

- ☐ Front-matter complete (title, version, date, author, status).
- ☐ Revision history has at least one row beyond headers.
- ☐ TOC lists all ## chapters.
- ☐ All requirements carry a REQ--NNNN ID.

- [] Glossary terms are consistent with Section 16.
- [] Acronyms are consistent with Section 17.
- [] No orphan documents (every document is referenced by the index README).
- [] PDF generated and committed to docs/pdfs/.

16. Glossary

AI Venture Intelligence	The practice of using AI to surface, validate, and act on venture opportunities.
Discovery	The pipeline stage that generates candidate opportunities from raw signals.
Validation	The pipeline stage that confirms a candidate is real, growing, and monetizable.
RAG	Retrieval-Augmented Generation — pairing an LLM with an external knowledge base.
MCP	Model Context Protocol — standardized way to expose tools / data to an LLM.
Multi-Agent	Architecture where multiple specialized agents collaborate under an orchestrator.
Traceability	The ability to follow a requirement from origin to implementation to test.
Source of Truth	The single canonical document a fact is defined in.

17. Acronyms

PRD	Product Requirements Document
TRD	Technical Requirements Document
NFR	Non-Functional Requirement
KPI	Key Performance Indicator
MVP	Minimum Viable Product
RAG	Retrieval-Augmented Generation
MCP	Model Context Protocol
SLA	Service Level Agreement
SLO	Service Level Objective
RBAC	Role-Based Access Control
CI	Continuous Integration
CD	Continuous Delivery / Deployment

PRD	Product Requirements Document
LLM	Large Language Model
TAM	Total Addressable Market
SAM	Serviceable Addressable Market
SOM	Serviceable Obtainable Market

18. Appendix — Governance Audit Form

Use this form for every quarterly governance audit.

All documents have current front-matter	■	
No orphan requirements (every REQ-* appears in at least one architecture doc)	■	
No orphan documents (every doc is linked from README)	■	
No broken cross-references	■	
Versioning follows semantic rules	■	
Diagrams are Mermaid / PlantUML only	■	
Acronyms and glossary are in sync with usage	■	
PDFs generated for all Approved docs	■	
Last 90 days: MAJOR bumps reviewed end-to-end	■	
Next audit due		

End of Document 00 — Documentation Governance. Subsequent documents in this suite MUST comply with the rules defined here.