



A Project Report on  
**“CAB MANAGEMENT SYSTEM”**  
Submitted in partial fulfilment of  
VI SEMESTER B.Sc

As prescribed by  
**INDIAN ACADEMY DEGREE COLLEGE - AUTONOMOUS**

Developed by  
**GANDHAR S. MENGLE**                           **19IABSC104**

Under the Guidance of  
**Mrs. ANURADHA. P**

# **INDIAN ACADEMY**

Degree College - Autonomous

## **CERTIFICATE**

This is to certify that the project entitled "**CAB MANAGEMENT SYSTEM**", is a bona fide work done by **GANDHAR S. MENGLE (19IABSC104)**, submitted in partial fulfilment of VI Semester B.Sc., as prescribed by **INDIAN ACADEMY DEGREE COLLEGE - AUTONOMOUS**, during the academic year 2021-2022.

Internal Guide

Mrs. ANURADHA. P

Head of the Department

Mrs. ANURADHA. P

External Examiners:

1

2.

# **INDIAN ACADEMY**

Degree College - Autonomous

## **CERTIFICATE**

This is to certify that the project entitled "**CAB MANAGEMENT SYSTEM**", is a bona fide work done by **GANDHAR S. MENGLE (19IABSC104)** submitted in partial fulfilment of VI Semester B.Sc., as prescribed by **INDIAN ACADEMY DEGREE COLLEGE - AUTONOMOUS**, during the academic year 2021-2022.

Internal Guide

Mrs. ANURADHA. P

Head of the Department

Mrs. ANURADHA. P

External Examiners:

1

2.

## **ACKNOWLEDGEMENT**

I would like to express my sincere gratitude to our respected Principal, Dr. Srinidhi K Parthasarathy who gave opportunity to do the project and complete it successfully. I am very much thankful to him. I would like to express my special thanks to our H.O.D (Computer science) Mrs. Anuradha P, for providing constant support and cooperation during the project development. I take this opportunity to express my thanks to our project guide Mrs. Anuradha. P for the valuable help and guidance to develop this project. I would also like to thank my parents and friends who helped me a lot in finalizing this project.

## **DECLARATION**

**I GANDHAR S. MENGLE** here by declare that this project entitled "**CAB MANAGEMENT SYSTEM**" is submitted to the Department of Computer Science, Indian Academy Degree College-Autonomous, Bangalore for partial fulfilment of the requirement for the award of Bachelor of Science is a result of original work carried out by our self.

We further declare that we have not submitted this project report either in part or in full to any other university for the award of any degree

Date:

Student Name:

Gandhar S. Mengle (19IABSC104)

## **ABSTRACT**

Nowadays, in our society, computer technology is the most important advancement as people move along in this computerized world. These changes have big effects on man's life; by making it easier and more convenient. Cab management systems are designed to allow cab drivers to manage all of their passengers from a single location. Cab management software makes it easier to track your customers, record each trip, and get paid for every ride. There are a lot of benefits to using cab software to manage your customers.

Cab Management System, also titled “Cab Service Management System” or “Cool Cab Services”, is a web-based application useful for car travel agencies for handling office work. Implemented using **HTML, JAVA-SCRIPT, CSS, JSON, PHP, BOOTSTRAP, SQL server and XAMPP server**, this project aims at managing overall car services by handling finance, human resource, maintenance, and movement in addition to details of customers, employees, payment, and cabs.

The complete source code, project synopsis, database, screenshots, and other necessary project files of this project are available in this report. Detailed project report and documentation are given in this handbook.

## CONTENT

<b>SL.NO</b>	<b>PARTICULARS</b>	<b>PAGE NO</b>
1.	INTRODUCTION	1
2.	MODULES	2
4.	SYSTEM REQUIREMENTS	3
5.	SYSTEM FLOW DIAGRAM	4
6.	METHODOLOGY	5-7
7.	DATABASE DESIGN	8-12
8.	CODING	13-31
9.	OUTPUT	32-37
10.	SYSTEM TESTING	38
11.	CONCLUSION	39
12.	REFERENCE	40

## **INTRODUCTION**

The software that had been produced is a cab booking system, in this system, there can be 3 possible users; they are the administrators, driver and the costumer. The administrators have the capability to open all sectors of the program and edit cab system's information and access, update and delete any recorded general details and transaction details while the driver is limited to accept rides and get payment whereas the customer/client can book and schedule the ride. The purpose of the cab booking system is to provide quality services. It aims to provide a good and feasible cab booking system. The system provides a feature that can easily manage driver, cabs and client's information, booking details and managing cabs with divers and their respective transactions.

## **MODULES:**

The entire project mainly consists of 3 modules, which are

- ❖ Admin module
- ❖ Driver module
- ❖ Client module

### **Admin module:**

- Registration/Login
- Manage the client data
- Maintain Cabs
- View Booking/Adding/Cancelling
- Generating Reports/Bills

### **Client module:**

- Registration/Login
- Searching of Cabs
- Selecting of Cabs
- Schedule/Reserve Cabs
- Bill payments

### **Driver module:**

- Registration/Login
- Searching of Clients
- Schedule Cabs


## Report module:

- Show client data
- Show driver data
- Show transaction data

## Service Model :

### Design Taxi Service:

1. Business Process - Build a Rider Sharing App to provide the user Metrics
2. Understand the grain
3. Define Dimensions
4. Define Facts



## **SYSTEM REQUIREMENTS**


### **Hardware Requirement:**

- Hardware
  - Pentium or More / ARM A53 or more
- Speed
  - 1.1 GHz-5.2 GHz
- RAM
  - 2GB-12GB
- MEMORY
  - 20 GB or More
- Internet ports
  - RJ45 or WIFI-4, WIFI-5, WIFI-6/6E
- GPS
  - NAVIC or GPS

### **Software Requirements:**


- Operating System : Windows/Mac OS/Linux/Android/WebOS
- Project Platform : PHP
- IDE : Visual Studio 2022 or PHP-Strom
- Web Browser : Google Chrome, EDGE, Opera, Fire-Fox
- Web Server : XAMPP
- Database : My SQL

## SYSTEM FLOW DIAGRAM



## METHODOLOGY

This chapter begins on the scrutiny about the project research design methodology together with the development of the system operation, process and testing. The second part discussed the architectural diagram interface of hardware and the last part showed the recommended hardware, software and network specification.



*Figure 1: Waterfall Model Project Design Model*

Throughout the project development after the researchers conducted interviews and research regarding the proposed system, the researchers have decided to use Waterfall Model for the System Development Life Cycle (SDLC), because this model gave the researchers lot of advantage including; in each stage and activity done in development of the project those stages and activities were easily explained which benefit both the researchers and the client and also in each verification and review of each stage can easily locate and repair errors that may occur in the program.

## **Planning**

During planning phase of the system, the researchers conducted an interview to the client to gather some data about what the client looks for while booking the cab, inside cab service and after sale service. It is observed that the client demands reasonable charge of around 6-7 rupees per km. majority of customer do not demand for lavish ride by do ask for GPS tracking for continuous safety. Also while planning we survey the Drivers and their expectations to which we noticed that drivers demands average of 10-12 rupee per km thus our survey and finance team came up with the solution of average cost of 10 rupee per km including the company commission. The researchers also plan to provide a more secure and a large amount of database storage for their records to be safe and to use an artificial intelligence and machine learning to plan a future ride with a share group for cheaper price while serving more customers with less surges

## **Analysis**

The proposed computerized web-based Cab Booking System was designed purely from the users' viewpoint without considering the restraint of hardware (such as computers hardware and software). In addition, system frameworks required to attain such designs was clarified. After checking requirement specifications included in the basic plan, the overview of the project was represented through the use of diagrams so that the alternation and flows of data can be easily assumed.

## **Designing**

The software design particularly designed to the client and the driver; the researchers used a user-friendly design to attract the user to use the new cab booking system. Here, the system was arranged and constructed purely from the users' aspect without considering the constraints of hardware (such as computers). In inclusion, system structures enforced to achieve such designs were clarified. After checking the requirement stipulation included in the planning, the synopsis of the system represented by the use of diagrams so that the processed of data can be easily presumed. Based on the likeness and the division into sub-systems and input/output plotting was performed. The entire project was branched into a number of modules on a utilitarian basis, and each module was further divided into smaller entity. In designing of the code, such as the boldness of coding system, was conducted. In addition, relationships between the data were analyzed.

## **Software Development**

### **Coding**

In the development of the system, the researchers made use of Microsoft Visual Studio 2022 for encoding the source code of the system, the researchers also made a module

for loading of data in each specified field in the system, in order to be accurate and fast acquisition of data and information.

## Testing

After finishing the main parts of booking/transaction being done in the system the researchers tested it and there was a lot of learning that the researchers encountered, it made the researchers realized minor and major mistakes in the system and it gave more understanding on how to develop it, after several weeks, the system has been successfully introduced.

## Operation

In the operation test, the researchers conducted a test of our system with our fellow IADC-A students and few volunteers in order to verify and secure the system will satisfy the clients. The researchers received comments and suggestions for consideration.

## Maintenance

Maintenance will be conducted once the system is deployed to our clients, to maintain good performance all throughout the year, maintenance will be done on regular basis by our maintenance team by updating the site for security and bugs also if the clients make a request/complaint for a bug or error the maintenance and customer support team will be ready for quick support or a proper technical update will be provided. The researchers will also conduct a yearly maintenance and survey to ensure their satisfaction and know the expectations of the clients and drivers.

## Constraints

The following were the constraints the researchers had encountered during the gathering of information and making of the system:


- **Insufficient Funds** – Not enough fund to buy the proposed product for their Cab booking system. This problem is commonly caused by lack of financial preparation for the upgrade of their Data servers and other systems.
- **Operating Systems** – Variation in operating system affects the effectiveness of our system. If the client/driver operating system is not compatible the proposed program will not operate or function well as lower versions may not support the complete features or might have a major security breach issue.

## DATABASE DESIGN


LOGIN:

#	Name	Type
1	UserId 	int(11)
2	Fullname	varchar(124)
3	User_name	varchar(125)
4	Pass	varchar(125)
5	UserRole	varchar(125)
6	Status	varchar(11)


## DATA MODEL:




## CABS DRIVER AND SHIFTS:



## RIDES:



## CLIENT AUTHENTICATION:



## CODING

### Admin:

- 1.) Bookings
- 2.) Cab
- 3.) Category
- 4.) Client
- 5.) Incorporative
- 6.) Report
- 7.) Service request
- 8.) Service report
- 9.) User

### 1.Bookings

- Index
- View booking

### Index:

```
<div class="card card-outline card-purple shadow rounded-0">
  <div class="card-header">
    <h3 class="card-title">Booking List</h3>
  </div>
  <div class="card-body">
    <div class="container-fluid">
      <table class="table table-striped table-bordered table-hover">
        <colgroup>
          <col width="5%">
          <col width="14%">
          <col width="11%">
          <col width="10%">
          <col width="20%">
          <col width="10%">
          <col width="10%">
        </colgroup>
        <thead>
          <tr class="bg-gradient-dark text-light">
            <th class="text-center">#</th>
            <th class="text-center">Date Booked</th>
            <th class="text-center">Ref. Code</th>
            <th class="text-center">Cab Reg. Code</th>
            <th class="text-center">Client</th>
            <th class="text-center">Status</th>
            <th class="text-center">Action</th>
          </tr>
        </thead>
```

```

<tbody>
    <?php
        $i = 1;
        $bookings = $conn->query("SELECT b.* ,concat(c.lastname, ' ', c.firstname, ' ',c.middlename) as client, cab_reg_no FROM `booking_list` b inner join client_list c on b.client_id = c.id inner join cab_list cc on b.cab_id = cc.id order by unix_timestamp(b.date_created) desc ");
        while($row = $bookings->fetch_assoc()):
    ?>
        <tr>
            <td class="text-center"><?= $i++ ?></td>
            <td><?= date("Y-m-d H:i",
strtotime($row[ 'date_created'])) ?></td>
            <td><?= $row[ 'ref_code' ] ?></td>

            <td><?= $row[ 'cab_reg_no' ] ?></td>
            <td><?= $row[ 'client' ] ?></td>
            <td class="text-center">
                <?php
                    switch($row[ 'status' ]){
                        case 0:
                            echo "<span class='badge badge-secondary bg-gradient-secondary px-3 rounded-pill'>Pending</span>";
                            break;
                        case 1:
                            echo "<span class='badge badge-primary bg-gradient-primary px-3 rounded-pill'>Driver Confirmed</span>";
                            break;
                        case 2:
                            echo "<span class='badge badge-warning bg-gradient-warning px-3 rounded-pill'>Picked-up</span>";
                            break;
                        case 3:
                            echo "<span class='badge badge-success bg-gradient-success px-3 rounded-pill'>Dropped off</span>";
                            break;
                        case 4:
                            echo "<span class='badge badge-danger bg-gradient-danger px-3 rounded-pill'>Cancelled</span>";
                            break;
                    }
                ?>
            </td>
            </td>
            <td class="text-center">
                <a class="btn btn-flat btn-sm btn-info border view_data" href="javascript:void(0)" data-id="<?= $row[ 'id' ] ?>"><i class="fa fa-eye"></i> View</a>
            </td>

```

```

                </tr>
            <?php endwhile; ?>
        </tbody>
    </table>
</div>
</div>
<script>
$(function(){

    $('.table th, .table td').addClass("align-middle px-2 py-1")
    $('.table').dataTable();
    $('.table').dataTable();
    $('.view_data').click(function(){
        uni_modal("Booking
Details","bookings/view_booking.php?id="+$(this).attr('data-id'))
    })
})
</script>

```

### View Booking:

```

<?php
require_once('../config.php');
if(isset($_GET['id']) && $_GET['id'] > 0){
    $qry = $conn->query("SELECT b.*,concat(c.lastname, ' ', c.firstname,
',c.middlename) as client from `booking_list` b inner join client_list c on
b.client_id = c.id where b.id = '{$_GET['id']}' ");
    if($qry->num_rows > 0){
        foreach($qry->fetch_assoc() as $k => $v){
            $$k=$v;
        }
        $qry2 = $conn->query("SELECT c.* , cc.name as category from `cab_list` c
inner join category_list cc on c.category_id = cc.id where c.id = '{$cab_id}' ");
        if($qry2->num_rows > 0){
            foreach($qry2->fetch_assoc() as $k => $v){
                if(!isset($$k))
                    $$k=$v;
            }
        }
    }
}
?>
<style>
    #uni_modal .modal-footer{
        display:none
    }
</style>

```

```

<div class="container-fluid">
    <div class="row">
        <div class="col-md-6">
            <fieldset class="border-bottom">
                <legend class="h5 text-muted"> Cab Details</legend>
                <dl>
                    <dt class="">Cab Body No</dt>
                    <dd class="pl-4"><?= isset($body_no) ? $body_no : "" ?></dd>
                    <dt class="">Vehicle Category</dt>
                    <dd class="pl-4"><?= isset($category) ? $category : "" ?></dd>
                    <dt class="">Vehicle model</dt>
                    <dd class="pl-4"><?= isset($cab_model) ? $cab_model : "" ?></dd>
                    <dt class="">Driver</dt>
                    <dd class="pl-4"><?= isset($cab_driver) ? $cab_driver : "" ?></dd>
                    <dt class="">Driver Contact</dt>
                    <dd class="pl-4"><?= isset($driver_contact) ? $driver_contact : "" ?></dd>
                </dl>
            </fieldset>
        </div>
        <!-- <div class="clear-fix my-2"></div> -->
        <div class="col-md-6">
            <fieldset class="bor">
                <legend class="h5 text-muted"> Booking Details</legend>
                <dl>
                    <dt class="">Ref. Code</dt>
                    <dd class="pl-4"><?= isset($ref_code) ? $ref_code : "" ?></dd>
                    <dt class="">Client</dt>
                    <dd class="pl-4"><?= isset($client) ? $client : "" ?></dd>
                    <dt class="">Pickup Zone</dt>
                    <dd class="pl-4"><?= isset($pickup_zone) ? $pickup_zone : "" ?></dd>
                </dl>
            </fieldset>
        </div>
        <dt class="">Drop off Zone</dt>
        <dd class="pl-4"><?= isset($drop_zone) ? $drop_zone : "" ?></dd>
    </div>
    <dt class="">Status</dt>
    <dd class="pl-4">
        <?php
            switch($status){
                case 0:
                    echo "<span class='badge badge-secondary bg-gradient-secondary px-3 rounded-pill'>Pending</span>";
                    break;
                case 1:
                    echo "<span class='badge badge-primary bg-gradient-primary px-3 rounded-pill'>Driver Confirmed</span>";
            }
        </?php>
    </dd>
</div>

```

```

                break;
            case 2:
                echo "<span class='badge badge-warning bg-gradient-warning px-3 rounded-pill'>Picked-up</span>";
                break;
            case 3:
                echo "<span class='badge badge-success bg-gradient-success px-3 rounded-pill'>Dropped off</span>";
                break;
            case 4:
                echo "<span class='badge badge-danger bg-gradient-danger px-3 rounded-pill'>Cancelled</span>";
                break;
        }
    ?>
</dd>
</dl>
</fieldset>
</div>
</div>
<div class="clear-fix my-3"></div>
<div class="text-right">
    <button class="btn btn-danger btn-flat bg-gradient-red" type="button"
data-dismiss="modal"><i class="fa fa-times"></i> Close</button>
</div>
</div>

```

## 2.) Cabs

### Index

```

<?php if($_settings->chk_flashdata('success')): ?>
<script>
    alert_toast("<?php echo $_settings->flashdata('success') ?>", 'success')
</script>
<?php endif;?>
<div class="card card-outline card-purple">
    <div class="card-header">
        <h3 class="card-title">List of Cabs</h3>
        <div class="card-tools">
            <a href="?page=cabs/manage_cab" class="btn btn-flat btn-success btn-sm"><span class="fas fa-plus"></span> Add New Cab</a>
        </div>
    </div>
    <div class="card-body">
        <div class="container-fluid">
            <div class="container-fluid">
                <table class="table table-bordered table-striped table-hover">
                    <colgroup>

```

```

<col width="5%">
<!-- <col width="15%"> -->
<col width="15%">
<col width="10%">
<col width="15%">
<col width="20%">
<col width="10%">
<col width="15%">
</colgroup>
<thead>
<tr class="bg-gradient-dark text-light">
    <th>#</th>
    <!-- <th>Date Created</th> -->
    <th>Reg. Code</th>
    <th>Category</th>
    <th>Model</th>
    <th>Details</th>
    <th>Status</th>
    <th>Action</th>
</tr>
</thead>
<tbody>
<?php
$i = 1;
$qry = $conn->query("SELECT c.*,cc.name as category from
`cab_list` c inner join category_list cc on c.category_id = cc.id where
c.delete_flag = 0 order by (c.`reg_code`) asc ");
while($row = $qry->fetch_assoc()):
    foreach($row as $k=> $v){
        $row[$k] = trim(stripslashes($v));
    }
?>
<tr>
    <td class="text-center"><?php echo $i++; ?></td>
    <!-- <td><?php echo date("Y-m-d
H:i",strtotime($row['date_created'])) ?></td> -->
    <td><?php echo ucwords($row['reg_code']) ?></td>
    <td><?php echo ucwords($row['category']) ?></td>
    <td><?php echo ucwords($row['cab_model'])?></td>
    <td>
        <div>
            <p class="m-0 truncate-1"><small><b>Plate:</b>
<?= $row['cab_reg_no'] ?></small></p>
            <p class="m-0 truncate-
1"><small><b>Driver:</b> <?= $row['cab_driver'] ?></small></p>
        </div>
    </td>
    <td class="text-center">
        <?php if($row['status'] == 1): ?>

```

```

        <span class="badge badge-success px-3 rounded-pill">Active</span>
        <?php else: ?>
        <span class="badge badge-danger px-3 rounded-pill">Inactive</span>
        <?php endif; ?>
    </td>
    <td align="center">
        <button type="button" class="btn btn-flat btn-info btn-sm dropdown-toggle dropdown-icon" data-toggle="dropdown">
            Action
            <span class="sr-only">Toggle Dropdown</span>
        </button>
        <div class="dropdown-menu" role="menu">
            <a class="dropdown-item"
                href="?page=cabs/view_cab&id=<?php echo $row['id'] ?>"><span class="fa fa-eye text-dark"></span> View</a>
                <div class="dropdown-divider"></div>
                <a class="dropdown-item"
                    href="?page=cabs/manage_cab&id=<?php echo $row['id'] ?>"><span class="fa fa-edit text-primary"></span> Edit</a>
                    <div class="dropdown-divider"></div>
                    <a class="dropdown-item delete_data"
                        href="javascript:void(0)" data-id=<?php echo $row['id'] ?>"><span class="fa fa-trash text-danger"></span> Delete</a>
                    </div>
                </td>
            </tr>
        <?php endwhile; ?>
    </tbody>
</table>
</div>
</div>
</div>
</div>
</div>
</div>
<script>
$(document).ready(function(){
    $('.delete_data').click(function(){
        _conf("Are you sure to delete this cab
permanently?", "delete_cab",[$(this).attr('data-id')])
    })
    $('.table th, .table td').addClass("align-middle px-2 py-1")
    $('.table').dataTable();
    $('.table').dataTable();
})
function delete_cab($id){
    start_loader();
    $.ajax({
        url:_base_url_+"classes/Master.php?f=delete_cab",

```

```

        method:"POST",
        data:{id: $id},
        dataType:"json",
        error:err=>{
            console.log(err)
            alert_toast("An error occurred.", 'error');
            end_loader();
        },
        success:function(resp){
            if(typeof resp== 'object' && resp.status == 'success'){
                location.reload();
            }else{
                alert_toast("An error occurred.", 'error');
                end_loader();
            }
        }
    })
}
</script>

```

## Manage Cabs

```

<?php
if(isset($_GET['id']) && $_GET['id'] > 0){
    $qry = $conn->query("SELECT * from `cab_list` where id = '{$_GET['id']}' ");
    if($qry->num_rows > 0){
        foreach($qry->fetch_assoc() as $k => $v){
            $$k=stripslashes($v);
        }
    }
}
?>
<style>
#cimg{
    width: 15vw;
    height: 20vh;
    object-fit:scale-down;
    object-position:center center;
}
</style>
<div class="card card-outline card-purple rounded-0">
    <div class="card-header">
        <h3 class="card-title"><?php echo isset($id) ? "Update " : "Create New " ?>
Cab</h3>
    </div>
    <div class="card-body">
        <form action="" id="cab-form">
            <input type="hidden" name ="id" value=<?php echo isset($id) ? $id :
'' ?>">

```

```

<div class="form-group">
    <label for="category_id" class="control-label">Category</label>
    <select name="category_id" id="category_id" class="custom-select select2">
        <option value="" <?= !isset($category_id) ? "selected" : "" ?>
disabled></option>
        <?php
            $categorys = $conn->query("SELECT * FROM category_list where
delete_flag = 0 ".(isset($category_id) ? " or id = '{$category_id}'" : "")." order
by `name` asc ");
            while($row= $categorys->fetch_assoc()):
        ?>
        <option value=<?= $row['id'] ?>" <?= isset($category_id) &&
$category_id == $row['id'] ? "selected" : "" ?><?= $row['name'] ?> <?=
$row['delete_flag'] == 1 ? "<small>Deleted</small>" : "" ?></option>
        <?php endwhile; ?>
    </select>
</div>
<div class="form-group">
    <label for="cab_reg_no" class="control-label">Plate #/Vehicle Reg
#</label>
    <input name="cab_reg_no" id="cab_reg_no" type="text" class="form-
control rounded-0" value=<?php echo isset($cab_reg_no) ? $cab_reg_no : ''; ?>
required>
</div>
<div class="form-group">
    <label for="cab_model" class="control-label">Vehicle Model</label>
    <input name="cab_model" id="cab_model" type="text" class="form-
control rounded-0" value=<?php echo isset($cab_model) ? $cab_model : ''; ?>
required>
</div>
<div class="form-group">
    <label for="body_no" class="control-label">Cab's Body #</label>
    <input name="body_no" id="body_no" type="text" class="form-control
rounded-0" value=<?php echo isset($body_no) ? $body_no : ''; ?>" required>
</div>
<div class="form-group">
    <label for="cab_driver" class="control-label">Driver Name</label>
    <input name="cab_driver" id="cab_driver" type="text" class="form-
control rounded-0" value=<?php echo isset($cab_driver) ? $cab_driver : ''; ?>
required>
</div>
<div class="form-group">
    <label for="driver_contact" class="control-label">Driver's Contact
#</label>
    <input name="driver_contact" id="driver_contact" type="text"
class="form-control rounded-0" value=<?php echo isset($driver_contact) ?
$driver_contact : ''; ?>" required>
</div>

```

```

        <div class="form-group">
            <label for="driver_address" class="control-label">Driver's
Address</label>
            <textarea name="driver_address" id="driver_address" type="text"
class="form-control rounded-0" required><?php echo isset($driver_address) ?
$driver_address : ''; ?></textarea>
        </div>
        <div class="form-group">
            <label for="password" class="control-label">Driver's Account
Password</label>
            <div class="input-group">
                <input name="password" id="password" type="password"
class="form-control rounded-0" <?php echo !isset($password) ? 'required' : ''; ?>>
                <div class="input-group-append">
                    <button class="btn btn-outline-default pass_view"
type="button"><i class="fa fa-eye-slash"></i></button>
                </div>
            </div>
            <small class="text-muted"><i>Leave this field blank if you don't
wish to update the driver's account password.</i></small>
        </div>
        <div class="form-group col-md-6">
            <label for="" class="control-label">Driver's Image</label>
            <div class="custom-file">
                <input type="file" class="custom-file-input rounded-circle"
id="customFile" name="img" onchange="displayImg(this,$(this))">
                <label class="custom-file-label" for="customFile">Choose
file</label>
            </div>
        </div>
        <div class="form-group col-md-6 d-flex justify-content-center">
            <img src=<?php echo validate_image(isset($image_path) ?
$image_path : "") ?>" alt="" id="cimg" class="img-fluid img-thumbnail">
        </div>
        <div class="form-group">
            <label for="status" class="control-label">Status</label>
            <select name="status" id="status" class="custom-select selevt">
                <option value="1" <?php echo isset($status) && $status == 1 ?
'selected' : '' ?>>Active</option>
                <option value="0" <?php echo isset($status) && $status == 0 ?
'selected' : '' ?>>Inactive</option>
            </select>
        </div>
    </form>
</div>
<div class="card-footer">
    <button class="btn btn-flat btn-success" form="cab-form">Save</button>
    <a class="btn btn-flat btn-danger" href="?page=cabs">Cancel</a>
</div>

```

```

</div>
<script>
    window.displayImg = function(input,_this) {
        if (input.files && input.files[0]) {
            var reader = new FileReader();
            reader.onload = function (e) {
                $('#cimg').attr('src', e.target.result);
                _this.siblings('.custom-file-label').html(input.files[0].name)
            }

            reader.readAsDataURL(input.files[0]);
        }else{
            $('#cimg').attr('src', "<?php echo validate_image(isset($image_path) ? $image_path : '') ?>");
            _this.siblings('.custom-file-label').html("Choose file")
        }
    }
    $(document).ready(function(){
        $('.select2').select2({
            width:'100%',
            placeholder:"Please Select Here"
        })
        $('.pass_view').click(function(){
            var group = $(this).closest('.input-group');
            var type = group.find('input').attr('type')
            if(type == 'password'){
                group.find('input').attr('type','text').focus()
                $(this).html('<i class="fa fa-eye"></i>')
            }else{
                group.find('input').attr('type','password').focus()
                $(this).html('<i class="fa fa-eye-slash"></i>')
            }
        })
        $('#cab-form').submit(function(e){
            e.preventDefault();
            var _this = $(this)
            $('.err-msg').remove();
            start_loader();
            $.ajax({
                url:_base_url_+"classes/Master.php?f=save_cab",
                data: new FormData($(this)[0]),
                cache: false,
                contentType: false,
                processData: false,
                method: 'POST',
                type: 'POST',
                dataType: 'json',
                error:err=>{
                    console.log(err)
                }
            })
        })
    })

```

```

        alert_toast("An error occured", 'error');
        end_loader();
    },
    success:function(resp){
        if(typeof resp =='object' && resp.status == 'success'){
            location.href = "./?page=cabs/view_cab&id="+resp.id;
        }else if(resp.status == 'failed' && !!resp.msg){
            var el = $('<div>')
                el.addClass("alert alert-danger err-
msg").text(resp.msg)
                _this.prepend(el)
                el.show('slow')
                $("html, body").animate({ scrollTop:
                _this.closest('.card').offset().top }, "fast");
                end_loader()
        }else{
            alert_toast("An error occured", 'error');
            end_loader();
            console.log(resp)
        }
    }
})
})

$('.summernote').summernote({
    height: 200,
    toolbar: [
        [ 'style', [ 'style' ] ],
        [ 'font', [ 'bold', 'italic', 'underline', 'strikethrough',
'superscript', 'subscript', 'clear' ] ],
        [ 'fontname', [ 'fontname' ] ],
        [ 'fontsize', [ 'fontsize' ] ],
        [ 'color', [ 'color' ] ],
        [ 'para', [ 'ol', 'ul', 'paragraph', 'height' ] ],
        [ 'table', [ 'table' ] ],
        [ 'view', [ 'undo', 'redo', 'fullscreen', 'codeview', 'help' ]
    ]
]
})
})
</script>

```

## View Cabs

```

<?php
if(isset($_GET['id']) && $_GET['id'] > 0){
    $qry = $conn->query("SELECT c.*, cc.name as category from `cab_list` c inner
join category_list cc on c.category_id = cc.id where c.id = '{$_GET['id']}' ");

```

```

    if($qry->num_rows > 0){
        foreach($qry->fetch_assoc() as $k => $v){
            $$k=stripslashes($v);
        }
    }
?>
<style>
    .cab-img{
        width:15vw;
        height:20vh;
        object-fit:scale-down;
        object-position:center center;
    }
</style>
<div class="content py-3">
    <div class="card card-outline rounded-0 card-purple shadow">
        <div class="card-header">
            <h4 class="card-title">Cab Details</h4>
            <div class="card-tools">
                <a class="btn btn-primary btn-sm btn-flat"
                href="./?page=cabs/manage_cab&id=<?= isset($id) ? $id : "" ?>"><i class="fa fa-edit"></i> Edit</a>
                <a class="btn btn-danger btn-sm btn-flat"
                href="javascript:void(0)" id="delete_data"><i class="fa fa-trash"></i> Delete</a>
                <a class="btn btn-default border btn-sm btn-flat"
                href="./?page=cabs"><i class="fa fa-angle-left"></i> Back</a>
            </div>
        </div>
        <div class="card-body">
            <div class="container">
                <div class="row">
                    <div class="col-md-12 text-center">
                        " alt="cab Image <?= isset($name) ? $name : "" ?>" class="img-thumbnail cab-img">
                    </div>
                </div>
                <div class="row">
                    <div class="col-md-6">
                        <small class="mx-2 text-muted">Registration Code</small>
                        <div class="pl-4"><?= isset($reg_code) ? $reg_code : '' ?></div>
                    </div>
                    <div class="col-md-6">
                        <small class="mx-2 text-muted">Category</small>
                        <div class="pl-4"><?= isset($category) ? $category : '' ?></div>
                    </div>
                </div>
            </div>
        </div>
?></div>
?></div>

```

```

        </div>
        <fieldset>
            <legend class="h4 text-muted"><b>Cab Details</b></legend>
            <div class="row">
                <div class="col-md-6">
                    <small class="mx-2 text-muted">Vehicle Registration
No</small>
                    <div class="pl-4"><?= isset($cab_reg_no) ? $cab_reg_no : '' ?></div>
                </div>
                <div class="col-md-6">
                    <small class="mx-2 text-muted">Model</small>
                    <div class="pl-4"><?= isset($cab_model) ? $cab_model : '' ?></div>
                </div>
            </div>
            <div class="row">
                <div class="col-md-6">
                    <small class="mx-2 text-muted">Body No.</small>
                    <div class="pl-4"><?= isset($body_no) ? $body_no : '' ?></div>
                </div>
            </div>
        </fieldset>
        <fieldset>
            <legend class="h4 text-muted"><b>Driver Details</b></legend>
            <div class="row">
                <div class="col-md-6">
                    <small class="mx-2 text-muted">Name</small>
                    <div class="pl-4"><?= isset($cab_driver) ? $cab_driver : '' ?></div>
                </div>
                <div class="col-md-6">
                    <small class="mx-2 text-muted">Contact #</small>
                    <div class="pl-4"><?= isset($driver_contact) ? $driver_contact : '' ?></div>
                </div>
            </div>
            <div class="row">
                <div class="col-md-6">
                    <small class="mx-2 text-muted">Address</small>
                    <div class="pl-4"><?= isset($driver_address) ? $driver_address : '' ?></div>
                </div>
            </div>
        </fieldset>
        <div class="row">
            <div class="col-md-12">
                <small class="mx-2 text-muted">Status</small>

```



### 3.) Categories

#### Index

```
<?php if($_settings->chk_flashdata('success')): ?>
<script>
    alert_toast("<?php echo $_settings->flashdata('success') ?>", 'success')
</script>
<?php endif;?>
<div class="card card-outline card-purple rounded-0 shadow">
    <div class="card-header">
        <h3 class="card-title">List of Categories</h3>
        <div class="card-tools">
            <button type="button" id="create_new" class="btn btn-flat btn-success
btn-sm"><span class="fas fa-plus"></span> Add New Category</button>
        </div>
    </div>
    <div class="card-body">
        <div class="container-fluid">
            <table class="table table-bordered table-striped table-hover">
                <colgroup>
                    <col width="5%">
                    <!-- <col width="20%"> -->
                    <col width="15%">
                    <col width="30%">
                    <col width="10%">
                    <col width="15%">
                </colgroup>
                <thead>
                    <tr class="bg-gradient-dark text-light">
                        <th>#</th>
                        <!-- <th>Date Created</th> -->
                        <th>Category</th>
                        <th>Description</th>
                        <th>Status</th>
                        <th>Action</th>
                    </tr>
                </thead>
                <tbody>
                    <?php
                        $i = 1;
                        $qry = $conn->query("SELECT * from `category_list` where
delete_flag = 0 order by `name` asc ");
                        while($row = $qry->fetch_assoc()):
                    ?>
                    <tr>
                        <td class="text-center"><?php echo $i++; ?></td>
                        <!-- <td><?php echo date("Y-m-d
H:i",strtotime($row['date_created'])) ?></td> -->
```

```

        <td><?php echo $row['name'] ?></td>
        <td><p class="m-0 truncate-1"><?php echo
$row['description'] ?></p></td>
        <td class="text-center">
            <?php if($row['status'] == 1): ?>
                <span class="badge badge-success px-3 rounded-
pill">Active</span>
            <?php else: ?>
                <span class="badge badge-danger px-3 rounded-
pill">Inactive</span>
            <?php endif; ?>
        </td>
        <td align="center">
            <button type="button" class="btn btn-flat btn-info
btn-sm dropdown-toggle dropdown-icon" data-toggle="dropdown">
                Action
            <span class="sr-only">Toggle Dropdown</span>
            </button>
            <div class="dropdown-menu" role="menu">
                <a class="dropdown-item view_data"
href="javascript:void(0)" data-id="<?php echo $row['id'] ?>"><span class="fa fa-
eye text-dark"></span> View</a>
                <div class="dropdown-divider"></div>
                <a class="dropdown-item edit_data"
href="javascript:void(0)" data-id="<?php echo $row['id'] ?>"><span class="fa fa-
edit text-primary"></span> Edit</a>
                <div class="dropdown-divider"></div>
                <a class="dropdown-item delete_data"
href="javascript:void(0)" data-id="<?php echo $row['id'] ?>"><span class="fa fa-
trash text-danger"></span> Delete</a>
            </div>
        </td>
    </tr>
    <?php endwhile; ?>
</tbody>
</table>
</div>
</div>
<script>
$(document).ready(function(){
    $('#create_new').click(function(){
        uni_modal("Add New Category","categories/manage_category.php");
    })
    $('.edit_data').click(function(){
        uni_modal("Edit
Category","categories/manage_category.php?id="+$(this).attr('data-id'));
    })
    $('.view_data').click(function(){

```

```

        uni_modal("Edit
Category","categories/view_category.php?id=$(this).attr('data-id'));
})
$('.delete_data').click(function(){
    _conf("Are you sure to delete this category
permanently?","delete_category",[$(this).attr('data-id')])
})
$('.table').dataTable();
})
function delete_category($id){
start_loader();
$.ajax({
    url:_base_url_+"classes/Master.php?f=delete_category",
    method:"POST",
    data:{id: $id},
    dataType:"json",
    error:err=>{
        console.log(err)
        alert_toast("An error occured.",'error');
        end_loader();
    },
    success:function(resp){
        if(typeof resp=='object' && resp.status == 'success'){
            location.reload();
        }else{
            alert_toast("An error occured.",'error');
            end_loader();
        }
    }
})
}
</script>

```

## Manage Category

```

<?php
require_once('../config.php');
if(isset($_GET['id']) && $_GET['id'] > 0){
    $qry = $conn->query("SELECT * from `category_list` where id = '{$_GET['id']}'");
}
if($qry->num_rows > 0){
    foreach($qry->fetch_assoc() as $k => $v){
        $$k=$v;
    }
}
?>
<div class="container-fluid">
<form action="" id="category-form">

```

```

        <input type="hidden" name ="id" value=<?php echo isset($id) ? $id : '' ?>">
        <div class="form-group">
            <label for="name" class="control-label">Category Name</label>
            <input name="name" id="name" class="form-control rounded-0 form no-resize" value=<?php echo isset($name) ? $name : ''; ?>" required>
        </div>
        <div class="form-group">
            <label for="description" class="control-label">Description</label>
            <textarea name="description" id="" rows="4" class="form-control rounded-0 form no-resize"><?php echo isset($description) ? $description : ''; ?></textarea>
        </div>
        <div class="form-group">
            <label for="status" class="control-label">Status</label>
            <select name="status" id="status" class="custom-select rounded-0">
                <option value="1" <?php echo isset($status) && $status == 1 ? 'selected' : '' ?>>Active</option>
                <option value="0" <?php echo isset($status) && $status == 0 ? 'selected' : '' ?>>Inactive</option>
            </select>
        </div>
    </form>
</div>
<script>
```

```

$(document).ready(function(){
    $('#category-form').submit(function(e){
        e.preventDefault();
        var _this = $(this)
        $('.err-msg').remove();
        start_loader();
        $.ajax({
            url:_base_url_+"classes/Master.php?f=save_category",
            data: new FormData($(this)[0]),
            cache: false,
            contentType: false,
            processData: false,
            method: 'POST',
            type: 'POST',
            dataType: 'json',
            error:err=>{
                console.log(err)
                alert_toast("An error occured",'error');
                end_loader();
            },
            success:function(resp){
                if(typeof resp == 'object' && resp.status == 'success'){
                    location.reload();
                }
            }
        })
    })
})
```

```

        }else if(resp.status == 'failed' && !resp.msg){
            var el = $('

')
                el.addClass("alert alert-danger err-
msg").text(resp.msg)
                _this.prepend(el)
                el.show('slow')
                $("html, body").animate({ scrollTop:
                _this.closest('.card').offset().top }, "fast");
                end_loader()
        }else{
            alert_toast("An error occurred", 'error');
            end_loader();
            console.log(resp)
        }
    })
})
}
</script>


```

## View Category

```

<?php
require_once('../config.php');
if(isset($_GET['id']) && $_GET['id'] > 0){
    $qry = $conn->query("SELECT * from `category_list` where id = '{$_GET['id']}'");
}
if($qry->num_rows > 0){
    foreach($qry->fetch_assoc() as $k => $v){
        $$k=$v;
    }
}
?>
<style>
    #uni_modal .modal-footer{
        display:none;
    }
</style>
<div class="container-fluid">
    <dl>
        <dt class="text-muted"><b>Name</b></dt>
        <dd class="pl-4"><?= isset($name) ? $name : "" ?></dd>
        <dt class="text-muted"><b>Description</b></dt>
        <dd class="pl-4"><?= isset($description) ? $description : '' ?></dd>
        <dt class="text-muted"><b>Status</b></dt>
        <dd class="pl-4">
            <?php if($status == 1): ?>
                <span class="badge badge-success px-3 rounded-pill">Active</span>

```

```

        <?php else: ?>
            <span class="badge badge-danger px-3 rounded-pill">Inactive</span>
        <?php endif; ?>
    </dd>
</dl>
<div class="clear-fix mb-3"></div>
<div class="text-right">
    <button class="btn btn-dark bg-gradient-dark btn-flat" type="button" data-
dismiss="modal"><i class="fa fa-times"></i> Close</button>
</div>
</div>

```

#### 4.) Client's

##### Index

```

<?php if($_settings->chk_flashdata('success')): ?>
<script>
    alert_toast("<?php echo $_settings->flashdata('success') ?>", 'success')
</script>
<?php endif;?>
<div class="card card-outline card-purple">
    <div class="card-header">
        <h3 class="card-title">List of Clients</h3>
    </div>
    <div aclass="card-body">
        <div class="container-fluid">
        <div class="container-fluid">
            <table class="table table-bordered table-striped table-hover">
                <colgroup>
                    <col width="5%">
                    <!-- <col width="15%"> -->
                    <col width="30%">
                    <col width="25%">
                    <col width="10%">
                    <col width="15%">
                </colgroup>
                <thead>
                    <tr class="bg-gradient-dark text-light">
                        <th>#</th>
                        <!-- <th>Date Created</th> -->
                        <th>Name</th>
                        <th>Contact</th>
                        <th>Status</th>
                        <th>Action</th>
                    </tr>
                </thead>
                <tbody>
                    <?php

```

```

$i = 1;
        $qry = $conn->query("SELECT *,concat(lastname, ' ',
firstname, ' ',middlename) as fullname from `client_list` where delete_flag= 0
order by concat(lastname, ' ', firstname, ' ',middlename) asc ");
        while($row = $qry->fetch_assoc()):
            foreach($row as $k=> $v){
                $row[$k] = trim(stripslashes($v));
            }
?>
<tr>
    <td class="text-center"><?php echo $i++; ?></td>
    <!-- <td><?php echo date("Y-m-d
H:i",strtotime($row['date_created'])) ?></td> -->
    <td><?php echo ucwords($row['fullname']) ?></td>
    <td>
        <p class="m-0 lh-1">
            <?php echo $row['contact'] ?> <br>
            <?php echo $row['email'] ?>
        </p>
    </td>
    <td class="text-center">
        <?php if($row['status'] == 1): ?>
            <span class="badge badge-success rounded-pill
px-3">Active</span>
        <?php else: ?>
            <span class="badge badge-danger rounded-pill
px-3">Inactive</span>
        <?php endif; ?>
    </td>
    <td align="center">
        <button type="button" class="btn btn-flat btn-
info btn-sm dropdown-toggle dropdown-icon" data-toggle="dropdown">
Action
        <span class="sr-only">Toggle Dropdown</span>
        </button>
        <div class="dropdown-menu" role="menu">
            <a class="dropdown-item"
href="?page=clients/manage_client&id=<?php echo $row['id'] ?>"><span class="fa fa-
edit text-primary"></span> Edit</a>
            <div class="dropdown-divider"></div>
            <a class="dropdown-item delete_data"
href="javascript:void(0)" data-id="<?php echo $row['id'] ?>"><span class="fa fa-
trash text-danger"></span> Delete</a>
        </div>
    </td>
</tr>
<?php endwhile; ?>
</tbody>
</table>

```

```

        </div>
        </div>
    </div>
</div>
<script>
$(document).ready(function(){
    $('.delete_data').click(function(){
        _conf("Are you sure to delete this client
permanently?", "delete_client",[$(this).attr('data-id')])
    })
    $('.table').dataTable();
})
function delete_client($id){
    start_loader();
    $.ajax({
        url:_base_url_+"classes/Users.php?f=delete_client",
        method:"POST",
        data:{id: $id},
        dataType:"json",
        error:err=>{
            console.log(err)
            alert_toast("An error occurred.", 'error');
            end_loader();
        },
        success:function(resp){
            if(typeof resp== 'object' && resp.status == 'success'){
                location.reload();
            }else{
                alert_toast("An error occurred.", 'error');
                end_loader();
            }
        }
    })
}
</script>

```

## Manage Clients

```

<?php
if(isset($_GET['id']) && $_GET['id'] > 0){
    $qry = $conn->query("SELECT * from `client_list` where id = '{$_GET['id']}'");
}
if($qry->num_rows > 0){
    foreach($qry->fetch_assoc() as $k => $v){
        $$k=stripslashes($v);
    }
}

```

```

?>
<div class="card card-outline card-purple">
    <div class="card-header">
        <h3 class="card-title"><?php echo isset($id) ? "Update " : "Create New " ?>
Client Details</h3>
    </div>
    <div class="card-body">
        <form action="" id="client-form">
            <input type="hidden" name="id" value=<?php echo isset($id) ? $id : '' ?>">
            <div class="form-group">
                <label for="firstname" class="control-label">First Name</label>
                <input name="firstname" id="firstname" type="text" class="form-control rounded-0" value=<?php echo isset($firstname) ? $firstname : '' ; ?>" required>
            </div>
            <div class="form-group">
                <label for="middlename" class="control-label">Middle Name</label>
                <input name="middlename" id="middlename" type="text" class="form-control rounded-0" value=<?php echo isset($middlename) ? $middlename : '' ; ?>" placeholder="optional">
            </div>
            <div class="form-group">
                <label for="lastname" class="control-label">Last Name</label>
                <input name="lastname" id="lastname" type="text" class="form-control rounded-0" value=<?php echo isset($lastname) ? $lastname : '' ; ?>" required>
            </div>
            <div class="form-group">
                <label for="gender" class="control-label">Gender</label>
                <select name="gender" id="gender" class="custom-select selectv">
                    <option <?php echo isset($gender) && $gender == 'Male' ? 'selected' : '' ?>Male</option>
                    <option <?php echo isset($gender) && $gender == 'Female' ? 'selected' : '' ?>Female</option>
                </select>
            </div>
            <div class="form-group">
                <label for="contact" class="control-label">Contact</label>
                <input name="contact" id="contact" type="text" class="form-control rounded-0" value=<?php echo isset($contact) ? $contact : '' ; ?>" required>
            </div>
            <div class="form-group">
                <label for="address" class="control-label">Address</label>
                <textarea name="address" id="address" class="form-control rounded-0" required><?php echo isset($address) ? $address : '' ; ?></textarea>
            </div>
            <div class="form-group">
                <label for="email" class="control-label">Email</label>

```

```

        <input name="email" id="email" type="email" class="form-control rounded-0" value=<?php echo isset($email) ? $email : ''; ?>" required>
    </div>
    <div class="form-group">
        <label for="password" class="control-label">New Password</label>
        <div class="input-group">
            <input type="password" name="password" id="password" placeholder="" class="form-control">
            <div class="input-group-append border">
                <span class="input-group-text text-sm"><i class="fa fa-eye-slash text-muted pass_type" data-type="password"></i></span>
            </div>
        </div>
        <small><em class="text-muted">Fill only to update Client's Password</em></small>
    </div>
    <div class="form-group">
        <label for="status" class="control-label">Status</label>
        <select name="status" id="status" class="custom-select selevt">
            <option value="1" <?php echo isset($status) && $status == 1 ? 'selected' : '' ?>>Active</option>
            <option value="0" <?php echo isset($status) && $status == 0 ? 'selected' : '' ?>>Inactive</option>
        </select>
    </div>
</form>
</div>
<div class="card-footer">
    <button class="btn btn-flat btn-success" form="client-form">Save</button>
    <a class="btn btn-flat btn-danger" href="?page=client">Cancel</a>
</div>
</div>
<script>
$(document).ready(function(){
    $('.pass_type').click(function(){
        var type = $(this).attr('data-type')
        if(type == 'password'){
            $(this).attr('data-type','text')
            $(this).closest('.input-group').find('input').attr('type',"text")
            $(this).removeClass("fa-eye-slash")
            $(this).addClass("fa-eye")
        }else{
            $(this).attr('data-type','password')
            $(this).closest('.input-group').find('input').attr('type',"password")
            $(this).removeClass("fa-eye")
            $(this).addClass("fa-eye-slash")
        }
    })
})

```

```

$('#client-form').submit(function(e){
    e.preventDefault();
    var _this = $(this)
    $('.err-msg').remove();
    start_loader();
    $.ajax({
        url:_base_url_+"classes/Users.php?f=save_client",
        data: new FormData($(this)[0]),
        cache: false,
        contentType: false,
        processData: false,
        method: 'POST',
        type: 'POST',
        dataType: 'json',
        error:err=>{
            console.log(err)
            alert_toast("An error occured",'error');
            end_loader();
        },
        success:function(resp){
            if(typeof resp =='object' && resp.status == 'success'){
                location.href = "./?page=clients";
            }else if(resp.status == 'failed' && !resp.msg){
                var el = $('<div>')
                el.addClass("alert alert-danger err-
msg").text(resp.msg)
                _this.prepend(el)
                el.show('slow')
                $("html, body").animate({ scrollTop:
                _this.closest('.card').offset().top }, "fast");
                end_loader()
            }else{
                alert_toast("An error occured",'error');
                end_loader();
                console.log(resp)
            }
        }
    })
})

$('.summernote').summernote({
    height: 200,
    toolbar: [
        [ 'style', [ 'style' ] ],
        [ 'font', [ 'bold', 'italic', 'underline', 'strikethrough',
'superscript', 'subscript', 'clear' ] ],
        [ 'fontname', [ 'fontname' ] ],
        [ 'fontsize', [ 'fontsize' ] ],
        [ 'color', [ 'color' ] ],

```

```

        [ 'para', [ 'ol', 'ul', 'paragraph', 'height' ] ],
        [ 'table', [ 'table' ] ],
        [ 'view', [ 'undo', 'redo', 'fullscreen', 'codeview', 'help' ]
    ]
]
})
})
</script>

```

## 5.) Incorporative

### Default

```

<!-- Navbar -->
<nav class="main-header navbar navbar-expand-md navbar-light navbar-white">
    <div class="container">
        <a href=<?php echo base_url ?>index3.html" class="navbar-brand">
            <img src=<?php echo base_url ?>dist/img/AdminLTELogo.png" alt="AdminLTE Logo" class="brand-image img-circle elevation-3" style="opacity: .8">
            <span class="brand-text font-weight-light">AdminLTE 3</span>
        </a>

        <button class="navbar-toggler order-1" type="button" data-toggle="collapse" data-target="#navbarCollapse" aria-controls="navbarCollapse" aria-expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>

        <div class="collapse navbar-collapse order-3" id="navbarCollapse">
            <!-- Left navbar links -->
            <ul class="navbar-nav">
                <li class="nav-item">
                    <a href="index3.html" class="nav-link">Home</a>
                </li>
                <li class="nav-item">
                    <a href="#" class="nav-link">Contact</a>
                </li>
                <li class="nav-item dropdown">
                    <a id="dropdownSubMenu1" href="#" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false" class="nav-link dropdown-toggle">Dropdown</a>
                    <ul aria-labelledby="dropdownSubMenu1" class="dropdown-menu border-0 shadow">
                        <li><a href="#" class="dropdown-item">Some action </a></li>
                        <li><a href="#" class="dropdown-item">Some other action</a></li>
                        <li class="dropdown-divider"></li>
                    <!-- Level two dropdown-->
                
```

```

<li class="dropdown-submenu dropdown-hover">
    <a id="dropdownSubMenu2" href="#" role="button" data-
    toggle="dropdown" aria-haspopup="true" aria-expanded="false" class="dropdown-item
    dropdown-toggle">Hover for action</a>
        <ul aria-labelledby="dropdownSubMenu2" class="dropdown-menu
    border-0 shadow">
            <li>
                <a tabindex="-1" href="#" class="dropdown-item">level 2</a>
            </li>

            <!-- Level three dropdown-->
            <li class="dropdown-submenu">
                <a id="dropdownSubMenu3" href="#" role="button" data-
                toggle="dropdown" aria-haspopup="true" aria-expanded="false" class="dropdown-item
                dropdown-toggle">level 2</a>
                    <ul aria-labelledby="dropdownSubMenu3" class="dropdown-menu
    border-0 shadow">
                        <li><a href="#" class="dropdown-item">3rd level</a></li>
                        <li><a href="#" class="dropdown-item">3rd level</a></li>
                    </ul>
            </li>
            <!-- End Level three -->

            <li><a href="#" class="dropdown-item">level 2</a></li>
            <li><a href="#" class="dropdown-item">level 2</a></li>
        </ul>
    </li>
    <!-- End Level two -->
</ul>
</li>
</ul>

<!-- SEARCH FORM -->
<form class="form-inline ml-0 ml-md-3">
    <div class="input-group input-group-sm">
        <input class="form-control form-control-navbar" type="search"
placeholder="Search" aria-label="Search">
        <div class="input-group-append">
            <button class="btn btn-navbar" type="submit">
                <i class="fas fa-search"></i>
            </button>
        </div>
    </div>
</form>
</div>

<!-- Right navbar links -->
<ul class="order-1 order-md-3 navbar-nav navbar-no-expand ml-auto">
    <!-- Messages Dropdown Menu -->

```

```
<li class="nav-item dropdown">
  <a class="nav-link" data-toggle="dropdown" href="#">
    <i class="fas fa-comments"></i>
    <span class="badge badge-danger navbar-badge">3</span>
  </a>
  <div class="dropdown-menu dropdown-menu-lg dropdown-menu-right">
    <a href="#" class="dropdown-item">
      <!-- Message Start -->
      <div class="media">
        <img src=<?php echo base_url ?>dist/img/user1-128x128.jpg"
alt="User Avatar" class="img-size-50 mr-3 img-circle">
        <div class="media-body">
          <h3 class="dropdown-item-title">
            Brad Diesel
            <span class="float-right text-sm text-danger"><i class="fas fa-star"></i></span>
          </h3>
          <p class="text-sm">Call me whenever you can...</p>
          <p class="text-sm text-muted"><i class="far fa-clock mr-1"></i>
4 Hours Ago</p>
        </div>
      </div>
      <!-- Message End -->
    </a>
    <div class="dropdown-divider"></div>
    <a href="#" class="dropdown-item">
      <!-- Message Start -->
      <div class="media">
        <img src=<?php echo base_url ?>dist/img/user8-128x128.jpg"
alt="User Avatar" class="img-size-50 img-circle mr-3">
        <div class="media-body">
          <h3 class="dropdown-item-title">
            John Pierce
            <span class="float-right text-sm text-muted"><i class="fas fa-star"></i></span>
          </h3>
          <p class="text-sm">I got your message bro</p>
          <p class="text-sm text-muted"><i class="far fa-clock mr-1"></i>
4 Hours Ago</p>
        </div>
      </div>
      <!-- Message End -->
    </a>
    <div class="dropdown-divider"></div>
    <a href="#" class="dropdown-item">
      <!-- Message Start -->
      <div class="media">
        <img src=<?php echo base_url ?>dist/img/user3-128x128.jpg"
alt="User Avatar" class="img-size-50 img-circle mr-3">
```

```

        <div class="media-body">
            <h3 class="dropdown-item-title">
                Nora Silvester
                <span class="float-right text-sm text-warning"><i class="fas fa-star"></i></span>
            </h3>
            <p class="text-sm">The subject goes here</p>
            <p class="text-sm text-muted"><i class="far fa-clock mr-1"></i>
4 Hours Ago</p>
        </div>
    </div>
    <!-- Message End -->
</a>
<div class="dropdown-divider"></div>
<a href="#" class="dropdown-item dropdown-footer">See All Messages</a>
</div>
</li>
<!-- Notifications Dropdown Menu -->
<li class="nav-item dropdown">
    <a class="nav-link" data-toggle="dropdown" href="#">
        <i class="far fa-bell"></i>
        <span class="badge badge-warning navbar-badge">15</span>
    </a>
    <div class="dropdown-menu dropdown-menu-lg dropdown-menu-right">
        <span class="dropdown-header">15 Notifications</span>
        <div class="dropdown-divider"></div>
        <a href="#" class="dropdown-item">
            <i class="fas fa-envelope mr-2"></i> 4 new messages
            <span class="float-right text-muted text-sm">3 mins</span>
        </a>
        <div class="dropdown-divider"></div>
        <a href="#" class="dropdown-item">
            <i class="fas fa-users mr-2"></i> 8 friend requests
            <span class="float-right text-muted text-sm">12 hours</span>
        </a>
        <div class="dropdown-divider"></div>
        <a href="#" class="dropdown-item">
            <i class="fas fa-file mr-2"></i> 3 new reports
            <span class="float-right text-muted text-sm">2 days</span>
        </a>
        <div class="dropdown-divider"></div>
        <a href="#" class="dropdown-item dropdown-footer">See All
    Notifications</a>
    </div>
</li>
<li class="nav-item">
    <a class="nav-link" data-widget="control-sidebar" data-slide="true"
    href="#" role="button">
        <i class="fas fa-th-large"></i>

```

```

        </a>
    </li>
</ul>
</div>
</nav>
```

## Footer

```

<script>
$(document).ready(function(){
    window.viewer_modal = function($src = ''){
        start_loader()
        var t = $src.split('.')
        t = t[1]
        if(t == 'mp4'){
            var view = $("<video src='"+$src+"' controls autoplay></video>")
        }else{
            var view = $("<img src='"+$src+"' />")
        }
        $('#viewer_modal .modal-content video,#viewer_modal .modal-content
img').remove()
        $('#viewer_modal .modal-content').append(view)
        $('#viewer_modal').modal({
            show:true,
            backdrop:'static',
            keyboard:false,
            focus:true
        })
        end_loader()
    }
    window.uni_modal = function($title = '' , $url='', $size=""){
        start_loader()
        $.ajax({
            url:$url,
            error:err=>{
                console.log()
                alert("An error occured")
            },
            success:function(resp){
                if(resp){
                    $('#uni_modal .modal-title').html($title)
                    $('#uni_modal .modal-body').html(resp)
                    if($size != ''){
                        $('#uni_modal .modal-dialog').addClass($size+' modal-
dialog-centered')
                    }else{

```

```

        $('#uni_modal .modal-
dialog').removeAttr("class").addClass("modal-dialog modal-md modal-dialog-
centered")
    }
    $('#uni_modal').modal({
        show:true,
        backdrop:'static',
        keyboard:false,
        focus:true
    })
    end_loader()
}
})
})
}
window._conf = function($msg='',$func='',$params = []){
    $('#confirm_modal
#confirm').attr('onclick',$func+"(\"+$params.join(',')+)\")"
    $('#confirm_modal .modal-body').html($msg)
    $('#confirm_modal').modal('show')
}
})
</script>
<footer class="main-footer text-sm">
    <strong>© <?php echo date('Y') ?>.
    <!-- <a href=""></a> -->
    </strong>
    All rights reserved.
    <div class="float-right d-none d-sm-inline-block">
        <p class="m-0 text-center text-dark">Developed By: Juan Carlos Montero
        oretnom23</p>
    </div>
</footer>
</div>
<!-- ./wrapper -->

<!-- Resolve conflict in jQuery UI tooltip with Bootstrap tooltip -->
<script>
    $.widget.bridge('uibutton', $.ui.button)
</script>
<!-- Bootstrap 4 -->
<script src="<?php echo base_url
?>plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
<!-- ChartJS -->
<script src="<?php echo base_url ?>plugins/chart.js/Chart.min.js"></script>
<!-- Sparkline -->
<script src="<?php echo base_url ?>plugins/sparklines/sparkline.js"></script>
<!-- Select2 -->

```

```
<script src=<?php echo base_url
?>plugins/select2/js/select2.full.min.js"></script>
<!-- JQVMap -->
<script src=<?php echo base_url
?>plugins/jqvmap/jquery.vmap.min.js"></script>
<script src=<?php echo base_url
?>plugins/jqvmap/maps/jquery.vmap.usa.js"></script>
<!-- jQuery Knob Chart -->
<script src=<?php echo base_url ?>plugins/jquery-
knob/jquery.knob.min.js"></script>
<!-- daterangepicker -->
<script src=<?php echo base_url ?>plugins/moment/moment.min.js"></script>
<script src=<?php echo base_url
?>plugins/daterangepicker/daterangepicker.js"></script>
<!-- Tempusdominus Bootstrap 4 -->
<script src=<?php echo base_url ?>plugins/tempusdominus-bootstrap-
4/js/tempusdominus-bootstrap-4.min.js"></script>
<!-- Summernote -->
<script src=<?php echo base_url ?>plugins/summernote/summernote-
bs4.min.js"></script>
<script src=<?php echo base_url
?>plugins/datatables/jquery.dataTables.min.js"></script>
<script src=<?php echo base_url ?>plugins/datatables-
bs4/js/dataTables.bootstrap4.min.js"></script>
<script src=<?php echo base_url ?>plugins/datatables-
responsive/js/dataTables.responsive.min.js"></script>
<script src=<?php echo base_url ?>plugins/datatables-
responsive/js/responsive.bootstrap4.min.js"></script>
<!-- overlayScrollbars -->
<!-- <script src=<?php echo base_url
?>plugins/overlayScrollbars/js/jquery.overlayScrollbars.min.js"></script> -->
<!-- AdminLTE App -->
<script src=<?php echo base_url ?>dist/js/adminlte.js"></script>
<div class="daterangepicker ltr show-ranges opensright">
<div class="ranges">
<ul>
<li data-range-key="Today">Today</li>
<li data-range-key="Yesterday">Yesterday</li>
<li data-range-key="Last 7 Days">Last 7 Days</li>
<li data-range-key="Last 30 Days">Last 30 Days</li>
<li data-range-key="This Month">This Month</li>
<li data-range-key="Last Month">Last Month</li>
<li data-range-key="Custom Range">Custom Range</li>
</ul>
</div>
<div class="drp-calendar left">
<div class="calendar-table"></div>
<div class="calendar-time" style="display: none;"></div>
</div>
```

```

<div class="drp-calendar right">
    <div class="calendar-table"></div>
    <div class="calendar-time" style="display: none;"></div>
</div>
<div class="drp-buttons"><span class="drp-selected"></span><button
class="cancelBtn btn btn-sm btn-default" type="button">Cancel</button><button
class="applyBtn btn btn-sm btn-primary" disabled="disabled"
type="button">Apply</button> </div>
</div>
<div class="jqvmap-label" style="display: none; left: 1093.83px; top:
394.361px;">Idaho</div>

```

## Header

```

<?php
    require_once('sess_auth.php');

?>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title><?php echo $_settings->info('title') != false ? $_settings-
>info('title'). ' | ' : '' ?><?php echo $_settings->info('name') ?></title>
    <link rel="icon" href="<?php echo validate_image($_settings->info('logo')) ?>">
    <!-- Google Font: Source Sans Pro -->
    <!-- <link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,400i,700&amp
;display=fallback"> -->
    <!-- Font Awesome -->
    <link rel="stylesheet" href="<?php echo base_url ?>plugins/fontawesome-
free/css/all.min.css">
    <!-- Ionicons -->
    <!-- <link rel="stylesheet"
href="https://code.ionicframework.com/ionicons/2.0.1/css/ionicons.min.css"> -->
    <!-- Tempusdominus Bootstrap 4 -->
    <link rel="stylesheet" href="<?php echo base_url ?>plugins/tempusdominus-
bootstrap4/css/tempusdominus-bootstrap4.min.css">
    <!-- DataTables -->
    <link rel="stylesheet" href="<?php echo base_url ?>plugins/datatables-
bs4/css/dataTables.bootstrap4.min.css">
    <link rel="stylesheet" href="<?php echo base_url ?>plugins/datatables-
responsive/css/responsive.bootstrap4.min.css">
    <link rel="stylesheet" href="<?php echo base_url ?>plugins/datatables-
buttons/css/buttons.bootstrap4.min.css">
    <!-- Select2 -->
    <link rel="stylesheet" href="<?php echo base_url
?>plugins/select2/css/select2.min.css">

```

```

<link rel="stylesheet" href="php echo base_url ?&gt;plugins/select2-bootstrap4-
theme/select2-bootstrap4.min.css"&gt;
    &lt;!-- iCheck --&gt;
    &lt;link rel="stylesheet" href="<?php echo base_url ?&gt;plugins/checkbox-
bootstrap/checkbox-bootstrap.min.css"&gt;
        &lt;!-- JQVMap --&gt;
        &lt;link rel="stylesheet" href="<?php echo base_url
?&gt;plugins/jqvmap/jqvmap.min.css"&gt;
            &lt;!-- Theme style --&gt;
            &lt;link rel="stylesheet" href="<?php echo base_url ?&gt;dist/css/adminlte.css"&gt;
            &lt;link rel="stylesheet" href="<?php echo base_url ?&gt;dist/css/custom.css"&gt;
                &lt;!-- overlayScrollbars --&gt;
                &lt;link rel="stylesheet" href="<?php echo base_url
?&gt;plugins/overlayScrollbars/css/OverlayScrollbars.min.css"&gt;
                    &lt;!-- Daterange picker --&gt;
                    &lt;link rel="stylesheet" href="<?php echo base_url
?&gt;plugins/daterangepicker/daterangepicker.css"&gt;
                        &lt;!-- summernote --&gt;
                        &lt;link rel="stylesheet" href="<?php echo base_url
?&gt;plugins/summernote/summernote-bs4.min.css"&gt;
                            &lt;!-- SweetAlert2 --&gt;
                            &lt;link rel="stylesheet" href="<?php echo base_url ?&gt;plugins/sweetalert2-theme-
bootstrap-4/bootstrap-4.min.css"&gt;
                                &lt;style type="text/css"&gt; /* Chart.js */
                                    @keyframes chartjs-render-animation{from{opacity:.99}to{opacity:1}}.chartjs-
render-monitor{animation:chartjs-render-animation 1ms}.chartjs-size-
monitor,.chartjs-size-monitor-expand,.chartjs-size-monitor-
shrink{position:absolute;direction:ltr;left:0;top:0;right:0;bottom:0;overflow:hidden;pointer-events:none;visibility:hidden;z-index:-1}.chartjs-size-monitor-
expand&gt;div{position:absolute;width:100000px;height:100000px;left:0;top:0}.chartj
s-size-monitor-shrink&gt;div{position:absolute;width:200%;height:200%;left:0;top:0}
                                &lt;/style&gt;

                            &lt;!-- jQuery --&gt;
                            &lt;script src="<?php echo base_url ?&gt;plugins/jquery/jquery.min.js"&gt;&lt;/script&gt;
                            &lt;!-- jQuery UI 1.11.4 --&gt;
                            &lt;script src="<?php echo base_url ?&gt;plugins/jquery-ui/jquery-
ui.min.js"&gt;&lt;/script&gt;
                            &lt;!-- SweetAlert2 --&gt;
                            &lt;script src="<?php echo base_url
?&gt;plugins/sweetalert2/sweetalert2.min.js"&gt;&lt;/script&gt;
                            &lt;!-- Toastr --&gt;
                            &lt;script src="<?php echo base_url ?&gt;plugins/toastr/toastr.min.js"&gt;&lt;/script&gt;
                            &lt;script&gt;
                                var _base_url_ = '&lt;?php echo base_url ?&gt;';
                            &lt;/script&gt;
                            &lt;script src="<?php echo base_url ?&gt;dist/js/script.js"&gt;&lt;/script&gt;

&lt;/head&gt;
</pre

```

# Navigation

```

        <a href="php echo base_url ?&gt;admin/?page=categories"
class="nav-link nav-categories"&gt;
            &lt;i class="nav-icon fas fa-th"&gt;&lt;/i&gt;
            &lt;p&gt;
                Manage Category
            &lt;/p&gt;
        &lt;/a&gt;
    &lt;/li&gt;
    &lt;li class="nav-item dropdown"&gt;
        &lt;a href="<?php echo base_url ?&gt;admin/?page=cabs" class="nav-
link nav-cabs"&gt;
            &lt;i class="nav-icon fas fa-taxi"&gt;&lt;/i&gt;
            &lt;p&gt;
                Cab Management
            &lt;/p&gt;
        &lt;/a&gt;
    &lt;/li&gt;
    &lt;li class="nav-item dropdown"&gt;
        &lt;a href="<?php echo base_url ?&gt;admin/?page=bookings"
class="nav-link nav-bookings"&gt;
            &lt;i class="nav-icon fas fa-tasks"&gt;&lt;/i&gt;
            &lt;p&gt;
                View Bookings
            &lt;/p&gt;
        &lt;/a&gt;
    &lt;/li&gt;
    &lt;li class="nav-item dropdown"&gt;
        &lt;a href="<?php echo base_url ?&gt;admin/?page=clients"
class="nav-link nav-clients"&gt;
            &lt;i class="nav-icon fas fa-users"&gt;&lt;/i&gt;
            &lt;p&gt;
                Registered Clients
            &lt;/p&gt;
        &lt;/a&gt;
    &lt;/li&gt;

&lt;?php if($_settings-&gt;userdata('type') == 1): ?&gt;
&lt;!-- &lt;li class="nav-header"&gt;Maintenance&lt;/li&gt; --&gt;

    &lt;li class="nav-item dropdown"&gt;
        &lt;a href="<?php echo base_url ?&gt;admin/?page=user/list"
class="nav-link nav-user_list"&gt;
            &lt;i class="nav-icon fas fa-users-cog"&gt;&lt;/i&gt;
            &lt;p&gt;
                System Users
            &lt;/p&gt;
        &lt;/a&gt;
    &lt;/li&gt;
    &lt;li class="nav-item dropdown"&gt;
</pre

```

```

        <a href="php echo base_url ?&gt;admin/?page=system_info"
class="nav-link nav-system_info"&gt;
            &lt;i class="nav-icon fas fa-cogs"&gt;&lt;/i&gt;
            &lt;p&gt;
                Settings
            &lt;/p&gt;
        &lt;/a&gt;
    &lt;/li&gt;
&lt;?php endif; ?&gt;
&lt;/ul&gt;
&lt;/nav&gt;
&lt;!-- /.sidebar-menu --&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;div class="os-scrollbar os-scrollbar-horizontal os-scrollbar-unusable
os-scrollbar-auto-hidden"&gt;
    &lt;div class="os-scrollbar-track"&gt;
        &lt;div class="os-scrollbar-handle" style="width: 100%; transform:
translate(0px, 0px);"&gt;&lt;/div&gt;
    &lt;/div&gt;
&lt;/div&gt;
&lt;div class="os-scrollbar os-scrollbar-vertical os-scrollbar-auto-
hidden"&gt;
    &lt;div class="os-scrollbar-track"&gt;
        &lt;div class="os-scrollbar-handle" style="height: 55.017%; transform:
translate(0px, 0px);"&gt;&lt;/div&gt;
    &lt;/div&gt;
&lt;/div&gt;
    &lt;div class="os-scrollbar-corner"&gt;&lt;/div&gt;
&lt;/div&gt;
&lt;!-- /.sidebar --&gt;
&lt;/aside&gt;
&lt;script&gt;
$(document).ready(function(){
    var page = '&lt;?php echo isset($_GET['page']) ? $_GET['page'] : 'home' ?&gt;';
    var s = '&lt;?php echo isset($_GET['s']) ? $_GET['s'] : '' ?&gt;';
    page = page.replace('/',"_");
    if(s!='')
        page = page+'_'+s;

    if($('.nav-link.nav-'+page).length &gt; 0){
        $('.nav-link.nav-'+page).addClass('active')
        if($('.nav-link.nav-'+page).hasClass('tree-item') == true){
            $('.nav-link.nav-'+page).closest('.nav-
treeview').siblings('a').addClass('active')
            $('.nav-link.nav-'+page).closest('.nav-
treeview').parent().addClass('menu-open')
        }
    }
})
</pre

```

```

        if($('.nav-link.nav-' +page).hasClass('nav-is-tree') == true){
            $('.nav-link.nav-' +page).parent().addClass('menu-open')
        }
    }
})
</script>

```

## SESS AUTH

```

<?php
if (session_status() == PHP_SESSION_NONE) {
    session_start();
}
if(isset($_SERVER['HTTPS']) && $_SERVER['HTTPS'] === 'on')
    $link = "https";
else
    $link = "http";
$link .= "://";
$link .= $_SERVER['HTTP_HOST'];
$link .= $_SERVER['REQUEST_URI'];
if(!isset($_SESSION['userdata']) && !strpos($link, 'login.php')){
    redirect('admin/login.php');
}
if(isset($_SESSION['userdata']) && strpos($link, 'login.php')){
    redirect('admin/index.php');
}
$module = array('','admin','faculty','student');
if(isset($_SESSION['userdata']) && (strpos($link, 'index.php') || strpos($link,
'admin/')) && $_SESSION['userdata']['login_type'] != 1){
    echo "<script>alert('Access
Denied!');location.replace('".base_url.$module[$_SESSION['userdata']]['login_type']
."');</script>";
    exit;
}

```

## Top Bar Navigation

```

<style>
.user-img{
    position: absolute;
    height: 27px;
    width: 27px;
    object-fit: cover;
    left: -7%;
    top: -12%;
}

```

```

        }
    .btn-rounded{
        border-radius: 50px;
    }

```

</style>

<!-- Navbar -->

```

<nav class="main-header navbar navbar-expand navbar-light text-sm shadow">
    <!-- Left navbar links -->
    <ul class="navbar-nav">
        <li class="nav-item">
            <a class="nav-link" data-widget="pushmenu" href="#" role="button"><i
class="fas fa-bars"></i></a>
        </li>
        <li class="nav-item d-none d-sm-inline-block">
            <a href="=base_url()?" class="nav-link"><?php echo
(!isMobileDevice()) ? $_settings->info('name'):$_settings->info('short_name'); ?>
- Admin</a>
        </li>
    </ul>
    <!-- Right navbar links -->
    <ul class="navbar-nav ml-auto">
        <!-- Navbar Search -->
        <!-- <li class="nav-item">
            <a class="nav-link" data-widget="navbar-search" href="#"
role="button">
                <i class="fas fa-search"></i>
            </a>
            <div class="navbar-search-block">
                <form class="form-inline">
                    <div class="input-group input-group-sm">
                        <input class="form-control form-control-navbar" type="search"
placeholder="Search" aria-label="Search">
                    <div class="input-group-append">
                        <button class="btn btn-navbar" type="submit">
                            <i class="fas fa-search"></i>
                        </button>
                        <button class="btn btn-navbar" type="button" data-
widget="navbar-search">
                            <i class="fas fa-times"></i>
                        </button>
                    </div>
                </div>
            </form>
        </div>
        </li> -->
        <!-- Messages Dropdown Menu -->
        <li class="nav-item">
            <div class="btn-group nav-link">

```

```

        <button type="button" class="btn btn-rounded badge badge-light
dropdown-toggle dropdown-icon" data-toggle="dropdown">
            <span></span>
            <span class="ml-3"><?php echo ucwords($_settings-
>userdata('firstname')).' '. $_settings->userdata('lastname') ?></span>
            <span class="sr-only">Toggle Dropdown</span>
        </button>
        <div class="dropdown-menu" role="menu">
            <a class="dropdown-item" href="<?php echo
base_url.'admin/?page=user' ?>"><span class="fa fa-user-circle"></span> My
Account</a>
            <div class="dropdown-divider"></div>
            <a class="dropdown-item" href="<?php echo
base_url.'/classes/Login.php?f=logout' ?>"><span class="fas fa-power-off"></span>
Logout</a>
        </div>
    </div>
</li>
<li class="nav-item">

</li>
<!-- <li class="nav-item">
    <a class="nav-link" data-widget="control-sidebar" data-slide="true"
href="#" role="button">
        <i class="fas fa-th-large"></i>
    </a>
</li> -->
</ul>
</nav>
<!-- /.navbar -->

```

## 6.) Report

### Index

```

<style>
    table td,table th{
        padding: 3px !important;
    }
</style>
<?php
$date_start = isset($_GET['date_start']) ? $_GET['date_start'] : date("Y-m-
d", strtotime(date("Y-m-d")." -7 days"));
$date_end = isset($_GET['date_end']) ? $_GET['date_end'] : date("Y-m-d");
?>
<div class="card card-warning card-outline">

```

```

<div class="card-header">
    <h5 class="card-title">Vehicle Service Requests Report</h5>
</div>
<div class="card-body">
    <form id="filter-form">
        <div class="row align-items-end">
            <div class="form-group col-md-3">
                <label for="date_start">Date Start</label>
                <input type="date" class="form-control form-control-sm"
name="date_start" value="<?php echo date("Y-m-d",strtotime($date_start)) ?>">
            </div>
            <div class="form-group col-md-3">
                <label for="date_end">Date End</label>
                <input type="date" class="form-control form-control-sm"
name="date_end" value="<?php echo date("Y-m-d",strtotime($date_end)) ?>">
            </div>
            <div class="form-group col-md-1">
                <button class="btn btn-flat btn-block btn-primary btn-sm"><i
class="fa fa-filter"></i> Filter</button>
            </div>
            <div class="form-group col-md-1">
                <button class="btn btn-flat btn-block btn-success btn-sm"
type="button" id="printBTN"><i class="fa fa-print"></i> Print</button>
            </div>
        </div>
        <hr>
        <div id="printable">
            <div>
                <h4 class="text-center m-0"><?php echo $_settings->info('name') ?></h4>
                <h3 class="text-center m-0"><b>Service Requests Report</b></h3>
                <p class="text-center m-0">Date Between <?php echo $date_start ?>
and <?php echo $date_end ?></p>
            <hr>
            </div>
            <table class="table table-bordered">
                <colgroup>
                    <col width="5%">
                    <col width="15%">
                    <col width="15%">
                    <col width="15%">
                    <col width="15%">
                    <col width="15%">
                    <col width="15%">
                </colgroup>
                <thead>
                    <tr>
                        <th>#</th>

```

```

<th>Date Time</th>
<th>Owner Name</th>
<th>Vehicle Name</th>
<th>Vehicle Reg. No.</th>
<th>Assigned To</th>
<th>Service</th>
<th>Status</th>
</tr>
</thead>
<tbody>
<?php
$i = 1;
$mechanic = $conn->query("SELECT * FROM mechanics_list");
$result = $mechanic->fetch_all(MYSQLI_ASSOC);
$mech_arr = array_column($result, 'name', 'id');
$where = "where date(date_created) between '{$date_start}' and '{$date_end}'";
$qry = $conn->query("SELECT * from service_requests {$where} order by unix_timestamp(date_created) desc");
while($row = $qry->fetch_assoc()):
$meta = $conn->query("SELECT * FROM request_meta where request_id = '{$row['id']}'");
while($mrow = $meta->fetch_assoc()){
$row[$mrow['meta_field']] = $mrow['meta_value'];
}
$services = $conn->query("SELECT * FROM service_list where id in ({$row['service_id']}) ");
while($srow = $services->fetch_assoc()):

?>
<tr>
<td class="text-center"><?php echo $i++ ?></td>
<td><?php echo $row['date_created'] ?></td>
<td><?php echo $row['owner_name'] ?></td>
<td><?php echo $row['vehicle_name'] ?></td>
<td><?php echo $row['vehicle_registration_number'] ?></td>
<td><?php echo !empty($row['mechanic_id']) && isset($mech_arr[$row['mechanic_id']]) ? $mech_arr[$row['mechanic_id']] : "N/A" ?></td>
<td><?php echo $srow['service'] ?></td>
<td class='text-center'>
<?php if($row['status'] == 1): ?>
<span class="badge badge-primary">Confirmed</span>
<?php elseif($row['status'] == 2): ?>
<span class="badge badge-warning">On-
progress</span>
<?php elseif($row['status'] == 3): ?>
<span class="badge badge-success">Done</span>

```

```

        <?php elseif($row['status'] == 4): ?>
            <span class="badge badge-danger">Cancelled</span>
        <?php else: ?>
            <span class="badge badge-secondary">Pending</span>
        <?php endif; ?>
    </td>
</tr>
<?php endwhile; ?>
<?php endwhile; ?>
<?php if($qry->num_rows <= 0): ?>
<tr>
    <td class="text-center" colspan="6">No Data...</td>
</tr>
<?php endif; ?>
</tbody>
</table>
</div>
</div>
</div>
<noscript>
    <style>
        .m-0{
            margin:0;
        }
        .text-center{
            text-align:center;
        }
        .text-right{
            text-align:right;
        }
        .table{
            border-collapse:collapse;
            width: 100%
        }
        .table tr,.table td,.table th{
            border:1px solid gray;
        }
    </style>
</noscript>
<script>
$(function(){
    $('#filter-form').submit(function(e){
        e.preventDefault()
        location.href =
        "./?page=report&date_start="+$('input[name='date_start"]').val()+"&date_end="+$('input[name='date_end"]').val()
    })
    $('#printBTN').click(function(){

```

```

        var rep = $('#printable').clone();
        var ns = $('noscript').clone().html();
        start_loader()
        rep.prepend(ns)
        var nw = window.document.open('','_blank','width=900,height=600')
        nw.document.write(rep.html())
        nw.document.close()
        nw.print()
        setTimeout(function(){
            nw.close()
            end_loader()
        },500)
    })
})
</script>

```

## Order

```

<style>
    table td,table th{
        padding: 3px !important;
    }
</style>
<?php
$date_start = isset($_GET['date_start']) ? $_GET['date_start'] : date("Y-m-d", strtotime(date("Y-m-d")." -7 days"));
$date_end = isset($_GET['date_end']) ? $_GET['date_end'] : date("Y-m-d");
?>
<div class="card card-warning card-outline">
    <div class="card-header">
        <h5 class="card-title">Vehicle Service Requests Report</h5>
    </div>
    <div class="card-body">
        <form id="filter-form">
            <div class="row align-items-end">
                <div class="form-group col-md-3">
                    <label for="date_start">Date Start</label>
                    <input type="date" class="form-control form-control-sm" name="date_start" value="<?php echo date("Y-m-d", strtotime($date_start)) ?>">
                </div>
                <div class="form-group col-md-3">
                    <label for="date_start">Date End</label>
                    <input type="date" class="form-control form-control-sm" name="date_end" value="<?php echo date("Y-m-d", strtotime($date_end)) ?>">
                </div>
                <div class="form-group col-md-1">
                    <button class="btn btn-flat btn-block btn-primary btn-sm"><i class="fa fa-filter"></i> Filter</button>
                </div>
            </div>
        </form>
    </div>
</div>

```

```

        </div>
        <div class="form-group col-md-1">
            <button class="btn btn-flat btn-block btn-success btn-sm"
type="button" id="printBTN"><i class="fa fa-print"></i> Print</button>
        </div>
    </div>
</form>
<hr>
<div id="printable">
    <div>
        <h4 class="text-center m-0"><?php echo $_settings->info('name') ?></h4>
        <h3 class="text-center m-0"><b>Order Report</b></h3>
        <p class="text-center m-0">Date Between <?php echo $date_start ?>
and <?php echo $date_end ?></p>
        <hr>
    </div>
    <table class="table table-bordered">
        <colgroup>
            <col width="5%">
            <col width="20%">
            <col width="20%">
            <col width="20%">
            <col width="15%">
            <col width="20%">
        </colgroup>
        <thead>
            <tr>
                <th>#</th>
                <th>Date Time</th>
                <th>Ref. Code</th>
                <th>Client Name</th>
                <th>Total Amount</th>
                <th>Status</th>
            </tr>
        </thead>
        <tbody>
            <?php
                $i = 1;
                $mechanic = $conn->query("SELECT * FROM mechanics_list");
                $result = $mechanic->fetch_all(MYSQLI_ASSOC);
                $mech_arr = array_column($result, 'name', 'id');
                $where = "where date(o.date_created) between
'{$_date_start}' and '{$_date_end}'";
                $qry = $conn->query("SELECT o.* ,CONCAT(c.lastname,',
',c.firstname, ' ',c.middlename) as fullname from order_list o inner join
client_list c on o.client_id = c.id {$where} order by
unix_timestamp(o.date_created) desc");
                while($row = $qry->fetch_assoc()):

```

```

    ?>
    <tr>
        <td class="text-center"><?php echo $i++ ?></td>
        <td><?php echo $row['date_created'] ?></td>
        <td><?php echo $row['ref_code'] ?></td>
        <td><?php echo $row['fullname'] ?></td>
        <td class="text-right"><?= number_format($row['total_amount'],2) ?></td>
        <td class='text-center'>
            <?php if($row['status'] == 0): ?>
                <span class="badge badge-secondary px-3 rounded-pill">Pending</span>
            <?php elseif($row['status'] == 1): ?>
                <span class="badge badge-primary px-3 rounded-pill">Packed</span>
            <?php elseif($row['status'] == 2): ?>
                <span class="badge badge-success px-3 rounded-pill">For Delivery</span>
            <?php elseif($row['status'] == 3): ?>
                <span class="badge badge-warning px-3 rounded-pill">On the Way</span>
            <?php elseif($row['status'] == 4): ?>
                <span class="badge badge-default bg-gradient-teal px-3 rounded-pill">Delivered</span>
            <?php else: ?>
                <span class="badge badge-danger px-3 rounded-pill">Cancelled</span>
            <?php endif; ?>
        </td>
    </tr>
    <?php endwhile; ?>
    <?php if($qry->num_rows <= 0): ?>
    <tr>
        <td class="text-center" colspan="6">No Data...</td>
    </tr>
    <?php endif; ?>
</tbody>
</table>
</div>
</div>
</div>
<noscript>
<style>
    .m-0{
        margin:0;
    }
    .text-center{
        text-align:center;
    }

```

```

    .text-right{
        text-align:right;
    }
    .table{
        border-collapse:collapse;
        width: 100%
    }
    .table tr,.table td,.table th{
        border:1px solid gray;
    }

```

</style>

</noscript>

<script>

```

$(function(){
    $('#filter-form').submit(function(e){
        e.preventDefault()
        location.href =
        "./?page=report/orders&date_start="+$('input[name="date_start"]').val()+"&date_end="+$('input[name="date_end"]').val()
    })

    $('#printBTN').click(function(){
        var rep = $('#printable').clone();
        var ns = $('noscript').clone().html();
        start_loader()
        rep.prepend(ns)
        var nw = window.document.open('','_blank','width=900,height=600')
        nw.document.write(rep.html())
        nw.document.close()
        nw.print()
        setTimeout(function(){
            nw.close()
            end_loader()
        },500)
    })
})

```

</script>

## Service request

```

<style>
    table td,table th{
        padding: 3px !important;
    }
</style>
<?php
$date_start = isset($_GET['date_start']) ? $_GET['date_start'] : date("Y-m-d", strtotime(date("Y-m-d")." -7 days"));
$date_end = isset($_GET['date_end']) ? $_GET['date_end'] : date("Y-m-d");

```

```

?>
<div class="card card-warning card-outline">
    <div class="card-header">
        <h5 class="card-title">Vehicle Service Requests Report</h5>
    </div>
    <div class="card-body">
        <form id="filter-form">
            <div class="row align-items-end">
                <div class="form-group col-md-3">
                    <label for="date_start">Date Start</label>
                    <input type="date" class="form-control form-control-sm"
name="date_start" value="<?php echo date("Y-m-d",strtotime($date_start)) ?>">
                </div>
                <div class="form-group col-md-3">
                    <label for="date_end">Date End</label>
                    <input type="date" class="form-control form-control-sm"
name="date_end" value="<?php echo date("Y-m-d",strtotime($date_end)) ?>">
                </div>
                <div class="form-group col-md-1">
                    <button class="btn btn-flat btn-block btn-primary btn-sm"><i
class="fa fa-filter"></i> Filter</button>
                </div>
                <div class="form-group col-md-1">
                    <button class="btn btn-flat btn-block btn-success btn-sm"
type="button" id="printBTN"><i class="fa fa-print"></i> Print</button>
                </div>
            </div>
        </form>
        <hr>
        <div id="printable">
            <div>
                <h4 class="text-center m-0"><?php echo $_settings->info('name') ?></h4>
                <h3 class="text-center m-0"><b>Service Requests Report</b></h3>
                <p class="text-center m-0">Date Between <?php echo $date_start ?>
and <?php echo $date_end ?></p>
                <hr>
            </div>
            <table class="table table-bordered">
                <colgroup>
                    <col width="5%">
                    <col width="15%">
                    <col width="15%">
                    <col width="15%">
                    <col width="15%">
                    <col width="15%">
                    <col width="15%">
                </colgroup>
                <thead>

```

```

<tr>
    <th>#</th>
    <th>Date Time</th>
    <th>Owner Name</th>
    <th>Vehicle Name</th>
    <th>Vehicle Reg. No.</th>
    <th>Assigned To</th>
    <th>Service</th>
    <th>Status</th>
</tr>
</thead>
<tbody>
<?php
$i = 1;
$mechanic = $conn->query("SELECT * FROM mechanics_list");
$result = $mechanic->fetch_all(MYSQLI_ASSOC);
$mech_arr = array_column($result, 'name', 'id');
$where = "where date(s.date_created) between
'{$date_start}' and '{$date_end}'";
$qry = $conn->query("SELECT s.* ,CONCAT(c.lastname,'',
',c.firstname,' ',c.middlename) as fullname from service_requests s inner join
client_list c on s.client_id = c.id {$where} order by
unix_timestamp(s.date_created) desc");
while($row = $qry->fetch_assoc()):
$meta = $conn->query("SELECT * FROM request_meta where
request_id = '{$row['id']}'");
while($mrow = $meta->fetch_assoc()){
$row[$mrow['meta_field']] = $mrow['meta_value'];
}
$services = $conn->query("SELECT * FROM service_list
where id in ({$row['service_id']}) ");
while($srow = $services->fetch_assoc()):

?>
<tr>
    <td class="text-center"><?php echo $i++ ?></td>
    <td><?php echo $row['date_created'] ?></td>
    <td><?php echo $row['fullname'] ?></td>
    <td><?php echo $row['vehicle_name'] ?></td>
    <td><?php echo $row['vehicle_registration_number'] ?></td>
    <td><?php echo !empty($row['mechanic_id']) &&
isset($mech_arr[$row['mechanic_id']]) ? $mech_arr[$row['mechanic_id']] : "N/A"
?></td>
        <td><?php echo $srow['service'] ?></td>
        <td class='text-center'>
            <?php if($row['status'] == 1): ?>
                <span class="badge badge-primary rounded-pill px-
3">Confirmed</span>

```

```

        <?php elseif($row['status'] == 2): ?>
            <span class="badge badge-warning rounded-pill px-
3">On-progress</span>
        <?php elseif($row['status'] == 3): ?>
            <span class="badge badge-success rounded-pill px-
3">Done</span>
        <?php elseif($row['status'] == 4): ?>
            <span class="badge badge-danger rounded-pill px-
3">Cancelled</span>
    <?php else: ?>
        <span class="badge badge-secondary rounded-pill px-3">Pending</span>
    <?php endif; ?>
        </td>
    </tr>
<?php endwhile; ?>
<?php endwhile; ?>
<?php if($qry->num_rows <= 0): ?>
    <tr>
        <td class="text-center" colspan="6">No Data...</td>
    </tr>
<?php endif; ?>
</tbody>
</table>
</div>
</div>
</div>
<noscript>
    <style>
        .m-0{
            margin:0;
        }
        .text-center{
            text-align:center;
        }
        .text-right{
            text-align:right;
        }
        .table{
            border-collapse:collapse;
            width: 100%
        }
        .table tr,.table td,.table th{
            border:1px solid gray;
        }
    </style>
</noscript>
<script>
$(function(){

```

```

$( '#filter-form' ).submit( function(e){
    e.preventDefault()
    location.href =
    "./?page=report/service_requests&date_start="+$(' [name="date_start"]').val()+"&dat
e_end="+$(' [name="date_end"]').val()
})

$( '#printBTN' ).click(function(){
    var rep = $('#printable').clone();
    var ns = $('noscript').clone().html();
    start_loader()
    rep.prepend(ns)
    var nw = window.document.open(' ', '_blank','width=900,height=600')
    nw.document.write(rep.html())
    nw.document.close()
    nw.print()
    setTimeout(function(){
        nw.close()
        end_loader()
    },500)
})
})

```

## 7.) Service Request

### Index

```

<?php if($_settings->chk_flashdata('success')): ?>
<script>
    alert_toast("<?php echo $_settings->flashdata('success') ?>",'success')
</script>
<?php endif;?>
<div class="card card-outline card-purple">
    <div class="card-header">
        <h3 class="card-title">List of Service Requests</h3>
        <div class="card-tools">
            <a href="javascript:void(0)" id="create_new" class="btn btn-flat btn-
primary btn-sm"><span class="fas fa-plus"></span> Create New</a>
        </div>
    </div>
    <div class="card-body">
        <div class="container-fluid">
        <div class="container-fluid">
            <table class="table table-bordered table-striped">
                <colgroup>
                    <col width="5%">
                    <col width="35%">
                    <col width="25%">

```

```

<col width="25%">
<col width="10%">
</colgroup>
<thead>
<tr>
<th>#</th>
<th>Date Created</th>
<th>Client Name</th>
<th>Service</th>
<th>Status</th>
<th>Action</th>
</tr>
</thead>
<tbody>
<?php
    $i = 1;
    $qry = $conn->query("SELECT s.*,concat(c.lastname,' ',c.firstname,' ',c.middlename) as fullname from service_requests s inner join client_list c on s.client_id = c.id order by unix_timestamp(s.date_created) desc");
    while($row = $qry->fetch_assoc()):
        $sids = $conn->query("SELECT meta_value FROM request_meta where request_id = '{$row['id']}' and meta_field = 'service_id'")->fetch_assoc()['meta_value'];
        $services = $conn->query("SELECT * FROM service_list where id in ({$sids}) ");
    ?>
    <tr>
        <td class="text-center"><?php echo $i++; ?></td>
        <td><?php echo date("Y-m-d H:i",strtotime($row['date_created'])) ?></td>
        <td><?php echo ucwords($row['fullname']) ?></td>
        <td>
            <p class="m-0 truncate-3">
                <?php
                    $s = 0;
                    while($srow = $services->fetch_assoc()){
                        $s++;
                        if($s != 1) echo ", ";
                        echo $srow['service'];
                    }
                ?>
            </p>
        </td>
        <td class="text-center">
            <?php if($row['status'] == 1): ?>
                <span class="badge badge-primary rounded-pill px-3">Confirmed</span>
            <?php elseif($row['status'] == 2): ?>

```

```

        <span class="badge badge-warning rounded-pill
px-3">On-progress</span>
        <?php elseif($row['status'] == 3): ?>
            <span class="badge badge-success rounded-pill
px-3">Done</span>
        <?php elseif($row['status'] == 4): ?>
            <span class="badge badge-danger rounded-pill
px-3">Cancelled</span>
        <?php else: ?>
            <span class="badge badge-secondary rounded-
pill px-3">Pending</span>
        <?php endif; ?>
    </td>
    <td align="center">
        <button type="button" class="btn btn-flat btn-
default btn-sm dropdown-toggle dropdown-icon" data-toggle="dropdown">
            Action
            <span class="sr-only">Toggle Dropdown</span>
        </button>
        <div class="dropdown-menu" role="menu">
            <a class="dropdown-item view_data"
href="javascript:void(0)" data-id="<?php echo $row['id'] ?>"><span class="fa fa-
eye text-primary"></span> View</a>
            <div class="dropdown-divider"></div>
            <a class="dropdown-item edit_data"
href="javascript:void(0)" data-id="<?php echo $row['id'] ?>"><span class="fa fa-
edit text-primary"></span> Edit</a>
            <div class="dropdown-divider"></div>
            <a class="dropdown-item delete_data"
href="javascript:void(0)" data-id="<?php echo $row['id'] ?>"><span class="fa fa-
trash text-danger"></span> Delete</a>
        </div>
    </td>
</tr>
<?php endwhile; ?>
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
<script>
$(document).ready(function(){
    $('.delete_data').click(function(){
        _conf("Are you sure to delete this service request
permanently?", "delete_service_request",[$(this).attr('data-id')])
    })
    $('.view_data').click(function(){

```

```

        uni_modal("Service Request
Details","service_requests/view_request.php?id="+$(this).attr('data-id'),'large')
    })
    $('#create_new').click(function(){
        uni_modal("Service Request
Details","service_requests/manage_request.php",'large')
    })
    $('.edit_data').click(function(){
        uni_modal("Service Request
Details","service_requests/manage_request.php?id="+$(this).attr('data-
id'),'large')
    })
    $('.table').dataTable();
})
function delete_service_request($id){
    start_loader();
    $.ajax({
        url:_base_url_+"classes/Master.php?f=delete_request",
        method:"POST",
        data:{id: $id},
        dataType:"json",
        error:err=>{
            console.log(err)
            alert_toast("An error occured.",'error');
            end_loader();
        },
        success:function(resp){
            if(typeof resp== 'object' && resp.status == 'success'){
                location.reload();
            }else{
                alert_toast("An error occured.",'error');
                end_loader();
            }
        }
    })
}
</script>

```

## Manage Inventory

```

<?php
if(isset($_GET['id']) && $_GET['id'] > 0){
    $qry = $conn->query("SELECT * from `inventory` where id = '{$_GET['id']}' ");
    if($qry->num_rows > 0){
        foreach($qry->fetch_assoc() as $k => $v){
            $$k=$v;
        }
    }
}

```

```

}

?>
<div class="card card-outline card-info">
    <div class="card-header">
        <h3 class="card-title"><?php echo isset($id) ? "Update " : "Create New " ?>
Inventory</h3>
    </div>
    <div class="card-body">
        <form action="" id="inventory-form">
            <input type="hidden" name="id" value=<?php echo isset($id) ? $id : '' ?>">
            <div class="form-group">
                <label for="product_id" class="control-label">Product</label>
                <select name="product_id" id="product_id" class="custom-select select2" required>
                    <option value=""></option>
                    <?php
                        $qry = $conn->query("SELECT * FROM `products` order by title asc");
                        while($row= $qry->fetch_assoc()):
                            foreach($row as $k=> $v){
                                $row[$k] = trim(stripslashes($v));
                            }
                        ?>
                    <option value=<?php echo $row['id'] ?>" <?php echo
isset($product_id) && $product_id == $row['id'] ? 'selected' : '' ?>><?php echo
$row['title'] ?></option>
                    <?php endwhile; ?>
                </select>
            </div>
            <div class="form-group">
                <label for="quantity" class="control-label">Beginning
Quanatity</label>
                <input type="number" class="form-control form" required
name="quantity" value=<?php echo isset($quantity) ? $quantity : '' ?>">
            </div>
            <div class="form-group">
                <label for="price" class="control-label">Price</label>
                <input type="number" step="any" class="form-control form" required
name="price" value=<?php echo isset($price) ? $price : '' ?>">
            </div>
        </form>
    </div>
    <div class="card-footer">
        <button class="btn btn-flat btn-primary" form="inventory-
form">Save</button>
        <a class="btn btn-flat btn-default" href="?page=inventory">Cancel</a>
    </div>
</div>

```

```

<script>
    function displayImg(input,_this) {
        console.log(input.files)
        var fnames = []
        Object.keys(input.files).map(k=>{
            fnames.push(input.files[k].name)
        })
        _this.siblings('.custom-file-label').html(JSON.stringify(fnames))

    }
$(document).ready(function(){
    $('.select2').select2({placeholder:"Please Select here",width:"relative"})
    $('#inventory-form').submit(function(e){
        e.preventDefault();
        var _this = $(this)
        $('.err-msg').remove();
        start_loader();
        $.ajax({
            url:_base_url_+"classes/Master.php?f=save_inventory",
            data: new FormData($('form')[0]),
            cache: false,
            contentType: false,
            processData: false,
            method: 'POST',
            type: 'POST',
            dataType: 'json',
            error:err=>{
                console.log(err)
                alert_toast("An error occurred",'error');
                end_loader();
            },
            success:function(resp){
                if(typeof resp =='object' && resp.status == 'success'){
                    location.href = "./?page=inventory";
                }else if(resp.status == 'failed' && !resp.msg){
                    var el = $('

')
                    el.addClass("alert alert-danger err-
msg").text(resp.msg)
                    _this.prepend(el)
                    el.show('slow')
                    $("html, body").animate({ scrollTop:
                    _this.closest('.card').offset().top }, "fast");
                    end_loader()
                }else{
                    alert_toast("An error occurred",'error');
                    end_loader();
                    console.log(resp)
                }
            }
        })
    })
}


```

```

        })
    })

    $('.summernote').summernote({
        height: 200,
        toolbar: [
            [ 'style', [ 'style' ] ],
            [ 'font', [ 'bold', 'italic', 'underline', 'strikethrough',
'superscript', 'subscript', 'clear' ] ],
            [ 'fontname', [ 'fontname' ] ],
            [ 'fontsize', [ 'fontsize' ] ],
            [ 'color', [ 'color' ] ],
            [ 'para', [ 'ol', 'ul', 'paragraph', 'height' ] ],
            [ 'table', [ 'table' ] ],
            [ 'view', [ 'undo', 'redo', 'fullscreen', 'codeview', 'help' ] ]
        ]
    })
})
</script>

```

## Manage Request

```

<?php
require_once('../config.php');
if(isset($_GET['id'])){
$qry = $conn->query("SELECT s.*,cc.category,concat(c.lastname, ' ', c.firstname,
',c.middlename) as fullname,c.email,c.contact, c.address FROM `service_requests` s
inner join `categories` cc inner join client_list c on s.client_id = c.id where
s.id = '{$_GET['id']}' ");
foreach($qry->fetch_array() as $k => $v){
    $$k = $v;
}
$meta = $conn->query("SELECT * FROM `request_meta` where request_id = '{$id}'");
while($row = $meta->fetch_assoc()){
    ${$row['meta_field']} = $row['meta_value'];
}
}
?>
<style>
    #uni_modal .modal-footer{
        display:none
    }
    span.select2-selection.select2-selection--single,span.select2-
selection.select2-selection--multiple {
        padding: 0.25rem 0.5rem;
        min-height: calc(1.5em + 0.5rem + 2px);
        height:auto !important;

```

```

max-height:calc(3.5em + 0.5rem + 2px);
padding: 0.25rem 0.5rem;
font-size: 0.875rem;
border-radius: 0;
}
</style>
<div class="container-fluid">
    <form action="" id="request_form">
        <input type="hidden" name="id" value=<?php echo isset($id) ? $id : "" ?>">
        <input type="hidden" name="client_id" value=<?php echo isset($client_id) ? $client_id : "" ?>">
        <div class="col-12">
            <div class="row">
                <div class="col-md-6">
                    <div class="form-group">
                        <label for="vehicle_type" class="control-label">Vehicle Type</label>
                        <input type="text" name="vehicle_type" id="vehicle_type" class="form-control form-control-sm rounded-0" value=<?php echo isset($vehicle_type) ? $vehicle_type : "" ?>" required>
                    </div>
                    <div class="form-group">
                        <label for="owner_name" class="control-label">Owner Fullname</label>
                        <input type="text" name="" id="owner_name" class="form-control form-control-sm rounded-0" value=<?php echo isset($fullname) ? $fullname : "" ?>" disabled>
                    </div>
                    <div class="form-group">
                        <label for="contact" class="control-label">Owner Contact #</label>
                        <input type="text" name="" id="contact" class="form-control form-control-sm rounded-0" value=<?php echo isset($contact) ? $contact : "" ?>" disabled>
                    </div>
                    <div class="form-group">
                        <label for="email" class="control-label">Owner Email</label>
                        <input type="email" name="" id="email" class="form-control form-control-sm rounded-0" value=<?php echo isset($email) ? $email : "" ?>" disabled>
                    </div>
                    <div class="form-group">
                        <label for="address" class="control-label">Address</label>
                        <textarea rows="3" name="" id="address" class="form-control form-control-sm rounded-0" style="resize:none" disabled><?php echo isset($address) ? $address : "" ?></textarea>
                    </div>
                </div>
            </div>
        </div>
    </form>
</div>

```

```

<div class="col-md-6">
    <div class="form-group">
        <label for="vehicle_name" class="control-label">Vehicle
Name</label>
        <input type="text" name="vehicle_name" id="vehicle_name"
class="form-control form-control-sm rounded-0" value=<?php echo
isset($vehicle_name) ? $vehicle_name : "" ?>" required>
    </div>
    <div class="form-group">
        <label for="vehicle_registration_number" class="control-
label">Vehicle Registration Number</label>
        <input type="text" name="vehicle_registration_number"
id="vehicle_registration_number" class="form-control form-control-sm rounded-0"
value=<?php echo isset($vehicle_registration_number) ?
$vehicle_registration_number : "" ?>" required>
    </div>
    <div class="form-group">
        <label for="vehicle_model" class="control-label">Vehicle
Model</label>
        <input type="text" name="vehicle_model" id="vehicle_model"
class="form-control form-control-sm rounded-0" value=<?php echo
isset($vehicle_model) ? $vehicle_model : "" ?>" required>
    </div>
    <div class="form-group">
        <label for="service_id" class="control-label">Services</label>
        <select name="service_id[]" id="service_id" class="form-select
form-select-sm select2 rounded-0" multiple required>
            <option disabled></option>
            <?php
                $service = $conn->query("SELECT * FROM `service_list`"
where status = 1 order by `service` asc");
                while($row = $service->fetch_assoc()):
                    ?>
                    <option value=<?php echo $row['id'] ?>" <?php echo
isset($service_id) && in_array($row['id'],explode(",",$service_id))?
"selected" :
'' ?>><?php echo $row['service'] ?></option>
                <?php endwhile; ?>
            </select>
        </div>
        <div class="form-group">
            <label for="service_type" class="control-label">Request
Type</label>
            <select name="service_type" id="service_type" class="form-
select form-select-sm select2 rounded-0" required>
                <option <?php echo isset($service_type) && $service_type
== 'Drop Off' ? "selected" : '' ?>>Drop Off</option>
                <option <?php echo isset($service_type) && $service_type
== 'Pick Up' ? "selected" : '' ?>>Pick Up</option>
            </select>
        </div>
    </div>

```

```

        </div>
        <div class="form-group" <?php echo isset($service_type) &&
$service_type == 'Drop Off' ? 'style="display:none"' : '' ?>>
            <label for="pickup_address" class="control-label">Pick up
Address</label>
            <textarea rows="3" name="pickup_address" id="pickup_address"
class="form-control form-control-sm rounded-0" style="resize:none"><?php echo
isset($pickup_address) ? $pickup_address : "" ?></textarea>
        </div>
    </div>
<hr class="border-light">
<div class="row">
    <div class="col-md-6">
        <div class="form-group " id="mechanic-holder">
            <label for="mechanic_id" class="control-label">Assigned
To:</label>
            <select name="mechanic_id" id="mechanic_id" class="form-select
form-select-sm rounded-0" required>
                <option disabled <?php echo !isset($mechanic_id) ||
(isset($mechanic_id) && empty($mechanic_id)) ? "selected" : "" ?>></option>
                <?php
                    $mechanic = $conn->query("SELECT * FROM `mechanics_list`"
where status = 1 order by `name` asc");
                    while($row = $mechanic->fetch_assoc()):
                ?>
                <option value=<?php echo $row['id'] ?>" <?php echo
isset($mechanic_id) && in_array($row['id'],explode(",",$mechanic_id))? "selected"
: '' ?>><?php echo $row['name'] ?></option>
                <?php endwhile; ?>
            </select>
        </div>
    </div>
    <div class="col-md-6">
        <div class="form-group">
            <label for="status" class="control-label">Status</label>
            <select name="status" id="status" class="custom-select custom-
select-sm rounded-0" required>
                <option value="0" <?php echo isset($status) && $status ==
0 ? "selected" : '' ?>>Pending</option>
                <option value="1" <?php echo isset($status) && $status ==
1 ? "selected" : '' ?>>Confirmed</option>
                <option value="2" <?php echo isset($status) && $status ==
2 ? "selected" : '' ?>>On-Progress</option>
                <option value="3" <?php echo isset($status) && $status ==
3 ? "selected" : '' ?>>Done</option>
                <option value="4" <?php echo isset($status) && $status ==
4 ? "selected" : '' ?>>Cancelled</option>
            </select>
        </div>
    </div>

```

```

                </div>
            </div>
        </div>
    </div>
    <div class="w-100 d-flex justify-content-end mx-2">
        <div class="col-auto">
            <button class="btn btn-primary btn-sm rounded-0">Save
Request</button>
            <button class="btn btn-light btn-sm rounded-0" type="button" data-
dismiss="modal">Close</button>
        </div>
    </div>
</form>
</div>
<script>
$(function(){
    $('.select2').select2({
        placeholder:"Please Select Here",
        dropdownParent: $('#uni_modal')
    })
    $('#mechanic_id').select2({
        placeholder:"Please Select Here",
        dropdownParent: $('#mechanic-holder')
    })
    $('#service_type').change(function(){
        var type = $(this).val().toLowerCase()
        if(type == 'pick up'){
            $('#pickup_address').parent().show()
            $('#pickup_address').attr('required',true)
        }else{
            $('#pickup_address').parent().hide()
            $('#pickup_address').attr('required',false)
        }
    })
    $('#request_form').submit(function(e){
        e.preventDefault()
        start_loader();
        $.ajax({
            url:_base_url_+'classes/Master.php?f=save_request',
            method:'POST',
            data:$(this).serialize(),
            dataType:'json',
            error:err=>{
                console.log(err)
                alert_toast("An error occurred",'error');
                end_loader()
            },
            success:function(resp){

```

```

        end_loader()
        if(resp.status == 'success'){
            alert_toast("Data successfully saved",'success');
            setTimeout(() => {
                uni_modal("Service Request
Details","service_requests/view_request.php?id="+resp.id,'large')
                $('#uni_modal').on('hidden.bs.modal',function(){
                    location.reload()
                })
            }, 200);
        }else{
            alert_toast("An error occurred",'error');
        }
    }
}
)
}
)
</script>

```

## View Request

```

<?php
require_once('../config.php');
$qry = $conn->query("SELECT s.*,cc.category,concat(c.lastname, ' ', c.firstname,
',c.middlename) as fullname,c.email,c.contact, c.address FROM `service_requests` s
inner join `categories` cc inner join client_list c on s.client_id = c.id where
s.id = '{$_GET['id']}' ");
foreach($qry->fetch_array() as $k => $v){
    $$k = $v;
}
$meta = $conn->query("SELECT * FROM `request_meta` where request_id = '{$id}'");
while($row = $meta->fetch_assoc()){
    ${$row['meta_field']} = $row['meta_value'];
}
$services = $conn->query("SELECT * FROM service_list where id in ({$service_id})");
?>
<style>
    #uni_modal .modal-footer{
        display:none
    }
</style>
<div class="container-fluid">
    <div class="row">
        <div class="col-sm-6">
            <dl>
                <dt><b>Vehicle Type</b></dt>
                <dd class="pl-2"><?php echo $category ?></dd>

```

```

<dt><b>Client Name</b></dt>
<dd class="pl-2"><?php echo $fullname ?></dd>
<dt><b>Owner Contact</b></dt>
<dd class="pl-2"><?php echo $contact ?></dd>
<dt><b>Owner Email</b></dt>
<dd class="pl-2"><?php echo $email ?></dd>
<dt><b>Owner Address</b></dt>
<dd class="pl-2"><?php echo $address ?></dd>
<dt><b>Request Type</b></dt>
<dd class="pl-2"><?php echo $service_type ?></dd>
<dt><b>Status</b></dt>
<dd class="pl-2">
    <?php if($status == 1): ?>
        <span class="badge badge-primary">Confirmed</span>
    <?php elseif($status == 2): ?>
        <span class="badge badge-warning">On-progress</span>
    <?php elseif($status == 3): ?>
        <span class="badge badge-success">Done</span>
    <?php elseif($status == 4): ?>
        <span class="badge badge-danger">Cancelled</span>
    <?php else: ?>
        <span class="badge badge-secondary">Pending</span>
    <?php endif; ?>
</dd>
</dl>
</div>
<div class="col-sm-6">
    <dl>
        <dt><b>Vehicle Name</b></dt>
        <dd class="pl-2"><?php echo $vehicle_name ?></dd>
        <dt><b>Vehicle Registration Number</b></dt>
        <dd class="pl-2"><?php echo $vehicle_registration_number ?></dd>
        <dt><b>Vehicle Model</b></dt>
        <dd class="pl-2"><?php echo $vehicle_model ?></dd>
        <dt><b>Service/s:</b></dt>
        <dd class="pl-2">
            <ul>
                <?php
                    while($srow= $services->fetch_assoc()):
                        ?>
                <li><?php echo $srow['service'] ?></li>
                <?php endwhile; ?>
            </ul>
        </dd>
    </dl>
</div>
<div class="w-100 d-flex justify-content-end mx-2">
    <div class="col-auto">

```

```

        <button class="btn btn-light btn-sm rounded-0" type="button" data-
dismiss="modal">Close</button>
    </div>
</div>
</div>
```

## 8.) System Info

### Index

```

<?php if($_settings->chk_flashdata('success')): ?>
<script>
    alert_toast("<?php echo $_settings->flashdata('success') ?>", 'success')
</script>
<?php endif;?>

<style>
    img#cimg{
        height: 15vh;
        width: 15vh;
        object-fit: cover;
        border-radius: 100% 100%;
    }
    img#cimg2{
        height: 50vh;
        width: 100%;
        object-fit: contain;
        /* border-radius: 100% 100%; */
    }
</style>
<div class="col-lg-12">
    <div class="card card-outline card-purple rounded-0 shadow">
        <div class="card-header">
            <h5 class="card-title">System Information</h5>
            <!-- <div class="card-tools">
                <a class="btn btn-block btn-sm btn-default btn-flat border-primary
new_department" href="javascript:void(0)"><i class="fa fa-plus"></i> Add New</a>
            </div> -->
        </div>
        <div class="card-body">
            <form action="" id="system-frm">
                <div id="msg" class="form-group"></div>
                <div class="form-group">
                    <label for="name" class="control-label">System Name</label>
                    <input type="text" class="form-control form-control-sm"
name="name" id="name" value="<?php echo $_settings->info('name') ?>">
                </div>
                <div class="form-group">
```

```

        <label for="short_name" class="control-label">System Short
Name</label>
        <input type="text" class="form-control form-control-sm"
name="short_name" id="short_name" value=<?php echo  $_settings-
>info('short_name') ?>">
    </div>
    <div class="form-group">
        <label for="" class="control-label">Welcome Content</label>
        <textarea name="content[welcome]" id="" cols="30" rows="2"
class="form-control summernote"><?php echo  is_file(base_app.'welcome.html') ?
file_get_contents(base_app.'welcome.html') : "" ?></textarea>
    </div>
    <div class="form-group">
        <label for="" class="control-label">About Us</label>
        <textarea name="content[about]" id="" cols="30" rows="2"
class="form-control summernote"><?php echo  is_file(base_app.'about.html') ?
file_get_contents(base_app.'about.html') : "" ?></textarea>
    </div>
    <div class="form-group">
        <label for="" class="control-label">System Logo</label>
        <div class="custom-file">
            <input type="file" class="custom-file-input rounded-circle"
id="customFile" name="img" onchange="displayImg(this,$(this))">
            <label class="custom-file-label" for="customFile">Choose
file</label>
        </div>
    </div>
    <div class="form-group d-flex justify-content-center">
        <img src=<?php echo validate_image($_settings->info('logo')) ?>" alt="" id="cimg" class="img-fluid img-thumbnail">
    </div>
    <div class="form-group">
        <label for="" class="control-label">Website Cover</label>
        <div class="custom-file">
            <input type="file" class="custom-file-input rounded-circle"
id="customFile" name="cover" onchange="displayImg2(this,$(this))">
            <label class="custom-file-label" for="customFile">Choose
file</label>
        </div>
    </div>
    <div class="form-group d-flex justify-content-center">
        <img src=<?php echo validate_image($_settings->info('cover')) ?>" alt="" id="cimg2" class="img-fluid img-thumbnail">
    </div>
</div>
<div class="card-footer">
    <div class="col-md-12">
        <div class="row">

```

```
        <button class="btn btn-sm btn-success" form="system-
frm">Update Settings</button>
    </div>
</div>
</div>

</div>
</div>
<script>
    function displayImg(input,_this) {
        if (input.files && input.files[0]) {
            var reader = new FileReader();
            reader.onload = function (e) {
                $('#cimg').attr('src', e.target.result);
                _this.siblings('.custom-file-label').html(input.files[0].name)
            }

            reader.readAsDataURL(input.files[0]);
        }
    }

    function displayImg2(input,_this) {
        if (input.files && input.files[0]) {
            var reader = new FileReader();
            reader.onload = function (e) {
                _this.siblings('.custom-file-label').html(input.files[0].name)
                $('#cimg2').attr('src', e.target.result);
            }

            reader.readAsDataURL(input.files[0]);
        }
    }

    function displayImg3(input,_this) {
        if (input.files && input.files[0]) {
            var reader = new FileReader();
            reader.onload = function (e) {
                _this.siblings('.custom-file-label').html(input.files[0].name)
                $('#cimg3').attr('src', e.target.result);
            }

            reader.readAsDataURL(input.files[0]);
        }
    }

$(document).ready(function(){
    $('.summernote').summernote({
        height: 200,
        toolbar: [
            [ 'style', [ 'style' ] ],
            [ 'font', [ 'bold', 'italic', 'underline', 'strikethrough',
'superscript', 'subscript', 'clear' ] ],

```

```

        [ 'fontname', [ 'fontname' ] ],
        [ 'fontsize', [ 'fontsize' ] ],
        [ 'color', [ 'color' ] ],
        [ 'para', [ 'ol', 'ul', 'paragraph', 'height' ] ],
        [ 'table', [ 'table' ] ],
        [ 'view', [ 'undo', 'redo', 'fullscreen', 'codeview', 'help' ] ]
    ]
)
})
</script>

```

## 9.) User

### Index

```

<?php
$user = $conn->query("SELECT * FROM users where id ='".$_settings-
>userdata('id')."')");
foreach($user->fetch_array() as $k =>$v){
    $meta[$k] = $v;
}
?>
<?php if($_settings->chk_flashdata('success')): ?>
<script>
    alert_toast("<?php echo $_settings->flashdata('success') ?>", 'success')
</script>
<?php endif;?>
<div class="card card-outline card-purple">
    <div class="card-body">
        <div class="container-fluid">
            <div id="msg"></div>
            <form action="" id="manage-user">
                <input type="hidden" name="id" value="<?php echo $_settings-
>userdata('id') ?>">
                <div class="form-group">
                    <label for="name">First Name</label>
                    <input type="text" name="firstname" id="firstname"
class="form-control" value="<?php echo isset($meta['firstname']) ?
$meta['firstname']: '' ?>" required>
                </div>
                <div class="form-group">
                    <label for="name">Last Name</label>
                    <input type="text" name="lastname" id="lastname" class="form-
control" value="<?php echo isset($meta['lastname']) ? $meta['lastname']: '' ?>"
required>
                </div>
                <div class="form-group">

```

```

        <label for="username">Username</label>
        <input type="text" name="username" id="username" class="form-control" value=<?php echo isset($meta['username']) ? $meta['username']: '' ?>" required autocomplete="off">
    </div>
    <div class="form-group">
        <label for="password">Password</label>
        <input type="password" name="password" id="password" class="form-control" value="" autocomplete="off">
        <small><i>Leave this blank if you dont want to change the password.</i></small>
    </div>
    <div class="form-group">
        <label for="" class="control-label">Avatar</label>
        <div class="custom-file">
            <input type="file" class="custom-file-input rounded-circle" id="customFile" name="img" onchange="displayImg(this,$(this))">
            <label class="custom-file-label" for="customFile">Choose file</label>
        </div>
    </div>
    <div class="form-group d-flex justify-content-center">
        <img src=<?php echo validate_image(isset($meta['avatar'])) ? $meta['avatar'] : '' ?>" alt="" id="cimg" class="img-fluid img-thumbnail">
    </div>
</form>
</div>
</div>
<div class="card-footer">
    <div class="col-md-12">
        <div class="row">
            <button class="btn btn-sm btn-success" form="manage-user">Update</button>
        </div>
    </div>
</div>
</div>
<style>
    img#cimg{
        height: 15vh;
        width: 15vh;
        object-fit: cover;
        border-radius: 100% 100%;
    }
</style>
<script>
    function displayImg(input,_this) {
        if (input.files && input.files[0]) {
            var reader = new FileReader();

```

```

        reader.onload = function (e) {
            $('#cimg').attr('src', e.target.result);
        }

        reader.readAsDataURL(input.files[0]);
    }
}
$('#manage-user').submit(function(e){
    e.preventDefault();
var _this = $(this)
    start_loader()
    $.ajax({
        url:_base_url_+'classes/Users.php?f=save',
        data: new FormData($(this)[0]),
        cache: false,
        contentType: false,
        processData: false,
        method: 'POST',
        type: 'POST',
        success:function(resp){
            if(resp ==1){
                location.reload()
            }else{
                $('#msg').html('<div class="alert alert-danger">Username
already exist</div>')
                end_loader()
            }
        }
    })
})
}

</script>

```

## List

```

<?php if($_settings->chk_flashdata('success')): ?>
<script>
    alert_toast("<?php echo $_settings->flashdata('success') ?>",'success')
</script>
<?php endif;?>

<style>
    .img-avatar{
        width:45px;
        height:45px;
        object-fit:cover;
        object-position:center center;
        border-radius:100%;
    }

```

```

        }
    </style>
<div class="card card-outline card-purple">
    <div class="card-header">
        <h3 class="card-title">List of System Users</h3>
        <div class="card-tools">
            <a href="?page=user/manage_user" class="btn btn-flat btn-success btn-sm"><span class="fas fa-plus"></span> Add New User</a>
        </div>
    </div>
    <div class="card-body">
        <div class="container-fluid">
        <div class="container-fluid">
            <table class="table table-bordered table-striped">
                <colgroup>
                    <col width="10%">
                    <col width="15%">
                    <col width="25%">
                    <col width="25%">
                    <col width="15%">
                    <col width="10%">
                </colgroup>
                <thead>
                    <tr class="bg-gradient-dark text-light">
                        <th>#</th>
                        <th>Avatar</th>
                        <th>Name</th>
                        <th>Username</th>
                        <th>Type</th>
                        <th>Action</th>
                    </tr>
                </thead>
                <tbody>
                    <?php
                    $i = 1;
                    $qry = $conn->query("SELECT *,concat(firstname,
                    ',lastname) as name from `users` where id != '1' and id != '{$_settings-
                    >userdata('id')}\' and `type` != 3 order by concat(firstname, ' ',lastname) asc ");
                    while($row = $qry->fetch_assoc()):
                    ?>
                    <tr>
                        <td class="text-center"><?php echo $i++; ?></td>
                        <td class="text-center"></td>
                        <td><?php echo ucwords($row['name']) ?></td>
                        <td ><p class="m-0 truncate-1"><?php echo
                    $row['username'] ?></p></td>

```

```

        <td><?php echo ($row['type'] == 1) ? 'Administrator' :
'Staff' ?></td>
        <td align="center">
            <button type="button" class="btn btn-flat btn-
info btn-sm dropdown-toggle dropdown-icon" data-toggle="dropdown">
                Action
                <span class="sr-only">Toggle Dropdown</span>
            </button>
            <div class="dropdown-menu" role="menu">
                <a class="dropdown-item"
EditDelete

```

```

        }else{
            alert_toast("An error occurred.",'error');
            end_loader();
        }
    })
}
</script>

```

## Manage User

```

<?php
if(isset($_GET['id']) && $_GET['id'] > 0){
    $user = $conn->query("SELECT * FROM users where id ='".$_GET['id']."'");

    foreach($user->fetch_array() as $k =>$v){
        $meta[$k] = $v;
    }
}
?>
<?php if($_settings->chk_flashdata('success')): ?>
<script>
    alert_toast("<?php echo $_settings->flashdata('success') ?>",'success')
</script>
<?php endif;?>
<div class="card card-outline card-purple">
    <div class="card-body">
        <div class="container-fluid">
            <div id="msg"></div>
            <form action="" id="manage-user">
                <input type="hidden" name="id" value="<?php echo
isset($meta['id']) ? $meta['id']: '' ?>">
                <div class="form-group col-6">
                    <label for="name">First Name</label>
                    <input type="text" name="firstname" id="firstname"
class="form-control" value="<?php echo isset($meta['firstname']) ?
$meta['firstname']: '' ?>" required>
                </div>
                <div class="form-group col-6">
                    <label for="name">Last Name</label>
                    <input type="text" name="lastname" id="lastname" class="form-
control" value="<?php echo isset($meta['lastname']) ? $meta['lastname']: '' ?>" required>
                </div>
                <div class="form-group col-6">
                    <label for="username">Username</label>

```

```

        <input type="text" name="username" id="username" class="form-control" value=<?php echo isset($meta['username']) ? $meta['username']: '' ?>
required autocomplete="off">
    </div>
    <div class="form-group col-6">
        <label for="password">Password</label>
        <input type="password" name="password" id="password" class="form-control" value="" autocomplete="off" <?php echo isset($meta['id']) ? "" : 'required' ?>
            <?php if(isset($_GET['id'])): ?>
            <small><i>Leave this blank if you dont want to change the password.</i></small>
            <?php endif; ?>
        </div>
        <div class="form-group col-6">
            <label for="type">Login Type</label>
            <select name="type" id="type" class="custom-select">
                <option value="1" <?php echo isset($meta['type']) && $meta['type'] == 1 ? 'selected' : '' ?>>Administrator</option>
                <option value="2" <?php echo isset($meta['type']) && $meta['type'] == 2 ? 'selected' : '' ?>>Staff</option>
            </select>
        </div>
        <div class="form-group col-6">
            <label for="" class="control-label">Avatar</label>
            <div class="custom-file">
                <input type="file" class="custom-file-input rounded-circle" id="customFile" name="img" onchange="displayImg(this,$(this))">
                <label class="custom-file-label" for="customFile">Choose file</label>
            </div>
        </div>
        <div class="form-group col-6 d-flex justify-content-center">
            <img src=<?php echo validate_image(isset($meta['avatar'])) ? $meta['avatar'] : '' ?> alt="" id="cimg" class="img-fluid img-thumbnail">
        </div>
    </form>
</div>
<div class="card-footer">
    <div class="col-md-12">
        <div class="row">
            <button class="btn btn-success mr-2" form="manage-user">Save</button>
            <a class="btn btn-danger" href="./?page=user/list">Cancel</a>
        </div>
    </div>
</div>
</div>
</div>

```

```
<style>
    img#cimg{
        height: 15vh;
        width: 15vh;
        object-fit: cover;
        border-radius: 100% 100%;
    }
</style>
<script>
    function displayImg(input,_this) {
        if (input.files && input.files[0]) {
            var reader = new FileReader();
            reader.onload = function (e) {
                $('#cimg').attr('src', e.target.result);
            }

            reader.readAsDataURL(input.files[0]);
        }
    }
    $('#manage-user').submit(function(e){
        e.preventDefault();
    var _this = $(this)
        start_loader()
        $.ajax({
            url:_base_url_+'classes/Users.php?f=save',
            data: new FormData($(this)[0]),
            cache: false,
            contentType: false,
            processData: false,
            method: 'POST',
            type: 'POST',
            success:function(resp){
                if(resp ==1){
                    location.href = './?page=user/list';
                }else{
                    $('#msg').html('<div class="alert alert-danger">Username already exist</div>');
                    $("html, body").animate({ scrollTop: 0 }, "fast");
                }
                end_loader()
            }
        })
    })
}

</script>
```

## Classes

### DB Connection

```
<?php
if(!defined('DB_SERVER')){
    require_once("../initialize.php");
}
class DBConnection{

    private $host = DB_SERVER;
    private $username = DB_USERNAME;
    private $password = DB_PASSWORD;
    private $database = DB_NAME;

    public $conn;

    public function __construct(){

        if (!isset($this->conn)) {

            $this->conn = new mysqli($this->host, $this->username, $this-
>password, $this->database);

            if (!$this->conn) {
                echo 'Cannot connect to database server';
                exit;
            }
        }
    }
    public function __destruct(){
        $this->conn->close();
    }
}
?>
```

### Login

```
<?php
require_once '../config.php';
class Login extends DBConnection {
    private $settings;
    public function __construct(){
        global $_settings;
        $this->settings = $_settings;

        parent::__construct();
        ini_set('display_error', 1);
    }
    public function __destruct(){
```

```

        parent::__destruct();
    }
    public function index(){
        echo "<h1>Access Denied</h1> <a href='".$base_url."'>Go Back.</a>";
    }
    public function login(){
        extract($_POST);
        $password = md5($password);
        $stmt = $this->conn->prepare("SELECT * from users where username = ? and
`password` = ? ");
        $stmt->bind_param("ss",$username,$password);
        $stmt->execute();
        $result = $stmt->get_result();
        if($result->num_rows > 0){
            foreach($result->fetch_array() as $k => $v){
                if(!is_numeric($k) && $k != 'password'){
                    $this->settings->set_userdata($k,$v);
                }
            }
            $this->settings->set_userdata('login_type',1);
        }
        return json_encode(array('status'=>'success'));
    }else{
        return json_encode(array('status'=>'incorrect','last_qry'=>"SELECT * from
users where username = '$username' and `password` = md5('$password') "));
    }
}
public function logout(){
    if($this->settings->sess_des()){
        redirect('admin/login.php');
    }
}
public function login_client(){
    extract($_POST);
    $password = md5($password);
    $stmt = $this->conn->prepare("SELECT * from client_list where email = ?
and `password` =? and delete_flag = ? ");
    $delete_flag = 0;
    $stmt->bind_param("ssi",$email,$password,$delete_flag);
    $stmt->execute();
    $result = $stmt->get_result();
    if($result->num_rows > 0){
        $data = $result->fetch_array();
        if($data['status'] == 1){
            foreach($data as $k => $v){
                if(!is_numeric($k) && $k != 'password'){
                    $this->settings->set_userdata($k,$v);
                }
            }
        }
    }
}

```

```

        }
        $this->settings->set_userdata('login_type',2);
        $resp['status'] = 'success';
    }else{
        $resp['status'] = 'failed';
        $resp['msg'] = ' Your Account has been blocked by the
management.';
    }
}else{
    $resp['status'] = 'failed';
    $resp['msg'] = ' Incorrect Email or Password.';
    $resp['error'] = $this->conn->error;
    $resp['res'] = $result;
}
return json_encode($resp);
}
public function logout_client(){
if($this->settings->sess_des()){
    redirect('?');
}
}
public function login_driver(){
extract($_POST);
$password = md5($password);
$stmt = $this->conn->prepare("SELECT * from cab_list where reg_code = ?
and `password` =? and delete_flag = ? ");
$delete_flag = 0;
$stmt->bind_param("ssi",$reg_code,$password,$delete_flag);
$stmt->execute();
$result = $stmt->get_result();
if($result->num_rows > 0){
    $data = $result->fetch_array();
    if($data['status'] == 1){
        foreach($data as $k => $v){
            if(!is_numeric($k) && $k != 'password'){
                $this->settings->set_userdata($k,$v);
            }
        }
        $this->settings->set_userdata('login_type',3);
        $resp['status'] = 'success';
    }else{
        $resp['status'] = 'failed';
        $resp['msg'] = ' Your Account has been blocked by the
management.';
    }
}else{
    $resp['status'] = 'failed';
    $resp['msg'] = ' Incorrect Code or Password.';
}
}

```

```

        $resp['error'] = $this->conn->error;
        $resp['res'] = $result;
    }
    return json_encode($resp);
}
public function logout_driver(){
    if($this->settings->sess_des()){
        redirect('driver');
    }
}
}

$action = !isset($_GET['f']) ? 'none' : strtolower($_GET['f']);
$auth = new Login();
switch ($action) {
    case 'login':
        echo $auth->login();
        break;
    case 'logout':
        echo $auth->logout();
        break;
    case 'login_client':
        echo $auth->login_client();
        break;
    case 'logout_client':
        echo $auth->logout_client();
        break;
    case 'login_driver':
        echo $auth->login_driver();
        break;
    case 'logout_driver':
        echo $auth->logout_driver();
        break;
    default:
        echo $auth->index();
        break;
}

```

## Master

```

<?php
require_once('../config.php');
Class Master extends DBConnection {
    private $settings;
    public function __construct(){
        global $_settings;
        $this->settings = $_settings;
        parent::__construct();
    }
}

```

```

public function __destruct(){
    parent::__destruct();
}
function capture_err(){
    if(!$this->conn->error)
        return false;
    else{
        $resp['status'] = 'failed';
        $resp['error'] = $this->conn->error;
        return json_encode($resp);
        exit;
    }
}
function save_category(){
    extract($_POST);
    $data = "";
    foreach($_POST as $k =>$v){
        if(!in_array($k,array('id','description'))){
            if(!empty($data)) $data .= ",";
            $data .= " `{$k}`='{$v}' ";
        }
    }
    if(isset($_POST['description'])){
        if(!empty($data)) $data .= ",";
        $data .= "
`description`='".addslashes(htmlentities($description))."' ";
    }
    $check = $this->conn->query("SELECT * FROM `category_list` where `name` = '{$name}' and delete_flag = 0 ".(!empty($id) ? " and id != {$id} " : "")-
>num_rows;
    if($this->capture_err())
        return $this->capture_err();
    if($check > 0){
        $resp['status'] = 'failed';
        $resp['msg'] = " Category already exist.";
        return json_encode($resp);
        exit;
    }
    if(empty($id)){
        $sql = "INSERT INTO `category_list` set {$data} ";
        $save = $this->conn->query($sql);
    }else{
        $sql = "UPDATE `category_list` set {$data} where id = '{$id}' ";
        $save = $this->conn->query($sql);
    }
    if($save){
        $resp['status'] = 'success';
        if(empty($id))

```

```

        $this->settings->set_flashdata('success'," New Category
successfully saved.");
    else
        $this->settings->set_flashdata('success'," Category successfully
updated.");
}else{
    $resp['status'] = 'failed';
    $resp['err'] = $this->conn->error."[$sql]";
}
return json_encode($resp);
}

function delete_category(){
extract($_POST);
$del = $this->conn->query("UPDATE `category_list` set delete_flag = 1
where id = '{$id}'");
if($del){
    $resp['status'] = 'success';
    $this->settings->set_flashdata('success'," Category successfully
deleted.");
}else{
    $resp['status'] = 'failed';
    $resp['error'] = $this->conn->error;
}
return json_encode($resp);
}

function save_cab(){
if(!empty($_POST['password'])){
    $_POST['password'] = md5($_POST['password']);
} else
    unset($_POST['password']);
if(empty($_POST['id'])){
    $prefix = date('Ym-');
    $code = sprintf("%05d",1);
    while(true){
        $check = $this->conn->query("SELECT * FROM `cab_list` where
reg_code = '{$prefix}{$code}'")->num_rows;
        if($check > 0){
            $code = sprintf("%05d",ceil($code) + 1);
        }else{
            break;
        }
    }
    $_POST['reg_code'] = $prefix.$code;
}

extract($_POST);
$data = "";

```

```

foreach($_POST as $k =>$v){
    if(!in_array($k,array('id','oldpassword'))){
        $v = $this->conn->real_escape_string($v);
        if(!empty($data)) $data .= ",";
        $data .= " `{$k}`='{$v}' ";
    }
}
if(isset($cab_reg_no)){
    $check = $this->conn->query("SELECT * FROM `cab_list` where `cab_reg_no` = '{$cab_reg_no}' ".(!empty($id) ? " and id != {$id} " : "")->num_rows;
    if($this->capture_err())
        return $this->capture_err();
    if($check > 0){
        $resp['status'] = 'failed';
        $resp['msg'] = " Cab already exist.";
        return json_encode($resp);
        exit;
    }
}
if(isset($body_no)){
    $check = $this->conn->query("SELECT * FROM `cab_list` where `body_no` = '{$body_no}' ".(!empty($id) ? " and id != {$id} " : "")->num_rows;
    if($this->capture_err())
        return $this->capture_err();
    if($check > 0){
        $resp['status'] = 'failed';
        $resp['msg'] = " Cab Body # already exist.";
        return json_encode($resp);
        exit;
    }
}
if(isset($oldpassword)){
    $cur_pass = $this->conn->query("SELECT `password` from `cab_list` where id = '{$this->settings->userdata('id')}'" )->fetch_array()[0];
    if(md5($oldpassword) != $cur_pass){
        $resp['status'] = 'failed';
        $resp['msg'] = " Current Password is Incorrect.";
        return json_encode($resp);
        exit;
    }
}
if(empty($id)){
    $sql = "INSERT INTO `cab_list` set {$data} ";
    $save = $this->conn->query($sql);
}else{
    $sql = "UPDATE `cab_list` set {$data} where id = '{$id}' ";
    $save = $this->conn->query($sql);
}

```

```

if($save){
    $resp['status'] = 'success';
    $cid = empty($id) ? $this->conn->insert_id : $id;
    $resp['id'] = $cid ;
    if(empty($id))
        $resp['msg'] = " New Cab successfully saved.";
    else
        $resp['msg'] = " Cab successfully updated.";
        if($this->settings->userdata('id') == $cid && $this->settings->userdata('login_type') == 3){
            foreach($_POST as $k => $v){
                if(!in_array($k,['password'])){
                    $this->settings->set_userdata($k,$v);
                }
            }
            $resp['msg'] = " Account successfully updated.";
        }
        if(isset($_FILES['img']) && $_FILES['img']['tmp_name'] != ''){
            if(!is_dir(base_app."uploads/dirvers/"))
                mkdir(base_app."uploads/dirvers/");
            $fname = 'uploads/dirvers/'.$cid.'.png';
            $dir_path =base_app. $fname;
            $upload = $_FILES['img']['tmp_name'];
            $type = mime_content_type($upload);
            $allowed = array('image/png','image/jpeg');
            if(!in_array($type,$allowed)){
                $resp['msg'].=" But Image failed to upload due to invalid
file type.";
            }else{
                $new_height = 200;
                $new_width = 200;

                list($width, $height) = getimagesize($upload);
                $t_image = imagecreatetruecolor($new_width, $new_height);
                imagealphablending( $t_image, false );
                imagesavealpha( $t_image, true );
                $gdImg = ($type == 'image/png')?
imagecreatefrompng($upload) : imagecreatefromjpeg($upload);
                imagecopyresampled($t_image, $gdImg, 0, 0, 0,
$new_width, $new_height, $width, $height);
                if($gdImg){
                    if(is_file($dir_path))
                        unlink($dir_path);
                    $uploaded_img = imagepng($t_image,$dir_path);
                    imagedestroy($gdImg);
                    imagedestroy($t_image);
                }else{
                    $resp['msg'].=" But Image failed to upload due to unkown
reason.";
                }
            }
        }
}

```

```

        }
        if(isset($uploaded_img)){
            $this->conn->query("UPDATE cab_list set `image_path` =
CONCAT('{$fname}', '?v=' ,unix_timestamp(CURRENT_TIMESTAMP)) where id = '{$cid}' ");
            if($id == $this->settings->userdata('id')){
                $this->settings->set_userdata('avatar',$fname);
            }
        }
    }
} else{
    $resp['status'] = 'failed';
    $resp['err'] = $this->conn->error."[$sql]";
}
if(isset($resp['msg']) && $resp['status'] == 'success'){
    $this->settings->set_flashdata('success',$resp['msg']);
}
return json_encode($resp);
}

function delete_cab(){
    extract($_POST);
    $del = $this->conn->query("UPDATE `cab_list` set `delete_flag` = 1 where
id = '{$id}'");
    if($del){
        $resp['status'] = 'success';
        $this->settings->set_flashdata('success'," Cab successfully
deleted.");
    }else{
        $resp['status'] = 'failed';
        $resp['error'] = $this->conn->error;
    }
    return json_encode($resp);
}

function save_booking(){
    if(empty($_POST['id'])){
        $prefix = date('Ym-');
        $code = sprintf("%'.05d",1);
        while(true){
            $check = $this->conn->query("SELECT * FROM `cab_list` where
reg_code = '{$prefix}{$code}'")->num_rows;
            if($check > 0){
                $code = sprintf("%'.05d",ceil($code) + 1);
            }else{
                break;
            }
        }
        $_POST['client_id'] = $this->settings->userdata('id');
        $_POST['ref_code'] = $prefix.$code;
    }
}

```

```

extract($_POST);
$data = "";
foreach($_POST as $k =>$v){
    if(!in_array($k,array('id'))){
        if(!empty($data)) $data .= ",";
        $data .= " `{$k}`='{$v}' ";
    }
}
if(empty($id)){
    $sql = "INSERT INTO `booking_list` set {$data} ";
    $save = $this->conn->query($sql);
}else{
    $sql = "UPDATE `booking_list` set {$data} where id = '{$id}' ";
    $save = $this->conn->query($sql);
}
if($save){
    $resp['status'] = 'success';
    if(empty($id))
        $this->settings->set_flashdata('success'," Cab has been booked
successfully.");
    else
        $this->settings->set_flashdata('success'," Booking successfully
updated.");
}else{
    $resp['status'] = 'failed';
    $resp['err'] = $this->conn->error."[{$sql}]";
}
return json_encode($resp);
}

function delete_booking(){
extract($_POST);
$del = $this->conn->query("DELETE FROM `booking_list` where id =
'{$id}'");
if($del){
    $resp['status'] = 'success';
    $this->settings->set_flashdata('success'," Booking successfully
deleted.");
}else{
    $resp['status'] = 'failed';
    $resp['error'] = $this->conn->error;
}
return json_encode($resp);
}

function update_booking_status(){
extract($_POST);
$update = $this->conn->query("UPDATE `booking_list` set `status` =
'{$status}' where id = '{$id}' ");
if($update){

```

```

        $resp['status'] = 'success';
        $this->settings->set_flashdata('success'," Booking status successfully
updated.");
    }else{
        $resp['status'] = 'failed';
        $resp['error'] = $this->conn->error;
    }
    return json_encode($resp);
}

$Master = new Master();
$action = !isset($_GET['f']) ? 'none' : strtolower($_GET['f']);
$sysset = new SystemSettings();
switch ($action) {
    case 'save_category':
        echo $Master->save_category();
        break;
    case 'delete_category':
        echo $Master->delete_category();
        break;
    case 'save_cab':
        echo $Master->save_cab();
        break;
    case 'delete_cab':
        echo $Master->delete_cab();
        break;
    case 'save_booking':
        echo $Master->save_booking();
        break;
    case 'delete_booking':
        echo $Master->delete_booking();
        break;
    case 'update_booking_status':
        echo $Master->update_booking_status();
        break;
    default:
        // echo $sysset->index();
        break;
}

```

## System Settings

```

<?php
if(!class_exists('DBConnection')){
    require_once('../config.php');
    require_once('DBConnection.php');
}
class SystemSettings extends DBConnection{

```

```

public function __construct(){
    parent::__construct();
}
function check_connection(){
    return($this->conn);
}
function load_system_info(){
    // if(!isset($_SESSION['system_info'])){
        $sql = "SELECT * FROM system_info";
        $qry = $this->conn->query($sql);
        while($row = $qry->fetch_assoc()){
            $_SESSION['system_info'][$row['meta_field']] =
$row['meta_value'];
        }
    // }
}
function update_system_info(){
    $sql = "SELECT * FROM system_info";
    $qry = $this->conn->query($sql);
    while($row = $qry->fetch_assoc()){
        if(isset($_SESSION['system_info'][$row['meta_field']]))unset($_SES
SION['system_info'][$row['meta_field']]);
        $_SESSION['system_info'][$row['meta_field']] = $row['meta_value'];
    }
    return true;
}
function update_settings_info(){
    $data = "";
    foreach ($_POST as $key => $value) {
        if(!in_array($key,array("content")))
            if(isset($_SESSION['system_info'][$key])){
                $value = str_replace("'", "&apos;", $value);
                $qry = $this->conn->query("UPDATE system_info set meta_value =
'{$value}' where meta_field = '{$key}' ");
            }else{
                $qry = $this->conn->query("INSERT into system_info set meta_value
= '{$value}', meta_field = '{$key}' ");
            }
        }
        if(isset($_POST['content']) && is_array($_POST['content'])){
            foreach($_POST['content'] as $k => $v){
                file_put_contents(base_app."{$k}.html",$v);
            }
        }
        if(isset($_FILES['img']) && $_FILES['img']['tmp_name'] != ''){
            $fname = 'uploads/'.strtotime(date('y-m-d
H:i')).'.'.$_FILES['img']['name'];
            $move = move_uploaded_file($_FILES['img']['tmp_name'],'../'. $fname);
            if(isset($_SESSION['system_info']['logo'])){

```

```

        $qry = $this->conn->query("UPDATE system_info set meta_value =
'{$fname}' where meta_field = 'logo' ");
        if(is_file('../'.$_SESSION['system_info']['logo']))
unlink('../'.$_SESSION['system_info']['logo']);
    }else{
        $qry = $this->conn->query("INSERT into system_info set meta_value
= '{$fname}',meta_field = 'logo' ");
    }
}
if(isset($_FILES['cover']) && $_FILES['cover']['tmp_name'] != ''){
    $fname = 'uploads/'.strtotime(date('y-m-d
H:i')).'_'.$_FILES['cover']['name'];
    $move = move_uploaded_file($_FILES['cover']['tmp_name'],'../'.
$fname);
    if(isset($_SESSION['system_info']['cover'])){
        $qry = $this->conn->query("UPDATE system_info set meta_value =
'{$fname}' where meta_field = 'cover' ");
        if(is_file('../'.$_SESSION['system_info']['cover']))
unlink('../'.$_SESSION['system_info']['cover']);
    }else{
        $qry = $this->conn->query("INSERT into system_info set meta_value
= '{$fname}',meta_field = 'cover' ");
    }
}

$update = $this->update_system_info();
$flash = $this->set_flashdata('success','System Info Successfully
Updated.');
if($update && $flash){
    // var_dump($_SESSION);
    return true;
}
}
function set_userdata($field='', $value=''){
    if(!empty($field) && !empty($value)){
        $_SESSION['userdata'][$field] = $value;
    }
}
function userdata($field = ''){
    if(!empty($field)){
        if(isset($_SESSION['userdata'][$field]))
            return $_SESSION['userdata'][$field];
        else
            return null;
    }else{
        return false;
    }
}
function set_flashdata($flash='', $value=''){

```

```

        if(!empty($flash) && !empty($value)){
            $_SESSION['flashdata'][$flash] = $value;
            return true;
        }
    }
    function chk_flashdata($flash = ''){
        if(isset($_SESSION['flashdata'][$flash])){
            return true;
        }else{
            return false;
        }
    }
    function flashdata($flash = ''){
        if(!empty($flash)){
            $_tmp = $_SESSION['flashdata'][$flash];
            unset($_SESSION['flashdata']);
            return $_tmp;
        }else{
            return false;
        }
    }
    function sess_des(){
        if(isset($_SESSION['userdata'])){
            unset($_SESSION['userdata']);
            return true;
        }
        return true;
    }
    function info($field=''){
        if(!empty($field)){
            if(isset($_SESSION['system_info'][$field]))
                return $_SESSION['system_info'][$field];
            else
                return false;
        }else{
            return false;
        }
    }
    function set_info($field='', $value=''){
        if(!empty($field) && !empty($value)){
            $_SESSION['system_info'][$field] = $value;
        }
    }
}
$_settings = new SystemSettings();
$_settings->load_system_info();
$action = !isset($_GET['f']) ? 'none' : strtolower($_GET['f']);
$sysset = new SystemSettings();
switch ($action) {

```

```

        case 'update_settings':
            echo $sysset->update_settings_info();
            break;
        default:
            // echo $sysset->index();
            break;
    }
?>

```

## User PHP

```

<?php
require_once('../config.php');
Class Users extends DBConnection {
    private $settings;
    public function __construct(){
        global $_settings;
        $this->settings = $_settings;
        parent::__construct();
    }
    public function __destruct(){
        parent::__destruct();
    }
    public function save_users(){
        if(!isset($_POST['status']) && $this->settings->userdata('login_type') ==
1){
            $_POST['status'] = 1;
        }
        extract($_POST);
        $oid = $id;
        $data = '';
        if(isset($oldpassword)){
            if(md5($oldpassword) != $this->settings->userdata('password')){
                return 4;
            }
        }
        $chk = $this->conn->query("SELECT * FROM `users` where username
='".$username."' ".$id>0? " and id!=" .{$id} : "")->num_rows;
        if($chk > 0){
            return 3;
            exit;
        }
        foreach($_POST as $k => $v){
            if(in_array($k,array('firstname','middlename','lastname','username','t
ype'))){
                if(!empty($data)) $data .=", ";
                $data .= " {$k} = '{$v}' ";
            }
        }
    }
}

```

```

    if(!empty($password)){
        $password = md5($password);
        if(!empty($data)) $data .=", ";
        $data .= " `password` = '{$password}' ";
    }

    if(empty($id)){
        $qry = $this->conn->query("INSERT INTO users set {$data}");
        if($qry){
            $id = $this->conn->insert_id;
            $this->settings->set_flashdata('success','User Details
successfully saved.');
            $resp['status'] = 1;
        }else{
            $resp['status'] = 2;
        }
    }

}else{
    $qry = $this->conn->query("UPDATE users set $data where id = {$id}");
    if($qry){
        $this->settings->set_flashdata('success','User Details
successfully updated.');
        if($id == $this->settings->userdata('id')){
            foreach($_POST as $k => $v){
                if($k != 'id'){
                    if(!empty($data)) $data .=", ";
                    $this->settings->set_userdata($k,$v);
                }
            }
            $resp['status'] = 1;
        }else{
            $resp['status'] = 2;
        }
    }
}

if(isset($_FILES['img']) && $_FILES['img']['tmp_name'] != ''){
    $fname = 'uploads/avatar-'.$id.'.png';
    $dir_path =base_app. $fname;
    $upload = $_FILES['img']['tmp_name'];
    $type = mime_content_type($upload);
    $allowed = array('image/png','image/jpeg');
    if(!in_array($type,$allowed)){
        $resp['msg'].=" But Image failed to upload due to invalid file
type.";
    }else{
        $new_height = 200;
    }
}

```

```

$new_width = 200;

list($width, $height) = getimagesize($upload);
$t_image = imagecreatetruecolor($new_width, $new_height);
imagealphablending( $t_image, false );
imagesavealpha( $t_image, true );
$gdImg = ($type == 'image/png')? imagecreatefrompng($upload) :
imagecreatefromjpeg($upload);
    imagecopyresampled($t_image, $gdImg, 0, 0, 0, 0, $new_width,
$new_height, $width, $height);
if($gdImg){
    if(is_file($dir_path))
        unlink($dir_path);
    $uploaded_img = imagepng($t_image,$dir_path);
    imagedestroy($gdImg);
    imagedestroy($t_image);
} else{
    $resp['msg'].=" But Image failed to upload due to unkown reason.";
}
}

if(isset($uploaded_img)){
    $this->conn->query("UPDATE users set `avatar` =
CONCAT('{$fname}', '?v=' , unix_timestamp(CURRENT_TIMESTAMP)) where id = '{$id}' ");
    if($id == $this->settings->userdata('id')){
        $this->settings->set_userdata('avatar',$fname);
    }
}
}

if(isset($resp['msg']))
$this->settings->set_flashdata('success',$resp['msg']);
return $resp['status'];
}

public function delete_users(){
extract($_POST);
$avatar = $this->conn->query("SELECT avatar FROM users where id =
'{$id}'")->fetch_array()['avatar'];
$qry = $this->conn->query("DELETE FROM users where id = $id");
if($qry){
    $this->settings->set_flashdata('success','User Details successfully
deleted.');
    if(is_file(base_app.$avatar))
        unlink(base_app.$avatar);
    $resp['status'] = 'success';
} else{
    $resp['status'] = 'failed';
}
return json_encode($resp);
}

public function save_client(){
}

```

```

        if(!empty($_POST['password'])){
            $_POST['password'] = md5($_POST['password']);
        }
        else{
            unset($_POST['password']);
            if(isset($_POST['oldpassword'])){
                if($this->settings->userdata('id') > 0 && $this->settings-
>userdata('login_type') == 2){
                    $get = $this->conn->query("SELECT * FROM `client_list` where id =
'{$_this->settings->userdata('id')}'");
                    $res = $get->fetch_array();
                    if($res['password'] != md5($_POST['oldpassword'])){
                        return json_encode([
                            'status' =>'failed',
                            'msg'=>' Current Password is incorrect.'
                        ]);
                    }
                }
                unset($_POST['oldpassword']);
            }
        }
        extract($_POST);
        $data = "";
        foreach($_POST as $k => $v){
            if(!in_array($k, array('id'))){
                if(!empty($data)) $data .= ", ";
                $data .= " `{$k}` = '{$v}' ";
            }
        }
        $check = $this->conn->query("SELECT * FROM `client_list` where email =
'{$_email}' and delete_flag ='0' ".(is_numeric($id) && $id > 0 ? " and id !=
'{$_id}'" : "")).->num_rows;
        if($check > 0){
            $resp['status'] = 'failed';
            $resp['msg'] = ' Email already exists in the database.';
        }else{
            if(empty($id)){
                $sql = "INSERT INTO `client_list` set $data";
            }else{
                $sql = "UPDATE `client_list` set $data where id = '{$_id}'";
            }
            $save = $this->conn->query($sql);
            if($save){
                $resp['status'] = 'success';
                $uid = empty($id) ? $this->conn->insert_id : $id;
                if(empty($id)){
                    $resp['msg'] = " Account is successfully registered.";
                }else if($this->settings->userdata('id') == $id && $this-
>settings->userdata('login_type') == 2){
                    $resp['msg'] = " Account Details has been updated
successfully.";
                }
            }
        }
    }
}

```

```

        foreach($_POST as $k => $v){
            if(!in_array($k,['password'])){
                $this->settings->set_userdata($k,$v);
            }
        }
    }else{
        $resp['msg'] = " Client's Account Details has been updated
successfully.";
    }
    if(isset($_FILES['img']) && $_FILES['img']['tmp_name'] != ''){
        if(!is_dir(base_app."uploads/clients/"))
            mkdir(base_app."uploads/clients/");
        $fname = 'uploads/clients/'.$uid.'.png';
        $dir_path =base_app. $fname;
        $upload = $_FILES['img']['tmp_name'];
        $type = mime_content_type($upload);
        $allowed = array('image/png','image/jpeg');
        if(!in_array($type,$allowed)){
            $resp['msg'].=" But Image failed to upload due to invalid
file type.";
        }else{
            $new_height = 200;
            $new_width = 200;

            list($width, $height) = getimagesize($upload);
            $t_image = imagecreatetruecolor($new_width, $new_height);
            imagealphablending( $t_image, false );
            imagesavealpha( $t_image, true );
            $gdImg = ($type == 'image/png')?
imagecreatefrompng($upload) : imagecreatefromjpeg($upload);
            imagecopyresampled($t_image, $gdImg, 0, 0, 0, 0,
$new_width, $new_height, $width, $height);
            if($gdImg){
                if(is_file($dir_path))
                    unlink($dir_path);
                $uploaded_img = imagepng($t_image,$dir_path);
                imagedestroy($gdImg);
                imagedestroy($t_image);
            }else{
                $resp['msg'].=" But Image failed to upload due to unkown
reason.";
            }
        }
        if(isset($uploaded_img)){
            $this->conn->query("UPDATE client_list set `image_path` =
CONCAT('{$fname}', '?v=' ,unix_timestamp(CURRENT_TIMESTAMP)) where id = '{$uid}' ");
            if($id == $this->settings->userdata('id') && $this-
>settings->userdata('login_type') == 2){

```

```

                $this->settings-
>set_userdata('image_path',$fname);
            }
        }
    }
} else{
    $resp['status'] = 'failed';
    if(empty($id)){
        $resp['msg'] = " Account has failed to register for some
reason.";
    } else if($this->settings->userdata('id') == $id && $this-
>settings->userdata('login_type') == 2){
        $resp['msg'] = " Account Details has failed to update.";
    } else{
        $resp['msg'] = " Client's Account Details has failed to
update.";
    }
}

if($resp['status'] == 'success')
$this->settings->set_flashdata('success',$resp['msg']);
return json_encode($resp);

}
function delete_client(){
extract($_POST);
$del = $this->conn->query("UPDATE `client_list` set delete_flag = 1 where
id='{$id}'");
if($del){
    $resp['status'] = 'success';
    $resp['msg'] = ' Client Account has been deleted successfully.';
} else{
    $resp['status'] = 'failed';
    $resp['msg'] = " Client Account has failed to delete";
}
if($resp['status'] =='success')
$this->settings->set_flashdata('success',$resp['msg']);
return json_encode($resp);
}

}

$users = new users();
$action = !isset($_GET['f']) ? 'none' : strtolower($_GET['f']);
switch ($action) {
case 'save':
    echo $users->save_users();
break;

```

```

    case 'delete':
        echo $users->delete_users();
    break;
    case 'save_client':
        echo $users->save_client();
    break;
    case 'delete_client':
        echo $users->delete_client();
    break;
    break;
default:
    // echo $sysset->index();
break;
}

```

## Database File

```

-- phpMyAdmin SQL Dump
-- version 4.6.5.2
-- https://www.phpmyadmin.net/
--
-- Host: 127.0.0.1
-- Generation Time: Mar 27, 2022 at 07:31 PM
-- Server version: 5.6.21
-- PHP Version: 5.6.3

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET time_zone = "+00:00";

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;

--
-- Database: `cbsphp`
--

-----
-- Table structure for table `booking_list`
--


CREATE TABLE `booking_list` (
    `id` int(30) NOT NULL,
    `ref_code` varchar(100) NOT NULL,

```

```

`client_id` int(30) NOT NULL,
`cab_id` int(30) NOT NULL,
`pickup_zone` text NOT NULL,
`drop_zone` text NOT NULL,
`status` tinyint(2) NOT NULL DEFAULT '0' COMMENT '0 = Pending,\r\n1 = Driver has Confirmed,\r\n2 = Pickup,\r\n3 = drop-off,\r\n4 = cancelled',
`date_created` datetime NOT NULL DEFAULT CURRENT_TIMESTAMP,
`date_updated` datetime DEFAULT NULL ON UPDATE CURRENT_TIMESTAMP
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

-- 
-- Dumping data for table `booking_list`
-- 

INSERT INTO `booking_list` (`id`, `ref_code`, `client_id`, `cab_id`, `pickup_zone`, `drop_zone`, `status`, `date_created`, `date_updated`) VALUES
(2, '202202-0003', 1, 2, '74 Frosty Lane', '15 Franklee Lane', 4, '2022-02-16 13:53:27', '2022-03-26 22:07:49'),
(3, '202202-0003', 1, 2, '79 Shobe Lane', '48 Clinton Street', 3, '2022-02-16 15:33:10', '2022-03-26 22:08:01'),
(4, '202203-0001', 1, 2, '908 Edington Drive', '18 Victoria Street', 3, '2022-03-23 19:22:40', '2022-03-26 22:08:13'),
(5, '202203-00013', 3, 14, '372 Saint Marys Avenue', '244 Ersel Street', 3, '2022-03-23 09:14:08', '2022-03-23 09:14:08'),
(6, '202203-00013', 3, 4, '372 Saint Marys Avenue', '244 Ersel Street', 0, '2022-03-16 09:21:29', '2022-03-27 14:37:43'),
(7, '202203-00013', 4, 14, '870 School House Road', '99 Moore Avenue', 3, '2022-03-17 11:43:32', '2022-03-17 11:47:32'),
(8, '202203-00013', 5, 14, '12 Ray Court', '55 Peck Court', 3, '2022-03-17 16:44:23', '2022-03-17 16:44:23'),
(9, '202203-00013', 6, 14, '75 Brannon Avenue', '234 Hampton Meadows', 3, '2022-03-21 07:22:27', '2022-03-21 07:22:27'),
(10, '202203-00013', 7, 14, '35 Simpson Street', '90 Jadewood Farms', 3, '2022-03-21 06:38:44', '2022-03-21 06:38:44'),
(11, '202203-00013', 8, 14, '90 Jadewood Farms', '81 Rockford Mountain Lane', 4, '2022-03-24 11:00:27', '2022-03-24 11:00:27'),
(12, '202203-00013', 9, 14, '77 Driftwood Road', '43 Hickory Heights Drive', 3, '2022-03-24 14:00:15', '2022-03-24 14:00:15'),
(13, '202203-00013', 10, 14, '90 Glory Road', '38 Todds Lane', 3, '2022-03-25 17:17:16', '2022-03-25 17:17:16'),
(14, '202203-00013', 11, 14, '41 Coulter Lane', '27 Bicetown Road', 4, '2022-03-27 07:37:12', '2022-03-27 07:37:12'),
(15, '202203-00013', 12, 3, '70 Elk Avenue', '32 Joyce Street', 3, '2022-03-16 05:23:58', '2022-03-16 05:23:58'),
(16, '202203-00013', 12, 2, '85 Pearl Street', '403 Sunny Glen Lane', 4, '2022-03-17 06:39:50', '2022-03-17 06:39:50'),
(17, '202203-00013', 12, 7, '10 Yorkie Lane', '94 Austin Secret Lane', 3, '2022-03-24 17:00:44', '2022-03-24 17:00:44'),

```

```
(18, '202203-00013', 12, 8, '94 Braxton Street', '94 Burning Memory Lane', 3,
'2022-03-24 05:57:25', '2022-03-24 05:57:25'),
(19, '202203-00013', 12, 11, '94 Burning Memory Lane', '20 Rosewood Lane', 4,
'2022-03-26 19:07:56', '2022-03-26 19:07:56'),
(20, '202203-00013', 12, 9, '41 Public Works Drive', '200 Charack Road', 3, '2022-
03-26 09:25:13', '2022-03-26 09:25:13'),
(21, '202203-00013', 4, 9, '31 Roosevelt Wilson Lane', '26 Aviation Way', 2,
'2022-03-27 21:42:40', '2022-03-27 21:44:22'),
(22, '202203-00013', 9, 1, '98 Holt Street', '83 Monroe Avenue', 2, '2022-03-27
21:43:44', '2022-03-27 21:45:22'),
(23, '202203-00013', 12, 14, '487 Shadowmor Drive', '767 Walkers Ridge Way', 3,
'2022-03-27 22:50:55', '2022-03-27 22:53:23'),
(24, '202203-00013', 12, 6, '144 Test Location', '522 Test Location', 4, '2022-03-
27 22:54:41', '2022-03-27 22:54:51');
```

```
-- -----
```

```
-- Table structure for table `cab_list`
```

```
CREATE TABLE `cab_list` (
  `id` int(30) NOT NULL,
  `reg_code` varchar(100) NOT NULL,
  `category_id` int(30) NOT NULL,
  `cab_reg_no` varchar(200) NOT NULL,
  `body_no` varchar(100) NOT NULL,
  `cab_model` text NOT NULL,
  `cab_driver` text NOT NULL,
  `driver_contact` text NOT NULL,
  `driver_address` text NOT NULL,
  `password` text NOT NULL,
  `image_path` text,
  `status` tinyint(1) NOT NULL DEFAULT '1',
  `delete_flag` tinyint(1) NOT NULL DEFAULT '0',
  `date_created` datetime NOT NULL DEFAULT CURRENT_TIMESTAMP,
  `date_updated` datetime DEFAULT NULL ON UPDATE CURRENT_TIMESTAMP
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

```
--
```

```
-- Dumping data for table `cab_list`
```

```
--
```

```
INSERT INTO `cab_list` (`id`, `reg_code`, `category_id`, `cab_reg_no`, `body_no`,
`cab_model`, `cab_driver`, `driver_contact`, `driver_address`, `password`,
`image_path`, `status`, `delete_flag`, `date_created`, `date_updated`) VALUES
(1, '202202-00002', 1, 'ASTR0306', 'Fusion-130', 'Ford Fusion', 'Mark Cooper',
'09123456789', '94 Chestnut Street', '5f4dcc3b5aa765d61d8327deb882cf99',
```

```
'uploads/dirvers/1.png?v=1644981064', 1, 0, '2022-03-02 10:59:12', '2022-03-27  
22:04:44'),  
(2, '202202-00001', 2, 'ASTR0715', 'Camry-440', 'Toyota Camry', 'George Williams',  
'09456987123', '69 Nixon Avenue', '7ad1aea197a92805ac70f71bdec579d3',  
'uploads/dirvers/2.png?v=1644981833', 1, 0, '2022-03-02 11:13:30', '2022-03-27  
22:04:51'),  
(3, '202203-00001', 1, 'ASTR0123', 'Prius-1010', 'Toyota Prius', 'Henry',  
'7485658965', '12 Fincham Road', '5f4dcc3b5aa765d61d8327deb882cf99',  
'uploads/dirvers/3.png?v=1648051050', 1, 0, '2022-03-02 21:42:30', '2022-03-27  
22:05:00'),  
(4, '202203-00002', 1, 'ASTR0770', 'Soul-009', 'Kia Soul', 'Lexie Luthor',  
'7896478540', '70 Star Trek Drive', '5f4dcc3b5aa765d61d8327deb882cf99', NULL, 1,  
0, '2022-03-02 21:59:17', '2022-03-27 14:44:37'),  
(5, '202203-00003', 1, 'ASTR0741', 'Civic-7781', 'Honda Civic', 'Allen S.  
Nichols', '7895410000', '74 Frosty Lane', '5f4dcc3b5aa765d61d8327deb882cf99',  
'uploads/dirvers/5.png?v=1648311707', 1, 0, '2022-03-02 22:06:47', '2022-03-27  
14:44:40'),  
(6, '202203-00004', 2, 'ASTR0850', 'ESV-7700', 'Cadillac Escalade ESV', 'Jose R.  
Kerner', '7850001010', '15 Chatham Way', '5f4dcc3b5aa765d61d8327deb882cf99',  
'uploads/dirvers/6.png?v=1648311872', 1, 0, '2022-03-02 22:09:32', '2022-03-27  
14:44:43'),  
(7, '202203-00005', 1, 'ASTR0555', 'iTEN-1010', 'Hyundai i10', 'Tony W. Bryan',  
'4785478500', '59 Patterson Fork Road', '5f4dcc3b5aa765d61d8327deb882cf99',  
'uploads/dirvers/7.png?v=1648312063', 1, 0, '2022-03-02 22:12:43', '2022-03-02  
22:12:43'),  
(8, '202203-00006', 1, 'ASTR0020', 'Skoda-162TSI', 'Skoda Superb 162TSI', 'John J.  
Ackles', '2547854444', '49 Andell Road', '5f4dcc3b5aa765d61d8327deb882cf99', NULL,  
1, 0, '2022-03-02 22:16:57', '2022-03-27 14:44:48'),  
(9, '202203-00007', 1, 'ASTR0022', 'Picanto-7785', 'Kia Picanto', 'Amy K.  
Walker', '4558889850', '54 Dovetail Estates', '5f4dcc3b5aa765d61d8327deb882cf99',  
NULL, 1, 0, '2022-03-02 22:18:41', '2022-03-27 14:44:51'),  
(10, '202203-00008', 3, 'ASTR0089', 'Galaxy-7777', 'Ford Galaxy', 'Stanley J.  
Marty', '2589654570', '77 Park Street', '5f4dcc3b5aa765d61d8327deb882cf99', NULL,  
1, 0, '2022-03-02 13:00:24', '2022-03-27 14:44:53'),  
(11, '202203-00009', 1, 'ASTR0047', 'Passat-7890', 'Volkswagen Passat', 'Gabriel  
M. Allen', '7896666666', '13 Boring Lane', '5f4dcc3b5aa765d61d8327deb882cf99',  
NULL, 1, 0, '2022-03-02 13:02:37', '2022-03-27 14:44:57'),  
(12, '202203-00010', 3, 'ASTR0258', 'Touran-8989', 'Volkswagen Touran', 'Wayne J.  
Broussard', '7412563250', '74 Goldleaf Lane', '5f4dcc3b5aa765d61d8327deb882cf99',  
NULL, 1, 0, '2022-03-02 13:04:26', '2022-03-27 14:44:59'),  
(13, '202203-00011', 1, 'ASTR0885', 'Toledo-5555', 'SEAT Toledo', 'Linda L. Reid',  
'7895555540', '29 Lake Floyd Circle', '5f4dcc3b5aa765d61d8327deb882cf99', NULL, 1,  
0, '2022-03-02 13:05:37', '2022-03-27 14:45:02'),  
(14, '202203-00012', 1, 'ASTR0135', 'i30T-0135', 'Hyundai i30 Tourer', 'Will  
Williams', '7412580000', '259 Ridge Road', '5f4dcc3b5aa765d61d8327deb882cf99',  
'uploads/dirvers/14.png?v=1648366006', 1, 0, '2022-03-02 13:11:46', '2022-03-27  
13:11:46');
```

---

```

-- 
-- Table structure for table `category_list` 

-- 

CREATE TABLE `category_list` (
  `id` int(30) NOT NULL,
  `name` text NOT NULL,
  `description` text NOT NULL,
  `delete_flag` tinyint(1) NOT NULL DEFAULT '0',
  `status` tinyint(1) NOT NULL DEFAULT '1',
  `date_created` datetime NOT NULL DEFAULT CURRENT_TIMESTAMP,
  `date_updated` datetime DEFAULT NULL ON UPDATE CURRENT_TIMESTAMP
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

-- 
-- Dumping data for table `category_list` 
-- 

INSERT INTO `category_list` (`id`, `name`, `description`, `delete_flag`, `status`, `date_created`, `date_updated`) VALUES
(1, '5 Seater', 'A 4-door passenger car with a trunk that is separate from the passengers with a three-box body: the engine, the area for passengers, and the trunk.', 0, 1, '2022-03-01 10:03:54', '2022-03-02 13:03:14'),
(2, '6 Seater', 'Quisque iaculis ipsum egestas nisi pharetra, ac laoreet felis tincidunt. Cras id gravida justo. Nulla non gravida risus, vel finibus leo. Phasellus vel eros ligula. Fusce a erat sed quam vehicula convallis.', 0, 1, '2022-03-01 10:08:10', '2022-03-27 14:45:51'),
(3, '7 Seater', 'Flexible, allowing you to switch between lots of seats or lots of boot space. The biggest manage to do both - comfortably taking six passengers and their stuff.', 0, 1, '2022-03-03 12:59:29', '2022-03-27 14:45:56');

-- ----- 

-- 
-- Table structure for table `client_list` 
-- 

CREATE TABLE `client_list` (
  `id` int(30) NOT NULL,
  `firstname` text NOT NULL,
  `middlename` text,
  `lastname` text NOT NULL,
  `gender` text NOT NULL,
  `contact` text NOT NULL,
  `address` text NOT NULL,
  `email` varchar(100) NOT NULL,
  `password` text NOT NULL,
  `image_path` text,

```

```

`status` tinyint(1) NOT NULL DEFAULT '1',
`delete_flag` tinyint(1) NOT NULL DEFAULT '0',
`date_created` datetime NOT NULL DEFAULT CURRENT_TIMESTAMP,
`date_added` datetime DEFAULT NULL ON UPDATE CURRENT_TIMESTAMP
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

-- 
-- Dumping data for table `client_list`
-- 

INSERT INTO `client_list` (`id`, `firstname`, `middlename`, `lastname`, `gender`,
`contact`, `address`, `email`, `password`, `image_path`, `status`, `delete_flag`,
`date_created`, `date_added`) VALUES
(1, 'Elizabeth', 'J.', 'Watson', 'Female', '1478555560', '85 Sycamore Lake Road',
'elizabeth@mail.com', '5f4dcc3b5aa765d61d8327deb882cf99',
'uploads/clients/1.png?v=1644995661', 1, 0, '2022-02-27 13:06:42', '2022-03-27
21:10:54'),
(2, 'Christine', 'M.', 'Moore', 'Female', '7412589666', '12 Bleck Street, PA',
'christine@mail.com', '5f4dcc3b5aa765d61d8327deb882cf99',
'uploads/clients/2.png?v=1648043485', 1, 0, '2022-03-01 19:36:24', '2022-03-27
21:10:40'),
(3, 'Luciano', 'B.', 'Fridley', 'Male', '7896585555', '372 Saint Marys Avenue',
'lsmith@mail.com', '5f4dcc3b5aa765d61d8327deb882cf99', NULL, 1, 0, '2022-03-01
13:13:38', '2022-03-27 21:11:06'),
(4, 'Matt', 'P.', 'Melton', 'Male', '4589658888', '870 School House Road',
'mattb@mail.com', '5f4dcc3b5aa765d61d8327deb882cf99', NULL, 1, 0, '2022-03-01
13:34:09', '2022-03-27 21:11:16'),
(5, 'James', 'P.', 'Luis', 'Male', '7850000010', '49 Poco Mas Drive',
'jamesp@mail.com', '5f4dcc3b5aa765d61d8327deb882cf99', NULL, 1, 0, '2022-03-01
13:39:25', '2022-03-27 21:11:28'),
(6, 'Timothy', 'E.', 'Maurer', 'Male', '1458965555', '75 Brannon Avenue',
'timothye@mail.com', '5f4dcc3b5aa765d61d8327deb882cf99', NULL, 1, 0, '2022-03-01
13:41:16', '2022-03-27 21:11:37'),
(7, 'Ebony', 'S.', 'Coulter', 'Female', '7850002145', '35 Simpson Street',
'ebonys@mail.com', '5f4dcc3b5aa765d61d8327deb882cf99', NULL, 1, 0, '2022-03-01
13:54:26', '2022-03-27 21:11:52'),
(8, 'Jason', 'F.', 'Billingsley', 'Male', '1458965555', '90 Jadewood Farms',
'jasonk@mail.com', '5f4dcc3b5aa765d61d8327deb882cf99', NULL, 1, 0, '2022-03-01
13:56:19', '2022-03-27 21:12:06'),
(9, 'Daniel', 'J.', 'Amos', 'Male', '4565550010', '77 Driftwood Road',
'daniel@mail.com', '5f4dcc3b5aa765d61d8327deb882cf99', NULL, 1, 0, '2022-03-01
13:59:54', '2022-03-27 21:12:17'),
(10, 'Edith', 'D.', 'Collins', 'Male', '1458965555', '90 Glory Road',
'edith@mail.com', '5f4dcc3b5aa765d61d8327deb882cf99', NULL, 1, 0, '2022-03-01
14:09:00', '2022-03-27 21:12:31'),
(11, 'Gina', 'J.', 'Bernard', 'Female', '1456854100', '41 Coulter Lane',
'ginac@mail.com', '5f4dcc3b5aa765d61d8327deb882cf99', NULL, 1, 0, '2022-03-01
14:14:37', '2022-03-27 21:12:47'),

```

```
(12, 'Thomas', 'J.', 'Greenwood', 'Male', '4569000010', '70 Elk Avenue',
'thomas@mail.com', '5f4dcc3b5aa765d61d8327deb882cf99',
'uploads/clients/12.png?v=1648370087', 1, 0, '2022-03-01 14:19:47', '2022-03-27
21:12:59'),
(13, 'Peter', 'J.', 'Fidley', 'Male', '1456985555', '42 Ridge Road',
'peter@mail.com', '5f4dcc3b5aa765d61d8327deb882cf99', NULL, 1, 0, '2022-03-27
21:10:14', NULL),
(14, 'John', 'H.', 'Hampton', 'Male', '4789652210', '50 Pooh Bear Lane',
'johnhm@mail.com', '5f4dcc3b5aa765d61d8327deb882cf99', NULL, 1, 0, '2022-03-27
22:20:32', NULL),
(15, 'Maria', 'J.', 'Connors', 'Female', '1478523655', '76 Richland Avenue',
'mariaj@mail.com', '5f4dcc3b5aa765d61d8327deb882cf99', NULL, 1, 0, '2022-03-27
22:21:08', NULL),
(16, 'Karen', 'M.', 'Brewer', 'Female', '1458888888', '591 Leisure Lane',
'karenb@mail.com', '5f4dcc3b5aa765d61d8327deb882cf99', NULL, 1, 0, '2022-03-27
22:21:53', NULL),
(17, 'Norma', 'K.', 'Gravelle', 'Female', '1458965555', '66 Blane Street',
'normak@mail.com', '5f4dcc3b5aa765d61d8327deb882cf99', NULL, 1, 0, '2022-03-27
22:24:54', NULL);
```

---

```
-- 
-- Table structure for table `system_info`
```

```
CREATE TABLE `system_info` (
  `id` int(30) NOT NULL,
  `meta_field` text NOT NULL,
  `meta_value` text NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

```
-- 
-- Dumping data for table `system_info`
```

```
INSERT INTO `system_info` (`id`, `meta_field`, `meta_value`) VALUES
(1, 'name', 'Cab Booking System'),
(6, 'short_name', 'CBS - PHP'),
(11, 'logo', 'uploads/1648050060_cbslg.png'),
(13, 'user_avatar', 'uploads/user_avatar.jpg'),
(14, 'cover', 'uploads/1648048980_cbss22.jpg');
```

---

```
-- 
-- Table structure for table `users`
```

```
--
```

```

CREATE TABLE `users` (
  `id` int(50) NOT NULL,
  `firstname` varchar(250) NOT NULL,
  `lastname` varchar(250) NOT NULL,
  `username` text NOT NULL,
  `password` text NOT NULL,
  `avatar` text,
  `last_login` datetime DEFAULT NULL,
  `type` tinyint(1) NOT NULL DEFAULT '0',
  `date_added` datetime NOT NULL DEFAULT CURRENT_TIMESTAMP,
  `date_updated` datetime DEFAULT NULL ON UPDATE CURRENT_TIMESTAMP
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

-- 
-- Dumping data for table `users`
-- 

INSERT INTO `users` (`id`, `firstname`, `lastname`, `username`, `password`,
`avatar`, `last_login`, `type`, `date_added`, `date_updated`) VALUES
(1, 'Adminstrator', 'Liam', 'admin', 'd00f5d5217896fb7fd601412cb890830',
'uploads/1624000_adminicn.png', NULL, 1, '2022-01-19 14:02:37', '2022-03-27
21:51:35'),
(8, 'Martha', 'Heath', 'martha', '3003051F6D158F6687B8A820C46BFA80',
'uploads/avatar-8.png?v=1648396920', NULL, 2, '2022-03-01 16:14:00', '2022-03-27
21:47:00'),
(9, 'Andrew', 'Stokes', 'andrew', '5f4dcc3b5aa765d61d8327deb882cf99',
'uploads/avatar-9.png?v=1648396901', NULL, 2, '2022-03-27 21:46:41', '2022-03-27
21:46:41');

-- 
-- Indexes for dumped tables
-- 

-- 
-- Indexes for table `booking_list`
-- 

ALTER TABLE `booking_list`
  ADD PRIMARY KEY (`id`),
  ADD KEY `cab_id` (`cab_id`),
  ADD KEY `client_id` (`client_id`);

-- 
-- Indexes for table `cab_list`
-- 

ALTER TABLE `cab_list`
  ADD PRIMARY KEY (`id`),
  ADD KEY `category_id` (`category_id`);

-- 

```

```
-- Indexes for table `category_list`  
--  
ALTER TABLE `category_list`  
    ADD PRIMARY KEY (`id`);  
  
--  
-- Indexes for table `client_list`  
--  
ALTER TABLE `client_list`  
    ADD PRIMARY KEY (`id`),  
    ADD UNIQUE KEY `email` (`email`) USING HASH;  
  
--  
-- Indexes for table `system_info`  
--  
ALTER TABLE `system_info`  
    ADD PRIMARY KEY (`id`);  
  
--  
-- Indexes for table `users`  
--  
ALTER TABLE `users`  
    ADD PRIMARY KEY (`id`);  
  
--  
-- AUTO_INCREMENT for dumped tables  
--  
  
--  
-- AUTO_INCREMENT for table `booking_list`  
--  
ALTER TABLE `booking_list`  
    MODIFY `id` int(30) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=25;  
--  
-- AUTO_INCREMENT for table `cab_list`  
--  
ALTER TABLE `cab_list`  
    MODIFY `id` int(30) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=15;  
--  
-- AUTO_INCREMENT for table `category_list`  
--  
ALTER TABLE `category_list`  
    MODIFY `id` int(30) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=4;  
--  
-- AUTO_INCREMENT for table `client_list`  
--  
ALTER TABLE `client_list`  
    MODIFY `id` int(30) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=18;
```

```
-- AUTO_INCREMENT for table `system_info`
-- 
ALTER TABLE `system_info`
  MODIFY `id` int(30) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=15;
-- 
-- AUTO_INCREMENT for table `users`
-- 
ALTER TABLE `users`
  MODIFY `id` int(50) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=10;
-- 
-- Constraints for dumped tables
-- 

-- 
-- Constraints for table `booking_list`
-- 
ALTER TABLE `booking_list`
  ADD CONSTRAINT `booking_list_ibfk_1` FOREIGN KEY (`cab_id`) REFERENCES
`cab_list` (`id`) ON DELETE CASCADE,
  ADD CONSTRAINT `booking_list_ibfk_2` FOREIGN KEY (`client_id`) REFERENCES
`client_list` (`id`) ON DELETE CASCADE;

-- 
-- Constraints for table `cab_list`
-- 
ALTER TABLE `cab_list`
  ADD CONSTRAINT `cab_list_ibfk_1` FOREIGN KEY (`category_id`) REFERENCES
`category_list` (`id`) ON DELETE CASCADE;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```

## General

### About

```
<!-- Header-->
<!-- <header class="bg-dark py-5" id="main-header">
    <div class="container h-100 d-flex align-items-end justify-content-center w-100">
        <div class="text-center text-white w-100">
            <h1 class="display-4 fw-bolder mx-5">About Us</h1>
        </div>
    </div>
</header> -->
<section class="py-5">
    <div class="container">
        <div class="card rounded-0 card-outline card-purple shadow px-4 px-lg-5 mt-5">
            <div class="row">
                <div class="card-body">
                    <?php include "about.html" ?>
                </div>
            </div>
        </div>
    </div>
</section>

<script>
$(document).scroll(function() {
    $('#topNavBar').removeClass('bg-purple navbar-light navbar-dark bg-gradient-purple text-light')
    if($(window).scrollTop() === 0) {
        $('#topNavBar').addClass('navbar-dark bg-purple text-light')
    }else{
        $('#topNavBar').addClass('navbar-dark bg-gradient-purple ')
    }
});
$(function(){
    $(document).trigger('scroll')
})
</script>
```

### Booking list

```
<div class="content py-5 mt-5">
    <div class="container">
        <div class="card card-outline card-purple shadow rounded-0">
            <div class="card-header">
                <h4 class="card-title">My Booking List</h4>
            </div>
            <div class="card-body">
                <table class="table table-striped table-bordered table-hover">
```

```

<colgroup>
    <col width="5%">
    <col width="15%">
    <col width="15%">
    <col width="30%">
    <col width="10%">
    <col width="15%">
</colgroup>
<thead>
    <tr class="bg-gradient-dark text-light">
        <th class="text-center">#</th>
        <th class="text-center">Date Booked</th>
        <th class="text-center">Ref. Code</th>
        <th class="text-center">Details</th>
        <th class="text-center">Status</th>
        <th class="text-center">Action</th>
    </tr>
</thead>
<tbody>
    <?php
    $i = 1;
    $qry = $conn->query("SELECT * FROM `booking_list`"
where client_id = '$_settings->userdata('id'))' order by
unix_timestamp(date_created) desc");
    while($row = $qry->fetch_assoc()):
    ?>
    <tr>
        <td class="text-center">><?= $i++; ?></td>
        <td><?= date("Y-m-d H:i",
strtotime($row['date_created'])) ?></td>
        <td><?= $row['ref_code'] ?></td>
        <td>
            <p class="m-0 truncate-1"><b>Pickup:</b> <?=
$row['pickup_zone'] ?></p>
            <p class="m-0 truncate-1"><b>Dropoff:</b> <?=
$row['drop_zone'] ?></p>
        </td>
        <td class="text-center">
            <?php
                switch($row['status']){
                    case 0:
                        echo "<span class='badge badge-
secondary bg-gradient-secondary px-3 rounded-pill'>Pending</span>";
                        break;
                    case 1:
                        echo "<span class='badge badge-primary
bg-gradient-primary px-3 rounded-pill'>Driver Confirmed</span>";
                        break;
                    case 2:
                }
            </?php>
        </td>
    </tr>

```

```

        echo "<span class='badge badge-warning
bg-gradient-warning px-3 rounded-pill'>Picked-up</span>";
            break;
        case 3:
            echo "<span class='badge badge-success
bg-gradient-success px-3 rounded-pill'>Dropped off</span>";
            break;
        case 4:
            echo "<span class='badge badge-danger
bg-gradient-danger px-3 rounded-pill'>Cancelled</span>";
            break;
    }
}
?>
</td>
<td class="text-center">
    <button type="button" class="btn btn-flat btn-info
border btn-sm view_data" data-id="= $row['id'] ?">View Details</button>
</td>
</tr>
<?php endwhile; ?>
</tbody>
</table>
</div>
</div>
</div>
</div>
<script>
$(function(){
    $('table th, table td').addClass('px-2 py-1 align-middle')
    $('table').dataTable();

    $('.view_data').click(function(){
        uni_modal("Booking Details","view_booking.php?id="+$(this).attr('data-
id'))
    })
})
</script>

```

## Booking

```

<?php
require_once('./config.php');
if(isset($_GET['id']) && $_GET['id'] > 0){
    $qry = $conn->query("SELECT * from `booking_list` where id = '{$_GET['id']}'");
}
if($qry->num_rows > 0){
    foreach($qry->fetch_assoc() as $k => $v){
        $$k=$v;
    }
}

```

```

}

?>
<div class="container-fluid">
    <form action="" id="booking-form">
        <input type="hidden" name="id" value=<?= isset($id) ? $id : '' ?>">
        <input type="hidden" name="cab_id" value=<?= isset($_GET['cid']) ? $_GET['cid'] : (isset($cab_id) ? $cab_id : "") ?>">
        <div class="form-group">
            <label for="pickup_zone" class="control-label">Pickup Location</label>
            <textarea name="pickup_zone" id="pickup_zone" rows="2" class="form-control form-control-sm rounded-0" required></textarea>
        </div>
        <div class="form-group">
            <label for="drop_zone" class="control-label">Drop-off Location</label>
            <textarea name="drop_zone" id="drop_zone" rows="2" class="form-control form-control-sm rounded-0" required></textarea>
        </div>
    </form>
</div>

<script>
$(document).ready(function(){
    $('#booking-form').submit(function(e){
        e.preventDefault();
        var _this = $(this)
        $('.err-msg').remove();
        start_loader();
        $.ajax({
            url:_base_url_+"classes/Master.php?f=save_booking",
            data: new FormData($(this)[0]),
            cache: false,
            contentType: false,
            processData: false,
            method: 'POST',
            type: 'POST',
            dataType: 'json',
            error:err=>{
                console.log(err)
                alert_toast("An error occured",'error');
                end_loader();
            },
            success:function(resp){
                if(typeof resp =='object' && resp.status == 'success'){
                    location.href = './?p=booking_list';
                }else if(resp.status == 'failed' && !resp.msg){
                    var el = $('

')
                    el.addClass("alert alert-danger err-
msg").text(resp.msg)
                    _this.prepend(el)
                }
            }
        })
    })
})


```

```

                el.show('slow')
                $("html, body").animate({ scrollTop:
            _this.closest('.card').offset().top }, "fast");
            end_loader()
        }else{
            alert_toast("An error occured",'error');
            end_loader();
            console.log(resp)
        }
    }
})
})
}
</script>

```

## Cab available

```

<!-- Header-->
<!-- <header class="bg-dark py-5" id="main-header">
    <div class="container h-100 d-flex align-items-center justify-content-center w-100">
        <div class="text-center text-white w-100">
            <h1 class="display-4 fw-bolder">Available Cabs</h1>
            <p class="lead fw-normal text-white-50 mb-0">We will take care of your vehicle</p>
        </div>
    </div>
</header> -->
<!-- Section-->
<section class="py-5">
    <div class="container px-4 px-lg-5 mt-5 card rounded-0 card-outline card-purple shadow">
        <div class="row">
            <div class="col-md-12">
                <center>
                    <h1 class="display-4 fw-bolder">Available Cabs</h1>
                    <hr>
                </center>
                <div class="form-group">
                    <div class="input-group mb-3">
                        <input type="search" id="search" class="form-control" placeholder="Search Here..." aria-label="Search Here" aria-describedby="basic-addon2">
                        <div class="input-group-append">
                            <span class="input-group-text bg-success" id="basic-addon2"><i class="fa fa-search"></i></span>
                        </div>
                    </div>
                    <hr>
                </div>
            </div>
        </div>
    </div>

```

```


<?php
    $cabs = $conn->query("SELECT c.*, cc.name as category FROM `cab_list` c inner join category_list cc on c.category_id = cc.id where c.delete_flag = 0 and c.id not in (SELECT cab_id FROM `booking_list` where `status` in (0,1,2)) order by c.`reg_code`");
    while($row= $cabs->fetch_assoc()):
    ?>
        <a class="col item text-decoration-none text-dark book_cab" href="javascript:void(0)" data-id="<?php echo $row['id'] ?>" data-bodyno="<?php echo $row['body_no'] ?>">
            <div class="callout callout-primary border-success rounded-0">
                <dl>
                    <dt class="h3"><i class="fa fa-taxi"></i> <?php echo $row['body_no'] ?></dt>
                    <dd class="truncate-3 text-muted lh-1">
                        <small><?php echo $row['category'] ?></small>
                    </dd>
                </dl>
            </div>
        </a>
        <?php endwhile; ?>
    </div>
    <div id="noResult" style="display:none" class="text-center"><b>No Results!!</b></div>
</div>
</div>
</div>
</section>
<script>
$(function(){
    $('#search').on('input',function(){
        var _search = $(this).val().toLowerCase().trim()
        $('#cab_list .item').each(function(){
            var _text = $(this).text().toLowerCase().trim()
            _text = _text.replace(/\s+/g, ' ')
            console.log(_text)
            if(_text.includes(_search) == true){
                $(this).toggle(true)
            }else{
                $(this).toggle(false)
            }
        })
        if( $('#cab_list .item:visible').length > 0){
            $('#noResult').hide('slow')
        }
    })
})


```

```

        }else{
            $('#noResult').show('slow')
        }
    })
    $('#cab_list .item').hover(function(){
        $(this).find('.callout').addClass('shadow')
    })
    $('#cab_list .book_cab').click(function(){
        if("<?= $_settings->userdata('id') && $_settings-
>userdata('login_type') == 2 ?>" == 1)
            uni_modal("Book Cab - "+$(this).attr('data-
bodyno'),"booking.php?cid="+$(this).attr('data-id'),'mid-large');
        else
            location.href = './login.php';
    })
    $('#send_request').click(function(){
        if("<?= $_settings->userdata('id') > 0 && $_settings-
>userdata('login_type') == 2 ?>" == 1)
            uni_modal("Fill the cab Request Form","send_request.php",'mid-large');
        else
            alert_toast(" Please Login First.", "warning");
    })
})

$(document).scroll(function() {
    $('#topNavBar').removeClass('bg-purple navbar-light navbar-dark bg-
gradient-purple text-light')
    if($(window).scrollTop() === 0) {
        $('#topNavBar').addClass('navbar-dark bg-purple text-light')
    }else{
        $('#topNavBar').addClass('navbar-dark bg-gradient-purple ')
    }
});
$(function(){
    $(document).trigger('scroll')
})
</script>

```

## Config

```

<?php
ob_start();
ini_set('date.timezone','Asia/Manila');
date_default_timezone_set('Asia/Manila');
session_start();

require_once('initialize.php');
require_once('classes/DBConnection.php');
require_once('classes/SystemSettings.php');
$db = new DBConnection;

```

```

$conn = $db->conn;

function redirect($url=''){
    if(!empty($url))
        echo '<script>location.href="'.base_url . $url.'"</script>';
}

function validate_image($file){
    $file = explode("?", $file)[0];
    if(!empty($file)){
        // exit;
        if(is_file(base_app.$file)){
            return base_url.$file;
        }else{
            return base_url.'dist/img/no-image-available.png';
        }
    }else{
        return base_url.'dist/img/no-image-available.png';
    }
}

function isMobileDevice(){
    $aMobileUA = array(
        '/iphone/i' => 'iPhone',
        '/ipod/i' => 'iPod',
        '/ipad/i' => 'iPad',
        '/android/i' => 'Android',
        '/blackberry/i' => 'BlackBerry',
        '/webos/i' => 'Mobile'
    );
}

//Return true if Mobile User Agent is detected
foreach($aMobileUA as $sMobileKey => $sMobileOS){
    if(preg_match($sMobileKey, $_SERVER['HTTP_USER_AGENT'])){
        return true;
    }
}
//Otherwise return false..
return false;
}

ob_end_flush();
?>

```

## Contact

```

<!-- Header-->
<!-- <header class="bg-dark py-5" id="main-header">
    <div class="container h-100 d-flex align-items-end justify-content-center w-100">
        <div class="text-center text-white w-100">
            <h1 class="display-4 fw-bolder mx-5">About Us</h1>
        </div>

```

```

        </div>
    </header> -->
<section class="py-5">
    <div class="container">
        <div class="card rounded-0 card-outline card-purple shadow px-4 px-lg-5
mt-5">
            <div class="row">
                <div class="card-body">
                    <h4>Contact Form</h4>
                </div>
            </div>
        </div>
    </div>
</section>

<script>
$(document).scroll(function() {
    $('#topNavBar').removeClass('bg-purple navbar-light navbar-dark bg-
gradient-purple text-light')
    if($(window).scrollTop() === 0) {
        $('#topNavBar').addClass('navbar-dark bg-purple text-light')
    }else{
        $('#topNavBar').addClass('navbar-dark bg-gradient-purple ')
    }
});
$(function(){
    $(document).trigger('scroll')
})
</script>

```

## Home

```

<!-- Header-->
<header class="bg-dark py-5" id="main-header">
    <div class="container h-100 d-flex align-items-center justify-content-center
w-100">
        <div class="text-center text-white w-100">
            <h1 class="display-4 fw-bolder mx-5"><?php echo $_settings-
>info('name') ?></h1>
            <div class="col-auto mt-4">
                <!-- <a class="btn btn-warning btn-lg rounded-0"
href="./?p=booking">Book Now</a> -->
            </div>
        </div>
    </div>
</header>
<!-- Section-->
<section class="py-5">
    <div class="container">
        <div class="card shadow card-outline card-purple rounded-0">

```

```

        <div class="card-body">
            <?php include './welcome.html' ?>
        </div>
    </div>
</section>
<script>
$(function(){
    $('#search').on('input',function(){
        var _search = $(this).val().toLowerCase().trim()
        $('#service_list .item').each(function(){
            var _text = $(this).text().toLowerCase().trim()
            _text = _text.replace(/\s+/g, ' ')
            console.log(_text)
            if({_text}.includes(_search) == true){
                $(this).toggle(true)
            }else{
                $(this).toggle(false)
            }
        })
        if( $('#service_list .item:visible').length > 0){
            $('#noResult').hide('slow')
        }else{
            $('#noResult').show('slow')
        }
    })
    $('#service_list .item').hover(function(){
        $(this).find('.callout').addClass('shadow')
    })
    $('#service_list .view_service').click(function(){
        uni_modal("Service Details","view_service.php?id="+$(this).attr('data-id'), 'mid-large')
    })
    $('#send_request').click(function(){
        uni_modal("Fill the Service Request Form","send_request.php",'large')
    })
})

$(document).scroll(function() {
    $('#topNavBar').removeClass('bg-purple navbar-light navbar-dark bg-gradient-purpl
text-light')
    if($(window).scrollTop() === 0) {
        $('#topNavBar').addClass('navbar-dark bg-purple text-light')
    }else{
        $('#topNavBar').addClass('navbar-dark bg-gradient-purpl
text-light')
    }
});
$(function(){
    $(document).trigger('scroll')
}

```

```
    })
</script>
```

## Index

```
<?php require_once('config.php'); ?>
<!DOCTYPE html>
<html lang="en">
<?php require_once('inc/header.php') ?>
<body>
<?php $page = isset($_GET['p']) ? $_GET['p'] : 'home'; ?>
<?php require_once('inc/topBarNav.php') ?>
    <?php if($_settings->chk_flashdata('success')): ?>
        <script>
            alert_toast("<?php echo $_settings->flashdata('success') ?>", 'success')
        </script>
<?php endif;?>
<?php
    if(!file_exists($page.".php") && !is_dir($page)){
        include '404.html';
    }else{
        if(is_dir($page))
            include $page."/index.php";
        else
            include $page.'.php';
    }
?>
<?php require_once('inc/footer.php') ?>

<div class="modal fade" id="uni_modal" role='dialog'>
    <div class="modal-dialog rounded-0 modal-md modal-dialog-centered" role="document">
        <div class="modal-content rounded-0">
            <div class="modal-header">
                <h5 class="modal-title"></h5>
            </div>
            <div class="modal-body">
            </div>
            <div class="modal-footer">
                <button type="button" class="btn btn-success" id='submit' onclick="#uni_modal form.submit()">Save</button>
                <button type="button" class="btn btn-danger" data-dismiss="modal">Cancel</button>
            </div>
        </div>
    </div>
</div>
<div class="modal fade" id="uni_modal_right" role='dialog'>
    <div class="modal-dialog rounded-0 modal-full-height modal-md" role="document">
```

```
<div class="modal-content rounded-0">
  <div class="modal-header">
    <h5 class="modal-title"></h5>
    <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
      <span class="fa fa-arrow-right"></span>
    </button>
  </div>
  <div class="modal-body">
  </div>
  </div>
</div>
<div class="modal fade" id="viewer_modal" role='dialog'>
  <div class="modal-dialog modal-md" role="document">
    <div class="modal-content">
      <button type="button" class="btn-close" data-dismiss="modal"><span
class="fa fa-times"></span></button>
      <img src="" alt="">
    </div>
  </div>
</div>
<div class="modal fade" id="confirm_modal" role='dialog'>
  <div class="modal-dialog modal-md modal-dialog-centered" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title">Confirmation</h5>
      </div>
      <div class="modal-body">
        <div id="delete_content"></div>
      </div>
      <div class="modal-footer">
        <button type="button" class="btn btn-success" id='confirm'
onclick="">Continue</button>
        <button type="button" class="btn btn-danger" data-
dismiss="modal">Close</button>
      </div>
    </div>
  </div>
</div>
</div>

</body>
</html>
```

## Initialize

```
<?php
$dev_data = array('id'=>'-1','firstname'=>'Developer','lastname'=>'','username'=>'dev_oretnom','password'=>'5da283a2d990e8d8512cf967df5bc0d0','last_login'=>'','date_updated'=>'','date_added'=>'');
if(!defined('base_url')) define('base_url','http://localhost/CabBooking-PHP/');
if(!defined('base_app')) define('base_app', str_replace('\\','/',$DIR__).'/');
if(!defined('dev_data')) define('dev_data',$dev_data);
if(!defined('DB_SERVER')) define('DB_SERVER','localhost');
if(!defined('DB_USERNAME')) define('DB_USERNAME','root');
if(!defined('DB_PASSWORD')) define('DB_PASSWORD','');
if(!defined('DB_NAME')) define('DB_NAME','cbsphp');
?>
```

## Login

```
<?php require_once('./config.php') ?>
<!DOCTYPE html>
<html lang="en" class="" style="height: auto;">
<?php require_once('inc/header.php') ?>
<body class="hold-transition login-page">
<script>
    start_loader()
</script>
<style>
    body{
        /* width:calc(100%); */
        height:calc(100%);
        background-image:url('<?= validate_image($_settings->info('cover')) ?>');
        background-repeat: no-repeat;
        background-size:cover; */
    }
    #logo-img{
        /* width:15em;
        height:15em; */
        object-fit:scale-down;
        object-position:center center;
    }
</style>
<div class="login-box">
<?php $page = isset($_GET['page']) ? $_GET['page'] : 'home'; ?>
<?php if($_settings->chk_flashdata('success')): ?>
<script>
    alert_toast("<?php echo $_settings->flashdata('success') ?>",'success')
</script>
<?php endif;?>
<!-- /.login-logo -->
```

```
<center><img src=<?= validate_image($_settings->info('logo')) ?>" alt="System  
Logo" id="logo-img"></center>  
<div class="clear-fix my-2"></div>  
<div class="card card-outline card-purple">  
    <div class="card-header text-center">  
        <a href="/" class="h4 text-decoration-none"><b>Client Login Panel</b></a>  
    </div>  
    <div class="card-body">  
  
        <form id="clogin-frm" action="" method="post">  
            <div class="input-group mb-3">  
                <div class="input-group-append">  
                    <div class="input-group-text">  
                        <span class="fas fa-envelope"></span>  
                    </div>  
                </div>  
                <input type="email" class="form-control" name="email"  
placeholder="Email">  
  
            </div>  
            <div class="input-group mb-3">  
                <div class="input-group-append">  
                    <div class="input-group-text">  
                        <span class="fas fa-lock"></span>  
                    </div>  
                </div>  
                <input type="password" class="form-control" name="password"  
placeholder="Password">  
  
            </div>  
            <div class="row align-items-center">  
                <div class="col-8">  
                    <a href=<?php echo base_url ?>" style="text-  
decoration:none;">Back</a>  
                </div>  
                <!-- /.col -->  
                <div class="col-4">  
                    <button type="submit" class="btn btn-success btn-sm btn-flat btn-  
block">Log In</button>  
                </div>  
                <!-- /.col -->  
            </div>  
            <div class="row">  
                <div class="col-12 text-center">  
                    <a href=<?php echo base_url.'register.php' ?>" style="text-  
decoration:none;">Create an Account</a>  
                </div>  
            </div>  
        </form>  
    </div>
```

```

        </form>
        <!-- /.social-auth-links -->

        <!-- <p class="mb-1">
            <a href="forgot-password.html">I forgot my password</a>
        </p> -->

    </div>
    <!-- /.card-body -->
</div>
<!-- /.card -->
</div>
<!-- /.login-box -->

<!-- jQuery -->
<script src="plugins/jquery/jquery.min.js"></script>
<!-- Bootstrap 4 -->
<script src="plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
<!-- AdminLTE App -->
<script src="dist/js/adminlte.min.js"></script>

<script>
$(document).ready(function(){
    end_loader();
})
</script>
</body>
</html>

```

## Manage account

```

<?php
if($_settings->userdata('id') > 0 && $_settings->userdata('login_type') == 2){
    $qry = $conn->query("SELECT * FROM `client_list` where id = '{$_settings->userdata('id')}'");
    if($qry->num_rows >0){
        $res = $qry->fetch_array();
        foreach($res as $k => $v){
            if(!is_numeric($k)){
                $$k = $v;
            }
        }
    }else{
        echo "<script> alert('You are not allowed to access this page. Unknown User ID.');" . location.replace('./') . "</script>";
    }
}else{
    echo "<script> alert('You are not allowed to access this page.'); location.replace('./') </script>";
}

```

```

?>
<style>
    #cimg{
        width:15vw;
        height:20vh;
        object-fit:scale-down;
        object-position:center center;
    }
</style>
<div class="content py-5 mt-5">
    <div class="container">
        <div class="card card-outline card-purple shadow rounded-0">
            <div class="card-header">
                <h4 class="card-title"><b>Manage Account Details/Credentials</b></h4>
            </div>
            <div class="card-body">
                <div class="container-fluid">
                    <form id="register-frm" action="" method="post">
                        <input type="hidden" name="id" value=<?= isset($id) ? $id : "" ?>">
                        <div class="row">
                            <div class="form-group col-md-6">
                                <input type="text" name="firstname" id="firstname" placeholder="Enter First Name" autofocus class="form-control form-control-sm form-control-border" value=<?= isset($firstname) ? $firstname : "" ?>" required>
                                    <small class="ml-3">First Name</small>
                            </div>
                            <div class="form-group col-md-6">
                                <input type="text" name="middlename" id="middlename" placeholder="Enter Middle Name (optional)" class="form-control form-control-sm form-control-border" value=<?= isset($middlename) ? $middlename : "" ?>">
                                    <small class="ml-3">Middle Name</small>
                            </div>
                            <div class="form-group col-md-6">
                                <input type="text" name="lastname" id="lastname" placeholder="Enter Last Name" class="form-control form-control-sm form-control-border" required value=<?= isset($lastname) ? $lastname : "" ?>">
                                    <small class="ml-3">Last Name</small>
                            </div>
                        </div>
                        <div class="row">
                            <div class="form-group col-md-6">
                                <select name="gender" id="gender" class="custom-select custom-select-sm form-control-border" required>
                                    <option <?= isset($gender) && $gender == 'Male' ? "selected" : "" ?>>Male</option>

```

```

        <option <?= isset($gender) && $gender ==
'Female' ? "selected" : "" ?>>Female</option>
            </select>
            <small class="ml-3">Gender</small>
        </div>
        <div class="form-group col-md-6">
            <input type="text" name="contact" id="contact"
placeholder="Enter Contact #" class="form-control form-control-sm form-control-border" required value=<?= isset($contact) ? $contact : "" ?>">
                <small class="ml-3">Contact #</small>
            </div>
        </div>
        <div class="row">
            <div class="form-group col-md-12">
                <small class="ml-3">Address</small>
                <textarea name="address" id="address" rows="3"
class="form-control form-control-sm rounded-0" placeholder="Block 6 Lot 23, Here
Subd., There City, Anywhere, 2306"><?= isset($address) ? $address : ""
?></textarea>
            </div>
        </div>
        <hr>
        <div class="row">
            <div class="form-group col-md-6">
                <input type="email" name="email" id="email"
placeholder="jsmith@sample.com" class="form-control form-control-sm form-control-border" required value=<?= isset($email) ? $email : "" ?>">
                <small class="ml-3">Email</small>
            </div>
        </div>
        <div class="row">
            <div class="form-group col-md-6">
                <div class="input-group">
                    <input type="password" name="password"
id="password" placeholder="" class="form-control form-control-sm form-control-border">
                    <div class="input-group-append border-bottom
border-top-0 border-left-0 border-right-0">
                        <span class="input-append-text text-sm"><i
class="fa fa-eye-slash text-muted pass_type" data-type="password"></i></span>
                    </div>
                </div>
                <small class="ml-3">New Password</small>
            </div>
            <div class="form-group col-md-6">
                <div class="input-group">
                    <input type="password" id="cpassword"
placeholder="" class="form-control form-control-sm form-control-border">

```

```

                <div class="input-group-append border-bottom
border-top-0 border-left-0 border-right-0">
                    <span class="input-append-text text-sm"><i
class="fa fa-eye-slash text-muted pass_type" data-type="password"></i></span>
                </div>
            </div>
            <small class="ml-3">Confirm New Password</small>
        </div>
        <div class="col-12"><small class="text-muted"><em>Fill
the password fields above only if you want to update your
password.</em></small></div>
    </div>
    <div class="row">
        <div class="form-group col-md-6">
            <div class="input-group">
                <input type="password" name="oldpassword"
id="oldpassword" placeholder="" class="form-control form-control-sm form-control-
border" required>
                <div class="input-group-append border-bottom
border-top-0 border-left-0 border-right-0">
                    <span class="input-append-text text-sm"><i
class="fa fa-eye-slash text-muted pass_type" data-type="password"></i></span>
                </div>
            </div>
            <small class="ml-3">Current Password</small>
        </div>
    </div>
    <div class="row">
        <div class="form-group col-md-6">
            <label for="" class="control-label">Avatar</label>
            <div class="custom-file">
                <input type="file" class="custom-file-input
rounded-0 form-control form-control-sm form-control-border" id="customFile"
name="img" onchange="displayImg(this,$(this))">
                <label class="custom-file-label"
for="customFile">Choose file</label>
            </div>
        </div>
        <div class="row">
            <div class="form-group col-md-6 d-flex justify-
content-center">
                <img src=<?php echo validate_image(isset($image_path)
? $image_path : "") ?>" alt="" id="cimg" class="img-fluid img-thumbnail">
            </div>
        </div>
        <div class="row align-items-center">
            <div class="col-8">

```

```

        <!-- /.col -->
        <div class="col-4">
            <button type="submit" class="btn btn-primary btn-sm
btn-flat btn-block">Update Details</button>
        </div>
        <!-- /.col -->
    </div>
</form>
</div>
</div>
</div>
</div>
</div>
</div>
<script>
    window.displayImg = function(input,_this) {
        if (input.files && input.files[0]) {
            var reader = new FileReader();
            reader.onload = function (e) {
                $('#cimg').attr('src', e.target.result);
                _this.siblings('.custom-file-label').html(input.files[0].name)
            }

            reader.readAsDataURL(input.files[0]);
        }else{
            $('#cimg').attr('src', "<?php echo validate_image(isset($image_path) ?
$image_path : '') ?>");
            _this.siblings('.custom-file-label').html("Choose file")
        }
    }
    $(function(){
        $('.pass_type').click(function(){
            var type = $(this).attr('data-type')
            if(type == 'password'){
                $(this).attr('data-type','text')
                $(this).closest('.input-group').find('input').attr('type',"text")
                $(this).removeClass("fa-eye-slash")
                $(this).addClass("fa-eye")
            }else{
                $(this).attr('data-type','password')
                $(this).closest('.input-
group').find('input').attr('type',"password")
                $(this).removeClass("fa-eye")
                $(this).addClass("fa-eye-slash")
            }
        })
        $('#register-frm').submit(function(e){
            e.preventDefault()
            var _this = $(this)
            $('.err-msg').remove();

```

```

var el = $('<div>')
    el.hide()
if($('#password').val() != $('#cpassword').val()){
    el.addClass('alert alert-danger err-msg').text('Password does not
match.');
    _this.prepend(el)
    el.show('slow')
    return false;
}
start_loader();
$.ajax({
    url:_base_url_+"classes/Users.php?f=save_client",
    data: new FormData($('this')[0]),
    cache: false,
    contentType: false,
    processData: false,
    method: 'POST',
    type: 'POST',
    dataType: 'json',
    error:err=>{
        console.log(err)
        alert_toast("An error occurred",'error');
        end_loader();
    },
    success:function(resp){
        if(typeof resp =='object' && resp.status == 'success'){
            location.reload();
        }else if(resp.status == 'failed' && !!resp.msg){
            el.addClass("alert alert-danger err-msg").text(resp.msg)
            _this.prepend(el)
            el.show('slow')
        }else{
            alert_toast("An error occurred",'error');
            end_loader();
            console.log(resp)
        }
        end_loader();
        $('html, body').scrollTop(0)
    }
})
})
})
</script>

```

## Register

```

<?php require_once('../config.php') ?>
<!DOCTYPE html>
<html lang="en">
<?php require_once('inc/header.php') ?>

```

```
<body class="">
<script>
    start_loader()
</script>
<style>
    html, body{
        width:calc(100%);
        height:calc(100%);
    }
    body{
        /* background-image:url('<?= validate_image($_settings->info('cover')) ?>');
    */
        background-repeat: no-repeat;
        background-size:cover; 
        background-color: rgb(143, 174, 202);
    }
    #logo-img{
        width:15em;
        height:15em;
        object-fit:scale-down;
        object-position:center center;
    }
    #cimg{
        width:15vw;
        height:20vh;
        object-fit:scale-down;
        object-position:center center;
    }
    .pass_type{
        cursor: pointer;
    }
</style>


<!-- <div class="d-flex justify-content-center align-items-center col-lg-5">
        <center></center>
        <div class="clear-fix my-2"></div>
    </div> -->
    <div class="d-flex justify-content-center align-items-center col-lg-7 bg-gradient-light text-dark">
        <div class="card card-outline card-purple w-75">
            <div class="card-header text-center">
                <a href="/" class="text-decoration-none text-dark"><b>Create an Account - Client</b></a>
            </div>
            <div class="card-body">
                <form id="register-frm" action="" method="post">


```

```
<input type="hidden" name="id">
<div class="row">
    <div class="form-group col-md-6">
        <input type="text" name="firstname" id="firstname"
placeholder="Enter First Name" class="form-control form-control-sm form-control-border" required>
            <small class="ml-3">First Name</small>
        </div>
        <div class="form-group col-md-6">
            <input type="text" name="middlename" id="middlename"
placeholder="Enter Middle Name (optional)" class="form-control form-control-sm form-control-border">
                <small class="ml-3">Middle Name</small>
            </div>
            <div class="form-group col-md-6">
                <input type="text" name="lastname" id="lastname"
placeholder="Enter Last Name" class="form-control form-control-sm form-control-border" required>
                    <small class="ml-3">Last Name</small>
                </div>
            </div>
        <div class="row">
            <div class="form-group col-md-6">
                <select name="gender" id="gender" class="custom-select custom-select-sm form-control-border" required>
                    <option>Male</option>
                    <option>Female</option>
                </select>
                <small class="ml-3">Gender</small>
            </div>
            <div class="form-group col-md-6">
                <input type="text" name="contact" id="contact" placeholder="Enter Contact" class="form-control form-control-sm form-control-border" required>
                    <small class="ml-3">Contact Number</small>
                </div>
            </div>
        <div class="row">
            <div class="form-group col-md-12">
                <small class="ml-3">Address</small>
                <textarea name="address" id="address" rows="3" class="form-control form-control-sm rounded-0" placeholder="Enter Your Full Address"></textarea>
            </div>
        </div>
        <hr>
        <div class="row">
            <div class="form-group col-md-6">
                <input type="email" name="email" id="email"
placeholder="harryden@mail.com" class="form-control form-control-sm form-control-border" required>
            </div>
        </div>
    </div>
```

```
        <small class="ml-3">Email</small>
    </div>
</div>
<div class="row">
    <div class="form-group col-md-6">
        <div class="input-group">
            <input type="password" name="password" id="password"
placeholder="" class="form-control form-control-sm form-control-border" required>
            <div class="input-group-append border-bottom border-top-0
border-left-0 border-right-0">
                <span class="input-append-text text-sm"><i class="fa fa-eye-
slash text-muted pass_type" data-type="password"></i></span>
            </div>
        </div>
        <small class="ml-3">Password</small>
    </div>
    <div class="form-group col-md-6">
        <div class="input-group">
            <input type="password" id="cpassword" placeholder=""
class="form-control form-control-sm form-control-border" required>
            <div class="input-group-append border-bottom border-top-0
border-left-0 border-right-0">
                <span class="input-append-text text-sm"><i class="fa fa-eye-
slash text-muted pass_type" data-type="password"></i></span>
            </div>
        </div>
        <small class="ml-3">Confirm Password</small>
    </div>
</div>
<div class="row">
    <div class="form-group col-md-6">
        <label for="" class="control-label">Avatar</label>
        <div class="custom-file">
            <input type="file" class="custom-file-input rounded-0 form-
control form-control-sm form-control-border" id="customFile" name="img"
onchange="displayImg(this,$(this))">
            <label class="custom-file-label" for="customFile">Choose
file</label>
        </div>
    </div>
    <div class="row">
        <div class="form-group col-md-6 d-flex justify-content-center">
            <img src=<?php echo validate_image(isset($image_path) ? $image_path
: "") ?>" alt="" id="cimg" class="img-fluid img-thumbnail">
        </div>
    </div>
    <div class="row align-items-center">
        <div class="col-8">
```

```
        <a href="= base_url() ?" style="text-decoration:none;">Back</a>
        </div>
        <!-- /.col -->
        <div class="col-4">
            <button type="submit" class="btn btn-primary btn-sm btn-flat btn-block" >Register</button>
            </div>
            <!-- /.col -->
        </div>
        <div class="row">
            <div class="col-12 text-center">
                <a href="= base_url('login.php') ?" style="text-decoration:none;">Already have an Account</a>
            </div>
        </div>
    </form>
    <!-- /.social-auth-links -->

    <!-- <p class="mb-1">
        <a href="forgot-password.html">I forgot my password</a>
    </p> -->

    </div>
    <!-- /.card-body -->
</div>
<!-- /.card -->
</div>

</div>

<script src="= base_url() ?plugins/jquery/jquery.min.js"></script>
<!-- Bootstrap 4 -->
<script src="= base_url() ?plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
<!-- AdminLTE App -->
<!-- <script src="= base_url() ?dist/js/adminlte.min.js"></script> -->

<script>
    window.displayImg = function(input,_this) {
        if (input.files && input.files[0]) {
            var reader = new FileReader();
            reader.onload = function (e) {
                $('#cimg').attr('src', e.target.result);
                _this.siblings('.custom-file-label').html(input.files[0].name)
            }

            reader.readAsDataURL(input.files[0]);
        }else{

```

```

        $('#cimg').attr('src', "<?php echo validate_image(isset($image_path) ? $image_path : '') ?>");
        _this.siblings('.custom-file-label').html("Choose file")
    }
}
$(document).ready(function(){
    end_loader();
    $('.pass_type').click(function(){
        var type = $(this).attr('data-type')
        if(type == 'password'){
            $(this).attr('data-type','text')
            $(this).closest('.input-group').find('input').attr('type',"text")
            $(this).removeClass("fa-eye-slash")
            $(this).addClass("fa-eye")
        }else{
            $(this).attr('data-type','password')
            $(this).closest('.input-group').find('input').attr('type',"password")
            $(this).removeClass("fa-eye")
            $(this).addClass("fa-eye-slash")
        }
    })
    $('#register-frm').submit(function(e){
        e.preventDefault()
        var _this = $(this)
        $('.err-msg').remove()
        var el = $('

')
            el.hide()
        if($('#password').val() != $('#cpassword').val()){
            el.addClass('alert alert-danger err-msg').text('Password does not
match.');
            _this.prepend(el)
            el.show('slow')
            return false;
        }
        start_loader();
        $.ajax({
            url:_base_url_+"classes/Users.php?f=save_client",
            data: new FormData($(this)[0]),
                cache: false,
                contentType: false,
                processData: false,
                method: 'POST',
                type: 'POST',
                dataType: 'json',
            error:err=>{
                console.log(err)
                alert_toast("An error occurred",'error');
                end_loader();
            },
        })
    })
})


```

```

        success:function(resp){
            if(typeof resp =='object' && resp.status == 'success'){
                location.href = "./login.php";
            }else if(resp.status == 'failed' && !!resp.msg){
                el.addClass("alert alert-danger err-msg").text(resp.msg)
                _this.prepend(el)
                el.show('slow')
            }else{
                alert_toast("An error occured",'error');
                end_loader();
                console.log(resp)
            }
            $('html, body').scrollTop(0)
        }
    })
})
})
})
</script>
</body>
</html>

```

### View booking

```

<?php require_once('./config.php') ?>
<!DOCTYPE html>
<html lang="en">
<?php require_once('inc/header.php') ?>
<body class="">
    <script>
        start_loader()
    </script>
    <style>
        html, body{
            width:calc(100%);
            height:calc(100%);
        }
        body{
            /* background-image:url('<?= validate_image($_settings->info('cover')) ?>');
            background-repeat: no-repeat;
            background-size:cover; */
            background-color: rgb(143, 174, 202);
        }
        #logo-img{
            width:15em;
            height:15em;
            object-fit:scale-down;
            object-position:center center;
        }
    </style>

```

```

    #cimg{
        width:15vw;
        height:20vh;
        object-fit:scale-down;
        object-position:center center;
    }
    .pass_type{
        cursor: pointer;
    }

```

</style>

```

<div class="d-flex align-items-center justify-content-center ">
    <!-- /.login-logo -->
    <!-- <div class="d-flex justify-content-center align-items-center col-lg-5">
        <center><img src=<?= validate_image($_settings->info('logo')) ?>" alt="System Logo" class="img-thumbnail rounded-circle" id="logo-img"></center>
        <div class="clear-fix my-2"></div>
    </div> -->
    <div class="d-flex justify-content-center align-items-center col-lg-7 bg-gradient-light text-dark">
        <div class="card card-outline card-purple w-75">
            <div class="card-header text-center">
                <a href="/" class="text-decoration-none text-dark"><b>Create an Account - Client</b></a>
            </div>
            <div class="card-body">
                <form id="register-frm" action="" method="post">
                    <input type="hidden" name="id">
                    <div class="row">
                        <div class="form-group col-md-6">
                            <input type="text" name="firstname" id="firstname" placeholder="Enter First Name" class="form-control form-control-sm form-control-border" required>
                            <small class="ml-3">First Name</small>
                        </div>
                        <div class="form-group col-md-6">
                            <input type="text" name="middlename" id="middlename" placeholder="Enter Middle Name (optional)" class="form-control form-control-sm form-control-border">
                            <small class="ml-3">Middle Name</small>
                        </div>
                        <div class="form-group col-md-6">
                            <input type="text" name="lastname" id="lastname" placeholder="Enter Last Name" class="form-control form-control-sm form-control-border" required>
                            <small class="ml-3">Last Name</small>
                        </div>
                    </div>
                    <div class="row">
                        <div class="form-group col-md-6">

```

```
        <select name="gender" id="gender" class="custom-select custom-select-sm form-control-border" required>
            <option>Male</option>
            <option>Female</option>
        </select>
        <small class="ml-3">Gender</small>
    </div>
    <div class="form-group col-md-6">
        <input type="text" name="contact" id="contact" placeholder="Enter Contact" class="form-control form-control-sm form-control-border" required>
        <small class="ml-3">Contact Number</small>
    </div>
</div>
<div class="row">
    <div class="form-group col-md-12">
        <small class="ml-3">Address</small>
        <textarea name="address" id="address" rows="3" class="form-control form-control-sm rounded-0" placeholder="Enter Your Full Address"></textarea>
    </div>
</div>
<hr>
<div class="row">
    <div class="form-group col-md-6">
        <input type="email" name="email" id="email" placeholder="harryden@mail.com" class="form-control form-control-sm form-control-border" required>
        <small class="ml-3">Email</small>
    </div>
</div>
<div class="row">
    <div class="form-group col-md-6">
        <div class="input-group">
            <input type="password" name="password" id="password" placeholder="" class="form-control form-control-sm form-control-border" required>
            <div class="input-group-append border-bottom border-top-0 border-left-0 border-right-0">
                <span class="input-append-text text-sm"><i class="fa fa-eye-slash text-muted pass_type" data-type="password"></i></span>
            </div>
        </div>
        <small class="ml-3">Password</small>
    </div>
    <div class="form-group col-md-6">
        <div class="input-group">
            <input type="password" id="cpassword" placeholder="" class="form-control form-control-sm form-control-border" required>
            <div class="input-group-append border-bottom border-top-0 border-left-0 border-right-0">
```

```

        <span class="input-append-text text-sm"><i class="fa fa-eye-slash text-muted pass_type" data-type="password"></i></span>
            </div>
        </div>
        <small class="ml-3">Confirm Password</small>
    </div>
</div>
<div class="row">
    <div class="form-group col-md-6">
        <label for="" class="control-label">Avatar</label>
        <div class="custom-file">
            <input type="file" class="custom-file-input rounded-0 form-control form-control-sm form-control-border" id="customFile" name="img" onchange="displayImg(this,$(this))">
            <label class="custom-file-label" for="customFile">Choose file</label>
        </div>
    </div>
    <div class="row">
        </div>
        <div class="form-group col-md-6 d-flex justify-content-center">
            <img src=<?php echo validate_image(isset($image_path) ? $image_path : "") ?>" alt="" id="cimg" class="img-fluid img-thumbnail">
        </div>
    </div>
    <div class="row align-items-center">
        <div class="col-8">
            <a href=<?php echo base_url ?>" style="text-decoration:none;">Back</a>
        </div>
        <!-- /.col -->
        <div class="col-4">
            <button type="submit" class="btn btn-primary btn-sm btn-flat btn-block" >Register</button>
        </div>
        <!-- /.col -->
    </div>
    <div class="row">
        <div class="col-12 text-center">
            <a href=<?php echo base_url.'login.php' ?>" style="text-decoration:none;">Already have an Account</a>
        </div>
    </div>
</form>
<!-- /.social-auth-links -->

<!-- <p class="mb-1">
    <a href="forgot-password.html">I forgot my password</a>
</p> -->

```

```

        </div>
        <!-- /.card-body -->
    </div>
    <!-- /.card -->
</div>

</div>

<script src="<% base_url %>/plugins/jquery/jquery.min.js"></script>
<!-- Bootstrap 4 -->
<script src="<% base_url %>/plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
<!-- AdminLTE App -->
<!-- <script src="<% base_url %>/dist/js/adminlte.min.js"></script> -->

<script>
    window.displayImg = function(input,_this) {
        if (input.files && input.files[0]) {
            var reader = new FileReader();
            reader.onload = function (e) {
                $('#cimg').attr('src', e.target.result);
                _this.siblings('.custom-file-label').html(input.files[0].name)
            }

            reader.readAsDataURL(input.files[0]);
        }else{
            $('#cimg').attr('src', "<?php echo validate_image(isset($image_path) ? $image_path : '') ?>");
            _this.siblings('.custom-file-label').html("Choose file")
        }
    }
    $(document).ready(function(){
        end_loader();
        $('.pass_type').click(function(){
            var type = $(this).attr('data-type')
            if(type == 'password'){
                $(this).attr('data-type','text')
                $(this).closest('.input-group').find('input').attr('type',"text")
                $(this).removeClass("fa-eye-slash")
                $(this).addClass("fa-eye")
            }else{
                $(this).attr('data-type','password')
                $(this).closest('.input-group').find('input').attr('type',"password")
                $(this).removeClass("fa-eye")
                $(this).addClass("fa-eye-slash")
            }
        })
        $('#register-frm').submit(function(e){

```


```

e.preventDefault()
var _this = $(this)
$('.err-msg').remove();
var el = $('<div>')
el.hide()
if($('#password').val() != $('#cpassword').val()){
    el.addClass('alert alert-danger err-msg').text('Password does not
match.');
    _this.prepend(el)
    el.show('slow')
    return false;
}
start_loader();
$.ajax({
    url:_base_url_+"classes/Users.php?f=save_client",
    data: new FormData($(this)[0]),
        cache: false,
        contentType: false,
        processData: false,
        method: 'POST',
        type: 'POST',
        dataType: 'json',
    error:err=>{
        console.log(err)
        alert_toast("An error occured",'error');
        end_loader();
    },
    success:function(resp){
        if(typeof resp == 'object' && resp.status == 'success'){
            location.href = "./login.php";
        }else if(resp.status == 'failed' && !!resp.msg){
            el.addClass("alert alert-danger err-msg").text(resp.msg)
            _this.prepend(el)
            el.show('slow')
        }else{
            alert_toast("An error occured",'error');
            end_loader();
            console.log(resp)
        }
        $('html, body').scrollTop(0)
    }
})
})
})
</script>
</body>
</html>

```

## OUTPUT

### ADMIN LOGIN



## ADMIN DASHBORD

The screenshot shows the Admin Dashboard of the Cab Booking System. The interface includes a sidebar with navigation links like Dashboard, Manage Category, Cab Management, View Bookings, Registered Clients, System Users, and Settings. The main area displays various statistics in cards:

- Categories: 3
- Available Cabs: 15
- Registered Clients: 18
- Bookings Made: 27
- Pending Bookings: 1
- Cancelled Bookings: 9
- Ongoing Trips: 2
- Trips Completed: 15
- System Users: 3

At the bottom, there's a footer with copyright information, developer credits, and system status icons.

The screenshot shows the 'Manage Category' page. The sidebar has the same navigation as the dashboard. The main content area is titled 'List of Categories' and contains a table with the following data:

#	Category	Description	Status	Action
1	5 Seater	A 4-door passenger car with a trunk that is separate from the passengers with a three...	Active	Action
2	6 Seater	Quisque laculis ipsum egestas nisi pharetra. ac laoreet felis tincidunt. Cras id gravida...	Active	Action
3	7 Seater	Flexible, allowing you to switch between lots of seats or lots of boot space. The bigges...	Active	Action

Below the table, it says 'Showing 1 to 3 of 3 entries'. The footer includes copyright, developer information, and system status.

**Cab Booking System**

localhost/CabBooking-PHP/admin/?page=cabs

Administrator Liam

### List of Cabs

#	Reg. Code	Category	Model	Details	Status	Action
1	202202-00001	6 Seater	Toyota Camry	Plate: ASTR0715 Driver: George Williams	Active	Action
2	202202-00002	5 Seater	Ford Fusion	Plate: ASTR0306 Driver: Mark Cooper	Active	Action
3	202203-00001	5 Seater	Toyota Prius	Plate: ASTR0123 Driver: Henry	Active	Action
4	202203-00002	5 Seater	Kia Soul	Plate: ASTRO770 Driver: Lexie Luther	Active	Action
5	202203-00003	5 Seater	Honda Civic	Plate: ASTR0741 Driver: Allen S. Nichols	Active	Action
6	202203-00004	6 Seater	Cadillac Escalade ESV	Plate: ASTR0850 Driver: Jose R. Kerner	Active	Action
7	202203-00005	5 Seater	Hyundai i10	Plate: ASTR0555 Driver: Tony W. Bryan	Active	Action
8	202203-00006	5 Seater	Skoda Superb 162TSI	Plate: ASTR0020 Driver: John J. Ackles	Active	Action
9	202203-00007	5 Seater	Kia Picanto	Plate: ASTR0022 Driver: Amy K. Walker	Active	Action
10	202203-00008	7 Seater	Ford Galaxy	Plate: ASTR0089 Driver: Stanley J. Marty	Active	Action

Showing 1 to 10 of 10 entries

Previous 1 2 Next

28°C Cloudy

© 2022. All rights reserved.

Developed By Juan Carlos Montero orentron23

ENG IN 15:26 19-08-2022

**Cab Booking System**

localhost/CabBooking-PHP/admin/?page=bookings

Administrator Liam

### Booking List

#	Date Booked	Ref. Code	Cab Reg. Code	Client	Status	Action
1	2022-08-15 04:46	202208-00003	ASTRO-01-01	Mengle, Gandhar	Dropped off	View
2	2022-08-15 04:42	202208-00002	ASTRO135	Mengle, Gandhar	Cancelled	View
3	2022-08-15 04:22	202208-00002	ASTRO-01-06	Mengle, Gandhar	Cancelled	View
4	2022-07-13 10:28	202207-00001	ASTR0123	Mengle, Gandhar	Cancelled	View
5	2022-03-27 22:54	202203-00013	ASTR0850	Greenwood, Thomas J.	Cancelled	View
6	2022-03-27 22:50	202203-00013	ASTR0135	Greenwood, Thomas J.	Dropped off	View
7	2022-03-27 21:43	202203-00013	ASTR0306	Amos, Daniel J.	Picked up	View
8	2022-03-27 21:42	202203-00013	ASTR0022	Melton, Matt P.	Picked up	View
9	2022-03-27 07:37	202203-00013	ASTR0135	Bernard, Gina J.	Cancelled	View
10	2022-03-26 19:07	202203-00013	ASTR0047	Greenwood, Thomas J.	Cancelled	View

Showing 1 to 10 of 27 entries

Previous 1 2 3 Next

© 2022. All rights reserved.

Developed By Juan Carlos Montero orentron23

ENG IN 15:26 19-08-2022

Cab Booking System

localhost/CabBooking-PHP/admin/?page=clients

Administrator Liam

**CBS - PHP**

Dashboard Manage Category Cab Management View Bookings Registered Clients System Users Settings

List of Clients

Show 10 entries Search:

#	Name	Contact	Status	Action
1	Amos, Daniel J.	4565550010 daniel@mail.com	Active	Action
2	Bernard, Gina J.	1456854100 ginac@mail.com	Active	Action
3	Billingsley, Jason F.	1458965555 jasonk@mail.com	Active	Action
4	Brewer, Karen M.	1458888888 karenb@mail.com	Active	Action
5	Collins, Edith D.	1458965555 edith@mail.com	Active	Action
6	Connors, Maria J.	1478523655 mariaj@mail.com	Active	Action
7	Coulter, Ebony S.	7850002145 ebonya@mail.com	Active	Action
8	Fidley, Peter J.	1456985555 peter@mail.com	Active	Action
9	Fridley, Luciano B.	7896585555 lsmith@mail.com	Active	Action
10	Gravelle, Norma K.	1458965555 normak@mail.com	Active	Action

Showing 1 to 10 of 18 entries Previous 1 2 Next

© 2022. All rights reserved. Developed By: Juan Carlos Montero oretnom23

Cloudy 28°C ENG IN 15:56 19-08-2022

Cab Booking System

localhost/CabBooking-PHP/admin/?page=user/list

Administrator Liam

**CBS - PHP**

Dashboard Manage Category Cab Management View Bookings Registered Clients System Users Settings

List of System Users

Show 10 entries Search: + Add New User

#	Avatar	Name	Username	Type	Action
1		Andrew Stokes	andrew	Staff	Action
2		Martha Heath	martha	Staff	Action

Showing 1 to 2 of 2 entries Previous 1 Next

© 2022. All rights reserved. Developed By: Juan Carlos Montero oretnom23

Cloudy 28°C ENG IN 15:56 19-08-2022

**Cab Booking System**

localhost/CabBooking-PHP/admin/?page=system\_info

Administrator Liam

**CBS - PHP**

- Dashboard
- Manage Category
- Cab Management
- View Bookings
- Registered Clients
- System Users
- Settings**

**System Information**

**System Name**: Cab Booking System

**System Short Name**: CBS - PHP

**Welcome Content**

**Welcome To Cab Booking System**

**About Us**

**About Us**

**System Logo**

28°C Cloudy

ENG IN 15:55 19-08-2022

## MAIN PAGE

**Cab Booking System**

localhost/CabBooking-PHP/

Login Register Driver Panel

**Welcome To Cab Booking System**


**Welcome To Cab Booking System**

**Cab Booking System**


28°C Cloudy

ENG IN 15:59 19-08-2022



## REGISTRATION PAGE



## CLIENT LOGIN



## CLIENT PAGE



The screenshot shows a web browser window titled "Cab Booking System" with the URL "localhost/CabBooking-PHP/?p=cab\_available". The page has a purple header bar with the text "Available Cabs". Below the header is a search bar with the placeholder "Search Here...". The main content area displays a grid of nine car listings, each with a small icon, the car's name, its model, and seating capacity. The cars listed are:

- Camry-440 (6 Seater Toyota Camry)
- Prius-1010 (5 Seater Toyota Prius)
- Civic-7781 (5 Seater Honda Civic)
- ESV-7700 (6 Seater Cadillac Escalade ESV)
- iTen-1010 (5 Seater Hyundai i10)
- Skoda-162TSI (5 Seater Skoda Superb 162TSI)
- Galaxy-7777 (7 Seater Ford Galaxy)
- Passat-7890 (5 Seater Volkswagen Passat)
- Touran-8989 (7 Seater Volkswagen Touran)
- Toledo-5555 (5 Seater SEAT Toledo)
- i30T-0135 (5 Seater Hyundai i30 Tourer)
- SEDAN-01 (5 Seater TATA MANZA)

The status bar at the bottom of the browser shows the weather as "28°C Cloudy" and the date and time as "19-08-2022 15:32".


This screenshot is identical to the one above, showing the "Available Cabs" page. However, a modal dialog box is overlaid on the page, centered over the "SEDAN-01" listing. The modal has a title "Book Cab - SEDAN-01" and contains two input fields: "Pickup Location" and "Drop-off Location". At the bottom right of the modal are two buttons: "Save" (green) and "Cancel" (red). The rest of the page, including the car listings, remains visible in the background.

The status bar at the bottom of the browser shows the weather as "28°C Cloudy" and the date and time as "19-08-2022 15:32".

The screenshot shows a Microsoft Edge browser window titled "Cab Booking System". The address bar indicates the URL is "localhost/CabBooking-PHP/?p=booking\_list". The page header includes the logo "CBS - PHP", navigation links for "Home", "About Us", "Contact", and "Available Cabs", and a user greeting "Hello, Gandhar". A success message "Cab has been booked successfully." is displayed with a green checkmark icon. The main content area is titled "My Booking List" and contains a table of booking entries. The table columns are "#", "Date Booked", "Ref. Code", "Details", "Status", and "Action". The data shows five entries:

#	Date Booked	Ref. Code	Details	Status	Action
1	2022-08-19 15:32	202208-00003	Pickup: HBR Dropoff: HRBR	Pending	<a href="#">View Details</a>
2	2022-08-15 04:46	202208-00003	Pickup: HBR Dropoff: HRBR	Dropped off	<a href="#">View Details</a>
3	2022-08-15 04:42	202208-00002	Pickup: hbr Dropoff: hrbr	Cancelled	<a href="#">View Details</a>
4	2022-08-15 04:22	202208-00002	Pickup: HBR Dropoff: HRBR	Cancelled	<a href="#">View Details</a>
5	2022-07-13 10:28	202207-00001	Pickup: hbr Dropoff: hennur	Cancelled	<a href="#">View Details</a>

Below the table, a message says "Showing 1 to 5 of 5 entries". At the bottom right of the page, there are "Previous", "1", and "Next" buttons.



This screenshot shows the same Microsoft Edge browser window as the first one, but with a modal dialog box overlaid on the "My Booking List" table. The dialog is titled "Booking Details" and contains two sections: "Cab Details" and "Booking Details".

**Cab Details**

- Cab Body No: SEDAN-01
- Vehicle Category: 5 Seater
- Vehicle model: TATA MANZA
- Driver: RAVI KUMAR
- Driver Contact: 0987612345
- Driver Address: 310.Indian Academy Boys Hostel HBR Layout 4th block

**Booking Details**

- Ref. Code: 202208-00003
- Pickup Zone: HBR
- Drop off Zone: HRBR
- Status: Pending

At the bottom of the dialog, there are two buttons: "Cancel Bookings" and "Close".

Below the dialog, the main table of bookings is partially visible, showing the first five entries. The taskbar at the bottom is identical to the one in the previous screenshot.

Cab Booking System    +

localhost/CabBooking-PHP/?p=manage\_account

Free UI Kits & Temp... ASUS E-Service Developing Mobile... How do I export da... ASUS Software Port... MyASUS Software ~... How to build a web... Android Develop... History of Optical Fi... History of Fiber Opt... Abhinav Kaura - Ga... Other favorites

Hello, Gandhar

**CBS - PHP** Home About Us Contact Available Cabs

**Manage Account Details/Credentials**

Gandhar First Name  
Mengle Last Name  
Male Gender  
Address  
A/B,506,Swapna Nagar, Godrej Hill, Khadakpada, Kalyan, Maharashtra 421301, India

Enter Middle Name (optional)  
Middle Name

9833929491 Contact #

gandharmengle@gmail.com Email


New Password Confirm New Password  
Fill the password fields above only if you want to update your password.

Current Password

**Avatar**  
Choose file Browse

28°C Cloudy

ENG IN 15:53 19-08-2022



## DRIVER LOGIN

Cab Booking System    +

localhost/CabBooking-PHP/driver/login.php

Free UI Kits & Temp... ASUS E-Service Developing Mobile... How do I export da... ASUS Software Port... MyASUS Software ~... How to build a web... Android Develop... History of Optical Fi... History of Fiber Opt... Abhinav Kaura - Ga... Other favorites


 Driver Login Panel

Reg.Code  
Password

Back Log In

28°C Cloudy

ENG IN 15:53 19-08-2022



# DRIVER MAIN PAGE

The screenshot shows a Microsoft Edge browser window titled "Cab Booking System". The URL is "localhost/CabBooking-PHP/driver/". The page header includes a logo, the title "CBS - PHP", and a welcome message "Hello, RAVI KUMAR". The main content is a table titled "My Booking List" with columns: #, Date Booked, Ref. Code, Trip Details, Status, and Action. There are two entries:

#	Date Booked	Ref. Code	Trip Details	Status	Action
1	2022-08-19 15:32	202208-00003	Pickup: HBR Dropoff: HRBR	Pending	<a href="#">View Details</a>
2	2022-08-15 04:46	202208-00003	Pickup: HBR Dropoff: HRBR	Dropped off	<a href="#">View Details</a>

At the bottom, there is a footer bar with the text "© CBS - PHP 2022 >> Developed By: Juan Carlos Montero oretnom23".





The screenshot shows a Microsoft Edge browser window titled "Cab Booking System". The URL is "localhost/CabBooking-PHP/driver/". The page header includes a logo, the title "CBS - PHP", and a welcome message "Hello, RAVI KUMAR". A modal dialog box is open over the main content, titled "Booking Details". It contains the following information:

Cab Details	Booking Details
Cab Body No	Ref. Code
SEDAN-01	202208-00003
Vehicle Category	Pickup Zone
5 Seater	HBR
Vehicle model	Drop off Zone
TATA MANZA	HRBR
Driver	Status
RAVI KUMAR	Pending
Driver Contact	
0987612345	
Driver Address	
310, Indian Academy Boys Hostel, HBR Layout, 4th block	

At the bottom of the modal, there are two buttons: "Confirm Booking" and "Close". The background of the main page shows the same "My Booking List" table as the first screenshot.

At the bottom, there is a footer bar with the text "© CBS - PHP 2022 >> Developed By: Juan Carlos Montero oretnom23".



Cab Booking System

localhost/CabBooking-PHP/driver/

Hello, RAVI KUMAR

My Booking List

Show 1 entries

#	Date Booked	Ref. Code
1	2022-08-19 15:32	202208-00003
2	2022-08-15 04:46	202208-00003

Showing 1 to 2 of 2 entries

Booking Details

Cab Details	Booking Details
<b>Cab Body No</b> SEDAN-01	<b>Ref. Code</b> 202208-00003
<b>Vehicle Category</b> 5 Seater	<b>Pickup Zone</b> HBR
<b>Vehicle model</b> TATA MANZA	<b>Drop off Zone</b> HRBR
<b>Driver</b> RAVI KUMAR	<b>Status</b> <span style="background-color: #007bff; color: white; padding: 2px 5px;">Driver Confirmed</span>
<b>Driver Contact</b> 0987612345	
<b>Driver Address</b> 310, Indian Academy Boys Hostel HBR Layout 4th block	

Picked Up X Close

28°C Cloudy

ENG IN 15:35 19-08-2022

Cab Booking System

localhost/CabBooking-PHP/driver/

Hello, RAVI KUMAR

Booking status successfully updated.

My Booking List

Show 1 entries

#	Date Booked	Ref. Code	Trip Details	Status	Action
1	2022-08-19 15:32	202208-00003	Pickup: HBR Dropoff: HRBR	<span style="background-color: #ffc107; color: white; padding: 2px 5px;">Picked-up</span>	<span style="background-color: #007bff; color: white; padding: 2px 5px;">View Details</span>
2	2022-08-15 04:46	202208-00003	Pickup: HBR Dropoff: HRBR	<span style="background-color: #28a745; color: white; padding: 2px 5px;">Dropped off</span>	<span style="background-color: #007bff; color: white; padding: 2px 5px;">View Details</span>

Showing 1 to 2 of 2 entries

© CBS - PHP 2022 >> Developed By: Juan Carlos Montero oretnom23

28°C Cloudy

ENG IN 15:36 19-08-2022

Cab Booking System

localhost/CabBooking-PHP/driver/

Hello, RAVI KUMAR

My Booking List

Show 1 entries

#	Date Booked	Ref. Code
1	2022-08-19 15:32	202208-00003
2	2022-08-15 04:46	202208-00000

Booking Details

Cab Details

Cab Body No: SEDAN-01

Vehicle Category: 5 Seater

Vehicle model: TATA MANZA

Driver: RAVI KUMAR

Driver Contact: 0987612345

Driver Address: 310, Indian Academy Boys Hostel HBR Layout 4th block

Booking Details

Ref. Code: 202208-00003

Pickup Zone: HBR

Drop off Zone: HRBR

Status: Picked-up

Dropped Off

X Close

Search: [ ]

Status: [ ]

Action: [ ]

Picked up

Dropped off

View Details

Previous [ ] Next [ ]

28°C Cloudy

ENG IN 15:36 19-08-2022

Cab Booking System

localhost/CabBooking-PHP/driver/

Hello, RAVI KUMAR

Booking status successfully updated.

My Booking List

Show 1 entries

#	Date Booked	Ref. Code	Trip Details	Status	Action
1	2022-08-19 15:32	202208-00003	Pickup: HBR Dropoff: HRBR	Dropped off	<a href="#">View Details</a>
2	2022-08-15 04:46	202208-00000	Pickup: HBR Dropoff: HRBR	Dropped off	<a href="#">View Details</a>

Showing 1 to 2 of 2 entries

Previous [ ] Next [ ]

© CBS - PHP 2022 > Developed By: Juan Carlos Montero oretnom23

28°C Cloudy

ENG IN 15:36 19-08-2022

Cab Booking System

localhost/CabBooking-PHP/driver/

Free UI Kits & Temp... ASUS E-Servic... Developing Mobile... How do I export da... ASUS Software Port... MyASUS Software ... How to build a web... Android Develop... History of Optical Fi... History of Fiber Opt... Abhinav Kaur - Ga... Other favorites

Hello, RAVI KUMAR

Booking status successfully updated.

CBS - PHP Home

My Booking List

Show 10 entries

#	Date Booked	Ref.
1	2022-08-19 15:32	202208-0000
2	2022-08-15 04:46	202208-0000

Showing 1 to 2 of 2 entries

**Booking Details**

Cab Details	Booking Details
<b>Cab Body No</b> SEDAN-01	<b>Ref. Code</b> 202208-00003
<b>Vehicle Category</b> 5 Seater	<b>Pickup Zone</b> HBR
<b>Vehicle model</b> TATA MANZA	<b>Drop off Zone</b> HRBR
<b>Driver</b> RAVI KUMAR	<b>Status</b> <span style="background-color: green; color: white; padding: 2px;">Dropped off</span>
<b>Driver Contact</b> 0987612345	
<b>Driver Address</b> 310, Indian Academy Boys Hostel HBR Layout 4th block	

**Search:**

Status:  Action:

Previous 1 Next

Close

28°C Cloudy

ENG IN 15:36 19-08-2022

Cab Booking System

localhost/CabBooking-PHP/driver/?p=manage\_account

Free UI Kits & Temp... ASUS E-Servic... Developing Mobile... How do I export da... ASUS Software Port... MyASUS Software ... How to build a web... Android Develop... History of Optical Fi... History of Fiber Opt... Abhinav Kaur - Ga... Other favorites

Hello, RAVI KUMAR

CBS - PHP Home

**Manage Account Details**

RAVI KUMAR
Fullname
0987612345
Contact #
Address
310, Indian Academy Boys Hostel HBR Layout 4th block

New Password

Fill the password fields above only if you want to update your password.

Current Password

**Avatar**

Choose file  Browse

  
IMAGE NOT AVAILABLE

28°C Cloudy

ENG IN 15:36 19-08-2022

## **SYSTEM TESTING AND IMPLEMENTATION**

In order to make this project successful, the researchers let the proponents test and evaluate Cab Booking System in order to receive feedbacks and to produce a reliable and effective system.

Cab Booking System was tested in the Small Working region by the proponents. Firstly, the selected Volunteers will login as an administrator to see and evaluate the functions of administrator in the system. Secondly, the researchers let the two Volunteers to login as Driver to evaluate the functions made for the Driver's point of view in the system and two Volunteers to login as Client to evaluate the functions made for the Client's point of view in the system.

Cab Booking System is a customized system which is designed from the client's desire in the system to make it more user friendly to the target users.

### **Library Borrowing System Features**

This Library Borrowing System will feature the following:

- Admin / Driver / Client
- Secure storage for accounts and transactions
- Easy Cab booking schemes
- Generating well-organized reports

## **CONCLUSION**

The project Cab Booking System is for computerizing the working of Cab Booking in Web based environment. The software takes care of all the requirements of a Cab Booking and is capable to provide easy and effective storage, service and cabs for the users.

Using this application, we can retrieve users' history with a single click. Thus, processing information will be faster. It guarantees accurate maintenance of client and driver details. It easily reduces the need of high end device and makes cab booking available on every browser and thus reduces the human effort and increases connectivity and travelling speed via Cabs.

## **REFERENCES**

### **For PHP, JavaScript, CSS, HTML, SQL & Bootstrap**

<https://www.w3schools.com/php/>

<https://www.w3schools.com/html/default.asp>

<https://www.w3schools.com/css/default.asp>

<https://www.w3schools.com/sql/default.asp>

[https://www.w3schools.com/bootstrap/bootstrap\\_ver.asp](https://www.w3schools.com/bootstrap/bootstrap_ver.asp)

### **For Visual Studio**

<https://visualstudio.microsoft.com/vs/community/>

### **For XAMPP**

<https://www.apachefriends.org/download.html>