1

NCERT-discrete: 10.5.3 - 2

EE23BTECH11025 - Anantha Krishnan

I. QUESTION

Find the sums given below:

1)
$$7 + \frac{21}{2} + 14... + 84$$

2) $34 + 32 + 30... + 10$

2)
$$34 + 32 + 30... + 10$$

3)
$$-5 + -8 + -11... - 230$$

Solutions:

Symbols	Description	Values
d_i	Common Difference for <i>i</i> th AP	3.5
		-2
		-3
$x_i(n)$	n^{th} term for i^{th} Sequence	$(7 + \frac{7n}{2})u_{(n)}$
		$(34 - 2n)u_{(n)}$
		$(-5 + -3n)u_{(n)}$
$x_i(0)$	First term for <i>i</i> th AP	7
		34
		-5

PARAMETERS, DESCRIPTIONS AND VALUES

1)
$$7 + \frac{21}{2} + 14... + 84$$

$$x_1(n) = (x_1(0) + nd_1) u_{(n)}$$
(1)

$$\implies 84 = 7 + \frac{7n}{2} \tag{2}$$

$$\implies n = 22$$
 (3)

a) z-Transform of $x_1(n)$: Using (??)

$$X_1(z) = \frac{7z}{z - 1} + \frac{7z}{2(z - 1)^2}, \quad |z| > |1|$$
 (4)

b) Z-Transform of $y_1(n)$:

$$y_1(n) = x_1(n) * h(n)$$
 (5)

$$h(n) = u(n) \tag{6}$$

$$H(z) = \frac{z}{z - 1} \tag{7}$$

$$Y_1(z) = X_1(z) * H(z)$$
 (8)

$$= \left(\frac{7z}{z-1} + \frac{7z}{2(z-1)^2}\right) \left(\frac{z}{z-1}\right), \quad |z| > |1|$$
 (9)

c) Inversion of $Y_1(z)$: Using Contour Integration:

$$y_1(22) = \frac{1}{2\pi j} \oint_C Y(z) z^{21} dz \tag{10}$$

$$\implies = \frac{1}{2\pi j} \oint_C \left(\frac{7z^{23}}{(z-1)^2} + \frac{7z^{23}}{2(z-1)^3} \right) dz \tag{11}$$

$$R = \frac{1}{(m-1)!} \lim_{z \to a} \frac{d^{m-1}}{dz^{m-1}} \left((z-a)^m f(z) \right)$$
 (12)

For R_1 , m = 2, where m corresponds to number of repeated poles.

$$R_1 = \frac{1}{(1)!} \lim_{z \to 1} \frac{d}{dz} \left((z - 1)^2 \frac{7z^{23}}{(z - 1)^2} \right)$$
 (13)

$$=7\lim_{z\to 1}\frac{d}{dz}(z^{23})$$
(14)

$$= 161 \tag{15}$$

For R_2 , m=3

$$R_2 = \frac{1}{(2)!} \lim_{z \to 1} \frac{d^2}{dz^2} \left((z - 1)^3 \frac{\left(7z^{13}\right)}{2(z - 1)^3} \right) \tag{16}$$

$$= \left(\frac{7}{4}\right) \lim_{z \to 1} \frac{d^2}{dz^2} (z^{23}) \tag{17}$$

$$=\frac{1771}{2}$$
 (18)

$$R_1 + R_2 = \frac{2093}{2} \tag{19}$$

$$\implies y_1(22) = \frac{2093}{2} \tag{20}$$

2) $34 + 32 + 30 \dots + 10$

$$x_2(n) = (x_2(0) + nd_2) u_{(n)}$$
(21)

$$\implies 10 = 34 - 2n \tag{22}$$

$$\implies n = 12 \tag{23}$$

a) Z-Transform of $x_2(n)$: Using (??)

$$X_2(z) = \frac{34z}{z - 1} - \frac{2z}{(z - 1)^2}, \quad |z| > |1|$$
 (24)

b) Z-Transform of $y_2(n)$:

$$y_2(n) = x_2(n) * h(n)$$
 (25)

$$h(n) = u(n) \tag{26}$$

$$Y_2(z) = X_2(z) * H(z)$$
 (27)

$$= \left(\frac{34z}{(z-1)^1} - \frac{2z}{(z-1)^2}\right) \left(\frac{z}{z-1}\right), \quad |z| > |1|$$
 (28)

c) Inversion of $Y_2(z)$: Using Contour Integration:

$$y_2(12) = \frac{1}{2\pi j} \oint_C Y(z) z^{11} dz$$
 (29)

$$\implies = \frac{1}{2\pi j} \oint_C \left(\frac{34z^{13}}{(z-1)^2} - \frac{2z^{13}}{(z-1)^3} \right) dz \tag{30}$$

Using (12) For R_1 , m = 2:

$$R_1 = \frac{1}{(1)!} \lim_{z \to 1} \frac{d}{dz} \left((z - 1)^2 \frac{34z^{13}}{(z - 1)^2} \right)$$
 (31)

$$= 34 \lim_{z \to 1} \frac{d}{dz} (z^{13}) \tag{32}$$

$$=442\tag{33}$$

For R_2 , m = 3:

$$R_2 = \frac{1}{(2)!} \lim_{z \to 1} \frac{d^2}{dz^2} \left((z - 1)^3 \frac{\left(-2z^{13} \right)}{\left(z - 1 \right)^3} \right) \tag{34}$$

$$= -\lim_{z \to 1} \frac{d^2}{dz^2} (z^{13}) \tag{35}$$

$$=-156$$
 (36)

$$R_1 + R_2 = 286 (37)$$

$$\implies y_2(12) = 286 \tag{38}$$

3) $-5 + -8 + -11 \dots -230$

$$x_3(n) = (x_3(0) - 3n) u_{(n)}$$
(39)

$$\implies -230 = -5 - 3n \tag{40}$$

$$\implies n = 75 \tag{41}$$

a) Z-Transform of $x_3(n)$: Using (??)

$$X_3(z) = \frac{-5z}{(z-1)^1} - \frac{3z}{(z-1)^2}, \quad |z| > |1|$$
 (42)

b) Z-Transform of $y_3(n)$:

$$y_3(n) = x_3(n) * h(n) (43)$$

$$h(n) = u(n) \tag{44}$$

$$Y_3(z) = X_3(z) * H(z)$$
 (45)

$$= \left(\frac{-5z}{(z-1)^1} - \frac{3z}{(z-1)^2}\right) \left(\frac{z}{z-1}\right), \quad |z| > |1|$$
 (46)

c) Inversion of $Y_3(z)$: Using Contour Integration:

$$y_1(75) = \frac{1}{2\pi j} \oint_C Y(z) z^{74} dz \tag{47}$$

$$\implies = \frac{1}{2\pi j} \oint_C \left(\frac{-5z^{76}}{(z-1)^2} - \frac{3z^{76}}{(z-1)^3} \right) dz \tag{48}$$

Using (12) For R_1 , m = 2:

$$R_1 = \frac{1}{(1)!} \lim_{z \to 1} \frac{d}{dz} \left((z - 1)^2 \frac{-5z^{76}}{(z - 1)^2} \right)$$
 (49)

$$= -5 \lim_{z \to 1} \frac{d}{dz} (z^{76})$$

$$= -380$$
(50)

$$= -380 \tag{51}$$

For R_2 , m=3:

$$R_2 = \frac{1}{(2)!} \lim_{z \to 1} \frac{d^2}{dz^2} \left((z - 1)^3 \frac{3z^{76}}{(z - 1)^3} \right)$$
 (52)

$$=1.5\lim_{z\to 1}\frac{d^2}{dz^2}(z^{76})$$
(53)

$$=-8550$$
 (54)

$$R_1 + R_2 = -8930 (55)$$

$$\implies y_3(75) = -8930 \tag{56}$$

Fig. 1. $y_1(n)$ vs n

Fig. 2. $y_2(n)$ vs n

Fig. 3. $y_3(n)$ vs n