SIMATS ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

GANGISETTY VENKATA GANESH
192425381RB

C Program to output Prediction

Back

QUESTIONS

Q1
Reverse a list
1 mark

Q2
Reverse a string
1 mark

Q3
Searching
1 mark

Q4
Searching
1 mark

Q5
Array
1 mark

Q6
Merging
1 mark

Q7

Q3 **Searching**

1 mark

Write a C program for Searching an Element in a Sorted Array

Your Code

```
#include <stdio.h>
int main() {
    int a[100], n, i, key, low, high, mid;
    printf("Enter the number of elements: ");
    scanf("%d", &n);
    printf("Enter the sorted array elements:\n");
    for(i = 0; i < n; i++) {
        scanf("%d", &a[i]);
    }
    printf("Enter the element to search: ");
    scanf("%d", &key);
    low = 0;
    high = n - 1;
    while(low <= high) {
        mid = (low + high) / 2;
        if(a[mid] == key) {
            printf("Element found at position %d", mid + 1);
            return 0;
```

Input

```
5
10 20 30 40 50
30
```

Output

SIMATS ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

GANGISETTY VENKATA GANESH
192425381RB

C Program to output Prediction

← Back

QUESTIONS

- **Q1** Reverse a list — 1 mark
- **Q2** Reverse a string — 1 mark
- **Q3** Searching — 1 mark
- **Q4** Searching — 1 mark
- **Q5** Array — 1 mark
- **Q6** Merging — 1 mark
- **Q7**

Q1 Reverse a list 1 mark

Write a C program that takes an array as input and returns it reversed.

Your Code

```c
#include <stdio.h>
int main() {
    int n,i;
    printf("Enter the number of elements: ");
    scanf("%d", &n);
    int arr[n];
    printf("Enter %d elements: ",n);
    for(i=0;i<n;i++) {
        scanf("%d", &arr[i]);
    }
    printf("Reversed array:");
    for(i=n-1;i>=0;i--) {
        printf("%d",arr[i]);
    }
    printf("\n");
    return 0;
}
```

Input

```
1
```

Output

```
Enter the number of elements: Enter 1 elements: Reversed array:1
```

SIMATS ENGINEERING

SIMATS Online Programming Lab

DS PROGRAMMING

GANGISETTY VENKATA GANESH
192425381RB

C Program to output Prediction

Back

QUESTIONS

Q1
Reverse a list
1 mark

Q2
Reverse a string
1 mark

Q3
Searching
1 mark

Q4
Searching
1 mark

Q5
Array
1 mark

Q6
Merging
1 mark

Q7

Q2 **Reverse a string** 1 mark

Write a C program for palindrom

Your Code

```c
#include <stdio.h>
int main() {
    int num, originalNum, reverse = 0, remainder;
    printf("Enter an integer: ");
    scanf("%d", &num);
    originalNum = num;
    while (num != 0) {
        remainder = num % 10;
        reverse = reverse * 10 + remainder;
        num = num / 10;
    }
    if (originalNum == reverse)
        printf("%d is a palindrome.\n", originalNum);
    else
        printf("%d is not a palindrome.\n", originalNum);
    return 0;
}
```

Input

3

Output