

AI-Based Water Quality Monitoring and Prediction System for Sustainable Smart Cities

Azam Ahmed¹ Shaikh Raheem²

¹Professor, VTUCPGS, Kalaburagi, India

²Student, VTUCPGS, Kalaburagi, India

ABSTRACT

Rapid urbanization, industrial expansion, and population growth have placed increasing stress on urban water resources, making water quality management a critical challenge for sustainable smart cities. Surface water bodies, groundwater sources, and drinking water distribution networks in urban environments are continuously exposed to contamination from industrial effluents, domestic sewage, stormwater runoff, and aging infrastructure. Conventional water quality monitoring approaches, which rely primarily on periodic sampling and laboratory-based analysis, are insufficient to address these challenges due to limited temporal resolution, delayed reporting, and high operational costs. As a result, contamination events are often detected after significant degradation has already occurred, posing risks to public health and urban ecosystems.

In recent years, smart city initiatives have emphasized the use of sensing technologies and digital platforms to improve urban infrastructure management. While sensor-based water quality monitoring systems have improved data availability, the effective interpretation of large-scale, heterogeneous, and time-varying water quality data remains a major challenge. Raw sensor data alone does not provide actionable intelligence unless combined with analytical and predictive capabilities that can support early warning, trend analysis, and informed decision-making.

This paper presents a comprehensive AI-based water quality monitoring and prediction system designed specifically for sustainable smart city applications. The proposed framework integrates distributed water quality sensors with an intelligent data analytics layer to enable continuous monitoring, real-time assessment, and predictive forecasting of key physico-chemical water quality parameters. Machine learning models are employed to capture complex, non-linear relationships among water quality indicators and to predict future degradation trends and abnormal conditions. Emphasis is placed on system scalability, robustness, and interpretability to ensure practical deployment in real urban environments.

By combining environmental engineering principles with data-driven intelligence, the proposed system supports proactive water quality management rather than reactive response. The framework enables municipal authorities and water utilities to identify emerging risks, optimize intervention strategies, and enhance long-term sustainability of urban water resources. This work contributes to the development of intelligent, resilient, and sustainable smart city water infrastructures.

Keywords: Water Quality Monitoring, Smart Cities, Artificial Intelligence, Environmental Sustainability, Predictive Systems

I. INTRODUCTION

Water is a fundamental resource for human survival, economic development, and environmental stability. In urban environments, water systems support domestic consumption, industrial activities, sanitation, energy production, and ecological balance. As cities expand and become more densely populated, the demand placed on urban water resources increases significantly, both in terms of quantity and quality. Ensuring safe and reliable water supplies has therefore become one of the most critical challenges facing modern cities.

Smart cities aim to address urban challenges by integrating digital technologies, intelligent infrastructure, and data-driven decision-making into city management. Within this paradigm, water systems are recognized as critical infrastructure that must be monitored and managed continuously to ensure public health, regulatory compliance, and environmental sustainability. However, water quality in urban systems is inherently dynamic, influenced by spatial variability, seasonal effects, climatic conditions, and human activities. This complexity makes effective monitoring and management particularly challenging.

Traditional water quality monitoring practices are largely based on periodic sampling followed by laboratory analysis. While these methods provide high measurement accuracy, they suffer from several fundamental limitations. First, sampling frequency is often low due to cost and logistical constraints, resulting in poor temporal resolution. Second, laboratory analysis introduces delays between sample collection and result availability, preventing timely response to contamination events. Third, sampling locations are typically limited, making it difficult to capture spatial variability across large urban water networks. These limitations collectively reduce the effectiveness of conventional monitoring approaches in rapidly changing urban environments.

Urban water pollution arises from multiple sources, including industrial discharge, domestic wastewater, agricultural runoff entering urban catchments, stormwater overflow, and leakage from aging pipelines. Even short-term contamination events can have severe consequences, particularly when they affect drinking water supplies. Delayed detection of such events can lead to widespread exposure, public health emergencies, and loss of public trust in water utilities and governing institutions. Therefore, there is an urgent need for monitoring systems that can provide continuous, real-time insight into water quality conditions.

Advances in sensing technologies have enabled the deployment of low-cost, distributed sensors capable of measuring key water quality parameters such as pH, turbidity, dissolved oxygen, temperature, electrical conductivity, and oxidation–reduction potential. These sensors can be installed across rivers, reservoirs, treatment facilities, and distribution networks, enabling continuous data collection at unprecedented spatial and temporal scales. However, the widespread deployment of sensors introduces new challenges related to data volume, data quality, and meaningful interpretation.

Large-scale sensor networks generate vast amounts of heterogeneous data that are often noisy, incomplete, and subject to sensor drift or failure. Simple threshold-based monitoring approaches, which trigger alerts when predefined limits are exceeded, are inadequate for capturing complex water quality dynamics and interactions among multiple parameters. Moreover, threshold-based systems are inherently reactive, providing warnings only after degradation has already occurred.

Artificial intelligence (AI) and machine learning techniques offer powerful tools for extracting actionable knowledge from complex environmental datasets. By learning patterns from historical and real-time data, machine learning models can identify trends, detect anomalies, and predict future water quality conditions. These capabilities are particularly valuable in smart city contexts, where proactive management and early warning are essential for sustainability and resilience.

Despite growing interest in AI-driven environmental monitoring, many existing studies focus primarily on algorithmic performance using offline datasets, with limited consideration of real-world deployment constraints, system scalability, or decision-making relevance. In addition, some approaches treat AI as the central contribution, rather than as an enabling tool within a broader environmental management framework. For smart city water systems, it is essential that predictive models are interpretable, reliable, and aligned with operational needs of water utilities and regulatory bodies.

This paper addresses these gaps by presenting a holistic AI-based water quality monitoring and prediction system designed specifically for sustainable smart city applications. The proposed framework integrates continuous sensing, intelligent data analytics, and decision-support mechanisms into a unified system architecture. Rather than focusing solely on algorithmic novelty, the study emphasizes system design, environmental relevance, and practical applicability.

The primary objectives of this research are threefold. First, to design a scalable and robust water quality monitoring architecture capable of capturing spatial and temporal variability in urban water systems. Second, to develop a predictive analytics framework that enables early detection of degradation trends and abnormal events. Third, to evaluate the role of such an intelligent system in supporting sustainable water governance and smart city

II. URBAN WATER QUALITY CHALLENGES AND SYSTEM COMPLEXITY

Urban water quality management is a multifaceted challenge shaped by the interaction of physical, chemical, biological, and anthropogenic factors. Unlike controlled laboratory environments or isolated rural water systems, urban water networks operate under highly dynamic conditions. These conditions arise from dense populations,

diverse pollution sources, aging infrastructure, and climatic variability, all of which contribute to rapid and often unpredictable changes in water quality.

A. Physico-Chemical Complexity of Urban Water Systems

Urban water quality is governed by a range of physico-chemical parameters, including pH, turbidity, dissolved oxygen (DO), temperature, electrical conductivity, total dissolved solids, and chemical oxygen demand (COD). These parameters are not independent; rather, they interact in complex ways that influence water usability, ecological health, and treatment efficiency. For example, temperature variations affect dissolved oxygen levels, which in turn influence biological activity and pollutant degradation rates. Similarly, changes in conductivity may indicate the presence of dissolved salts or industrial contaminants.

In smart city environments, water bodies are exposed to continuous stress from urban runoff, industrial discharge, and wastewater overflow. During rainfall events, stormwater runoff can introduce high loads of suspended solids, nutrients, and heavy metals into surface water bodies. These episodic events often occur over short time scales, making them difficult to capture using traditional monitoring methods. The resulting rapid fluctuations in water quality parameters highlight the need for continuous and adaptive monitoring systems.

B. Spatial and Temporal Variability

One of the defining characteristics of urban water systems is their pronounced spatial and temporal variability. Water quality conditions can differ significantly across locations within the same city due to variations in land use, industrial activity, and hydrological connectivity. For instance, upstream regions of an urban river may exhibit relatively good water quality, while downstream sections may be heavily polluted due to cumulative discharge from multiple sources.

Temporal variability further complicates monitoring efforts. Seasonal changes, diurnal temperature cycles, and short-term events such as industrial accidents or sewage overflows can lead to abrupt changes in water quality. Static monitoring stations with infrequent sampling intervals are insufficient to capture these dynamics, resulting in incomplete or misleading assessments of overall system health.

C. Aging Infrastructure and Leakage

Many urban water distribution networks suffer from aging infrastructure, characterized by deteriorating pipelines, leaking joints, and corroded materials. These conditions increase the risk of contamination through intrusion of pollutants into the distribution system, particularly during pressure fluctuations. Leakage not only results in water loss but also provides pathways for external contaminants to enter potable water supplies.

Monitoring water quality within distribution networks is particularly challenging due to limited access points and complex flow patterns. Contamination events within pipelines may remain undetected until consumers report changes in taste, odor, or appearance, by which time significant exposure may have already occurred. Intelligent monitoring systems capable of detecting subtle changes in water quality parameters are therefore essential for safeguarding public health.

D. Data Uncertainty and Sensor Limitations

While sensor-based monitoring offers significant advantages over manual sampling, it introduces new challenges related to data quality and reliability. Sensors deployed in real-world environments are subject to fouling, drift, calibration errors, and intermittent failures. Environmental conditions such as biofilm formation, sediment deposition, and temperature extremes can degrade sensor performance over time.

These issues result in noisy, incomplete, or biased data streams that complicate analysis and interpretation. Simple rule-based systems are ill-equipped to handle such uncertainty, often generating false alarms or missing genuine contamination events. Robust monitoring frameworks must therefore incorporate data validation, fault tolerance, and adaptive learning mechanisms to ensure reliable operation.

E. Regulatory and Governance Constraints

Urban water quality management is governed by regulatory standards that specify acceptable limits for various parameters. While these standards provide essential benchmarks, compliance-based monitoring alone is insufficient for proactive management. Regulatory frameworks often emphasize reporting and enforcement rather than continuous improvement and early intervention.

Smart cities require monitoring systems that go beyond regulatory compliance to support strategic planning, infrastructure investment, and risk mitigation. This necessitates the integration of technical monitoring capabilities with governance and decision-support processes.

F. Implications for Intelligent Monitoring Systems

The complexity and variability of urban water systems underscore the limitations of conventional monitoring approaches. Effective water quality management in smart cities requires systems that can continuously observe, analyze, and anticipate changes across space and time. Such systems must accommodate uncertainty, adapt to evolving conditions, and provide interpretable insights to diverse stakeholders.

AI-based monitoring frameworks are particularly well suited to address these challenges. By learning from historical patterns and real-time data, predictive models can capture complex relationships among water quality parameters and identify emerging risks before they escalate into crises. However, successful implementation depends on careful system design that accounts for environmental realities, infrastructure constraints, and governance needs.

III. LITERATURE REVIEW

Water quality monitoring has been an active area of research for several decades, spanning disciplines such as environmental engineering, hydrology, public health, and urban planning. Early research efforts were primarily concerned with establishing standardized methods for measuring water quality parameters and assessing compliance with regulatory limits. These foundational studies laid the groundwork for understanding the physical, chemical, and biological indicators that define water safety and ecological health.

A. Conventional Water Quality Assessment Approaches

Traditional water quality assessment methods rely on manual sample collection followed by laboratory-based analysis. These approaches typically involve periodic sampling at predefined locations, with samples analyzed for parameters such as pH, turbidity, dissolved oxygen, biochemical oxygen demand (BOD), chemical oxygen demand (COD), nutrients, and microbial indicators. While laboratory methods provide high accuracy and reliability, they are resource-intensive and unsuitable for continuous monitoring at large spatial scales.

Several studies have highlighted the limitations of conventional monitoring in urban environments, particularly with respect to temporal resolution and responsiveness. In rapidly changing conditions, contamination events may occur and dissipate between sampling intervals, leading to underestimation of risks. Moreover, laboratory-based monitoring is often reactive, providing information after degradation has already occurred rather than enabling early intervention.

B. Sensor-Based Water Quality Monitoring Systems

Advancements in sensing technology have enabled the development of in situ water quality sensors capable of continuous measurement. Sensor-based monitoring systems represent a significant improvement over manual methods by providing high-frequency data and improved spatial coverage. Researchers have explored the deployment of sensor networks in rivers, reservoirs, and distribution systems to capture real-time variations in water quality.

Early sensor-based systems primarily focused on data acquisition and visualization. These platforms demonstrated the feasibility of continuous monitoring but relied heavily on simple threshold-based alerts. While threshold-based

approaches are easy to implement, they fail to capture complex interactions among parameters and often generate false positives due to sensor noise or transient fluctuations.

Subsequent research investigated wireless sensor networks (WSNs) for water quality monitoring, emphasizing energy efficiency, communication reliability, and network scalability. These studies addressed practical deployment challenges but largely treated data analysis as a secondary concern. As a result, the potential of continuous monitoring data remained underutilized.

C. Statistical and Mathematical Modeling Techniques

To improve interpretation of monitoring data, researchers have applied statistical and mathematical models to water quality analysis. Time-series analysis, regression models, and multivariate statistical techniques have been used to explore relationships among water quality parameters and to forecast short-term trends.

While statistical models offer interpretability and low computational complexity, they are limited in their ability to capture non-linear dynamics and complex interactions inherent in urban water systems. Many statistical approaches also assume stationary conditions, which rarely hold in real-world urban environments characterized by seasonal variability and episodic pollution events.

D. Application of Machine Learning in Water Quality Prediction

The growing availability of sensor data has driven interest in machine learning techniques for water quality prediction. Artificial neural networks, support vector machines, decision trees, and ensemble methods have been employed to model complex relationships between environmental variables and water quality outcomes. These approaches have demonstrated improved predictive accuracy compared to traditional statistical models, particularly for non-linear and multivariate problems.

Numerous studies have applied machine learning to predict specific parameters such as dissolved oxygen, turbidity, or nutrient concentrations. While these studies highlight the potential of AI-based approaches, many rely on offline datasets collected under controlled conditions. The lack of integration with real-time monitoring systems limits their applicability to operational smart city contexts.

Additionally, some machine learning studies focus heavily on algorithmic performance metrics without addressing interpretability, robustness, or decision-making relevance. For water utilities and regulatory agencies, black-box models that cannot be easily explained or validated pose significant barriers to adoption.

E. Integrated Smart City Water Monitoring Platforms

More recent research has explored integrated platforms that combine sensing, data management, and analytics within smart city frameworks. These systems aim to support holistic water management by linking monitoring data with decision-support tools and governance processes. Cloud-based architectures have been proposed to enable scalable data storage and processing, while dashboards provide visualization and reporting capabilities.

Despite these advancements, many integrated platforms still emphasize monitoring rather than prediction. Early warning mechanisms are often limited to rule-based alerts, and long-term sustainability considerations are not always explicitly addressed. Furthermore, the integration of AI is frequently treated as an add-on rather than as a core component of system design.

F. Identified Research Gaps

A critical review of existing literature reveals several key gaps. First, there is a lack of holistic frameworks that integrate continuous monitoring, predictive analytics, and decision support within a unified system architecture tailored for smart cities. Second, many studies do not adequately address data uncertainty, sensor reliability, and real-world deployment constraints. Third, the role of predictive intelligence in supporting sustainable urban water governance remains underexplored.

Most importantly, existing research often treats technological components in isolation rather than considering the urban water system as a complex socio-technical system. There is a clear need for multidisciplinary approaches that combine environmental engineering principles with intelligent analytics to support proactive, sustainable water management.

IV. SYSTEM MODELING AND ARCHITECTURE DESIGN

The design of an AI-based water quality monitoring system for smart cities requires a careful balance between environmental realism, technological feasibility, and operational scalability. Urban water systems are heterogeneous in nature, encompassing surface water bodies, groundwater sources, treatment facilities, and distribution networks. Each of these components exhibits distinct hydraulic behavior, contamination risks, and monitoring requirements. Consequently, a unified system architecture must be sufficiently flexible to accommodate diverse monitoring contexts while maintaining consistency in data interpretation and decision support.

A. Monitoring Domain Definition

The monitoring domain is defined as a spatially distributed urban water environment consisting of multiple interconnected subsystems. These include natural water bodies such as rivers and lakes, engineered systems such as reservoirs and treatment plants, and closed distribution networks supplying potable water. Each subsystem contributes differently to overall water quality dynamics, and monitoring strategies must be tailored accordingly.

For example, surface water bodies are highly exposed to non-point pollution sources and seasonal variations, whereas distribution networks are more vulnerable to intrusion events and infrastructure degradation. The system architecture therefore supports heterogeneous sensor configurations and adaptive data acquisition strategies based on domain characteristics.

B. Selection and Justification of Water Quality Parameters

The selection of water quality parameters is a critical modeling decision that directly influences system effectiveness. Parameters are chosen based on regulatory relevance, sensitivity to contamination, and sensor availability. Core parameters such as pH, turbidity, dissolved oxygen, temperature, and electrical conductivity provide complementary insights into chemical balance, physical contamination, and biological activity.

Rather than treating parameters independently, the system models their interdependencies. For instance, reductions in dissolved oxygen may correlate with increased organic pollution, while sudden conductivity changes may indicate saline or industrial discharges. Capturing such relationships is essential for meaningful predictive analysis.

C. Layered System Architecture

The proposed system adopts a layered architecture consisting of:

1. **Sensing Layer** – responsible for continuous measurement of water quality parameters
2. **Communication Layer** – responsible for secure and reliable data transmission
3. **Analytics Layer** – responsible for preprocessing, prediction, and anomaly detection
4. **Application Layer** – responsible for visualization, alerts, and decision support

This separation of concerns enhances scalability and simplifies system maintenance. Each layer can evolve independently as technologies advance or monitoring requirements change.

D. Reliability and Fault Tolerance Considerations

Real-world deployment necessitates resilience to sensor failure, communication interruptions, and data inconsistencies. The system incorporates redundancy in sensor placement, plausibility checks for incoming data, and adaptive handling of missing values. These mechanisms ensure continuity of monitoring even under imperfect operating conditions.

V. DATA PREPROCESSING AND PREDICTIVE MODELING FRAMEWORK

Raw environmental data is inherently noisy and incomplete, particularly when collected from distributed sensors operating in harsh conditions. Effective preprocessing is therefore foundational to reliable predictive modeling.

A. Data Quality Management

Preprocessing begins with validation of incoming sensor data. Values outside physically plausible ranges are flagged, and abrupt discontinuities are analyzed to distinguish between genuine events and sensor malfunction. Temporal smoothing techniques are applied selectively to reduce noise while preserving meaningful variability.

Missing data, a common occurrence in sensor networks, is addressed through interpolation and context-aware estimation rather than simple omission. This ensures continuity in time-series modeling and prevents bias in predictive outcomes.

B. Temporal and Contextual Feature Representation

Water quality behavior exhibits strong temporal dependencies driven by diurnal cycles, seasonal patterns, and episodic events. The predictive framework explicitly models these temporal structures by incorporating historical windows and contextual indicators such as time of day and seasonal phase.

This representation allows the system to distinguish between expected natural fluctuations and abnormal deviations requiring attention.

C. Predictive and Anomaly Detection Logic

Supervised learning models are trained to forecast expected water quality trajectories based on historical patterns. Deviations between predicted and observed values are evaluated to identify emerging risks. Importantly, prediction is not treated as an end in itself but as a mechanism for enhancing situational awareness.

Anomaly detection is designed to support early intervention rather than alarm generation alone. Alerts are contextualized, enabling operators to assess severity and likely causes before initiating corrective actions.

VI. SYSTEM EVALUATION AND SUSTAINABILITY IMPACT

Evaluation of the proposed system extends beyond numerical prediction accuracy to include operational usefulness and sustainability outcomes. Continuous monitoring enhances situational awareness, while predictive capabilities enable proactive management strategies.

From an environmental perspective, early detection of water quality degradation reduces ecological damage and facilitates targeted remediation. From a governance perspective, data-driven insights support transparent decision-making and regulatory compliance.

The system contributes to sustainability by enabling efficient allocation of resources, reducing unnecessary treatment interventions, and supporting long-term planning for resilient urban water infrastructure.

VII. DISCUSSION

The implementation of AI-based water quality monitoring systems raises important practical and institutional considerations. Data ownership, privacy, and accountability must be clearly defined to ensure trust among stakeholders. Moreover, predictive systems must be interpretable to gain acceptance among engineers, regulators, and policymakers.

Scalability remains a key challenge, particularly in large metropolitan regions with complex water networks. However, the modular architecture presented in this study provides a realistic pathway for gradual expansion and integration with broader smart city platforms.

VIII. CONCLUSION AND FUTURE DIRECTIONS

This study presented a comprehensive AI-based framework for water quality monitoring and prediction in sustainable smart cities. By integrating environmental sensing with intelligent analytics, the system addresses fundamental limitations of conventional monitoring approaches and enables proactive water resource management.

The primary contribution of this work lies in its system-level perspective, which combines environmental engineering principles with data-driven intelligence in a practical and scalable manner. Rather than focusing solely on algorithmic performance, the framework emphasizes interpretability, reliability, and governance relevance.

Future research directions include incorporation of climate variability, integration with hydraulic modeling, and development of participatory decision-support tools for urban water stakeholders. As smart cities continue to evolve, intelligent water quality monitoring systems will play an increasingly critical role in ensuring environmental sustainability and public health.

REFERENCES

- Abbaspour, K. C., Johnson, C. A., & van Genuchten, M. T. (2004). Estimating uncertain flow and transport parameters using a sequential uncertainty fitting procedure. *Vadose Zone Journal*, 3(4), 1340–1352. <https://doi.org/10.2136/vzj2004.1340>
- Al-Jamimi, H. A., Ahmed, A. N., & Yaseen, Z. M. (2021). Prediction of water quality parameters using machine learning models: A comprehensive review. *Journal of Cleaner Production*, 321, 129004. <https://doi.org/10.1016/j.jclepro.2021.129004>
- Brown, C., Lund, J. R., Cai, X., Reed, P., Zagana, E., Ostfeld, A., & Hall, J. (2015). The future of water resources systems analysis: Toward a scientific framework for sustainable water management. *Water Resources Research*, 51(8), 6110–6124. <https://doi.org/10.1002/2015WR017114>
- Carvalho, L., McDonald, C., de Hoyos, C., Mischke, U., Phillips, G., Borics, G., & Solheim, A. L. (2013). Sustaining recreational quality of European lakes: Minimizing the health risks from algal blooms. *Journal of Applied Ecology*, 50(2), 315–323. <https://doi.org/10.1111/1365-2664.12059>
- Chapman, D. (Ed.). (1996). *Water quality assessments: A guide to the use of biota, sediments and water in environmental monitoring* (2nd ed.). UNESCO/WHO/UNEP.
- Chen, J., Wu, H., Qian, H., & Gao, Y. (2020). Assessing nitrate and fluoride contamination in drinking water using hydrochemical analysis and machine learning models. *Environmental Pollution*, 256, 113428. <https://doi.org/10.1016/j.envpol.2019.113428>
- Ciucci, A., Del Vasto, M., & Corinaldesi, C. (2022). Smart water quality monitoring systems: From sensor networks to data-driven decision support. *Environmental Monitoring and Assessment*, 194(5), 338. <https://doi.org/10.1007/s10661-022-09910-4>
- Dawson, C. W., & Wilby, R. L. (2001). Hydrological modelling using artificial neural networks. *Progress in Physical Geography*, 25(1), 80–108. <https://doi.org/10.1177/030913330102500104>
- Gleick, P. H. (2018). *The world's water: The biennial report on freshwater resources*. Island Press.
- Hadjimitsis, D. G., Hadjimitsis, M. G., & Clayton, C. (2010). Assessment of temporal variations of water quality in inland water bodies using satellite remote sensing. *Environmental Monitoring and Assessment*, 162(1–4), 1–14. <https://doi.org/10.1007/s10661-009-0776-0>
- Hernández-del-Olmo, F., & Gaudioso, E. (2018). Evaluation of intelligent data analysis techniques applied to water quality monitoring. *Applied Soft Computing*, 70, 598–609. <https://doi.org/10.1016/j.asoc.2018.06.003>

Howe, K. J., Hand, D. W., Crittenden, J. C., Trussell, R. R., & Tchobanoglous, G. (2012). *Principles of water treatment*. Wiley.

Khan, S., Shamseldin, A. Y., & Melville, B. W. (2006). Comparison of neural network and genetic programming approaches for river flow prediction. *Hydrological Sciences Journal*, 51(1), 116–133. <https://doi.org/10.1623/hysj.51.1.116>

Kim, S., & Kang, J. (2021). Data-driven water quality prediction using deep learning for smart city applications. *Sustainable Cities and Society*, 75, 103326. <https://doi.org/10.1016/j.scs.2021.103326>

Kisi, O., & Parmar, K. S. (2016). Application of least square support vector machine and multivariate adaptive regression spline models in long-term river water quality prediction. *Journal of Hydrology*, 534, 104–112. <https://doi.org/10.1016/j.jhydrol.2015.12.014>

Liu, Y., Wang, X., & Guo, H. (2020). Real-time water quality monitoring and early warning system using IoT and cloud computing. *Environmental Science and Pollution Research*, 27(2), 1833–1848. <https://doi.org/10.1007/s11356-019-07063-3>

OECD. (2019). *Water governance in cities*. OECD Publishing. <https://doi.org/10.1787/9789264311091-en>

Sharma, S., Kansal, A., & Jain, S. (2020). Intelligent monitoring and prediction of water quality using machine learning. *Water Resources Management*, 34(11), 3409–3423. <https://doi.org/10.1007/s11269-020-02624-3>

UNESCO. (2020). *The United Nations world water development report: Water and climate change*. United Nations Educational, Scientific and Cultural Organization.

Wu, W., Dandy, G. C., & Maier, H. R. (2014). Protocol for developing ANN models and its application to the assessment of water quality variables. *Environmental Modelling & Software*, 59, 1–16. <https://doi.org/10.1016/j.envsoft.2014.05.001>