

QUESTIONS 10 / 48 completed

Pos-Neg



POS-NEG

Write a program to read in an integer and determine if it is positive, negative, or zero.

PROGRAM EDITOR

C++



Run

Save

```
1 #include <iostream>
2 using namespace std;
3
4 int main() {
5     long long n;
6     cin >> n;
7
8     if (n > 0) cout << "Positive";
9     else if (n < 0) cout << "Negative";
10    else cout << "Zero";
11
12    return 0;
13 }
```

INPUT

0

OUTPUT

QUESTIONS 10 / 48 completed

Arithmetic ▾

ARITHMATIC

Write a program to read in two integers and perform the following operations on them: addition, subtraction, multiplication, division, and modulo.

PROGRAM EDITOR

C++ ▾

Run

Save

```
1 #include<iostream>
2 using namespace std;
3 int main(){
4     int a,b;
5     cin>>a>>b;
6     cout<<"Addition: "<<a+b<<endl;
7     cout<<"Subtraction: "<<a-b<<endl;
8     cout<<"Multiplication: "<<a*b<<endl;
9     cout<<"Division: "<<a/b<<endl;
10    cout<<"Modulo: "<<a%b<<endl;
11    return 0;
12 }
```

INPUT

16

OUTPUT

QUESTIONS 10 / 48 completed

Average

AVERAGE

Write a program to read in three integers and compute the average of the three numbers. Use the assignment operator to store the result in a variable.

PROGRAM EDITOR

C++

**Run****Save**

```
1 #include <iostream>
2 using namespace std;
3
4 int main() {
5     int a, b, c;
6     if (!(cin >> a >> b >> c)) return 0;
7     double avg = (a + b + c) / 3.0;
8     cout << avg;
9     return 0;
10 }
```

INPUT

Your INPUT goes here!

QUESTIONS 10 / 48 completed

Compare

COMPARE

Write a program to read in two integers and determine if they are equal or not.

PROGRAM EDITOR

C++



Run

Save

```
1 #include <iostream>
2 using namespace std;
3
4 int main() {
5     int a, b;
6     cout << "INPUT: ";
7     cin >> a >> b;
8
9     if (a == b) cout << "OUTPUT: Equal";
10    else cout << "OUTPUT: Not Equal";
11
12    return 0;
13 }
```

INPUT

Your INPUT goes here!

QUESTIONS 10 / 48 completed

Even-Odd

EVEN-ODD

Write a program to read in an integer and determine if it is even or odd.

PROGRAM EDITOR

C++

Run

Save

```
1 #include <iostream>
2 using namespace std;
3
4 int main() {
5     long long n;
6     cin >> n;
7     if (n % 2 == 0) cout << "Even";
8     else cout << "Odd";
9     return 0;
10 }
```

INPUT

33

OUTPUT