



FASTENER UNIVERSE


Threadcart.in



Fast Delivery in 24 Hours



Instant & Transparent Pricing



Premium Packaging, Zero Hassle



No MOQ




Certified Quality Assurance



Detailed engineering drawing

Selecting the right fastener is the difference between a project that lasts decades and one that fails in months. This guide breaks down the four pillars of fastener engineering:

- **Material**
- **Grade**
- **Coating**
- **Application Logic**

<u>Material</u>	<u>Best For...</u>		<u>Characteristics</u>
Stainless Steel (SS 304)	Food 	Dairy, General Outdoor 	Standard corrosion resistance; non-magnetic.
Stainless Steel (SS 316)	Marine 	Chemical Plants 	High resistance to chlorides and salt spray.
Carbon Steel	Construction 	Machinery, Indoor 	High strength, but requires coating to prevent rust.
Alloy Steel	Automotive 	Heavy Engine 	Extremely high tensile strength; usually oil-finished.
Brass / Copper	Electrical 	Decorative 	Excellent conductivity and aesthetic appeal.

Protective Shield (Coatings)

Zinc Plated (Clear/Yellow)



Cost-effective, indoor standard. Offers ~96 hours of salt spray resistance.

Hot Dip Galvanized (HDG)



Thick zinc armor. Essential for heavy outdoor construction. Threads must be oversized to fit.

PTFE (Teflon)



Extreme chemical resistance and low friction. Prevents galling in Oil & Gas pipelines.

Black Oxide



Provides a sleek, dark aesthetic with mild oil retention. Offers minimal corrosion resistance and should strictly be used in dry, indoor environments

Zinc Flake (Geomet / Dacromet)



High-end automotive standard. Thin profile but yields 1000+ hours of salt spray protection.

Strength Grades: Understanding the Load

Grades define the "**Yield Strength**" (how much weight it can take before deforming)
"**Tensile Strength**" (when it actually snaps).

Carbon Steel (Metric)


- **Grade 4.8:** Low Carbon > Used for household furniture and light DIY.
- **Grade 8.8:** High Tensile > The workhorse of the industry. Used in automotive and general steel structures.
- **Grade 10.9:** Structural Grade > Used for heavy-duty machinery, bridges, and engine mounting.
- **Grade 12.9:** The Strongest > Used in high-precision aerospace and racing applications where failure is not an option.

Stainless Steel (A-Series)

- **A2-70:** Standard 304 Stainless with a tensile strength of 700 N/mm^2 .
- **A4-80:** High-strength 316 Stainless for heavy-duty marine use.


THREADCART.IN: FASTENER HEAD TYPE & APPLICATION GUIDE

HEX HEAD




Driven externally by a wrench, offering maximum torque for heavy machinery and structural steel.

FLANGE HEAD




Built-in circular washer distributes clamping load, ideal for automotive frames and sheet metal.

SOCKET HEAD CAP




Cylindrical head with internal hex drive, designed for tight, recessed spaces in precision equipment.

COUNTERSUNK FLAT HEAD




Tapered head sits completely flush with the material surface, used in aerodynamics zero-clearance parts.

PAN / BUTTON HEAD



Low-profile dome with a flat underside sitting above the surface, perfect for thin sheet metal and casings.

CARRIAGE HEAD



Smooth, tamper-proof dome with a square neck locking into the material, used in wood-to-metal joints and fencing.

Contact us:

Contact No : [+91 91871 42260](tel:+919187142260)

Email : info.threadcart@gmail.com

Threadcart.in

ThreadCart.in

Your Everyday Shopping Partner

Customer Support | Order Queries | Business Enquiries



Scan Me