RAJALAKSHMI
ENGINEERING COLLEGE
An AUTONOMOUS Institution
Affiliated to ANNA UNIVERSITY, Chennai

Login and Sign Up Page

A MINI PROJECT REPORT

Submitted by

GANESH S **231501046**

In partial fulfillment for the award of the degree of

BACHELOR OF TECHNOLOGY IN

ARTIFICIAL INTELLIGENCE AND MACHINE LEARNING

RAJALAKSHMI ENGINEERING COLLEGE

(AUTONOMOUS) THANDALAM

CHENNAI-602105

2024 - 2025

BONAFIDE CERTIFICATE

Certified that this project report **"Login and Sign Up Page"** is the bonafide work of **"GANESH S "**

who carried out the project work under my supervision.

Submitted for the Practical Examination held on _____

SIGNATURE

Mrs. Manju s,
Assistant Professor (SS)
AIML,
Rajalakshmi Engineering College (Autonomous),
Thandalam, Chennai - 602 105

INTERNAL EXAMINER **EXTERNAL EXAMINER**

TABLE OF CONTENTS

ABSTRACT

This project focuses on the development of a basic Login and Sign-Up system, implemented using Apache NetBeans, XAMPP, and MySQL. The system provides a secure and user-friendly interface for users to register and access personalized features. The front-end interface is developed in Java Swing using Apache NetBeans, ensuring a responsive and intuitive user experience. The back-end functionality relies on MySQL for secure data storage and management, with XAMPP serving as the local server environment to host and interact with the database.The Login module enables users to authenticate their credentials, ensuring only authorized access to protected features. The Sign-Up module allows new users to register by securely storing their information, such as usernames and encrypted passwords, in the MySQL database. Data validation techniques and exception handling are implemented to enhance the system's reliability and security.This project demonstrates the integration of multiple technologies to create a fundamental user authentication framework, serving as a foundation for more complex systems in web and desktop applications.

1. INTRODUCTION

1.1 Introduction to Project:

The Login and Sign-Up System project has been successfully developed using Apache NetBeans, XAMPP, and MySQL. This system provides a simple and functional platform for user registration and login, offering a foundation for applications that require basic user authentication.

The project features a straightforward desktop interface designed with Java Swing in Apache NetBeans, ensuring an intuitive and accessible user experience. User credentials, such as usernames and passwords, are stored in a MySQL database managed locally using XAMPP. The Login module allows users to access their accounts by verifying the information stored in the database, while the Sign-Up module facilitates the registration of new users.

This project highlights the seamless integration of front-end and back-end technologies to create a functional authentication system. It serves as a basic framework for understanding how user management systems can be built and expanded upon for future development needs**.**

1.2 Objectives:

1. Learning Through Practical Application:

   - To enhance understanding of software development concepts by designing and implementing a basic user authentication system.
   - To gain hands-on experience with tools like Apache NetBeans, XAMPP, and MySQL, solidifying theoretical knowledge through practical application.

2. Implementation Demonstration

   - To demonstrate the integration of front-end (Java Swing) and back-end (MySQL) technologies for building functional applications.
   - To showcase how desktop-based user interfaces interact with databases in real-time for storing and retrieving data.

3. Building Foundational Skills

   - To develop skills in designing, coding, and testing essential features like Login and Sign-Up modules.

- To understand and implement basic database operations such as data insertion, retrieval, and validation.

4. Creating a Scalable Framework

- To establish a foundational system that can serve as a basis for more advanced applications in the future.
- To identify areas for improvement and scalability, enabling the addition of features like enhanced security or expanded user management functionalities.

5. Strengthening Problem-Solving Abilities

- To address real-world challenges in software development, such as data validation and user interface design.
- To refine debugging skills by resolving errors encountered during the implementation process.

2. STUDY OF TECHNOLOGIES

2.1 Software Description and Features:

The Login and Sign-Up System is a basic user authentication application designed to provide users with the ability to register and log into their accounts. The system has been developed as a desktop application using Java Swing for the graphical user interface. It integrates with a MySQL database for storing and retrieving user information, and XAMPP is used as the local server environment for managing the database. The project was implemented in Apache NetBeans, an integrated development environment (IDE) that simplifies the process of writing, debugging, and managing Java applications.

The programming language used is Java, chosen for its versatility and robust capabilities in building platform-independent applications. SQL is utilized to handle database queries for operations like user registration and login validation. This project demonstrates the practical application of combining front-end and back-end technologies to create a fully functional, beginner-friendly software system.

Features:

1. **User Registration (Sign-Up Module)**
    - Allows new users to register by entering a username and password.
    - Stores user details in a MySQL database for future authentication.
2. **User Authentication (Login Module)**
    - Enables existing users to log into the system by verifying credentials against the database.
    - Provides error messages for invalid credentials or non-existent users.
3. **Simple and Intuitive Interface**
    - Features a clean and easy-to-navigate GUI designed using Java Swing.
    - Ensures a smooth user experience for both registration and login processes.
4. **Backend Integration**

- Utilizes MySQL for efficient and organized data storage.
- Integrates with XAMPP to manage the local server environment seamlessly.

5. **Error Handling**
    - Provides basic error messages for issues like empty fields or duplicate usernames during sign-up.
6. **Scalability**
    - Serves as a foundational system that can be expanded to include advanced features such as password encryption, session management, and user roles.

This project demonstrates the integration of core technologies to build a functional system while fostering learning and practical application of development concepts.

2.2 Hardware and Software Requirements:

Hardware Requirements:

- **Processor**: Intel Core i3 or higher (or equivalent).
- **RAM**: Minimum 4 GB (8 GB recommended for smooth multitasking).
- **Storage**: At least 500 MB of free disk space for software installation and project files.
- **Display**: Monitor with a resolution of 1024x768 or higher.
- **Input Devices**: Keyboard and mouse for coding and application interaction.
- **System Architecture**: 64-bit operating system preferred for compatibility with tools.

Software Requirements:

- **Operating System:**
    1. Windows 7 or later / macOS 10.13 or later / Linux-based OS.
- **Development Environment:**
    1. **Apache NetBeans**: IDE for writing and managing Java code.
- **Database and Server Tools:**
    1. **XAMPP**: Local server environment for managing MySQL databases.
    2. **MySQL**: Database for storing and retrieving user data.

Programming Language:

1. **Java**: Used for developing the application's front-end and functionality.
2. **SQL**: Used for database queries and operations.

JDK (Java Development Kit)

1. Minimum JDK 8 or later for compiling and running Java applications.

- **Additional Tools:**
    1. Text Editor (optional): For quick edits (e.g., Notepad++, Sublime Text).
    2. Browser: For testing database management via phpMyAdmin (provided by XAMPP).

3. PROGRAM CODE

Login Page:

```
package loginandsignup;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.ResultSet;
import java.sql.Statement;
import javax.swing.JFrame;
import javax.swing.JOptionPane;
import static javax.swing.JOptionPane.showMessageDialog;

public class Login extends javax.swing.JFrame {



    public Login() {
        initComponents();
    }



    @SuppressWarnings("unchecked")
    // <editor-fold defaultstate="collapsed" desc="Generated Code">//GEN-
BEGIN:initComponents
    private void initComponents() {

        jPanel1 = new javax.swing.JPanel();
        Right = new javax.swing.JPanel();
        jLabel6 = new javax.swing.JLabel();
        jLabel7 = new javax.swing.JLabel();
        Left = new javax.swing.JPanel();
```

```
jLabel1 = new javax.swing.JLabel();
jLabel2 = new javax.swing.JLabel();
email = new javax.swing.JTextField();
jLabel3 = new javax.swing.JLabel();
password = new javax.swing.JPasswordField();
LoginBtn = new javax.swing.JButton();
jLabel4 = new javax.swing.JLabel();
jButton2 = new javax.swing.JButton();

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
setTitle("LOGIN");

jPanel1.setBackground(new java.awt.Color(255, 255, 255));
jPanel1.setPreferredSize(new java.awt.Dimension(800, 500));
jPanel1.setLayout(null);

Right.setBackground(new java.awt.Color(0, 102, 102));
Right.setPreferredSize(new java.awt.Dimension(400, 500));

jLabel6.setFont(new java.awt.Font("Showcard Gothic", 1, 14)); // NOI18N
jLabel6.setForeground(new java.awt.Color(255, 255, 255));
jLabel6.setText("COLLEGE RESOURCE MANAGEMENT SYSTEM");

jLabel7.setFont(new java.awt.Font("Segoe UI Light", 0, 14)); // NOI18N
jLabel7.setForeground(new java.awt.Color(204, 204, 204));

javax.swing.GroupLayout RightLayout = new javax.swing.GroupLayout(Right);
Right.setLayout(RightLayout);
RightLayout.setHorizontalGroup(
    RightLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
            .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
RightLayout.createSequentialGroup()
                .addGap(0, 62, Short.MAX_VALUE)
                .addGroup(RightLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.
TRAILING)
                    .addComponent(jLabel6)
                    .addComponent(jLabel7))
                .addGap(40, 40, 40))
        );
        RightLayout.setVerticalGroup(
            RightLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(RightLayout.createSequentialGroup()
                .addContainerGap(227, Short.MAX_VALUE)
                .addComponent(jLabel6)
                .addGap(176, 176, 176)
                .addComponent(jLabel7)
                .addGap(78, 78, 78))
        );

        jPanel1.add(Right);
        Right.setBounds(0, 0, 400, 500);

        Left.setBackground(new java.awt.Color(255, 255, 255));
        Left.setMinimumSize(new java.awt.Dimension(400, 500));

        jLabel1.setFont(new java.awt.Font("Segoe UI", 1, 36)); // NOI18N
        jLabel1.setForeground(new java.awt.Color(0, 102, 102));
        jLabel1.setText("LOGIN");

        jLabel2.setBackground(new java.awt.Color(102, 102, 102));
        jLabel2.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
```

```
jLabel2.setText("Email");

email.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
email.setForeground(new java.awt.Color(102, 102, 102));

jLabel3.setBackground(new java.awt.Color(102, 102, 102));
jLabel3.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
jLabel3.setText("Password");

LoginBtn.setBackground(new java.awt.Color(0, 102, 102));
LoginBtn.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
LoginBtn.setForeground(new java.awt.Color(255, 255, 255));
LoginBtn.setText("Login");
LoginBtn.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        LoginBtnActionPerformed(evt);
    }
});

jLabel4.setText("I don't have an account");

jButton2.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
jButton2.setForeground(new java.awt.Color(255, 51, 51));
jButton2.setText("Sign Up");
jButton2.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton2ActionPerformed(evt);
    }
});
```

```
        javax.swing.GroupLayout LeftLayout = new javax.swing.GroupLayout(Left);
        Left.setLayout(LeftLayout);
        LeftLayout.setHorizontalGroup(
            LeftLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(LeftLayout.createSequentialGroup()
                .addGroup(LeftLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                    .addGroup(LeftLayout.createSequentialGroup()
                        .addGap(138, 138, 138)
                        .addComponent(jLabel1))
                    .addGroup(LeftLayout.createSequentialGroup()
                        .addGap(30, 30, 30)
                        .addGroup(LeftLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                            .addGroup(LeftLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
                                .addComponent(jLabel2)
                                .addComponent(email)
                                .addComponent(jLabel3)
                                .addComponent(password, javax.swing.GroupLayout.DEFAULT_SIZE, 343, Short.MAX_VALUE)
                                .addComponent(LoginBtn, javax.swing.GroupLayout.PREFERRED_SIZE, 93, javax.swing.GroupLayout.PREFERRED_SIZE))
                            .addGroup(LeftLayout.createSequentialGroup()
                                .addComponent(jLabel4)
                                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                                .addComponent(jButton2)))))
                .addContainerGap(27, Short.MAX_VALUE))
        );
        LeftLayout.setVerticalGroup(
            LeftLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
            .addGroup(LeftLayout.createSequentialGroup()
                .addGap(51, 51, 51)
                .addComponent(jLabel1)
                .addGap(40, 40, 40)
                .addComponent(jLabel2)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
                .addComponent(email, javax.swing.GroupLayout.PREFERRED_SIZE, 40,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(18, 18, 18)
                .addComponent(jLabel3)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
                .addComponent(password, javax.swing.GroupLayout.PREFERRED_SIZE, 40,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(26, 26, 26)
                .addComponent(LoginBtn, javax.swing.GroupLayout.PREFERRED_SIZE, 36,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(33, 33, 33)
                .addGroup(LeftLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.B
ASELINE)
                    .addComponent(jLabel4)
                    .addComponent(jButton2))
                .addContainerGap(77, Short.MAX_VALUE))
        );

        jPanel1.add(Left);
        Left.setBounds(400, 0, 400, 500);

        javax.swing.GroupLayout layout = new javax.swing.GroupLayout(getContentPane());
        getContentPane().setLayout(layout);
        layout.setHorizontalGroup(
            layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(layout.createSequentialGroup()
```

```
            .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(0, 0, Short.MAX_VALUE))
        );
        layout.setVerticalGroup(
           layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
           .addGroup(layout.createSequentialGroup()
              .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
              .addGap(0, 0, Short.MAX_VALUE))
        );

        pack();
    }// </editor-fold>//GEN-END:initComponents

    private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_jButton2ActionPerformed

        SignUp SignUpFrame = new SignUp();
        SignUpFrame.setVisible(true);
        SignUpFrame.pack();
        SignUpFrame.setLocationRelativeTo(null);
        this.dispose();
    }//GEN-LAST:event_jButton2ActionPerformed

    private void LoginBtnActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_LoginBtnActionPerformed
        // System.out.println("Sign up btn clicked");
        String Email, Password, query, fname = null, passDb = null;
        String SUrl, SUser, SPass;
        SUrl = "jdbc:MySQL://localhost:3306/logindetails";
        SUser = "root";
```

```
        SPass = "";
        int notFound = 0;
        try {
            Class.forName("com.mysql.cj.jdbc.Driver");
            Connection con = DriverManager.getConnection(SUrl, SUser, SPass);
            Statement st = con.createStatement();
            if("".equals(email.getText())){
                JOptionPane.showMessageDialog(new JFrame(), "Email Address is required",
"Error",
                        JOptionPane.ERROR_MESSAGE);
            }else if("".equals(password.getText())){
                JOptionPane.showMessageDialog(new JFrame(), "Password is required", "Error",
                        JOptionPane.ERROR_MESSAGE);
            }else {
            Email    = email.getText();
            Password = password.getText();

            query = "SELECT * FROM user WHERE email= '"+Email+"'";

            ResultSet rs = st.executeQuery(query);
            while(rs.next()){
                passDb = rs.getString("password");
                fname = rs.getString("full_name");
                notFound = 1;
            }
            if(notFound == 1 && Password.equals(passDb)){
                Home HomeFrame = new Home();
                HomeFrame.setUser(fname);
                HomeFrame.setVisible(true);
                HomeFrame.pack();
                HomeFrame.setLocationRelativeTo(null);
```

```
            this.dispose();
        }else{
            JOptionPane.showMessageDialog(new JFrame(), "Incorrect email or password",
"Error",
                    JOptionPane.ERROR_MESSAGE);
        }
        password.setText("");

        }
    }catch(Exception e){
      System.out.println("Error!" + e.getMessage());
    }

}//GEN-LAST:event_LoginBtnActionPerformed

/**
 * @param args the command line arguments
 */


// Variables declaration - do not modify//GEN-BEGIN:variables
private javax.swing.JPanel Left;
private javax.swing.JButton LoginBtn;
private javax.swing.JPanel Right;
private javax.swing.JTextField email;
private javax.swing.JButton jButton2;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel6;
```

```
    private javax.swing.JLabel jLabel7;
    private javax.swing.JPanel jPanel1;
    private javax.swing.JPasswordField password;
    // End of variables declaration//GEN-END:variables
}
```

Sign Up Page:

```
package loginandsignup;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.ResultSet;
import java.sql.Statement;
import javax.swing.JFrame;
import javax.swing.JOptionPane;
import static javax.swing.JOptionPane.showMessageDialog;


public class SignUp extends javax.swing.JFrame {



    public SignUp() {
        initComponents();
    }



    @SuppressWarnings("unchecked")
    // <editor-fold defaultstate="collapsed" desc="Generated Code">//GEN-
BEGIN:initComponents
    private void initComponents() {
```

```
jPanel1 = new javax.swing.JPanel();
jPanel2 = new javax.swing.JPanel();
jLabel2 = new javax.swing.JLabel();
jLabel3 = new javax.swing.JLabel();
jPanel3 = new javax.swing.JPanel();
jLabel4 = new javax.swing.JLabel();
jLabel5 = new javax.swing.JLabel();
fname = new javax.swing.JTextField();
jLabel6 = new javax.swing.JLabel();
emailAddress = new javax.swing.JTextField();
jLabel7 = new javax.swing.JLabel();
pass = new javax.swing.JPasswordField();
jLabel8 = new javax.swing.JLabel();
SignUpBtn = new javax.swing.JButton();
jButton2 = new javax.swing.JButton();

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
setTitle("Sign Up");
setPreferredSize(new java.awt.Dimension(800, 500));

jPanel1.setBackground(new java.awt.Color(255, 255, 255));
jPanel1.setPreferredSize(new java.awt.Dimension(800, 500));
jPanel1.setLayout(null);

jPanel2.setBackground(new java.awt.Color(0, 102, 102));

jLabel2.setFont(new java.awt.Font("Showcard Gothic", 0, 14)); // NOI18N
jLabel2.setForeground(new java.awt.Color(255, 255, 255));
jLabel2.setText("College REsource Management system");
```

```
        jLabel3.setFont(new java.awt.Font("Segoe UI Light", 0, 14)); // NOI18N
        jLabel3.setForeground(new java.awt.Color(204, 204, 204));

        javax.swing.GroupLayout jPanel2Layout = new javax.swing.GroupLayout(jPanel2);
        jPanel2.setLayout(jPanel2Layout);
        jPanel2Layout.setHorizontalGroup(
            jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addGap(64, 64, 64)
                .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignme
nt.TRAILING)
                    .addComponent(jLabel3)
                    .addComponent(jLabel2))
                .addContainerGap(52, Short.MAX_VALUE))
        );
        jPanel2Layout.setVerticalGroup(
            jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addContainerGap(193, Short.MAX_VALUE)
                .addComponent(jLabel2, javax.swing.GroupLayout.PREFERRED_SIZE, 153,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(90, 90, 90)
                .addComponent(jLabel3)
                .addGap(64, 64, 64))
        );

        jPanel1.add(jPanel2);
        jPanel2.setBounds(0, 0, 400, 500);

        jPanel3.setBackground(new java.awt.Color(255, 255, 255));
```

```
jLabel4.setBackground(new java.awt.Color(0, 102, 102));
jLabel4.setFont(new java.awt.Font("Segoe UI", 1, 24)); // NOI18N
jLabel4.setText("SIGN UP");

jLabel5.setBackground(new java.awt.Color(102, 102, 102));
jLabel5.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
jLabel5.setText("Full name");

fname.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
fname.setForeground(new java.awt.Color(102, 102, 102));

jLabel6.setBackground(new java.awt.Color(102, 102, 102));
jLabel6.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
jLabel6.setText("Email");

emailAddress.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
emailAddress.setForeground(new java.awt.Color(102, 102, 102));

jLabel7.setBackground(new java.awt.Color(102, 102, 102));
jLabel7.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
jLabel7.setText("Password");

pass.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
pass.setForeground(new java.awt.Color(102, 102, 102));

jLabel8.setText("I've an account");

SignUpBtn.setBackground(new java.awt.Color(0, 102, 102));
SignUpBtn.setForeground(new java.awt.Color(255, 255, 255));
SignUpBtn.setText("Sign Up");
```

```
        SignUpBtn.addActionListener(new java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent evt) {
                SignUpBtnActionPerformed(evt);
            }
        });

        jButton2.setForeground(new java.awt.Color(255, 51, 51));
        jButton2.setText("Login");
        jButton2.addActionListener(new java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton2ActionPerformed(evt);
            }
        });

        javax.swing.GroupLayout jPanel3Layout = new javax.swing.GroupLayout(jPanel3);
        jPanel3.setLayout(jPanel3Layout);
        jPanel3Layout.setHorizontalGroup(
            jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel3Layout.createSequentialGroup()
                .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignme
nt.LEADING)
                    .addGroup(jPanel3Layout.createSequentialGroup()
                        .addGap(145, 145, 145)
                        .addComponent(jLabel4))
                    .addGroup(jPanel3Layout.createSequentialGroup()
                        .addGap(44, 44, 44)
                        .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alig
nment.LEADING)
                            .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.A
lignment.LEADING, false)
                                .addComponent(jLabel5)
```

```
                    .addComponent(fname)
                    .addComponent(jLabel6)
                    .addComponent(emailAddress,
javax.swing.GroupLayout.DEFAULT_SIZE, 332, Short.MAX_VALUE)
                    .addComponent(jLabel7)
                    .addComponent(pass))
                .addComponent(SignUpBtn,
javax.swing.GroupLayout.PREFERRED_SIZE, 91,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGroup(jPanel3Layout.createSequentialGroup()
                    .addComponent(jLabel8)
                    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRE
LATED)
                    .addComponent(jButton2,
javax.swing.GroupLayout.PREFERRED_SIZE, 84,
javax.swing.GroupLayout.PREFERRED_SIZE)))))
            .addContainerGap(24, Short.MAX_VALUE))
    );
    jPanel3Layout.setVerticalGroup(
        jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel3Layout.createSequentialGroup()
            .addGap(28, 28, 28)
            .addComponent(jLabel4)
            .addGap(29, 29, 29)
            .addComponent(jLabel5)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
            .addComponent(fname, javax.swing.GroupLayout.PREFERRED_SIZE, 40,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(29, 29, 29)
            .addComponent(jLabel6)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
            .addComponent(emailAddress, javax.swing.GroupLayout.PREFERRED_SIZE, 40,
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
            .addGap(29, 29, 29)
            .addComponent(jLabel7)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
            .addComponent(pass, javax.swing.GroupLayout.PREFERRED_SIZE, 40,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(18, 18, 18)
            .addComponent(SignUpBtn, javax.swing.GroupLayout.PREFERRED_SIZE, 37,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(24, 24, 24)
            .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignme
nt.BASELINE)
                .addComponent(jLabel8)
                .addComponent(jButton2, javax.swing.GroupLayout.PREFERRED_SIZE, 31,
javax.swing.GroupLayout.PREFERRED_SIZE))
            .addContainerGap(45, Short.MAX_VALUE))
        );

        jPanel1.add(jPanel3);
        jPanel3.setBounds(400, 0, 400, 500);

        javax.swing.GroupLayout layout = new javax.swing.GroupLayout(getContentPane());
        getContentPane().setLayout(layout);
        layout.setHorizontalGroup(
            layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(layout.createSequentialGroup()
                .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(0, 113, Short.MAX_VALUE))
        );
        layout.setVerticalGroup(
            layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(layout.createSequentialGroup()
```

```
            .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(0, 126, Short.MAX_VALUE))
        );

        pack();
    }// </editor-fold>//GEN-END:initComponents

    private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_jButton2ActionPerformed
        // TODO add your handling code here:
        Login LoginFrame = new Login();
        LoginFrame.setVisible(true);
        LoginFrame.pack();
        LoginFrame.setLocationRelativeTo(null);
        this.dispose();
    }//GEN-LAST:event_jButton2ActionPerformed

    private void SignUpBtnActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
FIRST:event_SignUpBtnActionPerformed
        // System.out.println("Sign up btn clicked");
        String fullName, email, Password, query;
        String SUrl, SUser, SPass;
        SUrl = "jdbc:MySQL://localhost:3306/logindetails";
        SUser = "root";
        SPass = "";
        try {
            Class.forName("com.mysql.cj.jdbc.Driver");
            Connection con = DriverManager.getConnection(SUrl, SUser, SPass);
            Statement st = con.createStatement();
            if("".equals(fname.getText())){
```

```
            JOptionPane.showMessageDialog(new JFrame(), "Full Name is required", "Error",
                    JOptionPane.ERROR_MESSAGE);
        }else if("".equals(emailAddress.getText())){
            JOptionPane.showMessageDialog(new JFrame(), "Email Address is required",
"Error",
                    JOptionPane.ERROR_MESSAGE);
        }else if("".equals(pass.getText())){
            JOptionPane.showMessageDialog(new JFrame(), "Password is required", "Error",
                    JOptionPane.ERROR_MESSAGE);
        }else {
        fullName = fname.getText();
        email    = emailAddress.getText();
        Password = pass.getText();
        System.out.println(Password);

        query = "INSERT INTO user(full_name, email, password)"+
              "VALUES('"+fullName+"', '"+email+"' , '"+Password+"')";

        st.execute(query);
        fname.setText("");
        emailAddress.setText("");
        pass.setText("");
        showMessageDialog(null, "New account has been created successfully!");
        }
      }catch(Exception e){
        System.out.println("Error!" + e.getMessage());
      }

   }//GEN-LAST:event_SignUpBtnActionPerformed

   /**
```

```
     * @param args the command line arguments
     */

    // Variables declaration - do not modify//GEN-BEGIN:variables
    private javax.swing.JButton SignUpBtn;
    private javax.swing.JTextField emailAddress;
    private javax.swing.JTextField fname;
    private javax.swing.JButton jButton2;
    private javax.swing.JLabel jLabel2;
    private javax.swing.JLabel jLabel3;
    private javax.swing.JLabel jLabel4;
    private javax.swing.JLabel jLabel5;
    private javax.swing.JLabel jLabel6;
    private javax.swing.JLabel jLabel7;
    private javax.swing.JLabel jLabel8;
    private javax.swing.JPanel jPanel1;
    private javax.swing.JPanel jPanel2;
    private javax.swing.JPanel jPanel3;
    private javax.swing.JPasswordField pass;
    // End of variables declaration//GEN-END:variables
}
```

Home Page:

```
package loginandsignup;

public class Home extends javax.swing.JFrame {

    public Home() {
        initComponents();
```

```
}

@SuppressWarnings("unchecked")

private void initComponents() {
    jLabel1 = new javax.swing.JLabel();
    user = new javax.swing.JLabel();
    LogoutBtn = new javax.swing.JButton();

    setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
    setTitle("HOME");

    jLabel1.setFont(new java.awt.Font("Segoe UI", 1, 48));
    jLabel1.setForeground(new java.awt.Color(0, 102, 102));
    jLabel1.setText("Welcome Back");

    user.setFont(new java.awt.Font("Segoe UI", 1, 36));
    user.setForeground(new java.awt.Color(0, 51, 102));
    user.setText("John");

    LogoutBtn.setText("LOGOUT");
    LogoutBtn.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            LogoutBtnActionPerformed(evt);
        }
    });
    javax.swing.GroupLayout layout = new javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(
```

```
        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
layout.createSequentialGroup()
            .addContainerGap(133, Short.MAX_VALUE)
            .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEAD
ING)
                .addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE, 340,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGroup(layout.createSequentialGroup()
                    .addGap(116, 116, 116)
                    .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
                        .addComponent(user, javax.swing.GroupLayout.PREFERRED_SIZE, 139,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addComponent(LogoutBtn))))
            .addGap(124, 124, 124))
    );
    layout.setVerticalGroup(
        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
layout.createSequentialGroup()
            .addContainerGap(164, Short.MAX_VALUE)
            .addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE, 60,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
            .addComponent(user, javax.swing.GroupLayout.PREFERRED_SIZE, 60,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
            .addComponent(LogoutBtn, javax.swing.GroupLayout.PREFERRED_SIZE, 36,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(116, 116, 116))
    );
    pack();
```

```
    }
    private void LogoutBtnActionPerformed(java.awt.event.ActionEvent evt) {
        Login LoginFrame = new Login();
        LoginFrame.setVisible(true);
        LoginFrame.pack();
        LoginFrame.setLocationRelativeTo(null);
        this.dispose();
    }
    public void setUser(String name){
        user.setText(name);
    }
    public static void main(String args[]) {
        try {
            for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
                if ("Nimbus".equals(info.getName())) {
                    javax.swing.UIManager.setLookAndFeel(info.getClassName());
                    break;
                }
            }
        } catch (ClassNotFoundException ex) {
            java.util.logging.Logger.getLogger(Home.class.getName()).log(java.util.logging.Leve
l.SEVERE, null, ex);
        } catch (InstantiationException ex) {
            java.util.logging.Logger.getLogger(Home.class.getName()).log(java.util.logging.Leve
l.SEVERE, null, ex);
        } catch (IllegalAccessException ex) {
            java.util.logging.Logger.getLogger(Home.class.getName()).log(java.util.logging.Leve
l.SEVERE, null, ex);
        } catch (javax.swing.UnsupportedLookAndFeelException ex) {
            java.util.logging.Logger.getLogger(Home.class.getName()).log(java.util.logging.Leve
l.SEVERE, null, ex);
```

```
        }
        java.awt.EventQueue.invokeLater(new Runnable() {
            public void run() {
                new Home().setVisible(true);
            }
        });
    }
    private javax.swing.JButton LogoutBtn;
    private javax.swing.JLabel jLabel1;
    private javax.swing.JLabel user;
}
```

Driver Code:

```
package loginandsignup;
public class LoginAndSignUp {
    public static void main(String[] args) {
        Login LoginFrame = new Login();
        LoginFrame.setVisible(true);
        LoginFrame.pack();
        LoginFrame.setLocationRelativeTo(null);
    }
}
```

RESULTS AND DISCUSSION

Results:

4. **Login Page**



Sign Up Page



Database Access via phpAdmin



Discussion:

This project has further scope, given that it is a barebones working login page, sign up page and homepage with database connectivity. This can be done by integrating it with an actual website or a system.

5. CONCLUSION

The Login and Sign-Up System project was successfully developed using Apache NetBeans, XAMPP, and MySQL, demonstrating the integration of front-end and back-end technologies to create a functional user authentication system. The project provides a simple yet effective solution for user registration and login, offering a clean interface and reliable database operations.

This project not only highlights the fundamental concepts of application development but also fosters practical understanding by combining programming, database management, and server configuration. Through this implementation, the objectives of hands-on learning, demonstration of technology integration, and the creation of a scalable foundation for future enhancements were achieved.

The system lays the groundwork for expanding its functionality, such as incorporating advanced security features, session management, and user role definitions. Overall, the project serves as a valuable learning experience and a stepping stone toward more complex software development endeavors.

6. REFERENCES

Textbooks:

Horstmann, C. S. (2019). Core Java Volume I-Fundamentals (11th ed.). Prentice Hall. Eckel, B. (2006). Thinking in Java (4th ed.). Prentice Hall. Bloch, J. (2018). Effective Java (3rd ed.). Addison-Wesley.

Websites:

https://www.geeksforgeeks.org/establishing-jdbc-connection-in-java/
https://www.javatpoint.com/example-to-connect-to-the-mysql-database